




graph_context_20261106; training and validation weights are recorded in configuration









graph_context_20261107; training and validation weights are recorded in configuration
Reconstruction nats per weighted row
Completed optimizer updates
train weighted
validation
selected βval=1
selected βval=0.1
KL nats per weighted row
Completed optimizer updates
validation KL, sum over latent dimensions
selected βval=1
selected βval=0.1



graph_context_20261108; training and validation weights are recorded in configuration
Reconstruction nats per weighted row
Completed optimizer updates
train weighted
validation
selected βval=1
selected βval=0.1
KL nats per weighted row
validation KL, sum over latent dimensions
selected βval=1
selected βval=0.1



graph_encoder_20261106; training and validation weights are recorded in configuration
Reconstruction nats per weighted row
Completed optimizer updates
train weighted
validation
selected βval=1
selected βval=0.1
KL nats per weighted row
validation KL, sum over latent dimensions



graph_encoder_20261107; training and validation weights are recorded in configuration
train weighted
validation
selected βval=1
selected βval=0.1
Reconstruction nats per weighted row
Completed optimizer updates
validation KL, sum over latent dimensions
selected βval=1
selected βval=0.1
KL nats per weighted row
Completed optimizer updates



graph_encoder_20261108; training and validation weights are recorded in configuration
train weighted
validation
selected βval=1
selected βval=0.1
Reconstruction nats per weighted row
Completed optimizer updates
validation KL, sum over latent dimensions
selected βval=1
selected βval=0.1
KL nats per weighted row
Completed optimizer updates



latent_d4_20261106; training and validation weights are recorded in configuration
Reconstruction nats per weighted row
Completed optimizer updates
train weighted
validation
selected βval=1
selected βval=0.1
KL nats per weighted row
Completed optimizer updates
validation KL, sum over latent dimensions
selected βval=1
selected βval=0.1


latent_d4_20261107; training and validation weights are recorded in configuration
Reconstruction nats per weighted row
Completed optimizer updates
train weighted
validation
selected βval=1
selected βval=0.1
KL nats per weighted row
Completed optimizer updates
validation KL, sum over latent dimensions
selected βval=1
selected βval=0.1


latent_d4_20261108; training and validation weights are recorded in configuration
Reconstruction nats per weighted row
Completed optimizer updates
train weighted
validation
selected βval=1
selected βval=0.1
KL nats per weighted row
Completed optimizer updates
validation KL, sum over latent dimensions
selected βval=1
selected βval=0.1


symmetry_augment_20261106; training and validation weights are recorded in configuration
Reconstruction nats per weighted row
Completed optimizer updates
train weighted
validation
selected βval=1
selected βval=0.1
KL nats per weighted row
Completed optimizer updates
validation KL, sum over latent dimensions
selected βval=1
selected βval=0.1


symmetry_augment_20261107; training and validation weights are recorded in configuration
Reconstruction nats per weighted row
Completed optimizer updates
train weighted
validation
selected βval=1
selected βval=0.1
KL nats per weighted row
Completed optimizer updates
validation KL, sum over latent dimensions
selected βval=1
selected βval=0.1


symmetry_augment_20261108; training and validation weights are recorded in configuration
Reconstruction nats per weighted row
Completed optimizer updates
train weighted
validation
selected βval=1
selected βval=0.1
KL nats per weighted row
Completed optimizer updates
validation KL, sum over latent dimensions
selected βval=1
selected βval=0.1