Papers

1. Cross-view Semantic Segmentation for Sensing Surroundings, Bowen Pan1,∗, Jiankai Sun2,∗, Ho Yin Tiga Leung2, Alex Andonian1, and Bolei Zhou2.
2. FISHING Net: Future Inference of Semantic Heatmaps In Grids, Noureldin Hendy , Cooper Sloan, Feng Tian Pengfei Duan, Nick Charchut, Yuesong Xie, Chuang Wang, James Philbin.
3. Scene Graph Generation from Objects, Phrases and Region Captions, Yikang Li1, Wanli Ouyang1,2, Bolei Zhou3, Kun Wang1, Xiaogang Wang1.
4. Real-time Semantic Mapping for Autonomous Off-Road Navigation, Daniel Maturana, Po-Wei Chou, Masashi Uenoyama and Sebastian Scherer.
5. Bird’s-Eye-View Scene Graph for Vision-Language Navigation Rui Liu Xiaohan Wang Wenguan Wang* Yi Yang.
6. Lift Splat Shoot:
    1.
7. STVL
    1. Voxel acceleration uses given FOV to compute frustum geometry.
    2. Depth cameras (e.g. Intel Realsense) are modeled with traditionla 6-planed cubical frustums. 3D lidars (e.g. Velodyne VLP 16) are modeled with their hourglass-shaped FOV. Although many 3D lidars have 360 degree horizontal FOV, it is possible to use a narrower angle for the clearing frustum by setting the hFOV parameter accordingly