

Family Tree Extraction Pipeline Using BERT Classifier Model



CSC 482: Natural Language Processing

Dr. Foaad Khosmood

December 10, 2025

Content created, written, and displayed by:

Lucas Summers (lsumme01@calpoly.edu)

Braeden Alonge (balonge@calpoly.edu)

Nathan Lim (nlim10@calpoly.edu)

Rory Smail (rsmail@calpoly.edu)

1. Abstract.....	3
2. Background.....	3
3. Data Sources.....	4
3.1 Initial Dataset Compilation.....	4
3.2 Transitioning to Final Dataset.....	4
4. Pipeline Design.....	5
4.1 Training the BERT Classifier Model.....	5
4.2 Extracting Relationships.....	6
4.3 Visualization Generation.....	7
5. Testing.....	9
6. Results.....	9
6.1 Bush Family Tree.....	9
6.2 Kardashian Family Tree.....	10
6.3 Kennedy Family Tree.....	10
6.4 Obama Family Tree.....	11
6.5 Royals Family Tree.....	11
6.6 Marvel Universe.....	12
7. Problems.....	12
8. Conclusion.....	13
9. Bibliography.....	14
10. Appendix.....	14
10.1 Bush Family Tree.....	14
10.2 Kardashian Family Tree.....	17
10.3 Kennedy Family Tree.....	20
10.4 Obama Family Tree.....	23
10.5 Royals Family Tree.....	26
9.6 Marvel Universe.....	29

1. Abstract

This project addresses the challenge of automatically extracting family relationship information from natural language text and converting it into structured family tree representations. We developed a multi-stage system that first resolves coreferences and merges partial names within text, then identifies family relationships using both a baseline keyword-based approach and a fine-tuned BERT model, and finally constructs and visualizes family trees in multiple formats. Our pipeline includes advanced preprocessing steps for coreference resolution, segments raw text into overlapping sentence windows, applies spaCy-based named entity recognition to detect person mentions, then classifies relationships between entities using a BERT-based classifier trained on the CustFRE family relations dataset. Through this approach of explicit insertion of entity markers and our two-stage classification approach, the model more effectively is able to handle class imbalance, and it learns to distinguish between true familial relations and incidental co-mention.

2. Background

Family relationship extraction from natural language text represents a significant challenge in natural language processing and information extraction. Genealogical information is often embedded within narrative text, historical documents, and biographical sources, making it difficult to systematically extract and organize family connections. Technology struggles with automated extraction due to the difficulty and necessity of handling diverse linguistic expressions and resolving co-reference across sentences. Traditional manual genealogy extraction requires painstaking evaluation/examination of documents, letters, and records to piece together family trees, a time-consuming process that could benefit greatly from automated assistance. Our project builds upon existing work in relationship extraction and named entity recognition in order to adapt these techniques specifically for family relationships. Current relationship extraction methods have seen significant advances with the introduction of BERT (Bidirectional Encoder Representation from Transformers), which has demonstrated strong performance on information extraction. Our work integrates BERT and components from spaCy to help resolve co-references and handle complex sentences to generate a family tree input text containing familial relations between named entities, like Wikipedia pages, book excerpts, historical documents, or fictional paragraphs. We address a practical need in genealogy research, historical analysis, and biographical study, where large

volumes of text contain embedded family relationship information that would benefit from automated extraction and visualization. The system's ability to process diverse text sources demonstrates its versatility and potential for real-world application in genealogical research, historical documentation, and narrative analysis.

3. Data Sources

3.1 Initial Dataset Compilation

We initially compiled our training data from three publicly available relation-extraction datasets: Wiki80 with around 56,000 examples, FewRel with around 70,000 examples, and DocRED with around 100,000 examples. All three contained sentences annotated with entity span pairs and associated relationship type labels. We process them by detokenizing back into natural text, and inserting entity markers around the people in the sentence using the provided token indices. We then filtered to family relations only, also saving the other sentences as negative examples for our model. After extracting and combining the datasets, we were left with 2555 child examples (3.93%), 3206 parent examples (4.93%), 1704 sibling examples (2.62%), 2077 spouse examples (3.19%), and 55548 no_relation examples (85.34%). We believed this would provide us with a substantial amount of data from diverse sentence structures, allowing our model to generalize well to real-world text inputs.

3.2 Transitioning to Final Dataset

While training our initial BERT model, we discovered critical limitations in the initial compiled dataset. First, the sentences contained too many entities (proper nouns), creating noise and making it harder for the BERT model to see critical words that connect two entities in a relationship. It also lacks proper negative examples, or sentences containing person names without family relationships (colleagues, friends, etc.). This caused our initial model to incorrectly predict relationships between any two people mentioned together, regardless of the actual connection.

Thus, we chose to transition to the CustFRE dataset, an annotated dataset specifically curated for extraction of family relations from English text. Despite its smaller size, with only 2,716 examples and an average sentence length of 35 tokens, CustFRE provided crucial negative examples and much cleaner annotations than before. The dataset includes six relation type

labels: no_relation (1,175 examples), per:parents (347), per:children (347), per:siblings (282), per:spouse (263), and per:other_family (302). It also provided the token indices of the subject and object in the relationship, much like the initial dataset. This balanced distribution with substantial negative examples enabled our BERT model to learn discriminative features for actual family relationships versus incidental co-mentions.

4. Pipeline Design

4.1 Training the BERT Classifier Model

At the core of our extraction pipeline is a fine-tuned BERT model trained on the CustFRE dataset for sequence classification (see `train_bert.ipynb`). BERT was chosen as the base architecture because of its strong performance on sentence level classification tasks. Specifically, we chose the **bert-base-uncased** pretrained model, which provides 12 transformer layers and 12 attention heads with approximately 110 million parameters. The uncased version was chosen because it reduces vocabulary complexity, and capitalization patterns are not necessary for classifying family relationships. For sequence classification, we added a linear classification head on top of BERT's output representation, projecting for 768 dimensions to 6, corresponding to our 6 relationship types. The model was initialized with pretrained weights from Hugging Face's model hub, with the classification head's weight being randomly initialized.

The critical design decision was incorporating explicit entity markers into the input representation. Rather than relying on BERT to correctly identify relevant entities in the input text, we use the subject and object token indices in the dataset to insert special tokens around the two entities in the input text. The tags [SUBJ] and [/SUBJ] go around the first entity, and the tags [OBJ] and [/OBJ] surround the second entity. This provides the model with unambiguous signals about which entities to consider when predicting relationships, reducing complexity and improving overall accuracy. After inserting the markers, we then join the tokens into a string and pass it through BERT's tokenizer. Importantly, we resize BERT's token embedding matrix to accommodate the four new special tokens, with the new embeddings being learned during fine-tuning.

For training, we split the CustFRE dataset into training (80%), validation (10%), and test (10%) sets using stratified sampling to maintain consistent class distributions. We use the AdamW

optimizer, a learning rate of $2e-5$, and a linear learning rate schedule with 500 warmup steps, which are all standard choices for BERT fine-tuning. We also added in gradient clipping at 1.0 in order to prevent exploding gradients during early training. Training proceeded for 10 epochs, with a batch size of 16 and a maximum sequence length of 128 tokens. On Google Colab using an NVIDIA A100 GPU, training was complete in only a few minutes. We monitored the weighted F1 score on the validation set after each epoch, saving the model checkpoint whenever performance improved. Overall, the best model achieved a validation F1 of 0.912 and a test F1 of 0.897 at epoch 10, which we found to be sufficient for the classification we needed in our pipeline.

4.2 Extracting Relationships

Extracting structured relationships from raw input text is done in several steps in **extract.py**. First, the input text undergoes preprocessing to resolve coreferences and merge partial names. We use **spacy-coref**, a coreference resolution model from SpaCy. The model replaces pronouns and partial names with their canonical full forms (making connections between those pronouns and partial names with the most full form that can be found in the passage). Because this model has a token limit of 512 tokens, we split the text by paragraph when inputting text into it. The result is that “Barack Obama” followed by “He” becomes “Barack Obama” followed by “Barack Obama”. This helps us to greatly reduce ambiguity for the BERT model. Rather than processing individual sentences, we chose to construct a sliding window of consecutive sentences to capture relationships that may span multiple sentences (ex. “John has two children. Mary is one of his daughters.”). By using a window, we ensure coverage of all cross-sentence relationships, with pronouns automatically being resolved by the BERT model. We found a window size of two to be the most effective in our testing, as most relationship definitions do not span over two sentences and our BERT model only works with a maximum of 128 tokens. Each window is passed into spaCy’s **en_core_web_lg** model, which performs named entity recognition (NER) on the text. We then extract all entities labeled as PERSON, along with the token start and end indices. Importantly, the NER component correctly handles different name formats, including single names, full names, names with titles, and names with suffixes.

Next, for each window with at least two person entities, we evaluate all combinations of two people using our trained BERT model. This process mirrors the training input construction: insert the entity markers using the token indices NER generated, join tokens into a string, and

pass through the BERT tokenizer. We then load our trained model in evaluation mode, and perform a forward pass to obtain our predicted class and associated confidence score. Predictions under a minimum confidence threshold (default 0.4) and predictions classified as “no_relation” are discarded.

The final extraction step includes converting the triplets predicted by our model (person1, relation, person2) into the structured format our visualization generator expects. First, we deduplicate triplets that are the same but were extracted from different windows (ex. “John per:spouse Mary” and “Mary per:spouse John”). We also discard different relations between the same two people, opting to keep only the relation with the highest confidence. Then we create a JSON structure with two top-level keys: “people” (just all the names sorted) and “relationships” (the actual relationships defined). We then map our model’s label scheme to the expected output. For example, for per:parents, the subject is the parent and the object is the child, so we create {“type”: “parent”, “from”: subject, “to”: object}. Critically, we do not convert per:other_family or per_siblings relationships, as our tree generator relies on only parent-child hierarchies to build the family tree.

4.3 Visualization Generation

The generate.py module transforms extracted relationship data into three complementary output formats: PNG graphics for visual inspection, GEDCOM files for genealogy software compatibility, and a text format containing a list of all the people in the family tree and their relationships within it (i.e., that person’s parents, partners, and children). The code begins by taking in a normalized representation of family relationships in JSON representation, built by the extraction system. Using this information, generate.py creates internal relationship maps to group parents, children, and spouses to then build: 1) a per-person text summary for quick per-person relationship inspection, 2) a PNG graph showing the family tree structure as a node-link diagram, and 3) a GEDCOM file so that the data can be imported into genealogy tools.

The initial JSON created by the extraction portion of the system contains an array of names for the family tree as well as a list of relationships between those people tagged with relationship types (i.e., parent or spouse) and direction (i.e., to and from). The first step in generate.py is to convert this flat list of relationships into three derived maps—children_by_parent, which maps all the children per parent, parents_by_child, which maps all the parents per child, and

spouses_by_person, which maps all the spouses per person. The duplicates amongst the mappings are removed.

The .txt format is designed as a simple line based summary of the data that allows people to quickly glance at all the direct relationships for any specific individual. It shows each individual person's known parents, partners, and children, and contains indices for the references to quickly go to any referenced person's line in the file. We decided to use this format in our .txt output because representing family trees with something like ASCII diagrams would quickly become unreliable when dealing with anything complex; for example, missing people, multiple partners, or many-parent families would all be incredibly difficult (or even impossible) to represent in ASCII diagrams. For this reason, we decided to go to a per-person view of relationship data instead of anything visual, which is instead represented in the .png output.

The PNG file is the primary visual representation of the family tree. It uses the Graphviz library to generate the tree, and shows partner relationships using dashed red lines and parent-child relationships using solid blue lines. In order to handle the possibility of complex families, we decided to make it so that both parents to a child are explicitly linked to the child—this allows proper handling of half-siblings and step-parents, for example. The tree also uses a Graphviz rank constraint so that spouse nodes sit next to each other on the same horizontal level (to effectively encode “generations”). Another benefit with using Graphviz is that edges are automatically routed around existing edges and existing nodes to be as visually unambiguous as possible.

Lastly, the GEDCOM generation was built primarily to fulfill the requirements of the project description. It is merely meant to be processed by other genealogy softwares and is not inherently readable as a lone file. To build the GEDCOM file, the code assigns GEDCOM IDs to each individual person and then builds a standard header. The per-person INDI records are built by splitting full names into given names and surnames, with sex marked as unknown by default (since our system is not focused on gender/sex), and also adds relational connections in the form of FAMS (family as spouse) and FAMC (family as child) links. NOTE entries are also created for the records that list parents and spouses explicitly for easier interpretation. Parents are grouped into family units and are keyed by sorted tuples of parent names. Then, spouse pairs that have no children still get a family record so that their partnership is preserved. After this, family records are built for each parent group with unique IDs. Each parent pair is

mapped into GEDCOM's HUSB and WIFE slots by convention arbitrarily, and any additional parents beyond two are included via a custom `_PARTNER` tag.

Together, these three outputs comprehensively cover all the generated family tree data, with varying options to look at either specific relationships, people, or the tree as a whole.

5. Testing

To evaluate our system, we tested the entire extraction pipeline end to end using multiple text examples, including simple biographies we created for the Bush family, Kardashian-Jenner family, Kennedy family, Obama family, and British Royal family. We also tested a more complex example with the Marvel Universe, evaluating its performance on more real-world text. Each test file was processed through our complete NLP pipeline in **famtree.py** using a sentence window of size two and a minimum confidence of 0.4, which includes sentence segmentation, coreference resolution, NER, BERT classification, and finally graph generation. To verify correctness, we manually compared the various outputs (text summary, GEDCOM, and image) against the source test descriptions to check whether predicted parent, spouses, and children matched what was actually described.


The main metric for our system was the performance of our BERT classifier, evaluated during training using train/validation/test splits. The model show steady improvement through the 10 epochs, by epoch 10 achieving a validation F1 score of 0.912 and a test F1 Score of 0.897. Per class, the model achieved the highest performance on sibling detection ($F1 = 0.9818$) and spouse detection ($F1 = 0.9259$), while children relationships proved most challenging ($F1 = 0.7778$).

6. Results

For simplicity's sake, the relevant input and related output (.txt and .GED) for the following examples is in the appendix; what is shown below is only the generated PNG for the family tree.


6.1 Bush Family Tree

(see full details in appendix section 9.1.1)




6.2 Kardashian Family Tree

(see full details in appendix section 9.1.2)




6.3 Kennedy Family Tree

(see full details in appendix section 9.1.3)




6.4 Obama Family Tree

(see full details in appendix section 9.1.4)




6.5 Royals Family Tree

(see full details in appendix section 9.1.5)



6.6 Marvel Universe

(see full details in appendix section 9.1.6)



7. Problems

During the early stages of using the BERT model to generate embeddings, we switched to a two phase system, since the single BERT model struggled to learn both whether a family relationship existed and which type of relationship. In our dataset, the vast majority of sentences were labeled as no relationship, so our one phase approach became dominated by the “none” class and failed to meaningfully learn the rest of the classes. In order to fix this, we separated the task into two stages, first a binary classifier detecting whether a relationship is present or not, then a multiclassifier that operates only on the subset of previously predicted relationship sentences that predicts what kind of relationship is present. This approach helped with our class imbalance issue as well as significantly improved the recall of actual relationship types. Though, the bottleneck was certainly our dataset, as once we changed to the CustFRE dataset we were able to fix our class imbalance issues.

While our system performs well on biographical text that is clean and simply written, we encountered several challenges when processing the Marvel Universe example with our full pipeline (Example 6.6). First of all, the coreference resolution model we used from spacy-coref struggled to normalize names correctly. For example, the names “Frigga Thor Odinson Frigga,” “Frigga Frigga,” “Thor Odinson’s,” “Jane Foster Jane Foster,” and “Loki Laufeyson Loki Laufeyson” are all failed normalizations. From here we realized that our model has a noticeable mismatch between our dataset and real world examples, most likely due to the CustFRE dataset contains biographical sentences with straightforward family structures which aren’t

very representative of the diverse real world examples that we want our model to perform on. We also produce some impossible relationship cycles, for example in the Marvel output we've got Odin Borson being listed as having the parents "Aldrif Odinsdottir" and "Angela Aldrif Odinsdottir" which are actually his children. This is mostly due to our BERT model not generalizing well to unseen sentence structures, but some issues could also be solved with a post-processing step that validates the tree structure.

8. Conclusion

Our project demonstrates that family relationship extraction from an unstructured text is achievable through a hybrid pipeline that combines traditional NLP techniques with a fine-tuned BERT classifier, along with custom post-processing and visualization. By transitioning from our initial compiled dataset to the CustFRE dataset, which provided crucial negative examples and cleaner annotations, we were able to substantially boost our model's ability to extract family relations from sentences. The system performs well on our custom examples, which used simple wording and entity naming, and the multi-format output also proved to work perfectly. However, our evaluation revealed significant limitations within the different steps of our pipeline, mostly inadequate coreference resolution and name normalization, causing entity fragmentation, as well as the BERT model not generalizing well to real-world, complex sentences, causing highly confident but incorrect relationships. Future improvements could address these limitations. First, we could implement more robust name normalization through better coreference resolution models and fuzzy matching. We could also make sure entity pairs maintain consistent relationship types across windows, as well as adding a post-processing step to detect and resolve cycles or contradictions within the family tree. Last, we could gather more diverse, real-world text from Wikipedia and other sources in order to make our fine-tuned model generalize better to all sentence structures and formats of bibliographical writing. Despite these limitations, our system provides a strong foundation of a fully functional NLP pipeline, which can be expanded on at all steps to improve overall performance.

9. Bibliography

- Devlin, J., Chang, M.-W., Lee, K., & Toutanova, K. (2019). BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding. In Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies (NAACL-HLT), Minneapolis, MN, USA. <https://doi.org/10.18653/v1/N19-1423>
- Ellson, J., Gansner, E., Koutsofios, L., North, S. C., & Woodhull, G. (2002). Graphviz—Open Source Graph Drawing Tools. In Graph Drawing (GD 2001), Lecture Notes in Computer Science, vol. 2265. Springer. https://doi.org/10.1007/3-540-45848-4_57
- Han, X., Zhu, H., Yu, P., Wang, Z., Yao, Y., Liu, Z., & Sun, M. (2018). FewRel: A Large-Scale Supervised Few-Shot Relation Classification Dataset with State-of-the-Art Evaluation. In Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing (EMNLP), Brussels, Belgium. <https://doi.org/10.18653/v1/D18-1514>
- Honnibal, M., & Montani, I. (2017). spaCy 2: Natural language understanding with Bloom embeddings, convolutional neural networks and incremental parsing. (Software/technical report; no formal venue.)
- Mumtaz, R., Qadir, M. A., & Saeed, A. (2022). CustFRE: An annotated dataset for extraction of family relations from English text. *Data in Brief*, 41, 107980. <https://doi.org/10.1016/j.dib.2022.107980>
- Wolf, T., et al. (2020). Transformers: State-of-the-Art Natural Language Processing. In Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing: System Demonstrations, Online. <https://doi.org/10.18653/v1/2020.emnlp-demos.6>
- Yao, Y., Ye, D., Li, P., Han, X., Lin, Y., Liu, Z., Liu, Z., Huang, L., Zhou, J., & Sun, M. (2019). DocRED: A Large-Scale Document-Level Relation Extraction Dataset. In Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics (ACL), Florence, Italy. <https://doi.org/10.18653/v1/P19-1074>

10. Appendix

10.1 Bush Family Tree

Input :

Prescott Bush was married to Dorothy Walker Bush.
 Prescott Bush served as a United States Senator from Connecticut.
 George H.W. Bush is the son of Prescott Bush and Dorothy Walker Bush.
 He grew up in New England before moving to Texas to work in the oil industry.
 George H.W. Bush was married to Barbara Bush.
 They were married for over seventy years, making theirs one of the longest presidential marriages.
 George H.W. Bush and Barbara Bush have two children, George W. Bush and Jeb Bush.
 They both became governors.
 George W. Bush is married to Laura Bush.
 They met at a backyard barbecue in Midland, Texas.

.TXT output:

[Person: 1] Barbara Bush

Parents:

- Unknown

Partners:

- George H.W. Bush (3)

Children:

- George W. Bush (4)

- Jeb Bush (5)

[Person: 2] Dorothy Walker Bush

Parents:

- Unknown

Partners:

- Prescott Bush (7)

Children:

- George H.W. Bush (3)

[Person: 3] George H.W. Bush

Parents:

- Dorothy Walker Bush (2)

- Prescott Bush (7)

Partners:

- Barbara Bush (1)

Children:

- George W. Bush (4)

- Jeb Bush (5)

[Person: 4] George W. Bush

Parents:

- Barbara Bush (1)

- George H.W. Bush (3)

Partners:

- Laura Bush (6)

Children:

- Unknown

[Person: 5] Jeb Bush

Parents:

- Barbara Bush (1)

- George H.W. Bush (3)

Partners:

- Unknown

Children:

- Unknown

[Person: 6] Laura Bush

Parents:

- Unknown

Partners:

- George W. Bush (4)

Children:

- Unknown

[Person: 7] Prescott Bush

Parents:

- Unknown

Partners:

- Dorothy Walker Bush (2)

Children:

- George H.W. Bush (3)

.GED output:

```
0 HEAD
1 SOUR FamilyTreeGenerator
1 GEDC
2 VERS 5.5.1
2 FORM LINEAGE-LINKED
1 CHAR UTF-8
1 DATE 10 Dec 2025
0 @I1@ INDI
1 NAME Barbara /Bush/
1 SEX U
1 NOTE Spouse: George H.W. Bush
1 FAMS @F1@
0 @I2@ INDI
1 NAME Dorothy Walker /Bush/
1 SEX U
1 NOTE Spouse: Prescott Bush
1 FAMS @F2@
0 @I3@ INDI
1 NAME George H.W. /Bush/
1 SEX U
1 NOTE Parent: Dorothy Walker Bush
1 NOTE Parent: Prescott Bush
1 NOTE Spouse: Barbara Bush
1 FAMS @F1@
1 FAMC @F2@
0 @I4@ INDI
1 NAME George W. /Bush/
1 SEX U
1 NOTE Parent: Barbara Bush
1 NOTE Parent: George H.W. Bush
1 NOTE Spouse: Laura Bush
1 FAMS @F3@
1 FAMC @F1@
0 @I5@ INDI
1 NAME Jeb /Bush/
1 SEX U
1 NOTE Parent: Barbara Bush
1 NOTE Parent: George H.W. Bush
1 FAMC @F1@
0 @I6@ INDI
1 NAME Laura /Bush/
```



```

1 SEX U
1 NOTE Spouse: George W. Bush
1 FAMS @F3@
0 @I7@ INDI
1 NAME Prescott /Bush/
1 SEX U
1 NOTE Spouse: Dorothy Walker Bush
1 FAMS @F2@
0 @F1@ FAM
1 HUSB @I1@
1 WIFE @I3@
1 CHIL @I4@
1 CHIL @I5@
0 @F2@ FAM
1 HUSB @I2@
1 WIFE @I7@
1 CHIL @I3@
0 @F3@ FAM
1 HUSB @I4@
1 WIFE @I6@
0 TRLR

```

10.2 Kardashian Family Tree

Input:

Kris Jenner was married to Robert Kardashian.
 The two had four children together, including Rob Kardashian, Kim Kardashian, Kourtney Kardashian, and Khloe Kardashian.
 Kris Jenner was later married to Caitlyn Jenner.
 Kris Jenner and Caitlyn Jenner had two children together, Kylie Jenner and Kendall Jenner.
 Kim Kardashian was married to Kanye West.
 North West is the daughter of Kim Kardashian and Kanye West.
 Saint West is the son of Kim Kardashian and Kanye West.
 The family has built a business empire spanning fashion, beauty, and media.

.TXT output:

```

[Person: 1] Caitlyn Jenner
  Parents:
    - Unknown
  Partners:
    - Kris Jenner (7)
  Children:
    - Kendall Jenner (3)
    - Kylie Jenner (8)

[Person: 2] Kanye West
  Parents:
    - Unknown
  Partners:
    - Kim Kardashian (5)
  Children:
    - Unknown

[Person: 3] Kendall Jenner
  Parents:
    - Caitlyn Jenner (1)

```

- Kris Jenner (7)

Partners:

- Unknown

Children:

- Unknown

[Person: 4] Khloe Kardashian

Parents:

- Kris Jenner (7)
- Robert Kardashian (10)

Partners:

- Unknown

Children:

- Unknown

[Person: 5] Kim Kardashian

Parents:

- Kris Jenner (7)
- Robert Kardashian (10)

Partners:

- Kanye West (2)

Children:

- Unknown

[Person: 6] Kourtney Kardashian

Parents:

- Kris Jenner (7)

Partners:

- Robert Kardashian (10)

Children:

- Unknown

[Person: 7] Kris Jenner

Parents:

- Unknown

Partners:

- Caitlyn Jenner (1)
- Robert Kardashian (10)

Children:

- Kendall Jenner (3)
- Khloe Kardashian (4)
- Kim Kardashian (5)
- Kourtney Kardashian (6)
- Kylie Jenner (8)
- Rob Kardashian (9)

[Person: 8] Kylie Jenner

Parents:

- Caitlyn Jenner (1)
- Kris Jenner (7)

Partners:

- Unknown

Children:

- Unknown

[Person: 9] Rob Kardashian

Parents:

- Kris Jenner (7)
- Robert Kardashian (10)

Partners:
 - Unknown
 Children:
 - Unknown

[Person: 10] Robert Kardashian

Parents:
 - Unknown
 Partners:
 - Kourtney Kardashian (6)
 - Kris Jenner (7)
 Children:
 - Khloe Kardashian (4)
 - Kim Kardashian (5)
 - Rob Kardashian (9)

.GED output:

```
0 HEAD
1 SOUR FamilyTreeGenerator
1 GEDC
2 VERS 5.5.1
2 FORM LINEAGE-LINKED
1 CHAR UTF-8
1 DATE 10 Dec 2025
0 @I1@ INDI
1 NAME Caitlyn /Jenner/
1 SEX U
1 NOTE Spouse: Kris Jenner
1 FAMS @F1@
0 @I2@ INDI
1 NAME Kanye /West/
1 SEX U
1 NOTE Spouse: Kim Kardashian
1 FAMS @F2@
0 @I3@ INDI
1 NAME Kendall /Jenner/
1 SEX U
1 NOTE Parent: Caitlyn Jenner
1 NOTE Parent: Kris Jenner
1 FAMC @F1@
0 @I4@ INDI
1 NAME Khloe /Kardashian/
1 SEX U
1 NOTE Parent: Kris Jenner
1 NOTE Parent: Robert Kardashian
1 FAMC @F5@
0 @I5@ INDI
1 NAME Kim /Kardashian/
1 SEX U
1 NOTE Parent: Kris Jenner
1 NOTE Parent: Robert Kardashian
1 NOTE Spouse: Kanye West
1 FAMS @F2@
1 FAMC @F5@
0 @I6@ INDI
1 NAME Kourtney /Kardashian/
1 SEX U
1 NOTE Parent: Kris Jenner
```

```

1 NOTE Spouse: Robert Kardashian
1 FAMS @F3@
1 FAMC @F4@
0 @I7@ INDI
1 NAME Kris /Jenner/
1 SEX U
1 NOTE Spouse: Caitlyn Jenner
1 NOTE Spouse: Robert Kardashian
1 FAMS @F1@
1 FAMS @F4@
1 FAMS @F5@
0 @I8@ INDI
1 NAME Kylie /Jenner/
1 SEX U
1 NOTE Parent: Caitlyn Jenner
1 NOTE Parent: Kris Jenner
1 FAMC @F1@
0 @I9@ INDI
1 NAME Rob /Kardashian/
1 SEX U
1 NOTE Parent: Kris Jenner
1 NOTE Parent: Robert Kardashian
1 FAMC @F5@
0 @I10@ INDI
1 NAME Robert /Kardashian/
1 SEX U
1 NOTE Spouse: Kourtney Kardashian
1 NOTE Spouse: Kris Jenner
1 FAMS @F3@
1 FAMS @F5@
0 @F1@ FAM
1 HUSB @I1@
1 WIFE @I7@
1 CHIL @I3@
1 CHIL @I8@
0 @F2@ FAM
1 HUSB @I2@
1 WIFE @I5@
0 @F3@ FAM
1 HUSB @I6@
1 WIFE @I10@
0 @F4@ FAM
1 HUSB @I7@
1 CHIL @I6@
0 @F5@ FAM
1 HUSB @I7@
1 WIFE @I10@
1 CHIL @I4@
1 CHIL @I5@
1 CHIL @I9@
0 TRLR

```

10.3 Kennedy Family Tree

Input:

Joseph Kennedy Sr. was married to Rose Kennedy.
They raised their children in Massachusetts and later in New York.

John F. Kennedy is the son of Joseph Kennedy Sr. and Rose Kennedy.
 Robert Kennedy is the son of Joseph Kennedy Sr. and Rose Kennedy.
 John F. Kennedy and Robert Kennedy are brothers who both pursued careers in politics.
 John F. Kennedy was married to Jacqueline Kennedy.
 Their wedding in 1953 was considered a major social event.
 Caroline Kennedy is the daughter of John F. Kennedy and Jacqueline Kennedy.
 John F. Kennedy Jr. was the son of John F. Kennedy and Jacqueline Kennedy.
 Caroline Kennedy and John F. Kennedy Jr. are siblings.
 The family spent summers at their compound in Hyannis Port.

.TXT output:

[Person: 1] Caroline Kennedy

Parents:

- Jacqueline Kennedy (2)
- John F. Kennedy (3)

Partners:

- Unknown

Children:

- Unknown

[Person: 2] Jacqueline Kennedy

Parents:

- Unknown

Partners:

- John F. Kennedy (3)

Children:

- Caroline Kennedy (1)
- John F. Kennedy Jr. (4)

[Person: 3] John F. Kennedy

Parents:

- Joseph Kennedy Sr. (5)
- Rose Kennedy (7)

Partners:

- Jacqueline Kennedy (2)

Children:

- Caroline Kennedy (1)
- John F. Kennedy Jr. (4)

[Person: 4] John F. Kennedy Jr.

Parents:

- Jacqueline Kennedy (2)
- John F. Kennedy (3)

Partners:

- Unknown

Children:

- Unknown

[Person: 5] Joseph Kennedy Sr.

Parents:

- Unknown

Partners:

- Rose Kennedy (7)

Children:

- John F. Kennedy (3)
- Robert Kennedy (6)

[Person: 6] Robert Kennedy
 Parents:
 - Joseph Kennedy Sr. (5)
 - Rose Kennedy (7)
 Partners:
 - Unknown
 Children:
 - Unknown

[Person: 7] Rose Kennedy
 Parents:
 - Unknown
 Partners:
 - Joseph Kennedy Sr. (5)
 Children:
 - John F. Kennedy (3)
 - Robert Kennedy (6)

.GED output:

```
0 HEAD
1 SOUR FamilyTreeGenerator
1 GEDC
2 VERS 5.5.1
2 FORM LINEAGE-LINKED
1 CHAR UTF-8
1 DATE 10 Dec 2025
0 @I1@ INDI
1 NAME Caroline /Kennedy/
1 SEX U
1 NOTE Parent: Jacqueline Kennedy
1 NOTE Parent: John F. Kennedy
1 FAMC @F1@
0 @I2@ INDI
1 NAME Jacqueline /Kennedy/
1 SEX U
1 NOTE Spouse: John F. Kennedy
1 FAMS @F1@
0 @I3@ INDI
1 NAME John F. /Kennedy/
1 SEX U
1 NOTE Parent: Joseph Kennedy Sr.
1 NOTE Parent: Rose Kennedy
1 NOTE Spouse: Jacqueline Kennedy
1 FAMS @F1@
1 FAMC @F2@
0 @I4@ INDI
1 NAME John F. Kennedy /Jr./
1 SEX U
1 NOTE Parent: Jacqueline Kennedy
1 NOTE Parent: John F. Kennedy
1 FAMC @F1@
0 @I5@ INDI
1 NAME Joseph Kennedy /Sr./
1 SEX U
1 NOTE Spouse: Rose Kennedy
1 FAMS @F2@
0 @I6@ INDI
1 NAME Robert /Kennedy/
```

```

1 SEX U
1 NOTE Parent: Joseph Kennedy Sr.
1 NOTE Parent: Rose Kennedy
1 FAMC @F2@
0 @I7@ INDI
1 NAME Rose /Kennedy/
1 SEX U
1 NOTE Spouse: Joseph Kennedy Sr.
1 FAMS @F2@
0 @F1@ FAM
1 HUSB @I2@
1 WIFE @I3@
1 CHIL @I1@
1 CHIL @I4@
0 @F2@ FAM
1 HUSB @I5@
1 WIFE @I7@
1 CHIL @I3@
1 CHIL @I6@
0 TRLR

```

10.4 Obama Family Tree

Input:

Barack Obama grew up in Hawaii and later became a community organizer in Chicago.

Barack Obama is married to Michelle Obama.

They met while working at a law firm in the summer of 1989.

Barack Obama and Michelle Obama have two daughters, Malia Obama and Sasha Obama.

The two sisters grew up in the White House together.

Barack Obama is the son of Barack Obama Sr. and Ann Dunham.

His parents met as students at the University of Hawaii.

Michelle Obama is the daughter of Fraser Robinson and Marian Robinson.

The family lived in Chicago before moving to Washington D.C. in 2009.

.TXT output:

```

[Person: 1] Ann Dunham
  Parents:
    - Unknown
  Partners:
    - Barack Obama Sr. (3)
  Children:
    - Barack Obama (2)

[Person: 2] Barack Obama
  Parents:
    - Ann Dunham (1)
    - Barack Obama Sr. (3)
  Partners:
    - Michelle Obama (7)
  Children:
    - Malia Obama (5)
    - Sasha Obama (8)

[Person: 3] Barack Obama Sr.
  Parents:

```

```

    - Unknown
Partners:
    - Ann Dunham (1)
Children:
    - Barack Obama (2)

[Person: 4] Fraser Robinson
Parents:
    - Unknown
Partners:
    - Marian Robinson (6)
Children:
    - Michelle Obama (7)

[Person: 5] Malia Obama
Parents:
    - Barack Obama (2)
    - Michelle Obama (7)
Partners:
    - Unknown
Children:
    - Unknown

[Person: 6] Marian Robinson
Parents:
    - Unknown
Partners:
    - Fraser Robinson (4)
Children:
    - Michelle Obama (7)

[Person: 7] Michelle Obama
Parents:
    - Fraser Robinson (4)
    - Marian Robinson (6)
Partners:
    - Barack Obama (2)
Children:
    - Malia Obama (5)
    - Sasha Obama (8)

[Person: 8] Sasha Obama
Parents:
    - Barack Obama (2)
    - Michelle Obama (7)
Partners:
    - Unknown
Children:
    - Unknown

```

.GED output:

```

0 HEAD
1 SOUR FamilyTreeGenerator
1 GEDC
2 VERS 5.5.1
2 FORM LINEAGE-LINKED
1 CHAR UTF-8
1 DATE 10 Dec 2025
0 @I1@ INDI

```


1 NAME Ann /Dunham/
 1 SEX U
 1 NOTE Spouse: Barack Obama Sr.
 1 FAMS @F1@
 0 @I2@ INDI
 1 NAME Barack /Obama/
 1 SEX U
 1 NOTE Parent: Ann Dunham
 1 NOTE Parent: Barack Obama Sr.
 1 NOTE Spouse: Michelle Obama
 1 FAMS @F2@
 1 FAMC @F1@
 0 @I3@ INDI
 1 NAME Barack Obama /Sr./
 1 SEX U
 1 NOTE Spouse: Ann Dunham
 1 FAMS @F1@
 0 @I4@ INDI
 1 NAME Fraser /Robinson/
 1 SEX U
 1 NOTE Spouse: Marian Robinson
 1 FAMS @F3@
 0 @I5@ INDI
 1 NAME Malia /Obama/
 1 SEX U
 1 NOTE Parent: Barack Obama
 1 NOTE Parent: Michelle Obama
 1 FAMC @F2@
 0 @I6@ INDI
 1 NAME Marian /Robinson/
 1 SEX U
 1 NOTE Spouse: Fraser Robinson
 1 FAMS @F3@
 0 @I7@ INDI
 1 NAME Michelle /Obama/
 1 SEX U
 1 NOTE Parent: Fraser Robinson
 1 NOTE Parent: Marian Robinson
 1 NOTE Spouse: Barack Obama
 1 FAMS @F2@
 1 FAMC @F3@
 0 @I8@ INDI
 1 NAME Sasha /Obama/
 1 SEX U
 1 NOTE Parent: Barack Obama
 1 NOTE Parent: Michelle Obama
 1 FAMC @F2@
 0 @F1@ FAM
 1 HUSB @I1@
 1 WIFE @I3@
 1 CHIL @I2@
 0 @F2@ FAM
 1 HUSB @I2@
 1 WIFE @I7@
 1 CHIL @I5@
 1 CHIL @I8@
 0 @F3@ FAM
 1 HUSB @I4@
 1 WIFE @I6@

1 CHIL @I7@
0 TRLR

10.5 Royals Family Tree

Input:

The British monarchy has a long and storied history spanning centuries. Queen Elizabeth II was married to Prince Philip. They wed in 1947 at Westminster Abbey. King Charles III is the son of Queen Elizabeth II and Prince Philip. He became king in September 2022 following his mother's passing. King Charles III was married to Princess Diana. Their wedding in 1981 was watched by millions around the world. Prince William is the son of King Charles III and Princess Diana. Prince Harry is the son of King Charles III and Princess Diana. Prince William and Prince Harry are brothers who served in the British military. Prince William is married to Catherine Middleton. They met while studying at the University of St Andrews in Scotland. Prince William and Catherine Middleton had two children, Prince George and Princess Charlotte.

.TXT output:

[Person: 1] Catherine Middleton

Parents:

- Unknown

Partners:

- Prince William (7)

Children:

- Prince George (4)

- Princess Charlotte (8)

[Person: 2] Charles III

Parents:

- Prince Philip (6)

Partners:

- Princess Diana (9)

Children:

- Prince Harry (5)

- Prince William (7)

[Person: 3] Elizabeth II

Parents:

- Unknown

Partners:

- Prince Philip (6)

Children:

- Unknown

[Person: 4] Prince George

Parents:

- Catherine Middleton (1)

- Prince William (7)

Partners:

- Unknown

Children:

- Unknown

[Person: 5] Prince Harry

Parents:

- Charles III (2)
- Princess Diana (9)

Partners:

- Unknown

Children:

- Unknown

[Person: 6] Prince Philip

Parents:

- Unknown

Partners:

- Elizabeth II (3)

Children:

- Charles III (2)

[Person: 7] Prince William

Parents:

- Charles III (2)
- Princess Diana (9)

Partners:

- Catherine Middleton (1)

Children:

- Prince George (4)
- Princess Charlotte (8)

[Person: 8] Princess Charlotte

Parents:

- Catherine Middleton (1)
- Prince William (7)

Partners:

- Unknown

Children:

- Unknown

[Person: 9] Princess Diana

Parents:

- Unknown

Partners:

- Charles III (2)

Children:

- Prince Harry (5)
- Prince William (7)

.GED output:

```
0 HEAD
1 SOUR FamilyTreeGenerator
1 GEDC
2 VERS 5.5.1
2 FORM LINEAGE-LINKED
1 CHAR UTF-8
1 DATE 10 Dec 2025
0 @I1@ INDI
1 NAME Catherine /Middleton/
1 SEX U
1 NOTE Spouse: Prince William
1 FAMS @F1@
```

```

0 @I2@ INDI
1 NAME Charles /III/
1 SEX U
1 NOTE Parent: Prince Philip
1 NOTE Spouse: Princess Diana
1 FAMS @F2@
1 FAMC @F4@
0 @I3@ INDI
1 NAME Elizabeth /II/
1 SEX U
1 NOTE Spouse: Prince Philip
1 FAMS @F3@
0 @I4@ INDI
1 NAME Prince /George/
1 SEX U
1 NOTE Parent: Catherine Middleton
1 NOTE Parent: Prince William
1 FAMC @F1@
0 @I5@ INDI
1 NAME Prince /Harry/
1 SEX U
1 NOTE Parent: Charles III
1 NOTE Parent: Princess Diana
1 FAMC @F2@
0 @I6@ INDI
1 NAME Prince /Philip/
1 SEX U
1 NOTE Spouse: Elizabeth II
1 FAMS @F3@
1 FAMS @F4@
0 @I7@ INDI
1 NAME Prince /William/
1 SEX U
1 NOTE Parent: Charles III
1 NOTE Parent: Princess Diana
1 NOTE Spouse: Catherine Middleton
1 FAMS @F1@
1 FAMC @F2@
0 @I8@ INDI
1 NAME Princess /Charlotte/
1 SEX U
1 NOTE Parent: Catherine Middleton
1 NOTE Parent: Prince William
1 FAMC @F1@
0 @I9@ INDI
1 NAME Princess /Diana/
1 SEX U
1 NOTE Spouse: Charles III
1 FAMS @F2@
0 @F1@ FAM
1 HUSB @I1@
1 WIFE @I7@
1 CHIL @I4@
1 CHIL @I8@
0 @F2@ FAM
1 HUSB @I2@
1 WIFE @I9@
1 CHIL @I5@
1 CHIL @I7@

```

```

0 @F3@ FAM
1 HUSB @I3@
1 WIFE @I6@
0 @F4@ FAM
1 HUSB @I6@
1 CHIL @I2@
0 TRLR

```

9.6 Marvel Universe

Input:

Odin Borson, the All-Father of Asgard, is one of the most influential figures in the Marvel Universe. Odin Borson was the child of Bor Burison and Bestla, and the power and responsibilities of the throne passed to Odin Borson after Bor Burison. Odin Borson married Frigga, and Odin Borson and Frigga became the central parental figures for several of the most significant Asgardian characters.

Odin Borson and Frigga had one biological child: Thor Odinson. Thor Odinson grew up as the heir to the Asgardian throne, raised with a strict sense of duty instilled by Odin Borson and a compassionate wisdom encouraged by Frigga. Thor Odinson also grew up believing that Loki Laufeyson was his brother, and the sibling bond between Thor Odinson and Loki Laufeyson shaped much of Asgard's history.

Loki Laufeyson was the child of Laufey, the King of the Frost Giants, and was adopted by Odin Borson after the war with Jotunheim. Loki Laufeyson and Thor Odinson were raised as siblings by Odin Borson and Frigga, and Loki Laufeyson developed a deep and complicated relationship with both Thor Odinson and Frigga. Although Loki Laufeyson was not the biological child of Odin Borson and Frigga, he remained an official member of the Asgardian royal family.

Frigga played a central role in raising both Thor Odinson and Loki Laufeyson. As the spouse of Odin Borson and the mother figure to Thor Odinson and Loki Laufeyson, Frigga influenced their sense of justice, magic, and responsibility. The sibling dynamic between Thor Odinson and Loki Laufeyson evolved through rivalry, affection, betrayal, and reconciliation, marking it as one of the most iconic sibling relationships in the Marvel Universe.

Asgard's lineage expanded further through Thor Odinson's later relationships. Thor Odinson eventually met Jane Foster, a scientist from Earth. Although Thor Odinson and Jane Foster were not married in the earliest parts of their story, later arcs established that Thor Odinson and Jane Foster shared a significant romantic partnership. Some continuities depict Thor Odinson and Jane Foster as spouses, and in those continuities, Thor Odinson and Jane Foster had one child: Torunn. Torunn, as the child of Thor Odinson and Jane Foster, inherited the combined heritage of Asgardian power and human resilience.

The next branch of the family tree emerged from the line of Hela Odinsdottir. In certain continuities, Hela Odinsdottir was the daughter of Odin Borson, making her the sibling of Thor Odinson and Loki Laufeyson. As the child of Odin Borson and the sibling of Thor Odinson, Hela Odinsdottir developed her own claim to Asgardian authority. The strained sibling relationship between Hela Odinsdottir and Thor Odinson reflected their conflicting visions of Asgard's legacy.

Another child associated with the House of Odin was Angela, also known as Aldrif Odinsdottir. In the comics, Angela was the child of Odin Borson and Frigga, making her the sibling of Thor Odinson and the sibling of Loki

Pronouns resolved in paragraph

Pronouns resolved in paragraph

Pronouns resolved in paragraph

Partial name: 'Frigga' -> 'Frigga Thor Odinson Frigga'

Partial name: 'Frigga' -> 'Frigga Thor Odinson Frigga'

Partial name: 'Frigga' -> 'Frigga Thor Odinson Frigga'

Partial name: 'Frigga' -> 'Frigga Thor Odinson Frigga'

Partial name: 'Frigga' -> 'Frigga Thor Odinson Frigga'

Partial name: 'Frigga' -> 'Frigga Thor Odinson Frigga'

Partial name: 'Frigga' -> 'Frigga Thor Odinson Frigga'

Partial name: 'Frigga' -> 'Frigga Thor Odinson Frigga'

Partial name: 'Frigga' -> 'Frigga Thor Odinson Frigga'

Partial name: 'Frigga' -> 'Frigga Thor Odinson Frigga'

Partial name: 'Frigga' -> 'Frigga Thor Odinson Frigga'

Partial name: 'Frigga' -> 'Frigga Thor Odinson Frigga'

Partial name: 'Frigga' -> 'Frigga Thor Odinson Frigga'

Odin Borson, the All-Father of Asgard, is one of the most influential figures in the Marvel Universe. Odin Borson was the child of Bor Burison and Bestla, and the power and responsibilities of the throne passed to Odin Borson after Bor Burison . Odin Borson married Frigga Thor Odinson Frigga, and Odin Borson and Frigga Thor Odinson Frigga became the central parental figures for several of the most significant Asgard characters.

Odin Borson and Frigga Thor Odinson Frigga had one biological child: Thor Odinson. Thor Odinson grew up as the heir to the Asgardian throne, raised with a strict sense of duty instilled by Odin Borson and a compassionate wisdom encouraged by Frigga Thor Odinson Frigga. Thor Odinson also grew up believing that Frigga Thor Odinson Frigga was Thor Odinson brother, and the sibling bond between Thor Odinson and Frigga Thor Odinson Frigga shaped much of Asgard's history.

Loki Laufeyson was the child of Laufey, the King of the Frost Giants, and was adopted by Odin Borson after the war with Jotunheim. Loki Laufeyson and Thor Odinson were raised as siblings by Odin Borson and Frigga Thor Odinson Frigga, and Loki Laufeyson developed a deep and complicated relationship with Odin Borson and Frigga Thor Odinson Frigga. Although Loki Laufeyson was not the biological child of Odin Borson and Frigga Frigga, Loki Laufeyson remained an official member of the Asgardian royal family.

Frigga Thor Odinson Frigga played a central role in raising both Thor Odinson and Loki Laufeyson. As the spouse of Odin Borson and the mother figure to Thor Odinson and Loki Laufeyson, Frigga Thor Odinson Frigga influenced Thor Odinson and Loki Laufeyson's sense of justice, magic, and responsibility. The sibling dynamic between Thor Odinson and Loki Laufeyson evolved through rivalry, affection, betrayal, and reconciliation, marking it as one of the most iconic sibling relationships in the Marvel Universe.

Asgard's lineage expanded further through Thor Odinson's later relationships. Thor Odinson eventually met Jane Foster, a scientist from Earth. Although Thor Odinson's and Jane Foster were not married in the earliest parts of Thor Odinson and Jane Foster story, later arcs established that Thor Odinson and Jane Foster shared a significant romantic partnership. Some continuities depict Thor Odinson and Jane Foster as spouses, and in some continuities, Thor Odinson and Jane Foster had one child: Torunn. Torunn, as the child of Thor Odinson and Jane Foster, inherited the combined heritage of Asgardian power and human resilience.

The next branch of the family tree emerged from the line of Hela Odinsdottir. In certain continuities, Hela Odinsdottir was the daughter of Odin Borson, making her the sibling of Thor Odinson and Loki Laufeyson. As the child of Odin Borson and the sibling of Thor Odinson, Hela Odinsdottir developed Hela Odinsdottir own claim to Asgardian authority. The strained sibling relationship between Hela Odinsdottir and Thor Odinson reflected Hela Odinsdottir and Thor Odinson conflicting visions of Asgardian legacy.

Another child associated with the House of Odin was Angela, also known as Aldrif Odinsdottir. In the comics, Angela was the child of Odin Borson and Frigga Thor Odinson Frigga, making Angela the sibling of Thor Odinson and the sibling of Loki Laufeyson. Angela was raised in another realm after being taken in infancy, and the revelations of Angela origins reshaped the family tree of the House of Odin. Angela and Thor Odinson developed a complex sibling connection as adults.

The family tree continued to grow through Loki Laufeyson. In some Marvel comic arcs, Loki Laufeyson became the parent of several children. One such child was Hela, the goddess of death, in earlier comic interpretations. In alternate versions, Loki Laufeyson was the parent of Vali Halfling and Narfi. Vali Halfling and Narfi extended the lineage of Loki Laufeyson, though the canonical status of Vali Halfling and Narfi varies across Marvel timelines. Regardless of continuity differences, the presence of children in Loki Laufeyson story illustrates the branching nature of the House of Odin.

In one alternate future, Torunn, the child of Thor Odinson and Jane Foster, trained alongside other next-generation heroes. Torunn carried immense expectations as the child of Thor Odinson, and Torunn connection to Odin Borson and Frigga Thor Odinson Frigga through Torunn father linked Torunn directly to the central Asgardian traditions. Torunn familial ties also made Torunn the niece of Loki Laufeyson and the niece of Angela, extending the influence of the family across multiple realms.

Even across shifting timelines, reboots, and alternate universes, the House of Odin remains one interconnected family tree. Odin Borson and Frigga Thor Odinson Frigga are at the center, with Odin Borson and Frigga Thor Odinson Frigga children—Thor Odinson, Hela Odinsdottir (in select continuities), Angela Aldrif Odinsdottir, and the adopted son Loki Laufeyson—forming the core sibling unit. Those siblings extend the family through those siblings own children, including Torunn and, in some continuities, the descendants of the adopted son Loki Laufeyson.

This multi-generational structure allows every major Asgardian figure to be placed within a single genealogical framework. The relationships of parent, child, spouse, and sibling create a complete web of connections that define the royal lineage of Asgard. From Bor Burison's earliest rule to the rise of Thor Odinson's descendants, the House of Odin remains one of the most enduring and recognizable families in the Marvel Universe. Coreference resolution complete.

Created 20 sentence window(s)

Processing window 1/20...

- ✓ (Odin Borson, per:children, Bor Burison) [conf: 0.507]
- Replacing (Odin Borson, per:children, Bor Burison) [0.507]
- with (Odin Borson, per:parents, Bor Burison) [0.629]
- ✓ (Odin Borson, per:parents, Bestla) [conf: 0.601]
- ✓ (Bor Burison, per:spouse, Bestla) [conf: 0.984]

Processing window 2/20...

- ✓ (Odin Borson, per:spouse, Frigga Thor Odinson Frigga) [conf: 0.987]
- ✗ (Odin Borson, per:spouse, Frigga Thor Odinson Frigga) [conf: 0.914] (lower than existing)
- ✓ (Odin Borson, per:children, Thor Odinson) [conf: 0.646]
- ✗ (Frigga Thor Odinson Frigga, per:spouse, Odin Borson) [conf: 0.401] (lower than existing)
- ✗ (Frigga Thor Odinson Frigga, per:spouse, Odin Borson) [conf: 0.813] (lower than existing)
- ✓ (Frigga Thor Odinson Frigga, per:children, Thor Odinson) [conf: 0.522]
- ✗ (Odin Borson, per:children, Frigga Thor Odinson Frigga) [conf: 0.443] (lower than existing)
- ✗ (Odin Borson, per:children, Thor Odinson) [conf: 0.631] (lower than existing)
- ✗ (Frigga Thor Odinson Frigga, per:children, Odin Borson) [conf: 0.535] (lower than existing)
- Replacing (Frigga Thor Odinson Frigga, per:children, Thor Odinson) [0.522] with (Frigga Thor Odinson Frigga, per:children, Thor Odinson) [0.578]
- ✗ (Odin Borson, per:spouse, Frigga Thor Odinson Frigga) [conf: 0.444] (lower than existing)
- ✗ (Odin Borson, per:children, Thor Odinson) [conf: 0.628] (lower than existing)
- Replacing (Frigga Thor Odinson Frigga, per:children, Thor Odinson) [0.578] with (Frigga Thor Odinson Frigga, per:children, Thor Odinson) [0.663]

Processing window 3/20...

Processing window 4/20...

- ✓ (Loki Laufeyson, per:parents, Laufey) [conf: 0.695]
- ✓ (Loki Laufeyson, per:children, Thor Odinson) [conf: 0.486]
- ✓ (Loki Laufeyson, per:parents, Frigga Thor Odinson Frigga) [conf: 0.477]
- ✗ (Laufey, per:children, Loki Laufeyson) [conf: 0.574] (lower than existing)
- ✓ (Laufey, per:children, Thor Odinson) [conf: 0.606]
- ✓ (Laufey, per:children, Odin Borson) [conf: 0.491]
- ✓ (Laufey, per:parents, Frigga Thor Odinson Frigga) [conf: 0.489]
- ✗ (Laufey, per:children, Loki Laufeyson) [conf: 0.543] (lower than existing)
- ✗ (Laufey, per:parents, Odin Borson) [conf: 0.452] (lower than existing)
- Replacing (Laufey, per:parents, Frigga Thor Odinson Frigga) [0.489] with (Laufey, per:parents, Frigga Thor Odinson Frigga) [0.522]
- ✗ (Odin Borson, per:parents, Thor Odinson) [conf: 0.508] (lower than existing)
- ✗ (Thor Odinson, per:siblings, Frigga Thor Odinson Frigga) [conf: 0.520] (lower than existing)
- ✗ (Odin Borson, per:siblings, Frigga Thor Odinson Frigga) [conf: 0.803] (lower than existing)

Processing window 5/20...

- ✓ (Loki Laufeyson, per:parents, Odin Borson) [conf: 0.707]
- ✓ (Loki Laufeyson, per:parents, Frigga Frigga) [conf: 0.681]
- Replacing (Loki Laufeyson, per:children, Thor Odinson) [0.486] with (Loki Laufeyson, per:parents, Thor Odinson) [0.572]
- ✓ (Odin Borson, per:spouse, Frigga Frigga) [conf: 0.951]
- ✗ (Odin Borson, per:children, Loki Laufeyson) [conf: 0.567] (lower than existing)
- ✗ (Odin Borson, per:children, Frigga Thor Odinson Frigga) [conf: 0.456] (lower than existing)
- Replacing (Odin Borson, per:children, Thor Odinson) [0.646] with (Odin Borson, per:children, Thor Odinson) [0.649]

✗ (Odin Borson, per:children, Loki Laufeyson) [conf: 0.635] (lower than existing)
 ✗ (Frigga Frigga, per:children, Loki Laufeyson) [conf: 0.582] (lower than existing)
 ✓ (Frigga Frigga, per:parents, Frigga Thor Odinson Frigga) [conf: 0.499]
 ✓ (Frigga Frigga, per:children, Thor Odinson) [conf: 0.635]
 ✗ (Frigga Frigga, per:children, Loki Laufeyson) [conf: 0.627] (lower than existing)
 Replacing (Loki Laufeyson, per:parents, Frigga Thor Odinson Frigga) [0.477]
 with (Loki Laufeyson, per:other_family, Frigga Thor Odinson Frigga) [0.520]
 ✗ (Loki Laufeyson, per:parents, Thor Odinson) [conf: 0.552] (lower than existing)
 ✗ (Frigga Thor Odinson Frigga, per:parents, Thor Odinson) [conf: 0.501] (lower than existing)
 ✗ (Frigga Thor Odinson Frigga, per:children, Loki Laufeyson) [conf: 0.512] (lower than existing)
 Replacing (Loki Laufeyson, per:parents, Thor Odinson) [0.572]
 with (Thor Odinson, per:parents, Loki Laufeyson) [0.604]

Processing window 6/20...

Replacing (Odin Borson, per:children, Thor Odinson) [0.649]
 with (Odin Borson, per:spouse, Thor Odinson) [0.771]
 ✓ (Odin Borson, per:spouse, Loki Laufeyson Loki Laufeyson) [conf: 0.560]
 ✗ (Odin Borson, per:spouse, Frigga Thor Odinson Frigga) [conf: 0.697] (lower than existing)
 Replacing (Odin Borson, per:spouse, Loki Laufeyson Loki Laufeyson) [0.560]
 with (Odin Borson, per:spouse, Loki Laufeyson Loki Laufeyson) [0.582]
 ✗ (Thor Odinson, per:parents, Frigga Thor Odinson Frigga) [conf: 0.500] (lower than existing)

Processing window 7/20...

Processing window 8/20...

✓ (Thor Odinson's, per:spouse, Jane Foster) [conf: 0.599]
 ✓ (Thor Odinson's, per:spouse, Jane Foster Jane Foster) [conf: 0.699]
 Replacing (Thor Odinson's, per:spouse, Jane Foster Jane Foster) [0.699]
 with (Thor Odinson's, per:spouse, Jane Foster Jane Foster) [0.889]
 ✓ (Thor Odinson's, per:children, Torunn) [conf: 0.635]
 ✓ (Jane Foster, per:spouse, Jane Foster Jane Foster) [conf: 0.956]
 ✓ (Jane Foster, per:spouse, Thor Odinson) [conf: 0.535]
 Replacing (Jane Foster, per:spouse, Jane Foster Jane Foster) [0.956]
 with (Jane Foster, per:spouse, Jane Foster Jane Foster) [0.956]
 Replacing (Jane Foster, per:spouse, Jane Foster Jane Foster) [0.956]
 with (Jane Foster, per:spouse, Jane Foster Jane Foster) [0.975]
 ✓ (Jane Foster, per:children, Torunn) [conf: 0.651]
 ✗ (Jane Foster, per:spouse, Jane Foster Jane Foster) [conf: 0.735] (lower than existing)
 ✗ (Jane Foster, per:spouse, Jane Foster Jane Foster) [conf: 0.506] (lower than existing)
 ✗ (Jane Foster, per:spouse, Jane Foster Jane Foster) [conf: 0.854] (lower than existing)
 ✗ (Jane Foster, per:children, Torunn) [conf: 0.581] (lower than existing)
 ✓ (Jane Foster Jane Foster, per:children, Torunn) [conf: 0.585]
 ✓ (Thor Odinson, per:children, Torunn) [conf: 0.515]
 ✗ (Jane Foster Jane Foster, per:children, Torunn) [conf: 0.579] (lower than existing)
 Replacing (Thor Odinson, per:children, Torunn) [0.515]
 with (Thor Odinson, per:children, Torunn) [0.641]

Replacing (Jane Foster Jane Foster, per:children, Torunn) [0.585]
 with (Jane Foster Jane Foster, per:children, Torunn) [0.603]

Processing window 9/20...

Replacing (Thor Odinson, per:children, Torunn) [0.641]
 with (Torunn, per:parents, Thor Odinson) [0.659]

✗ (Torunn, per:children, Jane Foster Jane Foster) [conf: 0.428] (lower than existing)

✓ (Thor Odinson, per:spouse, Jane Foster Jane Foster) [conf: 0.974]

Processing window 10/20...

✓ (Hela Odinsdottir, per:parents, Odin Borson) [conf: 0.672]

✓ (Hela Odinsdottir, per:siblings, Loki Laufeyson) [conf: 0.853]

✗ (Hela Odinsdottir, per:parents, Odin Borson) [conf: 0.590] (lower than existing)

✗ (Odin Borson, per:children, Loki Laufeyson) [conf: 0.518] (lower than existing)

✗ (Odin Borson, per:children, Hela Odinsdottir) [conf: 0.559] (lower than existing)

✗ (Odin Borson, per:parents, Hela Odinsdottir) [conf: 0.517] (lower than existing)

✗ (Loki Laufeyson, per:parents, Odin Borson) [conf: 0.667] (lower than existing)

✗ (Loki Laufeyson, per:siblings, Hela Odinsdottir) [conf: 0.683] (lower than existing)

✗ (Loki Laufeyson, per:siblings, Hela Odinsdottir) [conf: 0.767] (lower than existing)

✗ (Odin Borson, per:children, Hela Odinsdottir) [conf: 0.569] (lower than existing)

✗ (Odin Borson, per:children, Hela Odinsdottir) [conf: 0.508] (lower than existing)

Processing window 11/20...

✓ (Hela Odinsdottir, per:parents, Thor Odinson) [conf: 0.514]

✓ (Hela Odinsdottir, per:children, Odin) [conf: 0.532]

✓ (Hela Odinsdottir, per:children, Angela) [conf: 0.542]

✓ (Thor Odinson, per:parents, Odin) [conf: 0.522]

✓ (Thor Odinson, per:parents, Angela) [conf: 0.535]

✓ (Thor Odinson, per:parents, Aldrif Odinsdottir) [conf: 0.540]

Replacing (Hela Odinsdottir, per:children, Odin) [0.532]

with (Hela Odinsdottir, per:parents, Odin) [0.577]

Replacing (Hela Odinsdottir, per:children, Angela) [0.542]

with (Hela Odinsdottir, per:parents, Angela) [0.574]

✗ (Thor Odinson, per:children, Odin) [conf: 0.501] (lower than existing)

Replacing (Thor Odinson, per:parents, Angela) [0.535]

with (Thor Odinson, per:children, Angela) [0.548]

✗ (Thor Odinson, per:children, Aldrif Odinsdottir) [conf: 0.436] (lower than existing)

✓ (Odin, per:parents, Angela) [conf: 0.534]

✓ (Odin, per:parents, Aldrif Odinsdottir) [conf: 0.547]

✓ (Angela, per:parents, Aldrif Odinsdottir) [conf: 0.662]

Processing window 12/20...

✓ (Angela, per:parents, Odin Borson) [conf: 0.659]

✓ (Angela, per:parents, Frigga Thor Odinson Frigga) [conf: 0.615]

✓ (Angela, per:siblings, Loki Laufeyson.) [conf: 0.872]

✗ (Odin Borson, per:spouse, Frigga Thor Odinson Frigga) [conf: 0.975] (lower than existing)

✓ (Odin Borson, per:spouse, Loki Laufeyson.) [conf: 0.602]

✗ (Odin Borson, per:children, Angela) [conf: 0.514] (lower than existing)
 ✓ (Frigga Thor Odinson Frigga, per:parents, Loki Laufeyson.) [conf: 0.514]
 Replacing (Angela, per:siblings, Loki Laufeyson.) [0.872]
 with (Angela, per:siblings, Loki Laufeyson.) [0.891]

Processing window 13/20...

✗ (Angela, per:children, Thor Odinson) [conf: 0.412] (lower than existing)

Processing window 14/20...

✓ (Loki Laufeyson, per:children, Hela) [conf: 0.643]

Processing window 15/20...

✓ (Loki Laufeyson, per:children, Vali Halfling) [conf: 0.614]
 ✗ (Loki Laufeyson, per:parents, Vali Halfling) [conf: 0.459] (lower than existing)
 ✗ (Vali Halfling, per:parents, Loki Laufeyson) [conf: 0.497] (lower than existing)
 ✗ (Loki Laufeyson, per:parents, Vali Halfling) [conf: 0.402] (lower than existing)

Processing window 16/20...

✓ (Loki Laufeyson, per:children, Torunn) [conf: 0.522]
 ✗ (Loki Laufeyson, per:children, Thor Odinson) [conf: 0.458] (lower than existing)
 ✓ (Loki Laufeyson, per:children, Jane Foster) [conf: 0.481]
 Replacing (Torunn, per:parents, Thor Odinson) [0.659]
 with (Torunn, per:parents, Thor Odinson) [0.722]
 ✗ (Torunn, per:parents, Jane Foster) [conf: 0.620] (lower than existing)
 Replacing (Jane Foster, per:spouse, Thor Odinson) [0.535]
 with (Thor Odinson, per:spouse, Jane Foster) [0.973]

Processing window 17/20...

✗ (Torunn, per:children, Thor Odinson) [conf: 0.558] (lower than existing)
 Replacing (Loki Laufeyson, per:children, Torunn) [0.522]
 with (Torunn, per:other_family, Loki Laufeyson) [0.951]
 ✓ (Torunn, per:other_family, Angela) [conf: 0.954]
 ✗ (Thor Odinson, per:parents, Torunn) [conf: 0.493] (lower than existing)
 ✗ (Thor Odinson, per:parents, Frigga Thor Odinson Frigga) [conf: 0.539]
 (lower than existing)
 ✗ (Thor Odinson, per:parents, Torunn) [conf: 0.511] (lower than existing)
 ✗ (Thor Odinson, per:parents, Torunn) [conf: 0.415] (lower than existing)
 ✗ (Thor Odinson, per:parents, Torunn) [conf: 0.536] (lower than existing)
 Replacing (Thor Odinson, per:parents, Loki Laufeyson) [0.604]
 with (Thor Odinson, per:other_family, Loki Laufeyson) [0.962]
 Replacing (Thor Odinson, per:children, Angela) [0.548]
 with (Thor Odinson, per:other_family, Angela) [0.967]
 ✗ (Torunn, per:other_family, Loki Laufeyson) [conf: 0.870] (lower than existing)
 ✗ (Torunn, per:other_family, Angela) [conf: 0.729] (lower than existing)
 ✗ (Odin Borson, per:other_family, Loki Laufeyson) [conf: 0.530] (lower than existing)
 ✓ (Frigga Thor Odinson Frigga, per:other_family, Torunn) [conf: 0.657]
 Replacing (Loki Laufeyson, per:other_family, Frigga Thor Odinson Frigga) [0.520]
 with (Frigga Thor Odinson Frigga, per:other_family, Loki Laufeyson) [0.920]
 Replacing (Angela, per:parents, Frigga Thor Odinson Frigga) [0.615]
 with (Frigga Thor Odinson Frigga, per:other_family, Angela) [0.945]

✗ (Torunn, per:other_family, Loki Laufeyson) [conf: 0.932] (lower than existing)
 ✗ (Torunn, per:other_family, Angela) [conf: 0.916] (lower than existing)
 Replacing (Torunn, per:other_family, Loki Laufeyson) [0.951]
 with (Torunn, per:other_family, Loki Laufeyson) [0.953]
 ✗ (Torunn, per:other_family, Angela) [conf: 0.932] (lower than existing)
 Replacing (Torunn, per:other_family, Loki Laufeyson) [0.953]
 with (Torunn, per:other_family, Loki Laufeyson) [0.974]
 Replacing (Torunn, per:other_family, Angela) [0.954]
 with (Torunn, per:other_family, Angela) [0.970]
 ✓ (Loki Laufeyson, per:other_family, Angela) [conf: 0.973]

Processing window 18/20...

✗ (Odin Borson, per:spouse, Frigga Thor Odinson Frigga) [conf: 0.652] (lower than existing)
 ✗ (Odin Borson, per:children, Thor Odinson) [conf: 0.572] (lower than existing)
 ✗ (Odin Borson, per:children, Hela Odinsdottir) [conf: 0.551] (lower than existing)
 ✓ (Odin Borson, per:children, Angela Aldrif Odinsdottir) [conf: 0.504]
 ✗ (Odin Borson, per:children, Loki Laufeyson) [conf: 0.540] (lower than existing)
 ✗ (Frigga Thor Odinson Frigga, per:parents, Odin Borson) [conf: 0.418] (lower than existing)
 ✗ (Frigga Thor Odinson Frigga, per:parents, Thor Odinson) [conf: 0.473] (lower than existing)
 ✓ (Frigga Thor Odinson Frigga, per:parents, Angela Aldrif Odinsdottir) [conf: 0.517]
 ✗ (Frigga Thor Odinson Frigga, per:parents, Loki Laufeyson) [conf: 0.493] (lower than existing)
 ✗ (Odin Borson, per:parents, Thor Odinson) [conf: 0.502] (lower than existing)
 ✗ (Odin Borson, per:children, Hela Odinsdottir) [conf: 0.514] (lower than existing)
 Replacing (Odin Borson, per:children, Angela Aldrif Odinsdottir) [0.504]
 with (Odin Borson, per:parents, Angela Aldrif Odinsdottir) [0.577]
 ✗ (Odin Borson, per:children, Loki Laufeyson) [conf: 0.509] (lower than existing)
 ✗ (Frigga Thor Odinson Frigga, per:children, Thor Odinson) [conf: 0.622] (lower than existing)
 ✓ (Frigga Thor Odinson Frigga, per:children, Hela Odinsdottir) [conf: 0.586]
 Replacing (Frigga Thor Odinson Frigga, per:parents, Angela Aldrif Odinsdottir) [0.517]
 with (Frigga Thor Odinson Frigga, per:children, Angela Aldrif Odinsdottir) [0.604]
 ✗ (Frigga Thor Odinson Frigga, per:children, Loki Laufeyson) [conf: 0.587] (lower than existing)
 ✗ (Thor Odinson, per:parents, Hela Odinsdottir) [conf: 0.462] (lower than existing)
 ✓ (Thor Odinson, per:parents, Angela Aldrif Odinsdottir) [conf: 0.527]
 ✗ (Thor Odinson, per:parents, Loki Laufeyson) [conf: 0.574] (lower than existing)
 ✓ (Hela Odinsdottir, per:parents, Angela Aldrif Odinsdottir) [conf: 0.416]
 ✗ (Hela Odinsdottir, per:parents, Loki Laufeyson) [conf: 0.545] (lower than existing)
 ✓ (Angela Aldrif Odinsdottir, per:parents, Loki Laufeyson) [conf: 0.638]

Processing window 19/20...

✗ (Torunn, per:parents, Loki Laufeyson) [conf: 0.727] (lower than existing)

```

✓ (Torunn, per:parents, Asgardian) [conf: 0.486]
✓ (Loki Laufeyson, per:parents, Asgardian) [conf: 0.680]

Processing window 20/20...

Merging partial names...
  Merging 'Hela' -> 'Hela Odinsdottir' (first name match)
  Merging 'Odin' -> 'Odin Borson' (first name match)
  Merging 'Angela' -> 'Angela Aldrif Odinsdottir' (first name match)

Extraction complete!
  - Found 19 people
  - Extracted 45 relationships

STEP 2: Generating family tree visualizations...
-----
Generating relationship summary... done!
Generating graphic tree... done!
Generating GEDCOM file... done!

=====
FAMILY TREE EXTRACTION PIPELINE COMPLETED
=====

Generated files in 'output/':
  - family_tree.txt (Relationship summary)
  - family_tree.png (Graphical visualization)
  - family_tree.ged (GEDCOM format)
  - family_data.json (Extracted relationships)

.TXT output:
[Person: 1] Aldrif Odinsdottir
  Parents:
    - Unknown
  Partners:
    - Unknown
  Children:
    - Angela Aldrif Odinsdottir (2)
    - Odin Borson (15)
    - Thor Odinson (16)

[Person: 2] Angela Aldrif Odinsdottir
  Parents:
    - Aldrif Odinsdottir (1)
    - Frigga Thor Odinson Frigga (7)
    - Loki Laufeyson (12)
    - Odin Borson (15)
  Partners:
    - Unknown
  Children:
    - Hela Odinsdottir (8)
    - Odin Borson (15)
    - Thor Odinson (16)

[Person: 3] Asgardian
  Parents:
    - Unknown

```

```

Partners:
- Unknown
Children:
- Loki Laufeyson (12)
- Torunn (18)

[Person: 4] Bestla
Parents:
- Unknown
Partners:
- Bor Burison (5)
Children:
- Odin Borson (15)

[Person: 5] Bor Burison
Parents:
- Unknown
Partners:
- Bestla (4)
Children:
- Odin Borson (15)

[Person: 6] Frigga Frigga
Parents:
- Frigga Thor Odinson Frigga (7)
Partners:
- Odin Borson (15)
Children:
- Loki Laufeyson (12)
- Thor Odinson (16)

[Person: 7] Frigga Thor Odinson Frigga
Parents:
- Loki Laufeyson. (14)
Partners:
- Odin Borson (15)
Children:
- Angela Aldrif Odinsdottir (2)
- Frigga Frigga (6)
- Hela Odinsdottir (8)
- Laufey (11)
- Thor Odinson (16)

[Person: 8] Hela Odinsdottir
Parents:
- Angela Aldrif Odinsdottir (2)
- Frigga Thor Odinson Frigga (7)
- Loki Laufeyson (12)
- Odin Borson (15)
- Thor Odinson (16)
Partners:
- Unknown
Children:
- Unknown

[Person: 9] Jane Foster
Parents:
- Loki Laufeyson (12)
Partners:

```

- Jane Foster Jane Foster (10)
- Thor Odinson (16)
- Thor Odinson's (17)

Children:

- Torunn (18)

[Person: 10] Jane Foster Jane Foster

Parents:

- Unknown

Partners:

- Jane Foster (9)
- Thor Odinson (16)
- Thor Odinson's (17)

Children:

- Torunn (18)

[Person: 11] Laufey

Parents:

- Frigga Thor Odinson Frigga (7)

Partners:

- Unknown

Children:

- Loki Laufeyson (12)
- Odin Borson (15)
- Thor Odinson (16)

[Person: 12] Loki Laufeyson

Parents:

- Asgardian (3)
- Frigga Frigga (6)
- Laufey (11)
- Odin Borson (15)

Partners:

- Unknown

Children:

- Angela Aldrif Odinsdottir (2)
- Hela Odinsdottir (8)
- Jane Foster (9)
- Vali Halfling (19)

[Person: 13] Loki Laufeyson Loki Laufeyson

Parents:

- Unknown

Partners:

- Odin Borson (15)

Children:

- Unknown

[Person: 14] Loki Laufeyson.

Parents:

- Unknown

Partners:

- Odin Borson (15)

Children:

- Frigga Thor Odinson Frigga (7)

[Person: 15] Odin Borson

Parents:

- Aldrif Odinsdottir (1)

- Angela Aldrif Odinsdottir (2)
- Bestla (4)
- Bor Burison (5)
- Laufey (11)

Partners:

- Frigga Frigga (6)
- Frigga Thor Odinson Frigga (7)
- Loki Laufeyson Loki Laufeyson (13)
- Loki Laufeyson. (14)
- Thor Odinson (16)

Children:

- Angela Aldrif Odinsdottir (2)
- Hela Odinsdottir (8)
- Loki Laufeyson (12)
- Thor Odinson (16)

[Person: 16] Thor Odinson

Parents:

- Aldrif Odinsdottir (1)
- Angela Aldrif Odinsdottir (2)
- Frigga Frigga (6)
- Frigga Thor Odinson Frigga (7)
- Laufey (11)
- Odin Borson (15)

Partners:

- Jane Foster (9)
- Jane Foster Jane Foster (10)
- Odin Borson (15)

Children:

- Hela Odinsdottir (8)
- Torunn (18)

[Person: 17] Thor Odinson's

Parents:

- Unknown

Partners:

- Jane Foster (9)
- Jane Foster Jane Foster (10)

Children:

- Torunn (18)

[Person: 18] Torunn

Parents:

- Asgardian (3)
- Jane Foster (9)
- Jane Foster Jane Foster (10)
- Thor Odinson (16)
- Thor Odinson's (17)

Partners:

- Unknown

Children:

- Unknown

[Person: 19] Vali Halfling

Parents:

- Loki Laufeyson (12)

Partners:

- Unknown

Children:

- Unknown

.GED output:

```

0 HEAD
1 SOUR FamilyTreeGenerator
1 GEDC
2 VERS 5.5.1
2 FORM LINEAGE-LINKED
1 CHAR UTF-8
1 DATE 10 Dec 2025
0 @I1@ INDI
1 NAME Aldrif /Odinsdottir/
1 SEX U
1 FAMS @F1@
1 FAMS @F2@
1 FAMS @F3@
0 @I2@ INDI
1 NAME Angela Aldrif /Odinsdottir/
1 SEX U
1 NOTE Parent: Aldrif Odinsdottir
1 NOTE Parent: Frigga Thor Odinson Frigga
1 NOTE Parent: Loki Laufeyson
1 NOTE Parent: Odin Borson
1 FAMS @F1@
1 FAMS @F2@
1 FAMS @F4@
1 FAMC @F3@
0 @I3@ INDI
1 NAME Asgardian /Unknown/
1 SEX U
1 FAMS @F5@
1 FAMS @F6@
0 @I4@ INDI
1 NAME Bestla /Unknown/
1 SEX U
1 NOTE Spouse: Bor Burison
1 FAMS @F1@
1 FAMS @F7@
0 @I5@ INDI
1 NAME Bor /Burison/
1 SEX U
1 NOTE Spouse: Bestla
1 FAMS @F1@
1 FAMS @F7@
0 @I6@ INDI
1 NAME Frigga /Frigga/
1 SEX U
1 NOTE Parent: Frigga Thor Odinson Frigga
1 NOTE Spouse: Odin Borson
1 FAMS @F2@
1 FAMS @F5@
1 FAMS @F8@
1 FAMC @F9@
0 @I7@ INDI
1 NAME Frigga Thor Odinson /Frigga/
1 SEX U
1 NOTE Parent: Loki Laufeyson.
1 NOTE Spouse: Odin Borson

```

```

1 FAMS @F10@
1 FAMS @F2@
1 FAMS @F3@
1 FAMS @F4@
1 FAMS @F9@
1 FAMC @F18@
0 @I8@ INDI
1 NAME Hela /Odinsdottir/
1 SEX U
1 NOTE Parent: Angela Aldrif Odinsdottir
1 NOTE Parent: Frigga Thor Odinson Frigga
1 NOTE Parent: Loki Laufeyson
1 NOTE Parent: Odin Borson
1 NOTE Parent: Thor Odinson
1 FAMC @F4@
0 @I9@ INDI
1 NAME Jane /Foster/
1 SEX U
1 NOTE Parent: Loki Laufeyson
1 NOTE Spouse: Jane Foster Jane Foster
1 NOTE Spouse: Thor Odinson
1 NOTE Spouse: Thor Odinson's
1 FAMS @F11@
1 FAMS @F12@
1 FAMS @F13@
1 FAMS @F6@
1 FAMC @F16@
0 @I10@ INDI
1 NAME Jane Foster Jane /Foster/
1 SEX U
1 NOTE Spouse: Jane Foster
1 NOTE Spouse: Thor Odinson
1 NOTE Spouse: Thor Odinson's
1 FAMS @F11@
1 FAMS @F14@
1 FAMS @F15@
1 FAMS @F6@
0 @I11@ INDI
1 NAME Laufey /Unknown/
1 SEX U
1 NOTE Parent: Frigga Thor Odinson Frigga
1 FAMS @F1@
1 FAMS @F2@
1 FAMS @F5@
1 FAMC @F9@
0 @I12@ INDI
1 NAME Loki /Laufeyson/
1 SEX U
1 NOTE Parent: Asgardian
1 NOTE Parent: Frigga Frigga
1 NOTE Parent: Laufey
1 NOTE Parent: Odin Borson
1 FAMS @F16@
1 FAMS @F3@
1 FAMS @F4@
1 FAMC @F5@
0 @I13@ INDI
1 NAME Loki Laufeyson Loki /Laufeyson/
1 SEX U

```

1 NOTE Spouse: Odin Borson
 1 FAMS @F17@
 0 @I14@ INDI
 1 NAME Loki /Laufeyson./
 1 SEX U
 1 NOTE Spouse: Odin Borson
 1 FAMS @F18@
 1 FAMS @F19@
 0 @I15@ INDI
 1 NAME Odin /Borson/
 1 SEX U
 1 NOTE Parent: Aldrif Odinsdottir
 1 NOTE Parent: Angela Aldrif Odinsdottir
 1 NOTE Parent: Bestla
 1 NOTE Parent: Bor Burison
 1 NOTE Parent: Laufey
 1 NOTE Spouse: Frigga Frigga
 1 NOTE Spouse: Frigga Thor Odinson Frigga
 1 NOTE Spouse: Loki Laufeyson Loki Laufeyson
 1 NOTE Spouse: Loki Laufeyson.
 1 NOTE Spouse: Thor Odinson
 1 FAMS @F10@
 1 FAMS @F17@
 1 FAMS @F19@
 1 FAMS @F20@
 1 FAMS @F2@
 1 FAMS @F3@
 1 FAMS @F4@
 1 FAMS @F5@
 1 FAMS @F8@
 1 FAMC @F1@
 0 @I16@ INDI
 1 NAME Thor /Odinson/
 1 SEX U
 1 NOTE Parent: Aldrif Odinsdottir
 1 NOTE Parent: Angela Aldrif Odinsdottir
 1 NOTE Parent: Frigga Frigga
 1 NOTE Parent: Frigga Thor Odinson Frigga
 1 NOTE Parent: Laufey
 1 NOTE Parent: Odin Borson
 1 NOTE Spouse: Jane Foster
 1 NOTE Spouse: Jane Foster Jane Foster
 1 NOTE Spouse: Odin Borson
 1 FAMS @F12@
 1 FAMS @F14@
 1 FAMS @F20@
 1 FAMS @F4@
 1 FAMS @F6@
 1 FAMC @F2@
 0 @I17@ INDI
 1 NAME Thor /Odinson's/
 1 SEX U
 1 NOTE Spouse: Jane Foster
 1 NOTE Spouse: Jane Foster Jane Foster
 1 FAMS @F13@
 1 FAMS @F15@
 1 FAMS @F6@
 0 @I18@ INDI
 1 NAME Torunn /Unknown/

```

1 SEX U
1 NOTE Parent: Asgardian
1 NOTE Parent: Jane Foster
1 NOTE Parent: Jane Foster Jane Foster
1 NOTE Parent: Thor Odinson
1 NOTE Parent: Thor Odinson's
1 FAMC @F6@
0 @I19@ INDI
1 NAME Vali /Halfling/
1 SEX U
1 NOTE Parent: Loki Laufeyson
1 FAMC @F16@
0 @F1@ FAM
1 HUSB @I1@
1 WIFE @I2@
1 _PARTNER @I4@
1 _PARTNER @I5@
1 _PARTNER @I11@
1 CHIL @I15@
0 @F2@ FAM
1 HUSB @I1@
1 WIFE @I2@
1 _PARTNER @I6@
1 _PARTNER @I7@
1 _PARTNER @I11@
1 _PARTNER @I15@
1 CHIL @I16@
0 @F3@ FAM
1 HUSB @I1@
1 WIFE @I7@
1 _PARTNER @I12@
1 _PARTNER @I15@
1 CHIL @I2@
0 @F4@ FAM
1 HUSB @I2@
1 WIFE @I7@
1 _PARTNER @I12@
1 _PARTNER @I15@
1 _PARTNER @I16@
1 CHIL @I8@
0 @F5@ FAM
1 HUSB @I3@
1 WIFE @I6@
1 _PARTNER @I11@
1 _PARTNER @I15@
1 CHIL @I12@
0 @F6@ FAM
1 HUSB @I3@
1 WIFE @I9@
1 _PARTNER @I10@
1 _PARTNER @I16@
1 _PARTNER @I17@
1 CHIL @I18@
0 @F7@ FAM
1 HUSB @I4@
1 WIFE @I5@
0 @F8@ FAM
1 HUSB @I6@
1 WIFE @I15@

```

0 @F9@ FAM
1 HUSB @I7@
1 CHIL @I6@
1 CHIL @I11@
0 @F10@ FAM
1 HUSB @I7@
1 WIFE @I15@
0 @F11@ FAM
1 HUSB @I9@
1 WIFE @I10@
0 @F12@ FAM
1 HUSB @I9@
1 WIFE @I16@
0 @F13@ FAM
1 HUSB @I9@
1 WIFE @I17@
0 @F14@ FAM
1 HUSB @I10@
1 WIFE @I16@
0 @F15@ FAM
1 HUSB @I10@
1 WIFE @I17@
0 @F16@ FAM
1 HUSB @I12@
1 CHIL @I9@
1 CHIL @I19@
0 @F17@ FAM
1 HUSB @I13@
1 WIFE @I15@
0 @F18@ FAM
1 HUSB @I14@
1 CHIL @I7@
0 @F19@ FAM
1 HUSB @I14@
1 WIFE @I15@
0 @F20@ FAM
1 HUSB @I15@
1 WIFE @I16@
0 TRLR