

RSN Event Flow Bug Report

Prepared for: Ali Hamza

Product: RSN

Date: March 20, 2026

Purpose

This document captures the bugs and UX flow issues identified during the live walkthrough of the RSN event experience with Tommy on March 20.

The main pattern is clear:

The event flow transitions are not fully stable.

The movement between lobby, breakout room, rating, return state, and event end needs to be tightened.

Core Diagnosis

The deeper issue is not just isolated bugs.

It looks like the event state machine is not fully clean across all transitions.

The system needs tighter handling for these states:

- Lobby
- Round started
- User in breakout room
- User leaves breakout room early
- Rating state
- Return to lobby
- Final event completion state
- Past event state

Bug List

1. User does not return immediately to the lobby after rating

Issue

After a user rates the conversation, they do not immediately return to the lobby as expected.

Observed behavior

The system appears to hold the user in the wrong state instead of sending them back to the lobby right away.

Expected behavior

Once the rating is submitted, the user should return directly to the lobby or next correct waiting state without delay or confusion.

Priority

High

Suggested fix

After successful rating submission, force a clean transition to the correct next event state. Do not leave the user in an in between state.

2. Leaving a breakout room before time ends sends the user back into the same room**Issue**

If a user leaves a breakout room before the round timer finishes, the system pushes them back into the room.

Observed behavior

A manual leave action is not being respected.

Expected behavior

If the user leaves the breakout room early, they should remain out of that room and move to the correct holding state, most likely the lobby or waiting state.

Priority

High

Suggested fix

Treat manual leave as a hard user action that overrides automatic room reassignment for that round.

3. No final lobby or closing interaction after all rounds are complete**Issue**

When all rounds are done, there is no final shared closing state.

Observed behavior

Users do not get a proper ending moment where they can say thank you, close the experience, or understand clearly that the event is finished.

Expected behavior

After the final round, all users should return to a final lobby or closing room with a clear event ended state and optional final interaction.

Priority

High

Suggested fix

Add a final event completion state with a closing lobby view, thank you message, and any final CTA or next step.

4. The rating step is not visually clear enough**Issue**

The rating flow is not obvious enough for the user.

Observed behavior

The interface does not make it fully clear what should be clicked next.

Expected behavior

The rating action and submit action should be visually obvious and unmistakable.

Priority

Medium

Suggested fix

Improve hierarchy, button styling, copy clarity, and visual emphasis on the primary next action.

5. Past events still show active invitation or accept states**Issue**

After an event is already over, the interface still shows an active accept state.

Observed behavior

A user can see invitation or acceptance UI for an event that has already finished.

Expected behavior

Once an event is over, all invitation states should be closed, disabled, or converted into a past event state.

Priority

High

Suggested fix

Add cleanup logic so expired events cannot show live acceptance actions.

6. Waiting room copy is broken or unclear

Issue

The waiting state copy is grammatically broken and confusing.

Observed behavior

The message shown was:

“Waiting for hosts to start the event by a start event.”

Expected behavior

The copy should be clear, simple, and correct.

Example:

“Waiting for the host to start the event.”

Priority

Low

Suggested fix

Replace broken copy and review all event state messages for clarity and consistency.

7. Round state, rating state, and lobby state are not fully synchronized

Issue

The system appears to lose track of where the user should be during round transitions.

Observed behavior

Users can end up stuck between states or returned to the wrong place.

Expected behavior

Every event transition should move the user into one clearly defined state with no overlap or ambiguity.

Priority

High

Suggested fix

Audit transition logic between round end, manual leave, rating submit, lobby return, and event completion.

8. Event cleanup after round or event completion appears incomplete

Issue

Some UI and interaction states remain active after they should have been cleared.

Observed behavior

Finished events and previous actions continue to surface in ways that suggest incomplete cleanup.

Expected behavior

When a round or event is complete, all obsolete live states should be closed cleanly.

Priority

Medium to High

Suggested fix

Add end of round and end of event cleanup routines to clear live actions, stale invitations, and expired states.

Recommended Development Focus

Ali should treat this as one flow stabilization task rather than a set of unrelated fixes.

The key work is:

1. Tighten the event state machine
2. Make manual leave actions authoritative
3. Clean up end of round and end of event states
4. Add a final lobby or closing state
5. Improve clarity in the rating and waiting flows

Suggested Acceptance Test Cases

Test Case 1

User completes a round, submits rating, and returns immediately to the correct lobby state.

Test Case 2

User leaves breakout room early and remains out of that room until the next valid transition.

Test Case 3

After final round, all users land in a closing lobby with clear event completion messaging.

Test Case 4

Past events cannot show active accept or join states.

Test Case 5

No user can be in overlapping states at the same time.

Test Case 6

All waiting and transition messages are clear, correct, and readable.

Final Note

This is close.

The product flow is already strong.

What is needed now is not redesign for the sake of redesign.

It is transition discipline.

Once the event state logic is tight, the product will feel much more reliable and much more premium.