

RSN Event Testing → What Needs To Be Done

Critical Matching Logic Fixes

1. Fix “No Rematch” logic
Current system still rematches people who already met.
The platform-wide memory of previous meetings is either:
 - not being checked
 - or not properly enforced during pair generation

Needed:

- hard exclusion layer before matching
- per-event memory reset rules
- completed-round tracking only
- fallback logic only if impossible to create fresh pairs

2. Fix rematch prioritization
System currently requires several rematch clicks before finding new people.

Needed:

- prioritize unseen users first
- scoring system:
 - never met = highest score
 - low interaction history = medium
 - previous meeting = lowest
- dynamic reshuffling after each round

3. Fix “Meet Again Rate” calculation
Current math is inverted.

Needed:

- correct formula:
 - mutual yes / total meetings
- separate:

- one-sided interest
- mutual interest
- rejected/no interest

4. Fix “Expressed Interest” wording
Current wording is ambiguous.

Needed:

Replace with:

- “You wanted to meet again”
 - “They wanted to meet again”
 - “Mutual interest”
5. Implement mutual-match messaging logic
Users should only be able to message if:
 - both selected “meet again”

Needed:

- backend permission logic
- UI state handling
- edge case handling when one user changes decision later

Breakout Room Architecture Problems

6. Dynamic room resizing
Currently impossible to add a participant to an active pair room.

Needed:

- room conversion architecture:
 - pair → trio
 - trio → larger room
- live RTC/session migration
- dynamic rating form generation
- participant state synchronization

This is not a bug fix.

This is a structural rebuild.

Stability & UI Fixes

7. Fix background-change crash
Current issue crashes browser/app state.

Needed:

- isolate rendering pipeline
- inspect memory leak / media stream issue
- prevent full browser restart requirement
- test across Chrome/Safari/mobile

8. Full mobile retesting

Especially:

- room transitions
- refresh behavior
- camera/audio persistence
- state synchronization

9. Improve rematch UX

Current rematch flow feels mechanical and unclear.

Needed:

- visible queue state
- clearer “finding next person”
- instant feedback on why rematch failed/succeeded