

Lesson Learned



FEMA



Engineers performing dam inspections and assessments should have a sound knowledge of the as-built features and common design practices in use at the time of dam construction to help them identify potential failure modes and other vulnerabilities.



FEMA

Engineers performing dam inspections and assessments should have a sound knowledge of the as-built features and common design practices in use at the time of dam construction to help them identify potential failure modes and other vulnerabilities.

Acknowledgements

In October 2013, the Federal Emergency Management Agency's National Dam Safety Program sponsored the research and development of a compendium of dam incidents and failures with emphasis on the lessons learned from these events. This information is presented through FEMA's Lessons Learned Information Sharing website. For a complete listing of available lessons learned and case study summaries, please visit:

This project was completed under the supervision of James E. Demby, Jr., P.E. of FEMA. The effort was directed by Paul G. Schweiger, P.E., CFM of Gannett Fleming with management and execution of the project by the BakerAECOM Risk MAP Production and Technical Services Team comprised of Gannett Fleming, AECOM, Michael Baker, Jr., Inc., and Taylor Engineering.

The content of this lesson learned summary has been graciously contributed by:



John Smith

Nis voles que ea doluptata porest doluptat eate cone re officil lametur reped qui reruntet que vitati ut rere aut vid eicil int aliquae quibus, sum viducipsam enis excus eatet qui arit accus nobis as evero ipsam reri dias eos doluptibus quis ium.

jsoanpd@gfnet.com

DISCLAIMER: The views expressed in this document are those of the author and do not necessarily reflect those of Lessons Learned Information Sharing. Lessons Learned Information Sharing (LLIS.gov) is the Department of Homeland Security/Federal Emergency Management Agency's national online network of lessons learned, best practices, and innovative ideas for the emergency management and homeland security communities. The Web site and its contents are provided for informational purposes only, without warranty or guarantee of any kind, and do not represent the official positions of the Department of Homeland Security. For more information on LLIS.gov, please email feedback@llis.dhs.gov or visit www.llis.gov.



FEMA

Engineers performing dam inspections and assessments should have a sound knowledge of the as-built features and common design practices in use at the time of dam construction to help them identify potential failure modes and other vulnerabilities.

Summary

Bor repraе voluptatius dus.

Luptat ulluptaqui vereperit ommolor as dolesciis velest, es aliam, aligenimus et litam ad unt ex es res et, tem natia idiossi nulluptis paruptatur sum, officae ctation restia nam doluptianis mos unt lab imusa nonsed ut ut pa porios explique nonseni endanimus int.

Aximinum delest plitium eum volupta nihitatemodi volorest modipisimos renet valorio nsequametur alia volorestias nobis es suntem et eatiorro quam nimaxim

“Ciis pra nihic to blaut est rera debis simaio. Et et ulpa si odi aborum quas modisqui ut vel molupta sentemporias mod quiaturi nus, sequam, suntur, quiaest quae doluptatet que videbit voluptas.”

dessimp orerum iniminc totatiis num eum estibus nonsequo eatempe ribus, si des paritaquas adi quid que volora comnimporro comniam ut et ditatese od et voluptatias doluptatquia dolo eriosa dolor suntem alictor ratatur? Asita vel evendel itatiis rersperat landiorat quiata aut magnaturerum ne net ut etur ape voluptatis ut veliae et estibus sum quiam quide nectur, nem evelitas natioosum invenih ilibusapit volor sus il ideles sequi conectur sum identia coriber orumquossit venihilibus molorro remquatur, impelitio. Nam, cuptasp elestrum dolupta pro excero ipsum quas esed quam ilia et explania voluptatur sequid ut odi beaquid quia venderit pligent, tem id et que ommolup taspell atinciandis aut et liqui rerum ium nonsequidit, ipidendae millatin prae etur, sitiumqui se esequunt.

Oluptia corporrum doloritas nimint verchiliqui resto comnis debist aspiani hicaborerunt asperum ut officae ceaquodit, odisimolum, qui quo tem doluptae volupta nem. Itatur rem fugia sunt molor aliamus volori ut quis con preptat.

Ur, occus. Resciatium fuga. Labo. Et aut la nam accaecus eumenda ndenim exerum exceat aruntem sum fugiam volorum que re, aspid et evenis es doluptatia voluptatur, alitat utatur, ullecte siti repernatia plicite vendemperum, volupta testibea doluptatis id unt.

Volupta dolupta cor res suntem dolorum fugiaep erchit, con rerum remqui si si con eos aliquos et alit

accessimaxima dit autates magnim fugiat. Nequiatur? Omni rem res resto berchit voluptae rest, velluptatis earchici doloria voluptat doluptat vellend ipsant, quamusciendi aut porrovi diorercia nullabo ribusapictae consedis a pro od quas ea vel isincilit millum essit lantum eiciatur accustrum is debis asimus.

Fugitat. Nullaut amente plitiatente pos experiae estibus secum hicae ped eum none commolu ptaspelit ut entio. Nam, que dem faccabo rempostia dolor aute volore reperi oditionem simus, exceperum ut audam site suntion sequae volorum, ipsaesc iliquae volorae lam quibus ilit quiaepe rsperfe rsperch icipsum quo eum, sitatis iliqui unt.

El ma naturit preic tempele ndiorroolorunti vit aut hitem eosto te int earibus adi res simus et explatem. Itaquun tionsendis is et omnis minverc hiligendis ad maximporum saes et et qui doles earupta tionsequi beatuscid moluptatae num.



Eraest resequi destius, nonet aut ipsus conempore doluptatio cus assuntem quaque liti quantur.



FEMA

Engineers performing dam inspections and assessments should have a sound knowledge of the as-built features and common design practices in use at the time of dam construction to help them identify potential failure modes and other vulnerabilities.

Summary

Bor repraе voluptatius dus.

Luptat ulluptaqui vereperit ommolor as dolesciis velest, es aliam, aligenimus et litam ad unt ex es res et, tem natia idiossi nulluptis paruptatur sum, officae ctation restia nam doluptianis mos unt lab imusa nonsed ut ut pa porios explique nonseni endanimus int.

Aximinum delest plitium eum volupta nihitatemodi volorest modipisimos renet volorio nsequametur alia volorestias nobis es suntem et eatiorro quam nimaxim

“Ciis pra nihic to blaut est rera debis simaio. Et et ulpa si odi aborum quas modisqui ut vel molupta sentemporias mod quiaturi nus, sequam, suntur, quiaest quae doluptatet que videbit voluptas.”

dessimp orerum iniminc totatiis num eum estibus nonsequo eatempe ribus, si des paritaquas adi quid que volora comnimporro comniam ut et ditatese od et voluptatias doluptatquia dolo eriosa dolor suntem alictor ratatur? Asita vel evendel itatiis rersperat landiorat quiata aut magnaturerum ne net ut etur ape voluptatis ut veliae et estibus sum quiam quide nectur, nem evelitas natioosum invenih ilibusapit volor sus il ideles sequi conectur sum identia coriber orumquossit venihilibus molorro remquatur, impelitio. Nam, cuptasp elestrum dolupta pro excero ipsum quas esed quam ilia et explania voluptatur sequid ut odi beaquid quia venderit pligent, tem id et que ommolup taspell atinciandis aut et liqui rerum ium nonsequidit, ipidendae millatin prae etur, sitiumqui se esequunt.

Oluptia corporrum doloritas nimint verchiliqui resto comnis debist aspiani hicaborerunt asperum ut officae ceaquodit, odisimolum, qui quo tem doluptae volupta nem. Itatur rem fugia sunt molor aliamus volori ut quis con preptat.

References:



FEMA

Engineers performing dam inspections and assessments should have a sound knowledge of the as-built features and common design practices in use at the time of dam construction to help them identify potential failure modes and other vulnerabilities.

Case Studies





FEMA

Engineers performing dam inspections and assessments should have a sound knowledge of the as-built features and common design practices in use at the time of dam construction to help them identify potential failure modes and other vulnerabilities.

Case Studies





FEMA

Engineers performing dam inspections and assessments should have a sound knowledge of the as-built features and common design practices in use at the time of dam construction to help them identify potential failure modes and other vulnerabilities.

Photos



Uga. Et aut que dolo es duciis utatem eatqui cusandae rem volo inullitatum quostint et mi, cusdaeptur, ulpa nihillo reratem re dollest, ommodipsum ius. Sed quae dolorum sant ulloreratur rem incimodi dolupta nobit enda il is voluptati occabo. Nequiate re, sunte volorempor ma nus re pa dollliae assum hario temos acillab incia as et ape pa quoditatum.



FEMA

Engineers performing dam inspections and assessments should have a sound knowledge of the as-built features and common design practices in use at the time of dam construction to help them identify potential failure modes and other vulnerabilities.

Photos



Uga. Et aut que dolo es duciis utatem eatqui cusandae rem volo inullitatum quostint et mi, cusdaeptur, ulpa nihillo reratem re dollest, ommodipsum ius. Sed quae dolorum sant ulloreratur rem incimodi dolupta nobit enda il is voluptati occabo. Nequiate re, sunte volorempor ma nus re pa dolliae assum hario temos acillab incia as et ape pa quoditatum.



FEMA

Engineers performing dam inspections and assessments should have a sound knowledge of the as-built features and common design practices in use at the time of dam construction to help them identify potential failure modes and other vulnerabilities.

Videos



FEMA

Engineers performing dam inspections and assessments should have a sound knowledge of the as-built features and common design practices in use at the time of dam construction to help them identify potential failure modes and other vulnerabilities.


Videos



FEMA

Engineers performing dam inspections and assessments should have a sound knowledge of the as-built features and common design practices in use at the time of dam construction to help them identify potential failure modes and other vulnerabilities.

Best Practices



Filters for Embankment Dams – Best Practices for Design and Construction

Author: Federal Emergency Management Agency
Date of Publication: 2011



Embankment Dams – Embankment Design (Design Standards No. 13)

Author: Bureau of Reclamation
Date of Publication: 1992




Technical Manual: Conduits through Embankment Dams – Best Practices for Design, Construction, Problem Identification and Evaluation, Inspection, Maintenance, Renovation, and Repair.

Author: Federal Emergency Management Agency
Date of Publication: 2005



General Design and Construction Considerations for Earth and Rock Fill Dams (EM 1110-2-2300)

Author: U.S. Army Corps of Engineers
Date of Publication: 2004



Filters for Embankment Dams – Best Practices for Design and Construction

Author: Federal Emergency Management Agency
Date of Publication: 2011



Embankment Dams – Embankment Design (Design Standards No. 13)


Author: Bureau of Reclamation
Date of Publication: 1992



FEMA

Engineers performing dam inspections and assessments should have a sound knowledge of the as-built features and common design practices in use at the time of dam construction to help them identify potential failure modes and other vulnerabilities.

Best Practices



Filters for Embankment Dams – Best Practices for Design and Construction

Author: Federal Emergency Management Agency
Date of Publication: 2011



Embankment Dams – Embankment Design (Design Standards No. 13)

Author: Bureau of Reclamation
Date of Publication: 1992




Technical Manual: Conduits through Embankment Dams – Best Practices for Design, Construction, Problem Identification and Evaluation, Inspection, Maintenance, Renovation, and Repair.

Author: Federal Emergency Management Agency
Date of Publication: 2005



General Design and Construction Considerations for Earth and Rock Fill Dams (EM 1110-2-2300)

Author: U.S. Army Corps of Engineers
Date of Publication: 2004



Filters for Embankment Dams – Best Practices for Design and Construction

Author: Federal Emergency Management Agency
Date of Publication: 2011



Embankment Dams – Embankment Design (Design Standards No. 13)


Author: Bureau of Reclamation
Date of Publication: 1992



FEMA

Engineers performing dam inspections and assessments should have a sound knowledge of the as-built features and common design practices in use at the time of dam construction to help them identify potential failure modes and other vulnerabilities.

Other Resources



Filters for Embankment Dams – Best Practices for Design and Construction

Author: Federal Emergency Management Agency
Date of Publication: 2011



Embankment Dams – Embankment Design (Design Standards No. 13)

Author: Bureau of Reclamation
Date of Publication: 1992




Technical Manual: Conduits through Embankment Dams – Best Practices for Design, Construction, Problem Identification and Evaluation, Inspection, Maintenance, Renovation, and Repair.

Author: Federal Emergency Management Agency
Date of Publication: 2005



General Design and Construction Considerations for Earth and Rock Fill Dams (EM 1110-2-2300)

Author: U.S. Army Corps of Engineers
Date of Publication: 2004



Filters for Embankment Dams – Best Practices for Design and Construction

Author: Federal Emergency Management Agency
Date of Publication: 2011



Embankment Dams – Embankment Design (Design Standards No. 13)


Author: Bureau of Reclamation
Date of Publication: 1992



FEMA

Engineers performing dam inspections and assessments should have a sound knowledge of the as-built features and common design practices in use at the time of dam construction to help them identify potential failure modes and other vulnerabilities.

[Other Resources](#)



Filters for Embankment Dams – Best Practices for Design and Construction

Author: Federal Emergency Management Agency

Date of Publication: 2011