

6 Institutional Buildings & Community Facilities

6.1 Hospitals and healthcare Buildings

6.1.1 Permissibility

Permission for construction of hospitals and healthcare buildings shall be provided as per the master plan/ zoning regulations.

6.1.2 Minimum Plot Size

The minimum plot area for construction of a hospital/healthcare buildings shall be as follows:

Sl.	Healthcare facility	Min. Plot area (sqm)
1	Non-Bedded Medical Establishments (Diagnostic Centre/ OPD clinics/ dispensary/ Pathology Lab/ Veterinary Clinics)	100
2	Nursing Homes / Veterinary Hospitals / Maternity Hospitals/ Small Hospitals (Up to 50 beds)	300
3	Hospitals (> 50 beds)	3000
4	Nursing Institutes	2000
5	Medical College	As per NMC / MCI norms

6.1.3 Means of Access

The minimum width of the existing approach road shall be as follows:

Sl.	Healthcare facility	Min. Road Width (m)
1	Non-Bedded Medical Establishments (Diagnostic Centre/ OPD clinics/ dispensary/ Pathology Lab/ Veterinary Clinics)	9
2	Nursing Homes / Veterinary Hospitals / Maternity Hospitals/ Small Hospitals (Up to 50 beds)	12
3	Hospitals (> 50 beds)	18
4	Nursing Institutes	18
5	Medical College	24

6.1.4 Ground Coverage and FAR

Maximum ground coverage after ensuring minimum setbacks and open space requirements, if any, shall be permissible on plots for healthcare buildings.

Purchasable and premium purchasable FAR shall be applicable as per the requirements of Chapter 9. Basis approach road width, the maximum permissible FAR (including Base FAR) for healthcare buildings in built-up areas and the non-built-up areas shall be as follows:

FAR Healthcare Facilities	BFAR	Road Width (>12 -24m)			Road Width (>24 - 45m)			Road Width (>45m)		
		PFAR	PPFAR	MFAR	PFAR	PPFAR	MFAR	PFAR	PPFAR	MFAR
Built-up Area										
Non-Bedded Medical Establishments	1.50	0.75	0.75	3.00	1.50	2.25	5.25	1.50	UR	UR
Nursing Homes /Hospitals (Up to 50 beds)	1.50	0.75	0.75	3.00	1.50	2.25	5.25	1.50	UR	UR
Hospitals > 50 beds	1.50	0.75	0.75	3.00	1.50	2.25	5.25	1.50	UR	UR
Nursing college	1.50	0.75	0.75	3.00	1.50	2.25	5.25	1.50	UR	UR
Medical College	1.50	0.75	0.75	3.00	1.50	2.25	5.25	1.50	UR	UR
Non-Built-up Area										
Non-Bedded Medical Establishments	1.50	0.75	0.75	3.00	1.50	2.25	5.25	1.50	UR	UR
Nursing Homes /Hospitals (Up to 50 beds)	2.00	1.00	1.00	4.00	2.00	3.00	7.00	2.00	UR	UR
Hospitals > 50 beds	2.50	1.25	1.25	5.00	2.50	3.75	8.75	2.50	UR	UR
Nursing college	2.00	1.00	1.00	4.00	2.00	3.00	7.00	2.00	UR	UR
Medical College	2.50	1.25	1.25	5.00	2.50	3.75	8.75	2.50	UR	UR

Note-1: BFAR-Base FAR; PFAR-Purchasable FAR; PPFAR-Premium Purchasable FAR; MFAR-Maximum Permissible FAR (including BFAR); UR-Unrestricted FAR

Note-2: No purchasable or premium purchasable FAR shall be allowed for non-bedded medical establishments permissible on roads up to 12 meters. Base FAR shall be the maximum permissible FAR.

Note-3: Non-Bedded Medical Establishments include Diagnostic Centre/ OPD clinics/ dispensary/ Pathology Lab/ Veterinary Clinics.

Note-4: Hospitals up to 50 beds include Nursing Homes, Maternity Hospitals, Veterinary Hospitals

Note-5: In case green building, additional FAR shall be over and above permissible FAR shall be permissible as per paragraph 9.3 of the building byelaws.

6.1.5 Maximum Building height

There is no restriction on the maximum building height. However, the maximum height of the building shall be governed by its distance from the protected monument/heritage site, airport funnel zone and other statutory restrictions.

6.1.6 Minimum Setback

Minimum setbacks for hospital/ healthcare buildings shall be per paragraph 3.2.4.

6.1.7 Parking Requirements

(i) Parking requirements shall be as per paragraph 3.3.4 of the building byelaws.

(ii) Standard parking spaces for hospitals and healthcare buildings shall be 1.5 ECS per 125 sqm of floor area and 'one parking space' for ambulance parking i.e., 10 m x 5 m (50 sqm or 2 ECS open parking) for hospitals up to 50 beds and 'one additional ambulance parking space' for every 50 beds thereafter shall be provided.

In case of hospitals constructed in plots of area more than 4000 sqm, a separate building block for parking is permissible. Within the block, 10% of the ground floor is permissible to be utilized for ancillary activities (free from FAR) incidental to hospital activities (principal use).

6.1.8 Basement

The permissibility of basement in hospital and healthcare building shall be as per paragraph 3.3.3 of the building byelaws.

6.2 Educational Institutions

6.2.1 Permissibility

Permission for construction of schools and educational institutions shall be as per the master plan zoning regulations.

6.2.2 Minimum Plot Size

The minimum plot area (in layouts or in cases where plot area norms are not specified) for construction of educational institutions such as schools, colleges, technical institutions and university buildings shall be as follows:

Sl.	Educational facility	Min. Plot area (sqm)
1	Nursery	500
2	Primary	1000
3	Secondary / High School / Intercollege	2000
4	Degree College / Technical Institution	5000
5	Universities	20000

However, in case of spatial norms (for minimum plot areas and land requirements based on student intake and specializations covered, minimum standards for play areas, playground and open spaces) for construction of schools, colleges and universities prescribed by Central Public Works Department (CPWD) or affiliated institutions like Uttar Pradesh State Education Board (UPSEB)/ Central Board for School Education (CBSE), Indian Certificate for Secondary Education (ICSE), All India Council for Technical Education (AICTE), University Grants Commission (UGC), etc., differ from the above norms as defined by regulatory/affiliated agencies shall prevail. *For example, minimum playground area (for Class 1-8 / 10 / 12) of 1000 sqm as prescribed by CBSE norms (amended time to time) shall prevail.*

6.2.3 Means of Access

The minimum width of the access road shall be as follows:

Sl.	Educational building	Min. Road Width (m)
1	Nursery	9
2	Primary School	9 – Built-up area 12 – Non-Built-up area
3	Secondary/ High School	12
4	Degree College/ Technical Institution	18
5	Universities	24

Note: Nursery/Creche shall be permissible within 25 percent FAR in residential buildings.

6.2.4 Ground Coverage and FAR

Maximum ground coverage after ensuring minimum setbacks and open space requirements, if any, shall be permissible on plots for educational buildings.

Purchasable and premium purchasable FAR shall be applicable as per the requirements of Chapter 9. Basis approach road width, the maximum permissible FAR (including Base FAR) for education buildings in built-up areas and the non-built-up areas shall be as follows:

FAR	BFAR	Road Width (Upto 12m)			Road Width (12 -24m)			Road Width (24 - 45m)			Road Width (>45m)		
		PFAR	PPFAR	MFAR	PFAR	PPFAR	MFAR	PFAR	PPFAR	MFAR	PFAR	PPFAR	MFAR
Education Facilities													
Built-up Area													
Schools (primary / nursery)	1.00	0.20	0.20	1.40	0.50	0.50	2.00	1.00	1.00	3.00	1.00	1.00	3.00
Secondary / High School/ Intercollege/ Technical Institutes/ Degree Colleges / Universities	1.00	NA	NA	NA	0.50	0.50	2.00	1.00	1.50	3.50	1.00	UR	UR
Non-Built-up Area													
Schools (primary / nursery)	1.20	0.20	0.20	1.40	0.60	0.60	2.40	1.20	1.20	3.60	1.20	1.20	3.60
Secondary / High School/ Intercollege/ Technical Institutes/ Degree Colleges / Universities	2.00	NA	NA	NA	1.00	1.00	4.00	2.00	3.00	7.00	2.00	UR	UR

Note-1: BFAR-Base FAR; PFAR-Purchasable FAR; PPFAR-Premium Purchasable FAR; MFAR-Maximum Permissible FAR (including BFAR); UR-Unrestricted FAR.

Note-2: In green buildings, additional FAR over and above the maximum permissible FAR shall be provided as per paragraph 9.3 of the building byelaws.

6.2.5 Maximum Building height

There is no restriction on the maximum building height. However, the maximum height of the building shall be governed by its distance from the protected monument/heritage site, airport funnel zone and other statutory restrictions.

6.2.6 Minimum Setback

Minimum setbacks for educational buildings shall be as per paragraph 3.2.4 of the building byelaws.

6.2.7 Parking

(i) Parking arrangements shall be as per paragraph 3.3.4 of the building byelaws.

(ii) Standard parking provisions for education facilities shall be one ECS per 125 sqm of built-up area and 1 bus parking space i.e., 10 m x 5 m (50 sqm or 2 ECS open parking) for every 120 students. Further, a designated place shall be earmarked for pick-up and drop-zones for cars and buses within the campus plan.

For plots of area above 4000 sqm, a separate block for parking is permissible, within the campus. Within the parking block, 10% of ground floor may be utilized for ancillary purposes (free from FAR) incidental to principal use.

6.2.8 Basement

The permissibility of basement in educational buildings shall be as per paragraph 3.3.3 of the building byelaws.

6.3 Marriage Hall / Banquet/ Multi-purpose Hall

6.3.1 Permissibility

Construction of Marriage Hall/ Banquet/ Multi-purpose Hall shall be permitted as per the Master Plan Zoning Regulations.

6.3.2 Minimum Plot Size

Minimum plot size for the construction of marriage hall, banquet or a multi-purpose hall shall be 750 square meters for built-up area and 1000 square meters for non-built-up area.

6.3.3 Means of Access

Minimum width of existing approach road for the construction of a marriage hall, banquet, multi-purpose hall or a banquet hall shall be based on plot size as follows:

Plot Size (sqm)	Min. Road Width (m)
750 - 3000	18
> 3000	24

6.3.4 Ground Coverage and FAR

Maximum ground coverage after ensuring minimum setbacks and open space requirements, if any, shall be permissible on plots for educational buildings.

Purchasable and premium purchasable FAR shall be applicable as per the requirements of Chapter 9. Basis approach road width, the maximum permissible FAR (including Base FAR) for marriage hall/banquet/ multipurpose hall buildings in built-up areas and the non-built-up areas shall be as follows:

FAR Community Buildings	BFAR	Road Width (>=18 - 24m)			Road Width (>24 - 45m)			Road Width (>45m)		
		PFAR	PPFAR	MFAR	PFAR	PPFAR	MFAR	PFAR	PPFAR	MFAR
Built-up Area										
Marriage hall/ Banquet Hall/ Multipurpose Hall	2.0	1.0	1.0	4.0	2.0	3.0	7.0	2.0	UR	UR
Non-Built-up Area										
Marriage hall/ Banquet Hall/ Multipurpose Hall	3.0	1.5	1.5	6.0	3.0	4.5	10.5	3.0	UR	UR

Note-1: (i) BFAR – Base FAR, PFAR – Purchasable FAR, PPFAR – Premium Purchasable FAR, MFAR – Maximum Permissible FAR including Base FAR, UR – Unrestricted

Note-2: Within the permissible FAR limit, construction of rooms shall be allowed.

Note-3: In green building, additional FAR over and above maximum permissible FAR shall be provided as per paragraph 9.3 of the building byelaws.

6.3.5 Maximum Building Height

There is no restriction on the maximum building height. However, the maximum height of the building shall be governed by its distance from the protected monument/heritage site, airport funnel zone and other statutory restrictions.

6.3.6 Minimum Setback

Minimum setbacks for of marriage hall/ banquet hall/ multipurpose hall up shall be as per paragraph 3.2.4 of the building byelaws.

6.3.7 Parking Requirements

(i) Parking requirements for marriage hall/ banquet hall/ multipurpose hall shall be as per paragraph 3.3.4 of the building byelaws.

(ii) The parking requirement for marriage hall/ banquet hall/ multipurpose hall shall be 2.0 Equivalent Car Space per 100 sqm of the floor area. Parking shall be calculated on the maximum permissible floor area of the plot.

6.3.8 Basement

The permissibility of basement shall be as per paragraph 3.3.3 of the building byelaws.

6.4 Auditorium and Convention Centre

6.4.1 Permissibility

Auditoriums and convention centres shall be permitted as per the master plan zoning regulations.

6.4.2 Means of Access

The proposed site for auditorium or a convention centre shall be located on a minimum 18-meter-wide existing road in the built-up area and on a minimum 24-meter-wide existing road in the non-built-up area.

6.4.3 Minimum Plot Area

Minimum plot area for the construction of auditorium or a convention centre shall be based on width of the approach road as follows:

Road Width (m)	Min. Plot Area (sqm)
18	1500
24	2000

6.4.4 Ground Coverage and FAR

(i) Maximum ground coverage after ensuring minimum setbacks and open space requirements, if any, shall be permissible on plots for auditorium and convention centre.

(ii) Purchasable and premium purchasable FAR shall be applicable as per the requirements of Chapter 9. Basis approach road width, the maximum permissible FAR (including Base FAR) for Auditorium and Convention centres in built-up areas and the non-built-up areas shall be as follows:

Auditorium/ Convention Centre	FAR BFAR	Road Width (>=18 -24m)			Road Width (>24 - 45m)			Road Width (>45m)		
		PFAR	PPFAR	MFAR	PFAR	PPFAR	MFAR	PFAR	PPFAR	MFAR
Auditorium or a Convention Centre (Built-up area)	2.0	1.0	1.0	4.0	2.0	3.0	7.0	2.0	UR	UR

Auditorium/ Convention Centre	FAR	Road Width (>=18 -24m)			Road Width (>24 - 45m)			Road Width (>45m)		
	BFAR	PFAR	PPFAR	MFAR	PFAR	PPFAR	MFAR	PFAR	PPFAR	MFAR
Auditorium or a Convention Centre (Non-built-up area)	3.0	1.5	1.5	6.0	3.0	4.5	10.5	3.0	UR	UR

Note-1: BFAR – Base FAR, PFAR – Purchasable FAR, PPFAR – Premium Purchasable FAR, MFAR – Maximum Permissible FAR including Base FAR, UR – Unrestricted

Note-2: Other ancillary uses such as commercial, hotel, office, entertainment, training centre, community facilities, etc., are permissible.

Note-3: In green building, additional FAR over and above maximum permissible FAR shall be provided as per paragraph 9.3 of the building byelaws.

6.4.5 Minimum Setback

Minimum setbacks for auditorium or a convention centre shall be as per paragraph 3.2.4 of the building byelaws.

6.4.6 Parking Requirements

(i) Parking requirements for auditorium or a convention centre shall be as per paragraph 3.3.4 of the building byelaws.

(ii) The parking requirement for auditorium or convention centre shall be 1 ECS / 10 seat for the auditorium space and additional parking requirement for attached ancillary commercial activities shall be 2 ECS / 100 sqm of utilized floor area.

For plots of area above 4000 sqm, a separate block for parking is permissible, within the campus. Within the parking block, 10% of ground floor may be utilized for commercial purposes (free from FAR) incidental to principal use.

6.4.7 Basement

The permissibility of basement in auditorium or convention centre shall be as per paragraph 3.3.3 of the building byelaws.