

Auditorium/ Convention Centre	FAR	Road Width (>=18 -24m)			Road Width (>24 - 45m)			Road Width (>45m)		
	BFAR	PFAR	PPFAR	MFAR	PFAR	PPFAR	MFAR	PFAR	PPFAR	MFAR
Auditorium or a Convention Centre (Non-built-up area)	3.0	1.5	1.5	6.0	3.0	4.5	10.5	3.0	UR	UR

Note-1: BFAR – Base FAR, PFAR – Purchasable FAR, PPFAR – Premium Purchasable FAR, MFAR – Maximum Permissible FAR including Base FAR, UR – Unrestricted

Note-2: Other ancillary uses such as commercial, hotel, office, entertainment, training centre, community facilities, etc., are permissible.

Note-3: In green building, additional FAR over and above maximum permissible FAR shall be provided as per paragraph 9.3 of the building byelaws.

6.4.5 Minimum Setback

Minimum setbacks for auditorium or a convention centre shall be as per paragraph 3.2.4 of the building byelaws.

6.4.6 Parking Requirements

(i) Parking requirements for auditorium or a convention centre shall be as per paragraph 3.3.4 of the building byelaws.

(ii) The parking requirement for auditorium or convention centre shall be 1 ECS / 10 seat for the auditorium space and additional parking requirement for attached ancillary commercial activities shall be 2 ECS / 100 sqm of utilized floor area.

For plots of area above 4000 sqm, a separate block for parking is permissible, within the campus. Within the parking block, 10% of ground floor may be utilized for commercial purposes (free from FAR) incidental to principal use.

6.4.7 Basement

The permissibility of basement in auditorium or convention centre shall be as per paragraph 3.3.3 of the building byelaws.

7 Industrial and Agricultural Use Buildings

7.1 Industries

7.1.1 Permissibility

The permission for construction of industrial buildings, flatted factories, data centres and MSME units shall be as per paragraph 15.3.2 of Chapter 15 Zoning Regulations.

7.1.2 Minimum Plot Size

There is no restriction on the minimum plot size for industrial buildings, flatted factories, data centres and MSME units as per paragraph 3.2.1 of the building byelaws.

7.1.3 Means of Access

The minimum width of the access road for industrial buildings, flatted factories, data centres and MSME units shall be as follows:

	Industries	Minimum Road Width (m)
1	Industrial Buildings	7-meters (Agriculture Use Zone) 9-meters (Industrial Use Zones)
2	Flatted Factories	12-meters (Industrial Use Zone)
3	Data Centers	12
4	MSME units	9-meters (Industrial Use Zone) 7-meters (Agriculture Use Zones)

7.1.4 Maximum Building Height

There shall be no restriction on building height for industrial buildings, flatted factories, data centres and MSME units. However, the maximum height of the building shall be governed by distance from the protected monument/ heritage site, airport funnel zone and other statutory restrictions.

7.1.5 Ground Coverage and FAR

Maximum ground coverage after ensuring minimum setbacks and open space requirements, if any, shall be permissible on plots for industrial buildings, flatted factories, data centres and MSME units. To reduce the distance between work and home, address safety concerns (particularly for women) and help workers to increase their productivity, both in-situ and private development of hostels and dormitories in industrial areas shall be permitted, max. up to 20% of FAR.

Purchasable and premium purchasable FAR shall be applicable as per the requirements of Chapter 9. Basis approach road width, the maximum permissible FAR (including Base FAR) for industrial buildings, flatted factories in built-up areas and the non-built-up areas shall be as follows:

Industries \ FAR	BFAR	Road Width (Upto 12m)			Road Width (>12 -24m)			Road Width (>24 - 45m)			Road Width (>45m)		
		PFAR	PPFAR	MFAR	PFAR	PPFAR	MFAR	PFAR	PPFAR	MFAR	PFAR	PPFAR	MFAR
Industrial Buildings	1.50 (≤12m) 2.50 (>12m)	NA	NA	1.50	1.25	1.25	5.00	2.50	3.75	8.75	2.50	UR	UR
MSME units	3.00	NA	NA	3.00	1.50	1.50	6.00	3.00	4.50	10.50	3.00	UR	UR

FAR Industries	BFAR	Road Width (Upto 12m)			Road Width (>12 -24m)			Road Width (>24 - 45m)			Road Width (>45m)		
		PFAR	PPFAR	MFAR	PFAR	PPFAR	MFAR	PFAR	PPFAR	MFAR	PFAR	PPFAR	MFAR
Flatted Factories, Data Centres	3.00	NA	NA	NA	0.50	0.50	2.00	1.00	1.50	3.50	1.00	UR	UR

Note-1: BFAR – Base FAR, PFAR – Purchasable FAR, PPFAR – Premium Purchasable FAR, MFAR – Maximum Permissible FAR which includes Base FAR, UR – Unrestricted FAR.

Note-2: In green building, additional FAR over and above maximum permissible FAR shall be provided as per paragraph 9.3 of the building byelaws.

7.1.6 Minimum Setback

Minimum setbacks for industrial buildings, flatted factories, data centres and MSME units up to 15-meter height shall be per paragraph 3.2.4.8 of the building byelaws. Minimum setbacks for industrial buildings, flatted factories, data centres and MSME units above 15-meter height shall be as per paragraph 3.2.4.9 of the building byelaws.

7.1.7 Parking Requirements

Parking requirements shall be as per paragraph 3.3.4 of the building byelaws.

7.2 Farmhouse

7.2.1 Permissibility

The permission of the farmhouse shall be as per the master plan zoning regulations, constructed for the purpose of agriculture and horticulture, pig farming, fish farming, poultry, other animal husbandry etc.

7.2.2 Minimum Plot Size

The minimum plot area for the construction of farmhouse shall be 4000 sq.m.

7.2.3 Means of Access

The access to the farmhouse shall be from at least 7.0 m wide road.

7.2.4 Ground Coverage and FAR

The maximum permissible ground coverage shall be permissible after ensuring minimum setbacks, however non-farm activities shall be restricted to 20 percent of plot area. The maximum permissible FAR shall be 0.20.

7.2.5 Maximum Building Height

There shall be no height restriction.

7.2.6 Minimum Set back

I) The distance of the non-farm building from the boundary line of the plot shall be at least 9 meters on all sides except the guard room.

7.2.7 Tree plantation

Tree plantation shall be done on 50 percent of the plot in which at least 100 trees planted per hectare.

7.2.8 Electricity and other services

Arrangements for electricity, water supply and drainage shall be made by the landowner himself.

7.3 Dairy Farm

7.3.1 Permissibility

Dairy farm/ Gaushala will be permitted as per master plan zoning regulations.

7.3.2 Minimum Plot Size

The minimum plot size for dairy farm/ gaushala shall be 1000 square meters.

7.3.3 Means of Access

The minimum width of access road to the dairy farm/ gaushala shall be at least 7 meters wide.

7.3.4 Ground Coverage and FAR

The maximum permissible ground coverage for dairy farm/ gaushala shall be 20 percent of the total plot area and the maximum permissible FAR shall be 0.20.

Note: Within the covered area, construction of cattle shed, storage of animal fodder and straw, milk collection and preservation, milk selling centre, watch-post, and residential facility for essential employees for maintenance of animals, veterinary and breeding facilities and other ancillary activities shall be permissible.

7.3.5 Building height

There shall be no restriction on building height.

7.3.6 Minimum Setback

The minimum setback requirement for dairy farm/ gaushala in relation to the plot area shall be as follow.

Min. Plot Size (sqm)	Setbacks on all sides (m)
≥ 1000 – 4000	6
> 4000 up to 7000	9
> 7000 up to 15000	10
Above 15000	10

7.3.7 Tree plantation

Tree plantation shall be done on 50 percent of the plot in which at least 100 trees will be planted per hectare.

7.3.8 Drainage and dung and garbage disposal

Proper arrangement of drainage will be made from the dairy farm/ gaushala to the disposal site and the dung and effluent will be discharged after treatment through cow dung gas plant, septic tank, compost pit or other suitable technology.

7.3.9 Other requirements

Other requirements for dairy farms/ gaushalas, the size of cattle shed, fodder collection, milk collection/ preservation/ storage arrangements, management office, veterinary and breeding facilities, staff accommodation arrangements, pond, cow dung gas plant, etc. will be provisioned as per the standards of National Dairy Research Institute or State Government for Gaushalas.