# **VAST As-Built Report**

# **Customer Deployment Documentation**

Cluster: selab-var-204

Version: 5.3.1.1.10603406698381149702

PSNT: selab-var-204

Generated on: October 04, 2025 at 08:22 AM

VAST Professional Services | Automated As-Built Documentation Generated: 2025-10-04 08:22:58 | Data Completeness: 4311.2%

### **Table of Contents**

- 1. Executive Summary
- 2. Cluster Information
- 3. Hardware Inventory
- 4. Network Configuration
- 5. Logical Configuration
- 6. Security & Authentication
- 7. Data Protection
- 8. Enhanced Features
- 9. Appendix

# **Executive Summary**

#### **Cluster Overview**

Description	Value				
ID	1				
Name	selab-var-204				
Management VIP	10.143.11.204				
URL	https://10.143.11.204/api/v7/clusters/1				
Build	release-5.3.1-sp3-1898015				
PSNT	selab-var-204				
GUID	127db70c-0197-5f4f-8af8-44bead61cda2				
Uptime	16 days, 16:48:14.809504				
Online Since	2025-09-17T22:34:29.502591Z				
Deployed	2025-08-07T18:57:44.259621Z				

### **Hardware Overview**

Description	Value
Total Nodes	5
CNodes	3
DNodes	2
CBoxes	0
DBoxes	0
Switches	0

## **Cluster Information**

Cluster Name: selab-var-204

Function	Status				
State	ONLINE				
SSD RAID State	HEALTHY				
NVRAM RAID State	HEALTHY				
Memory RAID State	HEALTHY				
Leader State	UP				
Leader CNode	cnode-3-11				
Management CNode	cnode-3-12				
Management Inner VIP	172.16.4.204				
Management Inner VIP CNode	cnode-3-11				
Enabled	Yes				
Similarity Enabled	Yes				
Deduplication Active	Unknown				
Write-Back RAID Enabled	Yes				
Write-Back RAID Layout	DATA_6_PARITY_2				
DBox HA Support	No				
Rack Level Resiliency	No				
Metrics Disabled	No				

# **Hardware Summary**

## **Storage Capacity**

Metric	Value			
Usable Capacity	223 TB			
Free Usable Capacity	38 TB			
Data Reduction Ratio (DRR)	1.6:1			
Physical Space	282 TB			
Physical Space In Use	233 TB			
Free Physical Space	49 TB			
Physical Space In Use %	83%			
Logical Space	348 TB			
Logical Space In Use	287 TB			
Free Logical Space	60 TB			
Logical Space In Use %	82%			

## **CBox Inventory (Compute) Inventory (Page 1 of 2)**

ID	Model	Serial Number	Status	Position
6	supermicro_gen5_cbox two dual-port NICs	S929986X5306758	ACTIVE	N/A
2	supermicro_gen5_cbox two dual-port NICs	S929986X5306720	ACTIVE	N/A

# CBox Inventory (Compute) Inventory (Page 2 of 2)

ID	Model	Serial Number	Status	Position
3	supermicro_gen5_cbox two dual-port NICs	S929986X5306437	ACTIVE	N/A

### **DBox Inventory (Data) Inventory**

ID	Model	Model Serial Number		Position
1	dbox-515-25042300200055	C15-25042300200017	ACTIVE	N/A
2	dbox-515-25042300200055	C15-25042300200021	ACTIVE	N/A

## **Physical Rack Layout**

Visual representation of hardware positioning in the rack with U-number assignments.

[Physical Rack Layout Diagram Placeholder]

#### **Network Configuration**

#### **DNS Configuration:**

• Enabled: True

VIP Pools: 35 pools configured

#### **Cluster Network Configuration:**

Management VIPs: Not ConfiguredExternal Gateways: Not Configured

DNS Server: Not ConfiguredNTP Server: Not Configured

• External Netmask: Not Configured

• Auto Ports External Interface: Not Configured

• B2B IPMI: Not Configured

IPMI Gateway: Not ConfiguredIPMI Netmask: Not ConfiguredEthernet MTU: Not Configured

• InfiniBand MTU: Not Configured

### **Cluster Network Configuration**

• Management VIPs: Not Configured

• External Gateways: Not Configured

• DNS Servers: Not Configured

• NTP Servers: Not Configured

• External Netmask: Not Configured

• Auto Ports External Interface: Not Configured

• B2B IPMI: False

• Ethernet MTU: Not Configured

• InfiniBand MTU: Not Configured

• IPMI Gateway: Not Configured

• IPMI Netmask: Not Configured

# **CNodes Network Configuration**

**Total CNodes:** 3

ID	Hostname	Mgmt IP	IPMI IP	Box Vendor	VAST OS V	/MS H <b>ō</b> §	tM Suppt	intgle NI	Net Type
8	se-az-arrow-cb4-cn-1	10.143.11.81	10.143.11.82	supermicro_gen5_cbox, two dual	12.14.19-1809895	No	No	No	eth
2	se-az-arrow-cb4-cn-2	10.143.11.83	10.143.11.84	supermicro_gen5_cbox, two dual	12.14.15-1791040	No	No	No	eth
1	se-az-arrow-cb4-cn-3	10.143.11.85	10.143.11.86	supermicro_gen5_cbox, two dual	12.12.15-1440723	Yes	No	No	eth

## **DNodes Network Configuration**

Total DNodes: 2

ID	Hostname	Mgmt IP	IPMI IP	Box Vendor	VAST OS	Position	Ceres	Ceres v2	Net Type
4	se-az-arrow-db4-dn-1	10.143.11.41	10.143.11.42	BlueField, SoC PCle Bridge	12.14.15-1791040	right	Yes	Yes	eth
5	se-az-arrow-db4-dn-2	10.143.11.43	10.143.11.44	BlueField, SoC PCle Bridge	12.14.15-1791040	left	Yes	Yes	eth

# **Logical Configuration**

Tenants: 20 tenants configured

Views: 274 views configured

View Policies: 115 policies configured

#### **Security & Authentication**

#### **Active Directory:**

• Enabled: True

• Domain: Unknown

#### **Encryption Configuration:**

• Encryption Enabled: False

• Encryption Type: INTERNAL

• S3 AES Ciphers Only: Not Configured

• EKM Servers: Not Configured

• EKM Address: Not Configured

• EKM Port: 5696

• EKM Auth Domain: Not Configured

• Secondary EKM Address: Not Configured

• Secondary EKM Port: 5696

### **Data Protection**

Protection Policies: 20 policies configured

#### **Enhanced Features**

#### **Rack Positioning:**

- Supported: Yes
- Automated U-number generation for hardware positioning
- Physical rack layout visualization available

### **PSNT Tracking:**

- Supported: Yes
- Cluster Product Serial Number available for support tracking
- PSNT: selab-var-204

### **Appendix**

#### **Report Generation Information:**

• Generated on: 2025-10-04T08:22:58.594494

• Data completeness: 4311.2%

• API version: v7

• Cluster version: 5.3.1.1.10603406698381149702

#### **Physical Rack Layout:**

• Occupied positions: 4

• Position range: U18 - U25

Total CNodes: 3Total DNodes: 2