# **VAST As-Built Report**

# **Customer Deployment Documentation**

Cluster: selab-var-204

Version: 5.3.1.1.10603406698381149702

PSNT: selab-var-204

Generated on: October 03, 2025 at 11:18 PM

VAST Professional Services | Automated As-Built Documentation

Generated: 2025-10-03 23:18:22 | Data Completeness: 5584.5%

### **Table of Contents**

- 1. Executive Summary
- 2. Cluster Information
- 3. Hardware Inventory
- 4. Network Configuration
- 5. Logical Configuration
- 6. Security & Authentication
- 7. Data Protection
- 8. Enhanced Features
- 9. Appendix

# **Executive Summary**

#### **Cluster Overview:**

• ID: 1

• Name: selab-var-204

• Management VIP: 10.143.11.204

• URL: https://10.143.11.204/api/v7/clusters/1

• Build: release-5.3.1-sp3-1898015

• PSNT: selab-var-204

• GUID: 127db70c-0197-5f4f-8af8-44bead61cda2

• Uptime: 16 days, 7:43:41.555569

Online Since: 2025-09-17T22:34:29.502591ZDeployed: 2025-08-07T18:57:44.259621Z

#### **Hardware Summary:**

Total Nodes: 5CNodes: 3DNodes: 2

• Rack Positions: Available

# **Cluster Information**

Cluster Name: selab-var-204

Function	Status		
State	ONLINE		
SSD RAID State	HEALTHY		
NVRAM RAID State	HEALTHY		
Memory RAID State	HEALTHY		
Leader State	UP		
Leader CNode	cnode-3-11		
Management CNode	cnode-3-12		
Management Inner VIP	172.16.4.204		
Management Inner VIP CNode	cnode-3-11		
Enabled	Yes		
Similarity Enabled	Yes		
Deduplication Active	Unknown		
Write-Back RAID Enabled	Yes		
Write-Back RAID Layout	DATA_6_PARITY_2		
DBox HA Support	DBox HA Support No		
Rack Level Resiliency	Rack Level Resiliency No		
Metrics Disabled	No		

# **Hardware Inventory**

**Summary:** 5 total nodes **Rack Positioning:** Available

#### **Storage Capacity**

Metric	Value		
Usable Capacity	222.866 TB		
Free Usable Capacity	38.629 TB		
Data Reduction Ratio (DRR)	1.6:1		
Physical Space	282.095 TB		
Physical Space In Use	232.880 TB		
Free Physical Space	49.215 TB		
Physical Space In Use %	82.55%		
Logical Space	347.774 TB		
Logical Space In Use	286.475 TB		
Free Logical Space	60.278 TB		
Logical Space In Use %	82.37%		

### **CNodes Inventory**

ID	Model	Serial Number	Status	Rack Height (U)
6	supermicro_gen5_cbox, two dual-port NICs	S929986X5306758	ACTIVE	U25
2	supermicro_gen5_cbox, two dual-port NICs	S929986X5306720	ACTIVE	U24
3	supermicro_gen5_cbox, two dual-port NICs	S929986X5306437	ACTIVE	U23

#### **DNodes Inventory**

ID	Model	Serial Number	Status	Rack Height (U)
1	dbox-515-25042300200055	C15-25042300200017	ACTIVE	U18
2	dbox-515-25042300200055	C15-25042300200021	ACTIVE	U18

### **Physical Rack Layout**

Visual representation of hardware positioning in the rack with U-number assignments.

[Physical Rack Layout Diagram Placeholder]

# **Network Configuration**

#### **DNS Configuration:**

• Enabled: True

VIP Pools: 35 pools configured

# **Logical Configuration**

Tenants: 20 tenants configured

Views: 274 views configured

View Policies: 115 policies configured

# **Security & Authentication**

#### **Active Directory:**

• Enabled: True

• Domain: Unknown

### **Data Protection**

Protection Policies: 20 policies configured

#### **Enhanced Features**

#### **Rack Positioning:**

- Supported: Yes
- Automated U-number generation for hardware positioning
- Physical rack layout visualization available

### **PSNT Tracking:**

- Supported: Yes
- Cluster Product Serial Number available for support tracking
- PSNT: selab-var-204

### **Appendix**

#### **Report Generation Information:**

• Generated on: 2025-10-03T23:18:22.375322

• Data completeness: 5584.5%

• API version: v7

• Cluster version: 5.3.1.1.10603406698381149702

#### **Physical Rack Layout:**

• Occupied positions: 4

• Position range: U18 - U25

Total CNodes: 3Total DNodes: 2