VAST As-Built Report

Customer Deployment Documentation

Cluster: selab-var-204

Version: 5.3.1.1.10603406698381149702

PSNT: selab-var-204

Generated on: October 04, 2025 at 01:05 AM

VAST Professional Services | Automated As-Built Documentation Generated: 2025-10-04 01:05:22 | Data Completeness: 5584.5%

Table of Contents

- 1. Executive Summary
- 2. Cluster Information
- 3. Hardware Inventory
- 4. Network Configuration
- 5. Logical Configuration
- 6. Security & Authentication
- 7. Data Protection
- 8. Enhanced Features
- 9. Appendix

Executive Summary

Cluster Overview:

• ID: 1

• Name: selab-var-204

• Management VIP: 10.143.11.204

• URL: https://10.143.11.204/api/v7/clusters/1

• Build: release-5.3.1-sp3-1898015

• PSNT: selab-var-204

• GUID: 127db70c-0197-5f4f-8af8-44bead61cda2

• Uptime: 16 days, 9:30:41.907645

Online Since: 2025-09-17T22:34:29.502591ZDeployed: 2025-08-07T18:57:44.259621Z

Hardware Summary:

Total Nodes: 5CNodes: 3DNodes: 2

• Rack Positions: Available

Cluster Information

Cluster Name: selab-var-204

Function	Status		
State	ONLINE		
SSD RAID State	HEALTHY		
NVRAM RAID State	HEALTHY		
Memory RAID State	HEALTHY		
Leader State	UP		
Leader CNode	cnode-3-11		
Management CNode	cnode-3-12		
Management Inner VIP	172.16.4.204		
Management Inner VIP CNode	cnode-3-11		
Enabled	Yes		
Similarity Enabled	Yes		
Deduplication Active	Unknown		
Write-Back RAID Enabled	Yes		
Write-Back RAID Layout	DATA_6_PARITY_2		
DBox HA Support	No		
Rack Level Resiliency	No		
Metrics Disabled	No		

Hardware Inventory

Summary: 5 total nodes **Rack Positioning:** Available

Storage Capacity

Metric	Value	
Usable Capacity	222.867 TB	
Free Usable Capacity	38.585 TB	
Data Reduction Ratio (DRR)	1.6:1	
Physical Space	282.095 TB	
Physical Space In Use	232.936 TB	
Free Physical Space	49.159 TB	
Physical Space In Use %	82.57%	
Logical Space	347.775 TB	
Logical Space In Use	286.482 TB	
Free Logical Space	60.209 TB	
Logical Space In Use %	82.38%	

CNodes Inventory

ID	Model	Serial Number	Status	Rack Height (U)
6	supermicro_gen5_cbox, two dual-port NICs	S929986X5306758	ACTIVE	U25
2	supermicro_gen5_cbox, two dual-port NICs	S929986X5306720	ACTIVE	U24
3	supermicro_gen5_cbox, two dual-port NICs	S929986X5306437	ACTIVE	U23

DNodes Inventory

ID	Model	Serial Number	Status	Rack Height (U)
1	dbox-515-25042300200055	C15-25042300200017	ACTIVE	U18
2	dbox-515-25042300200055	C15-25042300200021	ACTIVE	U18

Physical Rack Layout

Visual representation of hardware positioning in the rack with U-number assignments.

[Physical Rack Layout Diagram Placeholder]

Network Configuration

DNS Configuration:

• Enabled: True

VIP Pools: 35 pools configured

Cluster Network Configuration:

Logical Configuration

Tenants: 20 tenants configured

Views: 274 views configured

View Policies: 115 policies configured

Security & Authentication

Active Directory:

• Enabled: True

• Domain: Unknown

Encryption Configuration:

Data Protection

Protection Policies: 20 policies configured

Enhanced Features

Rack Positioning:

- Supported: Yes
- Automated U-number generation for hardware positioning
- Physical rack layout visualization available

PSNT Tracking:

- Supported: Yes
- Cluster Product Serial Number available for support tracking
- PSNT: selab-var-204

Appendix

Report Generation Information:

• Generated on: 2025-10-04T01:05:22.094108

• Data completeness: 5584.5%

• API version: v7

• Cluster version: 5.3.1.1.10603406698381149702

Physical Rack Layout:

• Occupied positions: 4

• Position range: U18 - U25

Total CNodes: 3Total DNodes: 2