



Try for free

Developers

[← Service Cloud](#)

Bring Your Own Channel for Messaging

Overview

Guides

Reference

Create Your Own Integration

Create Your Own Messaging Provider Integration for Bring Your Own Channel for Messaging

As a Salesforce admin, one way to set up Bring Your Own Channel for Messaging is by installing a managed package from your preferred partner from AppExchange. You can also work with a developer to create your own Messaging provider integration instead.



Important

This topic is for developers who are creating an integration that is not meant for distribution on AppExchange. To create an integration packaged for AppExchange instead, see [Enable Bring Your Own Channel for Messaging](#). To set up Bring Your Own Channel for Messaging as an admin, see the [Salesforce Help](#).

To make your own integration for Bring Your Own Channel for Messaging work, get an access token, create a custom platform event, and add a Conversation Channel Definition record. Then set up a Bring Your Own Channel Messaging channel using those items. Create a connected app that connects your preferred Messaging provider to Salesforce Interaction Service using OAuth and associate it to your Messaging channel.

1. [Prepare your environment](#) for self-implementing Bring Your Own Channel for Messaging.
2. [Generate an access token](#) for authenticating requests to Interaction Service API.
3. [Create and configure a custom platform event](#) to send and receive messages between Salesforce and the Messaging provider system.
4. [Create a Conversation Channel Definition](#) record to bundle the metadata used for your Bring Your Own Channel for Messaging integration.
 - Set `connectedAppType` to `Customer` to indicate that you're creating the connected app instead of the Messaging partner. See step 7 for more details.
 - Don't include the `conversationVendorInfo` field. It isn't valid for this type of self-implementation.
5. Prepare [your reps](#) and [your Salesforce org](#) to use Bring Your Own Channel for Messaging.
6. Create a Bring Your Own Channel Messaging channel.
 1. From **Setup**, in the Quick Find box, enter **Messaging Settings**, and then select **Messaging Settings**.
 2. Click **New Channel**.
 3. Select the Conversation Channel Definition tile that shows the Conversation Channel Definition that you made in step 4. Click **Next**.
 4. Give your Bring Your Own Channel messaging channel a name.
 5. Click anywhere to populate the Developer Name field.



10. Save your changes.

7. [Set up and configure an OAuth app](#) for integrating your preferred Messaging provider with Salesforce Interaction Service API. Follow the instructions in the [Update the Conversation Channel Definition with Your External Client App or Connected App section](#) to associate the ECA or connected app with your Conversation Channel Definition within the Messaging Settings.

**Tip**

Don't edit the `ConnectedAppOAuthLink` value within the Conversation Channel Definition object directly. The value is system-generated when you make a selection in the Messaging Settings.

8. Activate your Messaging channel.

1. From **Setup**, enter Messaging Settings, and then select **Messaging Settings**.
2. Select the channel that you created.
3. Click **Activate**.

9. After you complete these steps, [set up the demo connector](#) to see an example integration. The demo connector shows you how to send requests to the Interaction Service API for inbound messages to a rep. For outbound messages from a rep to an end user, it shows how you can implement server-side middleware for outbound events.

**Note**

The demo connector is intended as a reference example only. You must create your own connector for your integration.

10. For outbound integrations, see the [Pub/Sub API Developer Guide](#) for information about subscribing to custom platform events. See our [outbound events reference](#) for information about important events to consume.
11. When you're ready, [test Interaction Service APIs](#).

DID THIS ARTICLE SOLVE YOUR ISSUE?

Let us know so we can improve!

[Share your feedback](#)

**DEVELOPER CENTERS**

[Heroku](#)
[MuleSoft](#)
[Tableau](#)
[Commerce Cloud](#)

POPULAR RESOURCES

[Documentation](#)
[Component Library](#)
[APIs](#)
[Trailhead](#)

COMMUNITY

[Trailblazer Community](#)
[Events and Calendar](#)
[Partner Community](#)
[Blog](#)



Try for free



© Copyright 2026 Salesforce, Inc. [All rights reserved](#). Various trademarks held by their respective owners. Salesforce, Inc.
Salesforce Tower, 415 Mission Street, 3rd Floor, San Francisco, CA 94105, United States

[Legal](#) [Terms of Service](#) [Privacy Information](#) [Responsible Disclosure](#) [Trust](#) [Contact](#) [Use of Cookies](#)
[Cookie Preferences](#)  [Your Privacy Choices](#)