

Activities Google Chrome ▾ Fri 02:01

Jenkins » Credentials [Jen x] +
localhost:8080/credentials/

 Jenkins search ?  1  2

Dashboard > Credentials

New Item 

People

Build History

Manage Jenkins

Lockable Resources

New View

Build Queue ^
No builds in the queue.

Build Executor Status ^
1 Idle
2 Idle

localhost:8080/credentials/store/system

Credentials


T P Store ↓ Domain ID Name

Icon: S M L

Stores scoped to Jenkins

P Store ↓ Domains

 Jenkins ▾  (global)



Activities Google Chrome ▾ Fri 02:02

System » Global credentials +

localhost:8080/credentials/store/system/domain/_/

 Jenkins search ? ⚡ 1 ! 2 :

Dashboard > Credentials > System > Global credentials (unrestricted) >

 Back to credential domains

 Add Credentials

Add Credentials


Global credentials (unrestricted)


Credentials that should be available irrespective of domain specification to requirements matching.

ID	Name	Kind	Description
This credential domain is empty. How about adding some credentials?			

Icon: S M L

localhost:8080/credentials/store/system/domain/_/newCredentials REST API Jenkins 2.293





Activities Google Chrome ▾ Fri 02:08

New Credentials [Jenkins] x Docker Hub x | +

localhost:8080/credentials/store/system/domain/_/newCredentials

Jenkins

Dashboard > Credentials > System > Global credentials (unrestricted) >

Back to credential domains

Add Credentials

Kind: Username with password

Scope: Global (Jenkins, nodes, items, all child items, etc)

Username: rstech2101

Password: (redacted)

ID: docker-hub

Description: (empty)

OK

This screenshot shows the Jenkins Global credentials configuration interface. The left sidebar has icons for various Jenkins features like Pipeline, Docker, and Artifactory. The main panel shows a 'Kind' of 'Username with password' and a 'Scope' of 'Global'. The 'Username' field contains 'rstech2101', the 'Password' field contains redacted dots, and the 'ID' field contains 'docker-hub'. There is an empty 'Description' field. At the bottom is an 'OK' button.

Activities Google Chrome ▾ Fri 02:09

System » Global credentials x Docker Hub x | +

localhost:8080/credentials/store/system/domain/_/

 Jenkins

Dashboard > Credentials > System > Global credentials (unrestricted) >

 Back to credential domains

 Add Credentials

Global credentials (unrestricted)

Credentials that should be available irrespective of domain specification to requirements matching.

ID	Name	Kind	Description
	aws-credentials	AKIATTN6FFAFL6ZGUA7F	AWS Credentials
	docker-hub	rstech2101/*****	Username with password

Icon: [S](#) [M](#) [L](#)

REST API Jenkins 2.293

Activities Google Chrome ▾ Fri 02:09

Manage Jenkins [Jenkins] x Docker Hub x | +

localhost:8080/manage

Dashboard

Build History

Manage Jenkins

Lockable Resources

New View

Build Queue

No builds in the queue.

Build Executor Status

1 Idle

2 Idle

Building on the controller node can be a security issue. You should set up distributed builds. See [the documentation](#).

Set up agent Set up cloud Dismiss

Jenkins URL is empty but is required for the proper operation of many Jenkins features like email notifications, PR status update, and environment variables such as BUILD_URL.

Please provide an accurate value in [Jenkins configuration](#).

Jenkins is currently unsecured and allows anyone on the network to launch processes on your behalf. It is recommended to set up security and to limit anonymous access even on private networks.

Setup Security Dismiss

System Configuration

 **Configure System**
Configure global settings and paths.

 **Global Tool Configuration**
Configure tools, their locations and automatic installers.

 **Manage Plugins**
Add, remove, disable or enable plugins that can extend the functionality of Jenkins.
There are updates available

 **Manage Nodes and Clouds**
Add, remove, control and monitor the various nodes that Jenkins runs jobs on.

Security

 **Configure Global Security**
Secure Jenkins; define who is allowed to access/use the system.

 **Manage Credentials**
Configure credentials

 **Configure Credential Providers**
Configure the credential providers and types

Status Information

localhost:8080/configure

Activities Google Chrome ▾ Fri 02:15

Configure System [Jenkins] Docker Hub CloudFormation - Stack Subnets | VPC Management +

localhost:8080/configure

Dashboard configuration

Serve resource files from another domain

Resource Root URL ?

⚠ Can only set resource root URL if Jenkins URL is set.

Global properties

Environment variables ?

List of variables

Name	REGION	Delete
Value	us-east-1	
Name	SUBNET_ID	Delete
Value	subnet-ac205cca	

Save Apply

Activities Google Chrome ▾ Fri 02:16

Dashboard [Jenkins] x Docker Hub x CloudFormation - Stack x Subnets | VPC Manageme x +

localhost:8080

Jenkins

search

Dashboard

New Item

People

Build History

Manage Jenkins

Lockable Resources

New View

Build Queue

No builds in the queue.

Build Executor Status

1 Idle

2 Idle

All +

S	W	Name ↓	Last Success	Last Failure	Last Duration
...	⌚	seed-job ▾	N/A	N/A	N/A

Icon: S M L

Legend Atom feed for all Atom feed for failures Atom feed for just latest builds

localhost:8080/job/seed-job/ REST API Jenkins 2.293

Activities Google Chrome ▾ Fri 02:16

seed-job [Jenkins] Docker Hub CloudFormation - Stack Subnets | VPC Manageme +

localhost:8080/job/seed-job/

Jenkins

Dashboard > seed-job >

Back to Dashboard

Status

Changes

Workspace

Build Now

Configure Build Now

Delete Project

Job DSL API Reference

Rename

Build History trend ^

Find

Atom feed for all Atom feed for failures

Project seed-job

Workspace Recent Changes

Permalinks

localhost:8080/job/seed-job/build?delay=0sec REST API Jenkins 2.293

Activities Google Chrome ▾ Fri 02:17

Dashboard [Jenkins] x Docker Hub x CloudFormation - Stack x Subnets | VPC Manageme x +

localhost:8080

Jenkins

search

Dashboard

New Item

People

Build History

Manage Jenkins

Lockable Resources

New View

Build Queue

No builds in the queue.

Build Executor Status

1 Idle

2 Idle

All +

S	W	Name	Last Success	Last Failure	Last Duration
✓	⌚	seed-job	18 sec - #1	N/A	8.3 sec
...	⌚	tui-github-job-aws ▾	N/A	N/A	N/A

Icon: S M L

Legend Atom feed for all Atom feed for failures Atom feed for just latest builds

localhost:8080/job/tui-github-job-aws/ REST API Jenkins 2.293

Activities Google Chrome ▾ Fri 02:18

Dashboard [Jenkins] Docker Hub CloudFormation - Stack Subnets | VPC Manageme +

hub.docker.com/repositories

DockerCon Live is coming this May 27th! [Sign up to learn more.](#)

docker hub Search for great content (e.g., mysql) Explore Repositories Organizations Get Help ▾ rstech2101 ▾

rstech2101 Search by repository name Create Repository

There are no repositories in this namespace. Tip: Not finding your repository? Try switching namespace via the top left dropdown.

This screenshot shows a Linux desktop environment with a docked application bar on the left and a running Google Chrome window on the right. The docked bar contains icons for various applications such as Firefox, Dash, Terminal, and others. The Google Chrome window displays the Docker Hub homepage, showing the user's namespace 'rstech2101' and a message indicating there are no repositories in this namespace. The browser also shows a banner for DockerCon Live and a search bar. The desktop background is a light blue gradient.

Activities Google Chrome ▾ Fri 02:19

Dashboard [Jenkins] x Docker Hub x CloudFormation - Stack x Subnets | VPC Manageme x +

console.aws.amazon.com/cloudformation/home?region=us-east-1#stacks?filteringStatus=active&filteringText=&viewNested=true&hideS... star 2 R :

aws Services ▾ stackSets X

rstech2101 ▾ N. Virginia ▾ Support ▾

CloudFormation > Stacks

Stacks (0)

Filter by stack name Active View nested

Stack name Status Created time Description

No stacks
No stacks to display

Create stack

View getting started guide

Feedback English (US) ▾ © 2008 - 2021, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved. Privacy Policy Terms of Use Cookie preferences

The screenshot shows the AWS CloudFormation console interface. At the top, there are several tabs: 'Dashboard [Jenkins]', 'Docker Hub', 'CloudFormation - Stack' (which is active), and 'Subnets | VPC Manageme'. Below the tabs, the browser's address bar displays the URL: 'console.aws.amazon.com/cloudformation/home?region=us-east-1#stacks?filteringStatus=active&filteringText=&viewNested=true&hideS...'. The main content area is titled 'Stacks (0)'. It includes a search bar labeled 'Filter by stack name' and a dropdown menu set to 'Active'. There are buttons for 'Delete', 'Update', 'Stack actions', and 'Create stack'. A table header with columns 'Stack name', 'Status', 'Created time', and 'Description' is shown, followed by a message: 'No stacks' and 'No stacks to display'. Below this is a large orange 'Create stack' button and a white 'View getting started guide' button. The bottom of the screen features a dark footer with links for 'Feedback', 'English (US)', 'Privacy Policy', 'Terms of Use', and 'Cookie preferences'.

Activities Google Chrome ▾ Fri 02:19

Dashboard [Jenkins] Docker Hub CloudFormation - Stack Amazon ECS

console.aws.amazon.com/ecs/home?region=us-east-1#/clusters

aws Services ▾ Search for services, features, marketplace products, and docs [Alt+S]

rstech2101 N. Virginia Support

New ECS Experience Tell us what you think

Amazon ECS

Clusters

Task Definitions

Account Settings

Amazon EKS

Clusters

Amazon ECR

Repositories

AWS Marketplace

Discover software

Subscriptions ↗

Clusters

An Amazon ECS cluster is a regional grouping of one or more container instances on which you can run task requests. Each account receives a default cluster the first time you use the Amazon ECS service. Clusters may contain more than one Amazon EC2 instance type.

For more information, see the [ECS documentation](#).

Create Cluster Get Started

View list card

No clusters found

Get Started

Feedback English (US) ▾ © 2008 - 2021, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved. Privacy Policy Terms of Use Cookie preferences

Activities Google Chrome ▾ Fri 02:20

tui-github-job-aws [Jenkins] Docker Hub CloudFormation - Stack Amazon ECS

localhost:8080/job/tui-github-job-aws/

Jenkins

Dashboard > tui-github-job-aws >

[Back to Dashboard](#)

Status (selected)

[Changes](#)

[Build Now](#)

[Configure](#) Build Now

[Delete Pipeline](#)

[Full Stage View](#)

[Rename](#)

[Pipeline Syntax](#)

Build History trend ^

Find

Atom feed for all Atom feed for failures

Pipeline tui-github-job-aws

Recent Changes

Stage View

No data available. This Pipeline has not yet run.

Seed job: [seed-job](#)

Permalinks

localhost:8080/job/tui-github-job-aws/build?delay=0sec

REST API Jenkins 2.293

Activities Google Chrome ▾ Fri 02:27

tui-github-job-aws [Jenkins] Docker Hub CloudFormation - Stack Amazon ECS

localhost:8080/job/tui-github-job-aws/

Jenkins

Dashboard tui-github-job-aws

Back to Dashboard Status Changes Build Now Configure Delete Pipeline Full Stage View Rename Pipeline Syntax Git Polling Log

Recent Changes

Pipeline tui-github-job-aws

Stage View

Average stage times:
(Average full run time: ~6min 5s)

Declarative: Checkout SCM	Build	Test	Build Docker image	Push Docker image	Deploy to AWS
4s	3min 11s	39s	14s	42s	1min 3s
4s	3min 11s	39s	14s	42s	1min 3s

#1 May 21 02:20 No Changes

Seed job: [seed-job](#)

This item has been changed manually since it was generated by the seed job.

Permalinks

- Last build (#1), 6 min 10 sec ago
- Last stable build (#1), 6 min 10 sec ago

Atom feed for all Atom feed for failures

Activities Google Chrome ▾ Fri 02:26

tui-github-job-aws #1 Con x Docker Hub x CloudFormation - Stack x | Amazon ECS x +

hub.docker.com/repositories

DockerCon Live is coming this May 27th! [Sign up to learn more.](#)

docker hub Search for great content (e.g., mysql) Explore Repositories Organizations Get Help ▾ rstech2101 ▾

rstech2101 | Search by repository name

rstech2101 / **tui-github** Updated a few seconds ago Not Scanned 0 Public

Tip: Not finding your repository? Try switching namespace via the top left dropdown.

<https://hub.docker.com/repository/docker/rstech2101/tui-github>

Activities Google Chrome ▾ Fri 02:27

tui-github-job-aws [Jenkin x] Docker Hub x CloudFormation - Stack x Amazon ECS x | +

console.aws.amazon.com/cloudformation/home?region=us-east-1#/stacks?filteringStatus=active&filteringText=&viewNested=true&hideS... star 2 R :

aws Services ▾ stackSets X

CloudFormation > Stacks

Stacks (1)


Filter by stack name Active View nested

Stack name Status Created time Description

Stack name	Status	Created time	Description
tui-github-stack	CREATE_COMPLETE	2021-05-21 02:25:57 UTC+0530	-

Feedback English (US) ▾ © 2008 - 2021, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved. Privacy Policy Terms of Use Cookie preferences

The screenshot shows the AWS CloudFormation console interface. At the top, there are several tabs: 'CloudFormation - Stack' (which is active), 'Amazon ECS', and others like 'Docker Hub' and 'Jenkins'. Below the tabs, the URL is visible: 'console.aws.amazon.com/cloudformation/home?region=us-east-1#/stacks?filteringStatus=active&filteringText=&viewNested=true&hideS...'. The main content area is titled 'Stacks (1)'. It includes a search bar ('Filter by stack name') and a dropdown for filtering ('Active'). A toggle switch for 'View nested' is also present. The table lists one stack: 'tui-github-stack' with status 'CREATE_COMPLETE' and creation time '2021-05-21 02:25:57 UTC+0530'. The bottom of the screen shows standard AWS footer links: Feedback, English (US) (with a dropdown arrow), Copyright notice (2008-2021), Privacy Policy, Terms of Use, and Cookie preferences.



Activities Google Chrome ▾ Fri 02:29

tui-github-job-aws [Jenkin | Docker Hub | CloudFormation - Stack | Amazon ECS

console.aws.amazon.com/ecs/home?region=us-east-1#/clusters/tui-github-cluster/services

aws Services ▾ Search for services, features, marketplace products, and docs [Alt+S]

rstech2101 ▾ N. Virginia ▾ Support ▾

Tell us what you think

Amazon ECS

Clusters

- Task Definitions
- Account Settings
- Amazon EKS
- Clusters
- Amazon ECR
- Repositories
- AWS Marketplace
- Discover software
- Subscriptions ↗

Cluster : tui-github-cluster

Get a detailed view of the resources on your cluster.

Cluster ARN arn:aws:ecs:us-east-1:247896287242:cluster/tui-github-cluster

Status ACTIVE

Registered container instances 0

Pending tasks count 0 Fargate, 0 EC2

Running tasks count 1 Fargate, 0 EC2

Active service count 1 Fargate, 0 EC2

Draining service count 0 Fargate, 0 EC2

Services **Tasks** **ECS Instances** **Metrics** **Scheduled Tasks** **Tags** **Capacity Providers**

Create **Update** **Delete** **Actions ▾** Last updated on May 21, 2021 2:29:01 AM (0m ago) **⟳** **?**

Filter in this page	Launch type	ALL	Service type	ALL	< 1-1 >		
<input type="checkbox"/> Service Name	Status ...	Service ...	Task De...	Desired ...	Runnin...	Launch ...	Platform...
<input type="checkbox"/> tui-github-service	ACTIVE	REPLICAS	tui-github...	1	1	FARGATE	LATEST...

https://console.aws.amazon.com/ecs/home?region=us-east-1#/clusters/tui-github-cluster/services/tui-github-service/details

Privacy Policy Terms of Use Cookie preferences

Activities Google Chrome ▾ Fri 02:30

tui-github-job-aws [Jenkin | Docker Hub | CloudFormation - Stack | Amazon ECS

console.aws.amazon.com/ecs/home?region=us-east-1#/clusters/tui-github-cluster/tasks/b393e51f8162462fbc42535ee779d48a/details

aws Services ▾ Search for services, features, marketplace products, and docs [Alt+S]

Task Definitions

Account Settings

Amazon EKS

Clusters

Amazon ECR

Repositories

AWS Marketplace

Discover software

Subscriptions ↗

Cluster tui-github-cluster

Launch type FARGATE

Platform version 1.4.0

Task definition tui-github-task:6

Group service:tui-github-service

Task role None

Last status RUNNING

Desired status RUNNING

Created at 2021-05-21 02:26:16 +0530

Started at 2021-05-21 02:26:37 +0530

Network mode awsvpc

ENI Id eni-007dad86ac6438668

Subnet Id subnet-ac205cca

Private IP 172.31.1.22

Public IP 3.227.247.66

Mac address 02:3b:b8:2a:80:d1

Containers

Feedback English (US) ▾ © 2008 - 2021, Amazon Internet Services Private Ltd. or its affiliates. All rights reserved. Privacy Policy Terms of Use Cookie preferences

Activities Google Chrome ▾ Fri 02:31

tui-github-job-aws | Docker Hub | CloudFormation - Sta | Amazon ECS | Swagger UI

Not secure | 3.227.247.66:8080/swagger-ui/index.html?configUrl=/tui-github-swagger/swagger-config

 **Swagger** Supported by SMARTBEAR /tui-github-swagger Explore

Tui Github API

/tui-github-swagger

Project used to give user Github Repository information

[Terms of service](#)

[Apache 2.0](#)


Servers

http://3.227.247.66:8080 - Generated server url ▾

github-controller

GET /git/api/v1/user/repos/{user_name}

Schemas ▾



Activities Google Chrome ▾ Fri 02:32

tui-github-job-aws Docker Hub CloudFormation - St Amazon ECS Swagger UI

Not secure | 3.227.247.66:8080/swagger-ui/index.html?configUrl=/tui-github-swagger/swagger-config#/github-controller/getUserR... ▾

Responses

Curl

```
curl -X GET "http://3.227.247.66:8080/git/api/v1/user/repos/rstech2101" -H "accept: application/json"
```

Request URL

```
http://3.227.247.66:8080/git/api/v1/user/repos/rstech2101
```

Server response

Code Details

200 Response body

```
[  
  {  
    "repository_name": "jenkins-deployment",  
    "owner_name": "rstech2101",  
    "branch_information": [  
      {  
        "branch_name": "master",  
        "last_commit_sha": "5b98556a3e8725f39ca44747c0178c8922e63b60"  
      }  
    ],  
    "repository_name": "tui-github",  
    "owner_name": "rstech2101",  
    "branch_information": [  
      {  
        "branch_name": "master",  
        "last_commit_sha": "7d0783d476246358ef6b93f6a6af4f0ca22ef6d2"  
      },  
      {  
        "branch_name": "rstech2101-patch-1",  
        "last_commit_sha": "affd0e8cc9be27bad253fd58b6dd15c1793fe2b6"  
      }  
    ]  
}
```

Download

Response headers

```
connection: keep-alive  
content-type: application/json  
date: Thu, 20 May 2021 21:02:12 GMT  
keep-alive: timeout=60  
transfer-encoding: chunked
```

Responses

