mysql> show tables;

Tables_in_alwaysright
Account
ACCOUNT_ADDRESS
CATEGORIZES
Category Customer
Customer_Business
Customer_Person
Debit_Credit
Discounts
0rders
PaymentMethod
Product Review
Seller
Seller Business
Seller Person
ShoppingCart
Supplier
ThirdParty
WireTransfer
+

20 rows in set (0.01 sec)

mysql> describe Account;

_	· .	·	L	L	L	L
	Field	Туре	Null	Key	Default	Extra
	AccountID Address Email PhoneNumber	varchar(50)	NO YES YES YES	PRI 	NULL NULL NULL NULL	
-						

4 rows in set (0.00 sec)

mysql> describe ACCOUNT_ADDRESS;

Field	Туре	Null	Key	Default	Extra
AccountAddress FK_Account_ID	varchar(80) int	N0 N0	PRI PRI	NULL NULL	

2 rows in set (0.00 sec)

mysql> describe CATEGORIZES;

+	 	⊦	⊦ +	⊦		⊦	H
	Field	Type	Null	Key	Default	Extra	

•		•	•	+	++
FK_CategoryID	int	NO	PRI	NULL	
FK_ProductID	int	NO	PRI	NULL	
+	 	 -		+	++

mysql> describe Category;

Field	Type	+ Null	Key	Default	Extra
CategoryID CategoryName CategoryDescription	int varchar(80) varchar(200)	N0 YES YES	PRI	NULL NULL NULL	

3 rows in set (0.00 sec)

mysql> describe Customer;

+ Field +	Type	+ Null +	+ Key +	Default	 Extra
AccountID NumProductsBought		N0 YES	PRI 	NULL NULL	

2 rows in set (0.00 sec)

mysql> describe Customer_Business;

							۰
F	ield	Туре	Null	Key	Default	Extra	
E	AccountID BusinessName ContactPerson FaxID	int varchar(50) varchar(30) int	N0 YES YES YES	PRI	NULL NULL NULL NULL		-

4 rows in set (0.00 sec)

mysql> describe Customer_Person;

+	Field	Туре	Null	 Key	Default	++ Extra	-
	AccountID DateOfBirth FirstName LastName		N0 YES YES YES	PRI 	NULL NULL NULL NULL	 	

4 rows in set (0.00 sec)

mysql> describe Debit_Credit;

+	+	++	+		++
Field	Type	Null	Key	Default	Extra

	CardNumber CardholderName CVV ExpirationDate	int varchar(4)	+	+ DDT	 NULL NULL NULL NULL	+	_
إ	FK_Payment_ID	int	N0	PRI	NULL		

mysql> describe Discounts;

Field	Туре	Null	Key	Default	Extra
DiscountCode FK_ProductID		YES		NULL NULL	

2 rows in set (0.00 sec)

mysql> describe Orders;

+	Туре	 Null	+ Key	Default	+ Extra
FK_OrderID	varchar(10) int varchar(50)	NO	 PRI 	NULL NULL NULL	

3 rows in set (0.00 sec)

mysql> describe PaymentMethod;

•		•		Default	
FK_AccountID	•		MUL		

2 rows in set (0.00 sec)

mysql> describe Product;

<u> </u>	<u>,</u>	4	L	L	L
Field	Type	Null	Key	Default	Extra
Condition Description FK_OrderID FK_SupplierID ProductID ProductName Price Quantity	<pre> varchar(30) varchar(200) int int int varchar(80) decimal(10,0) int</pre>	YES YES NO NO NO YES YES YES	 MUL MUL PRI 	NULL NULL NULL NULL NULL NULL NULL NULL	

mysql> describe Review;

Field	Type	+ Null	+ Key	Default	Extra
FK_ProductID ReviewID ReviewStar	int	N0 N0 YES	MUL PRI 	NULL NULL NULL	

3 rows in set (0.00 sec)

mysql> describe Seller;

Field	Туре	Null	 Key	Default	Extra
AccountID NumProductsSold	int int	N0 YES	PRI	NULL NULL	

2 rows in set (0.01 sec)

mysql> describe Seller_Business;

+	 Type 	+ Null +	 Key 	Default	 Extra
AccountID BusinessName ContactPerson TaxID	int varchar(50) varchar(30) int	N0 YES YES YES	PRI 	NULL NULL NULL NULL	

4 rows in set (0.00 sec)

mysql> describe Seller_Person;

-	+ Field	 Type	⊦ Null	+ Key	+ Default	 Extra	+
-	AccountID DateOfBirth FirstName LastName		N0 YES YES YES	 PRI 	NULL NULL NULL NULL		.
-	t		t	+	t	t	۲

4 rows in set (0.00 sec)

mysql> describe ShoppingCart;

	Field	+ Type 	+ Null 	⊦ Key 	Default	++ Extra
	AccountID AmountOfItems OrderID	int int int	YES YES NO	 PRI	NULL NULL NULL	

TotalAmount	decimal(10 , 0)	YES		NULL	
					
7		· +			
1 / 0	00>				

mysql> describe Supplier;

	Field	 Type	 Null	 Key	 Default	Extra	
† 	ContactEmail SupplierID SupplierName	int	NO	PRI	NULL NULL NULL		-

3 rows in set (0.00 sec)

mysql> describe ThirdParty;

+	+ Type 	+ Null	 Key 	+ Default 	+ Extra
FK_PaymentID Password Username	int varchar(30) varchar(30)	N0 YES YES	PRI	NULL NULL NULL	

3 rows in set (0.00 sec)

mysql> describe WireTransfer;

Field		•	•	H Default	
AccountNumber RoutingNumber FK_PaymentID	int	YES		NULL NULL NULL	

3 rows in set (0.01 sec)