SURICATA – CAPT ANUJ KUMAR

LINUX – 192.168.1.40

METASPLOITABLE – 192.168.1.37

```
MAC Address: 08:00:27:32:FF:07 (Oracle VirtualBox virtual NIC)

Nmap done: 1 IP address (1 host up) scanned in 1.23 seconds

┌──(arun㉿kali)-[/etc/suricata/rules]
└─$ telnet 192.168.1.37
Trying 192.168.1.37...
Connected to 192.168.1.37.
Escape character is '^]'.
 _       _       _       
```

```
arun@kali: ~
Session  Actions  Edit  View  Help
zsh: corrupt history file /home/arun/.zsh_history
┌──(arun㉿kali)-[~]
└─$ sudo suricata -i eth0 -c /etc/suricata/suricata.yaml
[sudo] password for arun:
i: suricata: This is Suricata version 8.0.4 RELEASE running in SYSTEM mode
E: detect-parse: Duplicate signature "alert icmp any any -> any any (msg:"ICMP Echo Request Detected"; itype:8; sid:1000001;)"
E: detect: error parsing signature "alert icmp any any -> any any (msg:"ICMP Echo Request Detected"; itype:8; sid:1000001;)" from fi
le /var/lib/suricata/rules/fff.rules at line 3
E: detect-parse: Duplicate signature "alert tcp any any -> any 22 (msg:"SSH Brute Force Attempt";     detection_filter: track by_src
, count 5, seconds 60; sid:1000013;)"
E: detect: error parsing signature "alert tcp any any -> any 22 (msg:"SSH Brute Force Attempt";     detection_filter: track by_src,
count 5, seconds 60; sid:1000013;)" from file /var/lib/suricata/rules/fff.rules at line 41
i: threads: Threads created -> W: 1 FM: 1 FR: 1   Engine started.
```

```
arun@kali: /etc/suricata/rules
Session  Actions  Edit  View  Help
  GNU nano 8.7.1                    /etc/suricata/rules/local.rules *
# Rule 1 – ICMP Recon (Ping Detection)
alert icmp any any -> any any (msg:"ICMP Ping Detected"; sid:1000001; rev:1;)

# Rule 2 – Nmap SYN Scan Detection
alert tcp any any -> any any (flags:S; msg:"Possible Nmap SYN Scan"; sid:1000002; rev:1;)

# Rule 3 – Telnet Usage
alert tcp any any -> any 23 (msg:"Telnet Connection Detected"; sid:1000003; rev:1;)

# Rule 4 – FTP Credentials Exposure
alert tcp any any -> any 21 (msg:"FTP USER Command Detected"; content:"USER"; nocase; sid:1000004; rev:1;)
alert tcp any any -> any 21 (msg:"FTP PASS Command Detected"; content:"PASS"; nocase; sid:1000005; rev:1;)

# Rule 5 – Multiple Port Scan (5 ports in 10 sec)
alert tcp any any -> any any (msg:"Port Scan Detected (5 ports in 10 sec)"; \
threshold:type both, track by_src, count 5, seconds 10; sid:1000006; rev:1;)

^G Help        ^O Write Out   ^F Where Is    ^K Cut         ^T Execute     ^C Location    M-U Undo       M-A Set Mark
^X Exit        ^R Read File   ^\ Replace     ^U Paste       ^J Justify     ^/ Go To Line  M-E Redo       M-6 Copy
```

FAST.LOG SCREENSHOTS

```
Session  Actions  Edit  View  Help
04/15/2026-14:06:44.996502  [**] [1:1000006:0] Metasploit FTP Module Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.1
68.1.40:47566 -> 192.168.1.37:21
04/15/2026-14:06:44.996502  [**] [1:1000014:0] FTP Brute Force Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.168.1.4
0:47566 -> 192.168.1.37:21
04/15/2026-14:06:45.040694  [**] [1:1000006:0] Metasploit FTP Module Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.1
68.1.40:47566 -> 192.168.1.37:21
04/15/2026-14:06:45.040694  [**] [1:1000014:0] FTP Brute Force Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.168.1.4
0:47566 -> 192.168.1.37:21
04/15/2026-14:07:14.698026  [**] [1:1000013:0] SSH Brute Force Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.168.1.4
0:60704 -> 192.168.1.37:22
04/15/2026-14:07:14.698677  [**] [1:1000005:0] Metasploit HTTP Module Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.
168.1.40:60704 -> 192.168.1.37:80
04/15/2026-14:07:14.699382  [**] [1:1000013:0] SSH Brute Force Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.168.1.4
0:60704 -> 192.168.1.37:22
04/15/2026-14:07:14.699509  [**] [1:1000005:0] Metasploit HTTP Module Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.
168.1.40:60704 -> 192.168.1.37:80
04/15/2026-14:07:14.703206  [**] [1:1000006:0] Metasploit FTP Module Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.1
68.1.40:60704 -> 192.168.1.37:21
04/15/2026-14:07:14.703206  [**] [1:1000014:0] FTP Brute Force Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.168.1.4
0:60704 -> 192.168.1.37:21
04/15/2026-14:07:14.704714  [**] [1:1000006:0] Metasploit FTP Module Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.1
68.1.40:60704 -> 192.168.1.37:21
04/15/2026-14:07:14.704714  [**] [1:1000014:0] FTP Brute Force Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.168.1.4
0:60704 -> 192.168.1.37:21

┌──(arun㉿kali)-[~]
└─$
```

```
04/15/2026-13:42:33.672194  [**] [1:1000005:0] Metasploit HTTP Module Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.
168.1.40:63842 -> 192.168.1.37:80
04/15/2026-13:42:33.672609  [**] [1:1000021:0] SMB Exploit Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.168.1.40:63
842 -> 192.168.1.37:139
04/15/2026-13:42:33.673278  [**] [1:1000021:0] SMB Exploit Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.168.1.40:63
842 -> 192.168.1.37:139
04/15/2026-13:44:34.488981  [**] [1:1000006:0] Metasploit FTP Module Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.1
68.1.40:39132 -> 192.168.1.37:21
04/15/2026-13:44:34.488981  [**] [1:1000014:0] FTP Brute Force Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.168.1.4
0:39132 -> 192.168.1.37:21
04/15/2026-13:44:34.489964  [**] [1:1000006:0] Metasploit FTP Module Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.1
68.1.40:39132 -> 192.168.1.37:21
04/15/2026-13:44:34.489964  [**] [1:1000014:0] FTP Brute Force Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.168.1.4
0:39132 -> 192.168.1.37:21
04/15/2026-13:44:34.500353  [**] [1:1000006:0] Metasploit FTP Module Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.1
68.1.40:39132 -> 192.168.1.37:21
04/15/2026-13:44:34.500353  [**] [1:1000014:0] FTP Brute Force Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.168.1.4
0:39132 -> 192.168.1.37:21
04/15/2026-13:44:37.653537  [**] [1:1000006:0] Metasploit FTP Module Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.1
68.1.40:39132 -> 192.168.1.37:21
04/15/2026-13:44:37.653537  [**] [1:1000014:0] FTP Brute Force Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.168.1.4
0:39132 -> 192.168.1.37:21
04/15/2026-13:44:37.656900  [**] [1:1000006:0] Metasploit FTP Module Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.1
68.1.40:39132 -> 192.168.1.37:21
04/15/2026-13:44:37.656900  [**] [1:1000014:0] FTP Brute Force Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.168.1.4
0:39132 -> 192.168.1.37:21
04/15/2026-13:44:39.361734  [**] [1:1000006:0] Metasploit FTP Module Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.1
```

```
04/15/2026-13:42:13.018490  [**] [1:1000002:0] ICMP Echo Reply Detected [**] [Classification: (null)] [Priority: 3] {ICMP} 192.168.1
.37:0 -> 192.168.1.40:0
04/15/2026-13:42:14.019159  [**] [1:1000001:0] ICMP Echo Request Detected [**] [Classification: (null)] [Priority: 3] {ICMP} 192.168
.1.40:8 -> 192.168.1.37:0
04/15/2026-13:42:14.020830  [**] [1:1000002:0] ICMP Echo Reply Detected [**] [Classification: (null)] [Priority: 3] {ICMP} 192.168.1
.37:0 -> 192.168.1.40:0
04/15/2026-13:42:15.020470  [**] [1:1000001:0] ICMP Echo Request Detected [**] [Classification: (null)] [Priority: 3] {ICMP} 192.168
.1.40:8 -> 192.168.1.37:0
04/15/2026-13:42:15.023423  [**] [1:1000002:0] ICMP Echo Reply Detected [**] [Classification: (null)] [Priority: 3] {ICMP} 192.168.1
.37:0 -> 192.168.1.40:0
04/15/2026-13:42:33.635860  [**] [1:1000006:0] Metasploit FTP Module Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.1
68.1.40:63842 -> 192.168.1.37:21
04/15/2026-13:42:33.635860  [**] [1:1000014:0] FTP Brute Force Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.168.1.4
0:63842 -> 192.168.1.37:21
04/15/2026-13:42:33.637611  [**] [1:1000006:0] Metasploit FTP Module Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.1
68.1.40:63842 -> 192.168.1.37:21
04/15/2026-13:42:33.637611  [**] [1:1000014:0] FTP Brute Force Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.168.1.4
0:63842 -> 192.168.1.37:21
04/15/2026-13:42:33.661042  [**] [1:1000013:0] SSH Brute Force Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.168.1.4
0:63842 -> 192.168.1.37:22
04/15/2026-13:42:33.661698  [**] [1:1000013:0] SSH Brute Force Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.168.1.4
0:63842 -> 192.168.1.37:22
04/15/2026-13:42:33.662089  [**] [1:1000004:0] Metasploit RDP Exploit Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.
168.1.40:63842 -> 192.168.1.37:3389
04/15/2026-13:42:33.671182  [**] [1:1000003:0] Metasploit SMB Exploit Attempt [**] [Classification: (null)] [Priority: 3] {TCP} 192.
168.1.40:63842 -> 192.168.1.37:445
```

Which alert is highest priority and why ?

Alert	Severity	Why?
Port Scan / Brute Force	**High** **(Priority 1)**	Indicates an active attempt to gain unauthorized access or exploit a service.
Nmap SYN Scan	**Medium (Priority 2)**	More aggressive than a ping; shows the attacker is looking for specific vulnerabilities.
FTP Username/Password	**Medium (Priority 2)**	If seen in the clear, it means credentials are being exposed or brute-forced.
ICMP Ping Detected	**Low (Priority 3)**	Often ignored; used for basic reachability and rarely indicates a direct threat on its own.