

# Операционные системы

Продвинутое использование git

---

Вишняков Родион Сергеевич

19 июня 2025

Российский университет дружбы народов, Москва, Россия

## Цели и задачи работы

---

Получение навыков правильной работы с репозиториями git.

- 1 Выполнить работу для тестового репозитория.
- 2 Преобразовать рабочий репозиторий в репозиторий с git-flow и conventional commits.

## Процесс выполнения лабораторной работы

---

```
rsvishnyakov@rsvishnyakov:~$  
rsvishnyakov@rsvishnyakov:~$ pnpm setup  
Appended new lines to /home/rsvishnyakov/.bashrc  
  
Next configuration changes were made:  
export PNPM_HOME="/home/rsvishnyakov/.local/share/pnpm"  
case ":$PATH:" in  
  *:$PNPM_HOME:*) ;;  
  *) export PATH="$PNPM_HOME:$PATH" ;;  
esac  
  
To start using pnpm, run:  
source /home/rsvishnyakov/.bashrc  
rsvishnyakov@rsvishnyakov:~$ source ~/.bashrc  
rsvishnyakov@rsvishnyakov:~$
```

Рис. 1: Node.js

```
rsvishnyakov@rsvishnyakov:~$ pnpm add -g commitizen

Update available! 9.13.0 → 10.12.1.
Changelog: https://github.com/pnpm/pnpm/releases/tag/v10.12.1
Run "pnpm self-update" to update.

Follow @pnpmjs for updates: https://x.com/pnpmjs

WARN 2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6
Packages: +151
+++++
Progress: resolved 151, reused 0, downloaded 151, added 151, done

/home/rsvishnyakov/.local/share/pnpm/global/5:
+ commitizen 4.3.1

Done in 3.2s
rsvishnyakov@rsvishnyakov:~$
```

Рис. 2: установка commitizen

```
rsvishnyakov@rsvishnyakov:~$  
rsvishnyakov@rsvishnyakov:~$ pnpm add -g standard-changelog  
WARN 2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6  
Packages: +34  
++++  
Progress: resolved 185, reused 151, downloaded 34, added 34, done  
  
/home/rsvishnyakov/.local/share/pnpm/global/5:  
+ standard-changelog 7.0.1  
  
Done in 3s  
rsvishnyakov@rsvishnyakov:~$
```

Рис. 3: установка standard-changelog






Рис. 4: package.json

# Использование commitizen

```
rsvishnyakov@rsvishnyakov:~/git-extended$
rsvishnyakov@rsvishnyakov:~/git-extended$ git add .
rsvishnyakov@rsvishnyakov:~/git-extended$ git cz
cz-cli@4.3.1, cz-conventional-changelog@3.3.0

? Select the type of change that you're committing: chore:    Other changes
that don't modify src or test files
? What is the scope of this change (e.g. component or file name): (press
enter to skip)
? Write a short, imperative tense description of the change (max 93 chars):
(4) test
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No
[master 01bebc9] chore: test
1 file changed, 14 insertions(+)
create mode 100644 package.json
rsvishnyakov@rsvishnyakov:~/git-extended$ git push
Перечисление объектов: 4, готово.
Подсчет объектов: 100% (4/4), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (3/3), готово.
Запись объектов: 100% (3/3), 1.12 КиБ | 1.12 МиБ/с, готово.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:rsvishnyakov/git-extended.git
b5b2b5c..01bebc9 master -> master
rsvishnyakov@rsvishnyakov:~/git-extended$
```

Рис. 5: Отправка

```
rsvishnyakov@rsvishnyakov:~/git-extended$ git flow init

Which branch should be used for bringing forth production releases?
- master
Branch name for production releases: [master]
Branch name for "next release" development: [develop]

How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Support branches? [support/]
Version tag prefix? []
Hooks and filters directory? [/home/rsvishnyakov/git-extended/.git/hooks]
rsvishnyakov@rsvishnyakov:~/git-extended$
rsvishnyakov@rsvishnyakov:~/git-extended$ git branch
* develop
  master
rsvishnyakov@rsvishnyakov:~/git-extended$ git push --all
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:   https://github.com/rsvishnyakov/git-extended/pull/new/develop
remote:
To github.com:rsvishnyakov/git-extended.git
 * [new branch]      develop -> develop
rsvishnyakov@rsvishnyakov:~/git-extended$
```

Рис. 6: Инициализация и загрузка изменений

```
branch 'develop' set up to track 'origin/develop'.
rsvishnyakov@rsvishnyakov:~/git-extended$ git flow release start 1.0.0
Переключились на новую ветку «release/1.0.0»

Summary of actions:
- A new branch 'release/1.0.0' was created, based on 'develop'
- You are now on branch 'release/1.0.0'

Follow-up actions:
- Bump the version number now!
- Start committing last-minute fixes in preparing your release
- When done, run:

    git flow release finish '1.0.0'

rsvishnyakov@rsvishnyakov:~/git-extended$ standard-changelog --first-release

rsvishnyakov@rsvishnyakov:~/git-extended$ git add CHANGELOG.md
rsvishnyakov@rsvishnyakov:~/git-extended$ git commit -am 'chore(site): add c
hangelog'
[release/1.0.0 e7ccald] chore(site): add changelog
 1 file changed, 4 insertions(+)
 create mode 100644 CHANGELOG.md
rsvishnyakov@rsvishnyakov:~/git-extended$ git flow release finish 1.0.0
Переключились на ветку «master»
Эта ветка соответствует «origin/master».
Merge made by the 'ort' strategy.
  CHANGELOG.md | 4 +++
Переключились на ветку «master»
Эта ветка соответствует «origin/master».
Merge made by the 'ort' strategy.
  CHANGELOG.md | 4 +++
 1 file changed, 4 insertions(+)
```

Рис. 7: Завершение релиза

## Отправим данные на github

```
rsvishnyakov@rsvishnyakov:~/git-extended$ git push --all
Перечисление объектов: 6, готово.
Подсчет объектов: 100% (6/6), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (4/4), готово.
Запись объектов: 100% (5/5), 2.67 КиБ | 2.67 МиБ/с, готово.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:rsvishnyakov/git-extended.git
   01bebc9..eda4fb3  develop -> develop
   01bebc9..b5e4fb8  master -> master
rsvishnyakov@rsvishnyakov:~/git-extended$ git push --tags
Перечисление объектов: 1, готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 157 байтов | 157.00 КиБ/с, готово.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:rsvishnyakov/git-extended.git
 * [new tag]         1.0.0 -> 1.0.0
rsvishnyakov@rsvishnyakov:~/git-extended$ gh release create v1.0.0 -F CHANGE
LOG.md
https://github.com/rsvishnyakov/git-extended/releases/tag/v1.0.0
rsvishnyakov@rsvishnyakov:~/git-extended$
```

Рис. 8: Отправка

```
rsvishnyakov@rsvishnyakov:~/git-extended$ git flow feature start feature_branch
Переключились на новую ветку «feature/feature_branch»

Summary of actions:
- A new branch 'feature/feature_branch' was created, based on 'develop'
- You are now on branch 'feature/feature_branch'

Now, start committing on your feature. When done, use:

    git flow feature finish feature_branch

rsvishnyakov@rsvishnyakov:~/git-extended$ touch test2
rsvishnyakov@rsvishnyakov:~/git-extended$ git flow feature finish feature_branch
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Уже актуально.
Ветка feature/feature_branch удалена (была eda4fb3).

Summary of actions:
- The feature branch 'feature/feature_branch' was merged into 'develop'
- Feature branch 'feature/feature_branch' has been locally deleted
- You are now on branch 'develop'

rsvishnyakov@rsvishnyakov:~/git-extended$
```

Рис. 9: Объединение веток

```
Summary of actions:
- Release branch 'release/1.2.3' has been merged into 'master'
- The release was tagged '1.2.3'
- Release tag '1.2.3' has been back-merged into 'develop'
- Release branch 'release/1.2.3' has been locally deleted
- You are now on branch 'develop'

rsvishnyakov@rsvishnyakov:~/git-extended$ git push --all
Перечисление объектов: 9, готово.
Подсчет объектов: 100% (9/9), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (6/6), готово.
Запись объектов: 100% (6/6), 2.77 КиБ | 2.77 МиБ/с, готово.
Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:rsvishnyakov/git-extended.git
   eda4fb3..cbbb14a  develop -> develop
   b5e4fb8..644beae  master -> master
rsvishnyakov@rsvishnyakov:~/git-extended$ git push --tags
Перечисление объектов: 1, готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 157 байтов | 157.00 КиБ/с, готово.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:rsvishnyakov/git-extended.git
 * [new tag]         1.2.3 -> 1.2.3
rsvishnyakov@rsvishnyakov:~/git-extended$ gh release create v1.2.3 -F CHANGE
LOG.md
https://github.com/rsvishnyakov/git-extended/releases/tag/v1.2.3
rsvishnyakov@rsvishnyakov:~/git-extended$
```

Рис. 10: Завершение релиза

## Подготовка рабочего репозитория

```
rsvishnyakov@rsvishnyakov:~/work/study/2024-2025/Операционные системы/os-intro$ git add .
rsvishnyakov@rsvishnyakov:~/work/study/2024-2025/Операционные системы/os-intro$ git cz
cz-cli@4.3.1, cz-conventional-changelog@3.3.0

? Select the type of change that you're committing: chore: Other changes
  that don't modify src or test files
? What is the scope of this change (e.g. component or file name): (press
  enter to skip)
? Write a short, imperative tense description of the change (max 93 chars):
  (4) test
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No
[master 9648cc0] chore: test
  1 file changed, 14 insertions(+)
  create mode 100644 package.json
rsvishnyakov@rsvishnyakov:~/work/study/2024-2025/Операционные системы/os-intro$ git push
Перечисление объектов: 4, готово.
Подсчет объектов: 100% (4/4), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (3/3), готово.
Запись объектов: 100% (3/3), 1.11 КиБ | 1.11 МиБ/с, готово.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:rsvishnyakov/os-intro.git
   b2ed5a8..9648cc0  master -> master
rsvishnyakov@rsvishnyakov:~/work/study/2024-2025/Операционные системы/os-intro$
```

Рис. 11: package.json и коммит



```
Summary of actions:
- Release branch 'release/1.0.0' has been merged into 'master'
- The release was tagged '1.0.0'
- Release tag '1.0.0' has been back-merged into 'develop'
- Release branch 'release/1.0.0' has been locally deleted
- You are now on branch 'develop'

rsvishnyakov@rsvishnyakov:~/work/study/2024-2025/Операционные системы/os-int
ro$ git push --all
Перечисление объектов: 7, готово.
Подсчет объектов: 100% (7/7), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (5/5), готово.
Запись объектов: 100% (5/5), 2.78 КиБ | 2.78 МиБ/с, готово.
Total 5 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:rsvishnyakov/os-intro.git
   9648cc0..ff1c6c7  develop -> develop
   9648cc0..4cb6451  master -> master
rsvishnyakov@rsvishnyakov:~/work/study/2024-2025/Операционные системы/os-int
ro$ git push --tags
Перечисление объектов: 1, готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 156 байтов | 156.00 КиБ/с, готово.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:rsvishnyakov/os-intro.git
 * [new tag]         1.0.0 -> 1.0.0
rsvishnyakov@rsvishnyakov:~/work/study/2024-2025/Операционные системы/os-int
ro$
```

Рис. 12: Завершение релиза

## Выводы по проделанной работе

---

Мы приобрели практические навыки взаимодействия с дополнительными функциями гитхаб.