
Rattlesnake Ridge NA - Maumelle Pinnacles unit

Prescribed burn 20 Mar 2026 | Broadcast | reported 135 ac | burn boss Larson | road map



Burn severity (satellite index)

- Unburned / very low (dNBR < 0.10): 11 ac
- Low (0.10 - 0.27): 54 ac
- Moderate-low (0.27 - 0.44): 0 ac
- Moderate-high (0.44 - 0.66): 0 ac
- High (> 0.66): 0 ac
- Mapped burn perimeter
- 1 km search radius around point
- Recorded lat/long


Reported: 135 ac Mapped: 65 ac (48% of reported)
Images: 14 Sentinel-2 + 9 Landsat
First clear image after burn: 2 days
Confidence: MEDIUM



Satellite estimate from a recorded point, date and acres (Sentinel-2 + Landsat, free data); not field-verified. Severity = green-up-corrected dNBR, Key & Benson (2006) classes, not calibrated to field (CBI) plots; prescribed burns under canopy often read as low/unburned even where surface fuels burned. Coordinates WGS84 decimal degrees.

Rattlesnake Ridge NA - Maumelle Pinnacles unit

Prescribed burn 20 Mar 2026 | Broadcast | reported 135 ac | burn boss Larson | aerial imagery with roads



Burn severity (satellite index)

- Unburned / very low (dNBR < 0.10): 11 ac
- Low (0.10 - 0.27): 54 ac
- Moderate-low (0.27 - 0.44): 0 ac
- Moderate-high (0.44 - 0.66): 0 ac
- High (> 0.66): 0 ac
- Mapped burn perimeter
- 1 km search radius around point
- Recorded lat/long

Reported: 135 ac Mapped: 65 ac (48% of reported)
Images: 14 Sentinel-2 + 9 Landsat
First clear image after burn: 2 days
Confidence: MEDIUM




Satellite estimate from a recorded point, date and acres (Sentinel-2 + Landsat, free data); not field-verified. Severity = green-up-corrected dNBR, Key & Benson (2006) classes, not calibrated to field (CBI) plots; prescribed burns under canopy often read as low/unburned even where surface fuels burned. Coordinates WGS84 decimal degrees.


Rattlesnake Ridge NA - Maumelle Pinnacles unit: satellite evidence and alternative outlines

Burn date 20 Mar 2026. False colour (SWIR-NIR-red): healthy vegetation green, fresh burn scar dark red/brown/purple. Images are medians of the 3 clearest looks before / after. Flat grey = no cloud-free Sentinel-2 view in the 45 days after the burn (Landsat was used there).


Sentinel-2 before burn



Sentinel-2 after burn



All method outlines (after-burn image)



Outlines from each method (for comparison only; the black outline is the main product)

- Main method (round 2): 65 ac
- Round 2 snapped to roads/streams/ridges: 67 ac
- Round 1 (Sentinel-2 only): 9 ac
- Round 1 snapped: 8 ac
- Standard: any darkening, ignores point/date: 20 ac

Projection: UTM (EPSG:32615); 20 m pixels. Black/white outline = main method. Star = recorded lat/long.