Module 5: Critical Thinking

Ryan Thompson

Colorado State University Global

ISM 531 - Cyber Security Defense and Countermeasures

Dr. Rallapalli

27 April 2026

Wireshark

Wireshark Color Coding

Wireshark uses default coloring rules to help you quickly identify different types of traffic and potential network errors at a glance. Light green indicates HTTP traffic, dark blue represents DNS queries and responses, light blue denotes UDP traffic, and light purple highlights TCP traffic. Any packet displayed with a black background and red or yellow text indicates an error or an abnormal routing event such as a dropped packet or a TCP reset.

Identifying Network Traffic Flow

To identify the flow of traffic coming in and out of the network you must examine the source and destination columns in your capture list. For outbound traffic leaving your network the source will be your computer's local IP address and the destination will be a public internet IP address. Conversely for inbound traffic coming into your network the source will be the public internet IP address and the destination will be your computers local IP address. You can look at the protocol column to see exactly what kind of traffic is flowing which will likely be a mix of TCP, UDP, DNS, and encrypted TLS web traffic.

Requested Hostnames

You can discover what hostnames are being requested and who is requesting them by analyzing the dark blue DNS packets. The source column of a DNS packet reveals the local IP address of the specific computer making the request. To see exactly what website is being requested you can look at the info column for that same row

which will display the plain text domain name such as a standard query for www.google.com.

Web Surfing Anonymity

This Wireshark exercise clearly demonstrates that surfing the web is not inherently anonymous. By running a simple packet capture on your local machine you were able to intercept and read the specific routing details of your web browsing. Even if you use a private or incognito browsing mode the packets captured by Wireshark still expose your physical MAC address, your local IP address, the destination servers you are communicating with, and the exact websites you are visiting via plain text DNS queries. While modern internet traffic uses encryption to hide the actual contents of your communication such as your passwords and search terms, the routing information detailing exactly who you are and where you are going remains completely visible to your local network, your internet service provider, and anyone else capturing packets on the line.

Screenshots listed below…


Capturing from eno1
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
Apply a display filter ... <Ctrl-/>
No. Time Source Destination Protocol Length Info
1 0.000000000 1a:a5:ff:85:b6:ea LLDP_Multicast LLDP 60 MA/18:a5:ff:85:b6:ea MA/1a:a5:ff:85:b6:ea 180
2 0.149448847 Arcadyan_85:b6:ea IEEE-1905.1-Control ieee19… 60 Topology discovery
3 0.540238655 Arcadyan_85:b6:ea Broadcast ARP 60 Who has 192.168.12.239? Tell 192.168.12.1
4 1.117047547 192.168.12.153 31.209.137.48 TLSv1.2 89 Application Data
5 1.285509571 31.209.137.48 192.168.12.153 TCP 66 61613 → 51480 [ACK] Seq=1 Ack=24 Win=73 Len=0 TSval=
6 2.681890662 2607:fb92:2709:4498… 2607:f8b0:4005:816:… UDP 1007 48754 → 443 Len=945
7 2.743332006 2607:f8b0:4005:816:… 2607:fb92:2709:4498… UDP 89 443 → 48754 Len=27
8 2.768823337 2607:fb92:2709:4498… 2607:f8b0:4005:816:… UDP 94 48754 → 443 Len=32
9 2.779870782 2607:f8b0:4005:816:… 2607:fb92:2709:4498… UDP 734 443 → 48754 Len=672
10 2.779934027 2607:f8b0:4005:816:… 2607:fb92:2709:4498… UDP 135 443 → 48754 Len=73
11 2.780309185 2607:fb92:2709:4498… 2607:f8b0:4005:816:… UDP 97 48754 → 443 Len=35
12 2.828341118 31.209.137.48 192.168.12.153 TLSv1.2 89 Application Data
13 2.828377457 192.168.12.153 31.209.137.48 TCP 66 51480 → 61613 [ACK] Seq=24 Ack=24 Win=79 Len=0 TSval
14 2.871706298 2607:f8b0:4005:816:… 2607:fb92:2709:4498… UDP 86 443 → 48754 Len=24
15 2.999418283 2607:f8b0:4005:806:… 2607:fb92:2709:4498… UDP 258 443 → 41296 Len=196
16 3.000094359 1a:a5:ff:85:b6:ea LLDP_Multicast LLDP 60 MA/18:a5:ff:85:b6:ea MA/1a:a5:ff:85:b6:ea 180
17 3.025480291 2607:fb92:2709:4498… 2607:f8b0:4005:806:… UDP 94 41296 → 443 Len=32
18 6.000547842 1a:a5:ff:85:b6:ea LLDP_Multicast LLDP 60 MA/18:a5:ff:85:b6:ea MA/1a:a5:ff:85:b6:ea 180
19 9.000636229 1a:a5:ff:85:b6:ea LLDP_Multicast LLDP 60 MA/18:a5:ff:85:b6:ea MA/1a:a5:ff:85:b6:ea 180
20 10.817197534 2607:fb92:2709:4498… 2607:f8b0:400e:c1b:… TCP 86 37436 → 443 [ACK] Seq=1 Ack=1 Win=70 Len=0 TSval=711
21 10.817218165 2607:fb92:2709:4498… 2607:f8b0:4005:806:… TCP 86 46950 → 443 [ACK] Seq=1 Ack=1 Win=70 Len=0 TSval=362
22 10.817225664 2607:fb92:2709:4498… 2607:f8b0:4005:816:… TCP 86 39684 → 443 [ACK] Seq=1 Ack=1 Win=70 Len=0 TSval=382
23 10.817234262 2607:fb92:2709:4498… 2607:f8b0:400e:c08:… TCP 86 34818 → 443 [ACK] Seq=1 Ack=1 Win=75 Len=0 TSval=298
24 10.817245758 192.168.12.153 142.251.218.142 TCP 66 45082 → 443 [ACK] Seq=1 Ack=1 Win=78 Len=0 TSval=344
25 10.817253660 2607:fb92:2709:4498… 2607:f8b0:4005:806:… TCP 86 46948 → 443 [ACK] Seq=1 Ack=1 Win=75 Len=0 TSval=362
26 10.817260437 2607:fb92:2709:4498… 2607:f8b0:4023:c06:… TCP 86 37606 → 5228 [ACK] Seq=1 Ack=1 Win=70 Len=0 TSval=25
27 10.855836990 2607:f8b0:4005:816:… 2607:fb92:2709:4498… TCP 86 [TCP ACKed unseen segment] 443 → 39684 [ACK] Seq=1 A
28 10.860214836 2607:f8b0:4005:806:… 2607:fb92:2709:4498… TCP 86 [TCP ACKed unseen segment] 443 → 46950 [ACK] Seq=1 A
29 10.860567286 2607:f8b0:4005:806:… 2607:fb92:2709:4498… TCP 86 [TCP ACKed unseen segment] 443 → 46948 [ACK] Seq=1 A
30 10.864794782 142.251.218.142 192.168.12.153 TCP 66 [TCP ACKed unseen segment] 443 → 45082 [ACK] Seq=1 A
31 10.878240399 2607:f8b0:400e:c08:… 2607:fb92:2709:4498… TCP 86 [TCP ACKed unseen segment] 443 → 34818 [ACK] Seq=1 A
Frame 1: 60 bytes on wire (480 bits), 60 bytes captured (480 bi
Ethernet II, Src: 1a:a5:ff:85:b6:ea (1a:a5:ff:85:b6:ea), Dst: L
Link Layer Discovery Protocol
0000 01 80 c2 00 00 0e 1a a5 ff 85 b6 ea 88 cc 02 07
0010 04 18 a5 ff 85 b6 ea 04 07 03 1a a5 ff 85 b6 ea
0020 06 02 00 b4 00 00 00 00 00 00 00 00 00 00 00 00
0030 00 00 00 00 00 00 00 00 00 00 00 00
eno1: <live capture in progress>
Packets: 121 · Displayed: 121 (100.0%)
Profile: Default



No.	Time	Source	Destination	Protocol	Length	Info
58	11.519151235	192.168.12.153	192.168.12.1	DNS	90	Standard query 0xf07f HTTPS clients2.google.com
59	11.519232344	192.168.12.153	192.168.12.1	DNS	90	Standard query 0x05a7 AAAA clients2.google.com
60	11.519295115	192.168.12.153	192.168.12.1	DNS	90	Standard query 0xf25b A clients2.google.com OPT
61	11.520797313	192.168.12.153	192.168.12.1	DNS	100	Standard query 0x0238 HTTPS clientservices.goog
62	11.520897165	192.168.12.153	192.168.12.1	DNS	100	Standard query 0xd11a AAAA clientservices.googl
63	11.520988306	192.168.12.153	192.168.12.1	DNS	100	Standard query 0xfa4c A clientservices.googleap
64	11.536178851	192.168.12.1	192.168.12.153	DNS	164	Standard query response 0xf07f HTTPS clients2.g
65	11.536405973	192.168.12.153	192.168.12.1	DNS	91	Standard query 0x551b HTTPS clients.l.google.co
66	11.541627087	192.168.12.1	192.168.12.153	DNS	142	Standard query response 0x05a7 AAAA clients2.go
67	11.541844602	192.168.12.1	192.168.12.153	DNS	130	Standard query response 0xf25b A clients2.googl
68	11.543039724	192.168.12.1	192.168.12.153	DNS	157	Standard query response 0x0238 HTTPS clientserv
69	11.543215117	192.168.12.1	192.168.12.153	DNS	128	Standard query response 0xd11a AAAA clientservi
70	11.547878930	2607:fb92:2709:4498…	2607:f8b0:4005:809:…	TCP	94	57936 → 80 [SYN] Seq=0 Win=64800 Len=0 MSS=1440
71	11.550570451	192.168.12.1	192.168.12.153	DNS	116	Standard query response 0xfa4c A clientservices
72	11.550823014	192.168.12.1	192.168.12.153	DNS	141	Standard query response 0x551b HTTPS clients.l.
73	11.551581512	2607:fb92:2709:4498…	2607:f8b0:4005:806:…	TCP	94	43848 → 443 [SYN] Seq=0 Win=64800 Len=0 MSS=144
74	11.606267208	2607:f8b0:4005:809:…	2607:fb92:2709:4498…	TCP	94	80 → 57936 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len
75	11.606292853	2607:fb92:2709:4498…	2607:f8b0:4005:809:…	TCP	86	57936 → 80 [ACK] Seq=1 Ack=1 Win=65536 Len=0 TS
76	11.606371037	2607:f8b0:4005:806:…	2607:fb92:2709:4498…	TCP	94	443 → 43848 [SYN, ACK] Seq=0 Ack=1 Win=65535 Le
77	11.606380890	2607:fb92:2709:4498…	2607:f8b0:4005:806:…	TCP	86	43848 → 443 [ACK] Seq=1 Ack=1 Win=65536 Len=0 T
78	11.607110674	2607:fb92:2709:4498…	2607:f8b0:4005:806:…	TCP	1450	43848 → 443 [ACK] Seq=1 Ack=1 Win=65536 Len=136
79	11.607114739	2607:fb92:2709:4498…	2607:f8b0:4005:806:…	TLSv1.3	525	Client Hello (SNI=clientservices.googleapis.com
80	11.607993717	2607:fb92:2709:4498…	2607:f8b0:4005:809:…	HTTP	488	GET /time/1/current?cup2key=10:1kgXqXZatu9OJCnj
81	11.646473551	2607:f8b0:4005:806:…	2607:fb92:2709:4498…	TCP	86	443 → 43848 [ACK] Seq=1 Ack=1804 Win=268288 Len
82	11.646579975	2607:f8b0:4005:809:…	2607:fb92:2709:4498…	TCP	86	80 → 57936 [ACK] Seq=1 Ack=403 Win=269568 Len=0
83	11.675002028	2607:f8b0:4005:809:…	2607:fb92:2709:4498…	TCP	1222	80 → 57936 [PSH, ACK] Seq=1 Ack=403 Win=269568
84	11.675021135	2607:fb92:2709:4498…	2607:f8b0:4005:809:…	TCP	86	57936 → 80 [ACK] Seq=403 Ack=1137 Win=67584 Len
85	11.675105498	2607:f8b0:4005:809:…	2607:fb92:2709:4498…	HTTP/J…	106	HTTP/1.1 200 OK , JSON (application/json)
86	11.675108759	2607:fb92:2709:4498…	2607:f8b0:4005:809:…	TCP	86	57936 → 80 [ACK] Seq=403 Ack=1157 Win=67584 Len
87	11.675212927	2607:f8b0:4005:806:…	2607:fb92:2709:4498…	TLSv1.3	2502	Server Hello, Change Cipher Spec
88	11.675216989	2607:fb92:2709:4498…	2607:f8b0:4005:806:…	TCP	86	43848 → 443 [ACK] Seq=1804 Ack=2417 Win=70656 L


*eno1
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
http.request.method == "GET"
No. Time Source Destination Protocol Length Info
965 19.172196783 2607:fb92:2709:4498… 2600:1901:0:38d7:: HTTP 387 GET /canonical.html HTTP/1.1
1678 20.235198525 192.168.12.153 34.107.221.82 HTTP 384 GET /success.txt?ipv4 HTTP/1.1
1681 20.251745186 2607:fb92:2709:4498… 2600:1901:0:38d7:: HTTP 404 GET /success.txt?ipv6 HTTP/1.1
Frame 1678: 384 bytes on wire (3072 bits), 384 bytes captured (3072 bits) on inter
Ethernet II, Src: GigaByteTech_82:fb:18 (e0:d5:5e:82:fb:18), Dst: Arcadyan_85:b6:e
Internet Protocol Version 4, Src: 192.168.12.153, Dst: 34.107.221.82
Transmission Control Protocol, Src Port: 35744, Dst Port: 80, Seq: 1, Ack: 1, Len:
Hypertext Transfer Protocol
0000 18 a5 ff 85 b6 ea e0 d5 5e 82 fb 18 08 00 45 00
0010 01 72 4b 36 40 00 40 06 21 51 c0 a8 0c 99 22 6b
0020 dd 52 8b a0 00 50 c1 af 21 64 67 54 60 b4 80 18
0030 00 3f ce 63 00 00 01 01 08 0a 9b 39 89 da c9 bd
0040 39 47 47 45 54 20 2f 73 75 63 63 65 73 73 2e 74
0050 78 74 3f 69 70 76 34 20 48 54 54 50 2f 31 2e 31
0060 0d 0a 48 6f 73 74 3a 20 64 65 74 65 63 74 70 6f
0070 72 74 61 6c 2e 66 69 72 65 66 6f 78 2e 63 6f 6d
0080 0d 0a 55 73 65 72 2d 41 67 65 6e 74 3a 20 4d 6f
0090 7a 69 6c 6c 61 2f 35 2e 30 20 28 58 31 31 3b 20
00a0 55 62 75 6e 74 75 3b 20 4c 69 6e 75 78 20 78 38
00b0 36 5f 36 34 3b 20 72 76 3a 31 35 30 2e 30 29 20
00c0 47 65 63 6b 6f 2f 32 30 31 30 30 31 30 31 20 46
00d0 69 72 65 66 6f 78 2f 31 35 30 2e 30 0d 0a 41 63
00e0 63 65 70 74 3a 20 2a 2f 2a 0d 0a 41 63 63 65 70
00f0 74 2d 4c 61 6e 67 75 61 67 65 3a 20 65 6e 2d 55
0100 53 2c 65 6e 3b 71 3d 30 2e 39 0d 0a 41 63 63 65
0110 70 74 2d 45 6e 63 6f 64 69 6e 67 3a 20 67 7a 69
0120 70 2c 20 64 65 66 6c 61 74 65 0d 0a 43 6f 6e 6e
0130 65 63 74 69 6f 6e 3a 20 6b 65 65 70 2d 61 6c 69
0140 76 65 0d 0a 50 72 69 6f 72 69 74 79 3a 20 75 3d
0150 34 0d 0a 50 72 61 67 6d 61 3a 20 6e 6f 2d 63 61
0160 63 68 65 0d 0a 43 61 63 68 65 2d 43 6f 6e 74 72
0170 6f 6c 3a 20 6e 6f 2d 63 61 63 68 65 0d 0a 0d 0a
GET /s uccess.t xt?ipv4 HTTP/1.1 Host: detectportal.firefox.com User-Agent: Mozilla/5.0 (X11; Ubuntu; Linux x86_64; rv:150.0) Gecko/20100101 Firefox/150.0 Accept: */* Accept-Language: en-US,en;q=0.9 Accept-Encoding: gzip, deflate Connection: keep-alive Priority: u=4 Pragma: no-cache Cache-Control: no-cache
wireshark_eno17B7MO3.pcapng
Packets: 2489 · Displayed: 3 (0.1%) · Dropped: 0 (0.0%)
Profile: Default


*eno1
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
Apply a display filter ... <Ctrl-/>
No. Time Source Destination Protocol Length Info
857 9.943894659 2a04:4e42:400::347 2607:fb92:2709:4498… TCP 86 443 → 43774 [ACK] Seq=4517 Ack=2121 Win=141312 Len=0 TSval=2406153612 TSecr=27625702…
858 9.944111748 2a04:4e42:400::347 2607:fb92:2709:4498… TLSv1.3 151 Application Data
859 9.944122999 2607:fb92:2709:4498… 2a04:4e42:400::347 TCP 74 43774 → 443 [RST] Seq=2121 Win=0 Len=0
860 9.944190284 2a04:4e42:400::347 2607:fb92:2709:4498… TLSv1.3 110 Application Data
861 9.944197203 2607:fb92:2709:4498… 2a04:4e42:400::347 TCP 74 43774 → 443 [RST] Seq=2121 Win=0 Len=0
862 9.947941002 2607:fb92:2709:4498… 2a06:98c1:52::4 QUIC 1294 Protected Payload (KP0), DCID=0188e62cd1d4667af08a212c55d46ff03387c2f6
863 9.947944412 2607:fb92:2709:4498… 2a06:98c1:52::4 QUIC 1294 Protected Payload (KP0), DCID=0188e62cd1d4667af08a212c55d46ff03387c2f6
864 9.947945735 2607:fb92:2709:4498… 2a06:98c1:52::4 QUIC 1294 Protected Payload (KP0), DCID=0188e62cd1d4667af08a212c55d46ff03387c2f6
865 9.954313167 2607:fb92:2709:4498… 2a06:98c1:52::4 QUIC 1294 Protected Payload (KP0), DCID=0188e62cd1d4667af08a212c55d46ff03387c2f6
866 9.954317985 2607:fb92:2709:4498… 2a06:98c1:52::4 QUIC 1294 Protected Payload (KP0), DCID=0188e62cd1d4667af08a212c55d46ff03387c2f6
867 9.954319314 2607:fb92:2709:4498… 2a06:98c1:52::4 QUIC 1294 Protected Payload (KP0), DCID=0188e62cd1d4667af08a212c55d46ff03387c2f6
868 9.955483278 2607:fb92:2709:4498… 2a06:98c1:52::4 QUIC 1294 Protected Payload (KP0), DCID=0188e62cd1d4667af08a212c55d46ff03387c2f6
869 9.956657033 2607:fb92:2709:4498… 2a06:98c1:52::4 QUIC 1294 Protected Payload (KP0), DCID=0188e62cd1d4667af08a212c55d46ff03387c2f6
870 9.958314742 2607:fb92:2709:4498… 2a06:98c1:52::4 QUIC 1294 Protected Payload (KP0), DCID=0188e62cd1d4667af08a212c55d46ff03387c2f6
871 9.958317450 2607:fb92:2709:4498… 2a06:98c1:52::4 QUIC 1294 Protected Payload (KP0), DCID=0188e62cd1d4667af08a212c55d46ff03387c2f6
872 9.959260757 34.107.221.82 192.168.12.153 TCP 66 80 → 55724 [ACK] Seq=1 Ack=319 Win=268544 Len=0 TSval=3196191730 TSecr=2604641735
873 9.960077663 2607:fb92:2709:4498… 2a06:98c1:52::4 QUIC 1294 Protected Payload (KP0), DCID=0188e62cd1d4667af08a212c55d46ff03387c2f6
874 9.960857059 34.107.221.82 192.168.12.153 HTTP 281 HTTP/1.1 200 OK (text/plain)
875 9.960865966 192.168.12.153 34.107.221.82 TCP 66 55724 → 80 [ACK] Seq=319 Ack=216 Win=64512 Len=0 TSval=2604641792 TSecr=3196191732
876 9.961242767 2607:fb92:2709:4498… 2a06:98c1:52::4 QUIC 1294 Protected Payload (KP0), DCID=0188e62cd1d4667af08a212c55d46ff03387c2f6
877 9.962413079 2607:fb92:2709:4498… 2a06:98c1:52::4 QUIC 1294 Protected Payload (KP0), DCID=0188e62cd1d4667af08a212c55d46ff03387c2f6
878 9.963556003 2607:fb92:2709:4498… 2a06:98c1:52::4 QUIC 1294 Protected Payload (KP0), DCID=0188e62cd1d4667af08a212c55d46ff03387c2f6
879 9.964688239 2607:fb92:2709:4498… 2a06:98c1:52::4 QUIC 1294 Protected Payload (KP0), DCID=0188e62cd1d4667af08a212c55d46ff03387c2f6
880 9.965874249 2607:fb92:2709:4498… 2a06:98c1:52::4 QUIC 768 Protected Payload (KP0), DCID=0188e62cd1d4667af08a212c55d46ff03387c2f6
881 9.970421511 34.120.208.123 192.168.12.153 TCP 66 443 → 57706 [ACK] Seq=1 Ack=1365 Win=267520 Len=0 TSval=1999488451 TSecr=1264060461
882 9.970566388 34.120.208.123 192.168.12.153 TCP 66 443 → 57706 [ACK] Seq=1 Ack=1916 Win=267008 Len=0 TSval=1999488451 TSecr=1264060461
883 9.971763940 34.120.208.123 192.168.12.153 TLSv1.3 1410 Server Hello, Change Cipher Spec
884 9.971773966 192.168.12.153 34.120.208.123 TCP 66 57706 → 443 [ACK] Seq=1916 Ack=1345 Win=67584 Len=0 TSval=1264060526 TSecr=1999488453
885 9.973320649 34.120.208.123 192.168.12.153 TCP 1410 443 → 57706 [PSH, ACK] Seq=1345 Ack=1916 Win=267008 Len=1344 TSval=1999488453 TSecr=…
886 9.973327393 192.168.12.153 34.120.208.123 TCP 66 57706 → 443 [ACK] Seq=1916 Ack=2689 Win=70656 Len=0 TSval=1264060528 TSecr=1999488453
887 9.973402541 34.120.208.123 192.168.12.153 TLSv1.3 884 Application Data
888 9.973408831 192.168.12.153 34.120.208.123 TCP 66 57706 → 443 [ACK] Seq=1916 Ack=3507 Win=73728 Len=0 TSval=1264060528 TSecr=1999488453
Frame 874: 281 bytes on wire (2248 bits), 281 bytes captured (2248 bits) on interf
Ethernet II, Src: Arcadyan_85:b6:ea (18:a5:ff:85:b6:ea), Dst: GigaByteTech_82:fb:1
Internet Protocol Version 4, Src: 34.107.221.82, Dst: 192.168.12.153
Transmission Control Protocol, Src Port: 80, Dst Port: 55724, Seq: 1, Ack: 319, Le
Hypertext Transfer Protocol
HTTP/1.1 200 OK\r\n
Server: nginx\r\n
Content-Length: 8\r\n
Via: 1.1 google\r\n
Date: Wed, 29 Apr 2026 10:02:06 GMT\r\n
Content-Type: text/plain\r\n
Age: 6601\r\n
Cache-Control: public,must-revalidate,max-age=0,s-maxage=3600\r\n
\r\n
[HTTP response 1/1]
[Time since request: 0.056929582 seconds]
[Request in frame: 843]
[Request URI: http://detectportal.firefox.com/success.txt?ipv4]
File Data: 8 bytes
Line-based text data: text/plain (1 lines)
0000 e0 d5 5e 82 fb 18 18 a5 ff 85 b6 ea 08 00 45 28
0010 01 0b b6 41 40 00 72 06 84 84 22 6b dd 52 c0 a8
0020 0c 99 00 50 d9 ac b3 87 c6 af 41 68 b6 cd 80 18
0030 04 1a 8e 29 00 00 01 01 08 0a be 82 03 f4 9b 3f
0040 ad c7 48 54 54 50 2f 31 2e 31 20 32 30 30 20 4f
0050 4b 0d 0a 53 65 72 76 65 72 3a 20 6e 67 69 6e 78
0060 0d 0a 43 6f 6e 74 65 6e 74 2d 4c 65 6e 67 74 68
0070 3a 20 38 0d 0a 56 69 61 3a 20 31 2e 31 20 67 6f
0080 6f 67 6c 65 0d 0a 44 61 74 65 3a 20 57 65 64 2c
0090 20 32 39 20 41 70 72 20 32 30 32 36 20 31 30 3a
00a0 30 32 3a 30 36 20 47 4d 54 0d 0a 43 6f 6e 74 65
00b0 6e 74 2d 54 79 70 65 3a 20 74 65 78 74 2f 70 6c
00c0 61 69 6e 0d 0a 41 67 65 3a 20 36 36 30 31 0d 0a
00d0 43 61 63 68 65 2d 43 6f 6e 74 72 6f 6c 3a 20 70
00e0 75 62 6c 69 63 2c 6d 75 73 74 2d 72 65 76 61 6c
00f0 69 64 61 74 65 2c 6d 61 78 2d 61 67 65 3d 30 2c
0100 73 2d 6d 61 78 61 67 65 3d 33 36 30 30 0d 0a 0d
0110 0a 73 75 63 63 65 73 73 0a success

References

Kurose, J. F., & Ross, K. W. (2021). Computer networking: A top down approach. Pearson.

Wireshark Foundation. (2024). Wireshark users guide. https://www.wireshark.org/docs/wsug_html_chunked/