


outbound.eu

PRODUCT DIMENSIONS

HATCH




Product	Weight	A	B	C	D	E	G	H	I	J	K	L	M
LU-03	5,5 kg	453	583	36	368	498	4	40	*	325	385	455	515
LU-20	7,4 kg	525	771	36	433	682	4	40	*	405	465	651	711
LU-30	8,1 kg	622	722	36	530	633	4	40	*	502	562	602	662
LU-35	9,9 kg	525	1113	36	433	1024	4	40	*	394	455	985	1045
LU-38	10,6 kg	723	915	36	638	831	4	40	*	595	655	787	847
LU-40	13,3 kg	722	1113	36	630	1024	4	40	*	602	662	993	1053
LU-48	24,0 kg	1094	1289	36	1002	1197	4	40	*	966	1034	1161	1229
LU-50	23,7 kg	671	1825	36	582	1733	4	40	*	551	611	1705	1765
LU-55	26,5 kg	746	1820	36	662	1737	4	40	*	622	683	1692	1756
LU-60	28,6 kg	748	1990	36	660	1905	4	40	*	623	683	1865	1925

* Depends on wall thickness

outbound.eu

CUTOUT DIMENSIONS HATCH




Product	A	B	C	D	E	F	G	H
LU-03	395	525	465	335	*	42	*	30
LU-20	470	719	659	410	*	42	*	30
LU-30	570	673	613	510	*	42	*	30
LU-35	465	1055	995	405	*	42	*	30
LU-38	665	857	797	605	*	42	*	30
LU-40	670	1063	1003	610	*	42	*	30
LU-48	1044	1239	1171	976	*	42	*	30
LU-50	621	1775	1715	561	*	42	*	30
LU-55	693	1766	1702	632	*	42	*	30
LU-60	693	1935	1875	633	*	42	*	30

* Depends on wall thickness

outbound.eu

PRODUCT DIMENSIONS

CORNER HATCH




Product	Weight	A	B	C	D	E	G	H	I	J	K	L	M	N	O	P
LU-45R	12,9 kg	722	1113	36	630	1024	4	40	*	600	660	990	1050	827	405	436
LU-45L	12,9 kg	722	1113	36	630	1024	4	40	*	600	660	990	1050	827	405	436

* Depends on wall thickness

outbound.eu

CUTOUT DIMENSIONS CORNER HATCH



Product	A	B	C	D	E	F	G	H	I	J	K	L	M	N
LU-45R	670	1060	1000	610	*	42	*	30	397	790	386	365	350	743
LU-45L	670	1060	1000	610	*	42	*	30	397	790	386	365	350	743

* Depends on wall thickness