



Ink Morrow
WHERE STORIES GROW CLAWS

5.0 EDITION

User Guide

Follow the cast, steer the story, return to a living world

For readers and directors of playable fiction / September 2026

User Guide

InkMorrow 5.0. Follow the cast, steer what matters, and return to a world whose history belongs to the path you played. This guide covers the complete game, optional model calls, private saves and practical end-to-end journeys.

Contents

A story worth following

Installation and the private threshold

Your first ten minutes

Start with a situation

Choose the experience you want

Follow, steer, or ask

Choose your storyteller

Model consistency and fair resistance

Optional consistency quality

Waiting, rejection and the real bill

A small, honest model comparison

Let characters address the reader

Optional character control

People can care and still disagree

What matters now

Correct a mistake

Cast and story preferences

Rewind and explore alternatives

An episode with room to breathe

Two ways to reach a satisfying pause

End an episode and return later

Return without catching up on chores

Illustrate a moment

Export a reading path or keep a playable save

Check your save before you need it

Failures, costs and recovery

Reading on a phone or with a keyboard

Journey: no optional provider features

Journey: a quiet relationship story

Journey: a mystery with fair resistance

Journey: inhabit one conversation

Journey: the complete feature set

Coming from the 4 series

01 A story worth following

InkMorrow is playable fiction. You normally remain outside the cast: you follow their lives, decide what deserves attention, and influence what unfolds. You do not need an avatar, a character sheet, or a main character representing you. Reading and inviting the story to continue are valid ways to play.

You can also choose to inhabit a character. That is an explicit, reversible handoff, not a requirement or an automatic consequence of starting a story. The same story, history, facts and paths continue whichever way you participate.

The story text is the experience itself. It does not need a later conversion from a roleplay transcript into something that counts as the real story.

02 Installation and the private threshold

The local application serves its interface and API together. The production entry point requires an owner password, same-origin requests and authenticated sessions. On first run, use the setup code printed by the server and choose the owner password. This is a private, single-owner installation, not a multi-user account service. Keep the server local unless you deliberately configure secure network access using the Operations and Security handbooks.

Version 5.0 uses a separate data location, `database-v5/ink-morrow-5.db` by default. It refuses 4.x databases instead of upgrading them. Keep old installations and their data separate; choosing an old path is an error, not a migration step. The operator can choose another fresh location using `DATA_DIR` or `DB_PATH`. See the Operations handbook for installation, backup and password recovery.

After unlocking, the story shelf is the starting point. Lock closes the private interface, clears its private working state and revokes that browser session. Remembered login does not imply that encrypted provider credentials remain unlocked after the server restarts.

03 Your first ten minutes

Begin with **The Garden After Rain** if you want a quiet first session, or **The Drowned Bell** for a mystery. Give the story a title, leave character control alone and keep Optional consistency quality Off. Starting and reading the curated opening are free. The situation, cast and initial records are already there.

Open Settings and assign a storyteller before requesting new narration. If the operator supplied a provider credential, you may only need to choose its model. Otherwise add your provider and credential. The app does not supply credits. Use a limited-spend provider account and understand what context will leave your machine before approving a purchase.

Return to the story and press Continue once. The button becomes busy immediately; wait for the outcome. Read the passage before deciding whether to continue. If you want to linger, select Steer and write: “Stay with this conversation; give both people room to answer.” Leave the scope at This moment only.

Open What changed if a development surprises you. Follow an evidence link to its source. If the record is wrong, make a factual correction; if it is merely an outcome you dislike, consider a different approach or a new path. Those are different choices, and neither needs a penalty.

After a few passages, end the episode. Download a playable save if you want a portable copy. You have completed a real session without inhabiting anyone, creating an illustration or mastering every panel.

The objective is an interesting experience, not a high turn count. There is no attendance streak, catch-up debt or requirement to exhaust every feature.

04 Start with a situation

Choose **Start a story**. Supply a title and a situation worth exploring. For example: two old friends meet again, and one has something to confess. A clear situation gives the narrator something to develop without requiring a world bible.

Choose character drama, mystery, exploration or cozy discovery. Genre guides the narration; it is not a promise of a specific ruleset or dice system.

Two authored openings are available. **The Drowned Bell** begins a harbour mystery with a small cast and fixed hidden truths; **The Garden After Rain** offers quiet cooperation with no hidden catastrophe. Choose the opening, then Begin this story. Its cast, opening and facts are included without a provider call. Characters you add are additional people. **Use my own situation** clears the preset.

Open **Cast and story preferences** when you want more control. You can add a few characters, describe who they are and what they want, choose pacing, select gentle or dramatic consequences, and state tone or content boundaries. None of the characters must represent you. Initial casts support at most 24 members, including the curated cast and selected references.

Choose from the Visual Library (optional) selects one world, one Scribe and any catalogue characters. Details and images are copied into the new story; later catalogue edits cannot change it. Preview a selected world or Scribe and check the cast portraits. More loads another local catalogue page without AI. Curated openings retain their own facts and people: choose compatible references, or use your own situation. The Scribe is a narrative craft reference, not your avatar.

Starting is a local, free operation. It does not call a provider, paint a cover or prepare speculative prose. Curated scenarios include an opening to read. For your own situation, Continue invites the first generated passage explicitly. There is no manual prose editor or hand-written opening field.

05 Choose the experience you want

Play style, participation, consequence tone and quality are separate choices. You do not have to accept a difficult world merely to avoid playing an avatar, or buy extra reviews merely to use Living-world.

Choice	Useful starting point	What it does not imply
Story-shaping	You want strong influence over the direction	Permission to erase established truth
Living-world	You enjoy people and circumstances resisting	Constant hostility, punishment or randomness
Reader-director	You want to follow and occasionally steer	Passive failure or lack of agency
Inhabit	You want to choose one person's words and actions	Guaranteed success or control of everyone
Gentle consequences	You prefer recoverable, lower-pressure developments	Everyone must agree
Dramatic consequences	You welcome more consequential tension	A crisis in every scene
Quality Off	Speed and lower cost are the priority	Guaranteed flawless prose
A quality reviewer	You accept extra checks and possible repair	Independent proof that a passage is correct

For a welcoming first session, choose Story-shaping, gentle consequences and Off. For a mystery with credible boundaries, choose Living-world and Never for fourth-wall addresses. These are starting suggestions, not ranks of serious play.

Change preferences when your mood changes. They apply to future responses on this path and are recorded in its history. They do not rewrite the opening or erase a previous refusal. To compare two styles from the same situation, create an alternative path first, then change the style there.

A satisfying session might end with a small reconciliation, a useful discovery, or an unresolved question worth returning to. InkMorrow does not define success as obedience, exhaustive exploration or relentless escalation.

06 Follow, steer, or ask

Continue invites the narrator to develop the cast and situation. You can read without typing a direction. The reader shows one passage at a time: **Previous**, **Next** and **Latest** turn pages without AI calls. Previous loads older moments when needed; “loaded” means the page count covers only the retrieved history. Continue always extends the latest moment, even while you read an earlier page.

The direction box lets you intervene as a reader-director: “Stay with their reunion,” “Show the sister’s perspective,” or “Let the awkwardness breathe.” Choose **Steer the story**, then **Send direction**. Ctrl/Command + Enter sends the same action while the direction box has focus.

The default is **This moment only**: your direction shapes this response, not every later scene. Choose **Keep this focus** only for an ongoing instruction. It becomes visible above the direction box after a successful response. **Clear ongoing focus** releases it locally, without an AI request. A one-moment detour does not erase an existing focus. Failed requests keep both your text and scope.

Possible directions (optional) offers a few intentions from reader-visible context. Choosing one fills the box for review; edit or send it when ready. Nothing has happened merely because you selected it. Existing drafts are not overwritten, and Continue never requires an invitation.

Choose **Ask outside the story** for clarification. The answer is displayed as out-of-story discussion, not as an event that happened. It must not change world state or advance fictional time. Asking still uses the text provider and can cost money. It is not a back door to undiscovered secrets.

Every paid action immediately shows busy feedback and disables duplicate actions. A successful response saves readable prose and its validated state changes together. There is no automatic paid successor or background NPC simulation.

07 Choose your storyteller

Open **Settings** to inspect the selected storyteller and provider. The logical backend role is named Scribe; in this interface it is your storyteller. Choose a text provider and model identifier, or browse that provider's model catalogue. Save the assignment explicitly. An unavailable model is not silently replaced.

The built-in OpenRouter profile uses a read-only environment credential. To enter a key in the interface, add a separate OpenAI-compatible provider profile, choose it, and save its credential. The endpoint must be HTTPS or supported loopback HTTP. Keep the key in server-session memory or encrypted in the local vault. Encrypted storage requires the owner password. Keys never enter stories, browser storage, ordinary API responses or portable story material.

Model browsing is not a generated story operation, but it contacts the provider's catalogue. Initial story creation and local corrections do not need model browsing.

The first paid review explains the operation and what is sent. It names the provider and model and includes a rough cost estimate, not a spending cap. Existing device consent is remembered; later deliberate paid actions may run without a new modal. Relevant hidden world truth may be supplied to the narrator even though it is not shown in the reader's recap. Do not enter material you are unwilling to send to your chosen provider. If the reviewed provider/model changes before a new request begins, refresh and review the new configuration.

08 Model consistency and fair resistance

Prose fluency, price, speed, continuity and resistance are different model qualities. Some models become too accommodating when challenged repeatedly. Do not assume a newer, larger or more expensive storyteller is a better referee. No models have yet been certified by an InkMorrow live comparison; recommendations must name the tested model version, settings and date rather than a timeless winner.

Choose **Story-shaping** or **Living-world** when beginning, or change **Play style** in Story preferences. The first honours desired developments within continuity; the second allows credible resistance based on motives, knowledge, relationships and circumstances. Neither requires you to become a character. The selected style is visible in the reader. Changes apply to future play on this path; they do not reverse recorded outcomes. Rewind restores the style recorded at that moment.

A royal guard should not grant entry simply because a request is repeated, but should reconsider genuinely sufficient authority. Structured challenge decisions are application-owned, and repeating an unchanged decision makes no new provider request. This protection applies to explicit structured challenges, not a promise that every free-form character conversation is mechanically reliable. Contradictory generated sentences remain possible even when state cannot be changed that way.

For stories with structured challenges, **Cast & story → Approaches to this situation** offers explicit approaches and shows recorded outcomes. The game first checks locally whether an existing ruling still applies. Unchanged rulings need no paid review or provider purchase; new attempts use the ordinary paid boundary. **Read the decision moment** opens its actual record. Controls concerning a person you inhabit do not supply that person's decisions for you.

09 Optional consistency quality

Standard play is the default: one storyteller call for each new passage or Ask. In **Cast & story → Story preferences**, Optional consistency quality offers four choices. The choice belongs to this path, restores on rewind, and travels with a playable save. It is independent of play style and fourth-wall permission.

Choice	When the first draft passes	Absolute call ceiling
Off — standard play	One storyteller call	1
Standard-model review	Draft plus standard-model review	4
Memory-support review	Draft plus memory-model review	4
Both model roles	Draft plus both reviews	6

The standard reviewer focuses on motives, relationships, character ownership, credible cooperation or refusal, boundaries and fourth-wall permission. Memory support focuses on continuity, established truth, knowledge and commitments. Both roles receive bounded authoritative context and the candidate passage. Configure the storyteller and, when used, memory-support model separately in **Settings**. They may be different models or the same model in two roles. Using the same model twice is not independent verification.

When a review identifies an evidenced conflict, the storyteller gets at most one repair attempt. Every selected reviewer then checks the replacement. A malformed first draft can use that same repair allowance; it does not earn an extra repair later. If the repair or review fails, nothing is added to the story. There is no automatic transport retry, paid follow-up or background analysis.

Extra checks add latency and cost, and a rejected passage can still be charged. Before the first purchase for a configuration, the review names all roles, providers, models, maximum calls and data sent. It shows a rough estimate, not a price cap. A prior single-call approval does not authorise quality mode. The device remembers each approved configuration; changed model/provider settings or mode require review for the new configuration. Cancelling keeps your direction.

Quality checks are a fallible second opinion, not a guarantee of better writing, perfect character behaviour or secret-safe prose. A reviewer can miss a problem or flag a harmless choice. Keep Off when speed and cost matter more; try a bounded quality choice for a difficult scene if you accept that tradeoff. No paid model benchmark or model ranking is claimed for this release.

10 Waiting, rejection and the real bill

During a quality request, the action stays visibly busy. Progress identifies drafting, checking or repairing, the active role and its call number. These status reads are local server reads, not new model calls. Leaving the page does not cancel work already authorised; returning must never buy a replacement response.

The story totals retain all known charges plus the count of attempts whose cost the provider did not report. **Recent model calls & costs** shows the latest twelve calls across the story's paths. A known draft charge is not lost merely because a later review has unknown cost. Interrupted and rejected work can cost money without adding a scene. Review details and rejected drafts are not part of the reader history. Playable saves carry aggregate spend, not request identities or authority to resume an interrupted purchase.

If a role is unavailable, configure it in Settings and refresh the story before trying again. The application does not silently drop an enabled reviewer. An unchanged recorded challenge ruling remains free even with quality mode enabled and providers unavailable. New evidence can make a new narration appropriate; repeated pleading alone does not.

11 A small, honest model comparison

Models can write beautiful prose and still be poor at consistent resistance. Test the behaviours important to your game instead of treating price or apparent confidence as a quality score. A personal trial is useful; it is not certification.

Create two alternatives from the same moment. Keep style, boundaries, context, control and quality settings comparable. In Settings, explicitly assign the model before each trial and note the actual provider/model identifier. Changing a global role affects future purchases, not the identity of already saved prose.

Try a compact set of situations:

- An unchanged plea should not overturn an explicit structured refusal.
- Genuinely sufficient new grounds should allow reconsideration.
- A hidden fact should not become character knowledge without a discovery.
- Affection should not automatically imply trust or cooperation.
- An inhabited person's words and commitments must remain yours.
- A quiet scene should remain interesting without invented danger.
- Fourth-wall permission should respect Never or the Rarely allowance.

Inspect recorded state as well as prose. A well-written sentence may contradict the game record; a valid record may accompany awkward writing. Record failures, latency and known/unknown costs separately. Repeat enough to notice variability, but choose your own spending ceiling before beginning.

First compare with quality Off. If you then test quality, hold the storyteller constant and compare Off, one selected reviewer, or Both on comparable paths. Using the same model twice is not an independent judgment, and a second model may share the first one's weaknesses.

InkMorrow's release tests use deterministic fixtures. They prove bounded calls, state guards and failure handling, not that any live commercial model wins this comparison. No model ranking is implied by an example identifier in a test or configuration file.

12 Let characters address the reader

Living-world has a separate **Characters may break the fourth wall** setting. Choose it when starting a story or in **Cast & story → Story preferences**. It defaults to **Never**. Changing it is local and makes no provider request.

- **Never:** characters remain within the fiction rather than knowingly speaking to you as its reader. Ordinary dialogue between characters is still welcome.
- **Rarely:** the storyteller may include an occasional fitting address. The application permits at most one structured address in six narrated passages: five ordinary passages must intervene before another. It need not use every opportunity. Clarifications, failed attempts and free repeated rulings do not advance that cooldown.
- **Freely:** characters may address you whenever it fits. This is permission, not a demand for jokes or an aside after every paragraph.

An address appears with the character's name and **to you** in the saved passage. For example, Jo might look beyond the garden and ask the reader whether the kettle was optimistic. You can respond through Steer without becoming a cast member. **Ask outside the story** remains a separate narrator clarification, not a character's fourth-wall address. The setting is inactive in Story-shaping; its choice is retained if you switch back to Living-world.

Fourth-wall permission does not relax resistance, grant a challenge, reveal a hidden solution, or let the narrator speak for a character you inhabit. Asides cannot supply evidence for a world-state effect. No additional model call is needed for the address. Its text travels with the passage in books and saves; rewind and save-copy restore the setting and cooldown on the selected path.

These checks constrain structured addresses. A model can still disobey instructions in ordinary prose; **Never** is not a proof of semantic model compliance. If it repeatedly breaks immersion, switch to Never, review the storyteller choice and use an alternative path as appropriate. With quality Off there is no paid repair. An explicitly enabled quality mode can attempt its one disclosed repair, but it cannot guarantee semantic compliance.

13 Optional character control

Open **Cast & story** and select **Inhabit** beside a cast member. Read the handoff and choose **Take this role**. The reader now names the controlled character, and the input selector adds acting and speaking as that character.

Act describes an intention, not a guaranteed outcome. Say supplies your character's speech. The narrator portrays the surroundings and other people; it must not invent the controlled character's decisions, speech, thoughts or commitments. Continue may develop the surrounding situation but should stop at a decision that belongs to you. Structural state checks reinforce these boundaries, but generated sentences can still be wrong: retain your editorial judgment.

Return to reader-director releases the role explicitly. The narrator again runs the cast. Your existing story and history are not replaced or converted.

14 People can care and still disagree

InkMorrow distinguishes affection, trust, willingness to cooperate and expectations. These are short descriptions of the relationship, not points to collect. Iona may care deeply about Mara while distrusting a decision made on her behalf. Jo may agree to label seedlings without wanting to lead the neighbourhood or becoming close friends. A willing response is not a promise of unlimited future agreement.

Developments need evidence in the passage or your explicit input. A later scene can revise a relationship description while retaining its identity and linking to earlier evidence. It cannot use that mechanism to change a fixed world fact. When you inhabit someone, their feelings and expectations belong to you; the narrator must not choose those for you. Other people's views of them may change. Model prose remains fallible even with structured checks.

Use **Cast & story** and evidence links to inspect what is recorded. **Catch me up** also gathers current relationships, including older records. If something was recorded incorrectly, use a factual correction or return to an earlier path. Disagreeing with a character is not itself evidence that the game needs repair.

15 What matters now

A small scene director makes recorded history consequential. A live commitment can create a later opportunity or acknowledgement; a goal can make a new approach relevant. Cooldowns discourage immediate repetition. Genre and pacing also leave space for discovery, relationships, ordinary activity and aftermath. A suggested scene is a plan, not a fact or a guaranteed outcome. Only the resulting validated passage can record an event, fulfil a promise or reveal hidden truth.

The **What matters now** panel shows reader-visible durable facts, commitments, relationships, goals and resources. Hidden truths are not listed. Characters' knowledge is tracked separately from the truth of a fact.

A generated passage may expose **What changed**. This is an optional explanation of recorded effects, not a scorecard. Small expressive choices do not need a permanent statistic. A major commitment should be recorded and remain available to future narration.

The current working set holds up to 128 facts, with up to twelve effects in one response. Older facts remain in permanent path history and relevant ones can be recalled automatically. You do not need to prune memory to keep playing. The narrator receives bounded recent text and relevant facts rather than the entire accumulated story on every call.

16 Correct a mistake

Recall older facts searches this path's public memory, including records no longer in the current working set. Enter distinctive words and choose **Search memory**. Results are bounded to 32; refine the words rather than loading the entire story. Secret and retired records and other paths are excluded. You can read a record's evidence, correct it, or explicitly retire it here without AI.

Read recorded evidence opens the actual source moment. **What changed** links to the earlier record when a fact changed; an initial fact has no invented scene citation. Local correction records explain that earlier prose was not rewritten, and never display private correction reasons.

Choose **Correct a story fact**. Select an existing reader-visible fact or add a missing one, state what is true, and give a reason. Save the correction.

Corrections affect future narration on this path. They do not silently rewrite earlier prose, and they have no in-world penalty. The reason is retained privately in the correction record, not displayed as reader prose. A correction is different from deciding that you would rather have made another choice.

State validation checks structure and evidence, not every possible semantic contradiction. A fluent response can still be mistaken. If something important is wrong, correct it explicitly rather than hoping repetition will repair it.

Retire a fact explicitly stops using an entry for future narration on this path, with a reason. Earlier prose and earlier path snapshots retain it. This is a correction tool, not required memory maintenance: automatic working-set compaction already preserves older facts for retrieval. Do not retire commitments you still want to matter.

17 Cast and story preferences

The **Visual Library** contains separate Worlds, Characters and Scribes catalogues. Choose **New entry** to open its full studio. Enter anything from one small seed to a complete reference, choose a development depth, then select **Develop with AI**. The paid review names the Storyteller and warns that every entered reference field, including private lore, motives and background, is sent. The returned take fills the form but remains editable and unsaved. Develop another take for a different reading, or save only after the reference feels right. At most one corrective second call is made when the first structured answer is unusable; both can be charged. Ordinary saving never paints an image or calls a model.

Worlds have setting and lore; characters have appearance, personality, background and motive. Keep spoilers out of the visible description. Lore, background and motives may be private setup that guides the narrator, not facts every person knows.

Scribes retain their adult catgirl identity and offer craft choices such as diction, rhythm, narrative distance, dialogue, humour and scene tempo. They influence style; your explicit voice, boundaries and character ownership remain stronger. Choosing a Scribe does not assign a provider or put her into the story's cast. Settings still chooses the text model. Bounded frozen references may be sent with narration and quality checks; the reader and exported book do not expose private reference fields.

Choose **Save & add scene** for a world or **Save & add portrait** for a character or Scribe to move directly into the image studio. A saved card also exposes **Paint or upload**. Upload is local; **Paint with AI** uses the Illustrator after paid review. If no Illustrator is configured, the action explains that Settings needs one while leaving upload available. Save description only changes accessible text. Replacing/removing catalogue art does not change stories already started. Delete entry removes that reusable entry and its picture, not its frozen story copies; the image-spend record remains. Refresh catalogue reconciles pending work without buying another image. Keep a full installation backup for the reusable library.

Add to the cast introduces another person locally. Reader-visible description is separate from their private motive. Generated scenes can also introduce new named people, up to the 24-person cast bound. Neither route hands you a character.

Story preferences changes play style, pacing, consequence tone, content boundaries and narration voice on this path. The attention field shows a deliberately retained focus; clear it to release that focus. Preferences are restored with a rewind. Pacing does not change model randomness, and dramatic consequences do not imply constant danger. Voice guides style without overriding character control or boundaries.

18 Rewind and explore alternatives

Rewind a choice creates a new path from an earlier moment while preserving the original. Choose the moment after which the new path should continue and name it. Choose the beginning to return to before the opening.

Explore an alternative uses the same complete-state branching mechanism, usually beginning at the current moment. It is for keeping multiple possibilities, not pretending earlier text is erased. At most 40 paths are supported per story.

The path selector returns to any saved path. Its facts, resources, commitments, knowledge and control state come with it. A promise made only on one path must not appear on another. Use **Read earlier moments** if the desired fork point is older than the currently loaded history window.

These operations are local and free. They are refused while a paid response is pending, or when another tab has changed the story since the displayed revision. Refresh rather than repeatedly pressing the same action.

19 An episode with room to breathe

An episode can have an organising question. The authored openings supply one; when beginning another episode you can optionally supply your own. It frames what is interesting, not a command to achieve a fixed ending. Existing public goals help the storyteller notice opportunities. You can turn aside or follow a quiet conversation without losing progress to a timer.

The descriptive stages are Opening, Developing, A recorded payoff and Room for aftermath. Development follows public changes. Payoff requires a narrated event that resolves the episode's recorded goals; merely waiting, planning or locally marking a fact resolved does not fabricate a played resolution. A missing or retired goal is not silently treated as a victory. Aftermath makes room for what the changes mean to the people involved.

None of these stages ends the episode. You may stop early, linger after a payoff, or begin another question when ready. **End this episode** is a local resting point with an optional short recap, not another paid request. Your cast, facts, relationships, promises, settings and paths continue into the next episode.

20 Two ways to reach a satisfying pause

In **The Drowned Bell**, follow or steer the sisters as they investigate the chart sale and the bell. Public survey traces provide a fair starting point; the hidden answer is fixed. Learning who bought the chart does not automatically repair trust. Allow the sisters to decide a next step together, then linger over what their new understanding means. Vale's optional survey-record approach can refuse a plain appeal in Living-world and reconsider when relevant evidence is publicly established. Repeating the unchanged appeal makes no new AI purchase. You do not need to inhabit either sister.

In **The Garden After Rain**, explore the working tap, space for a bench and the neighbours' different wishes. Jo can decline a group role without being hostile. A genuinely agreed quiet task can create a different basis for cooperation. Let the layout become welcoming and give each person room to join a first shared pause on their own terms. Tea and seedlings are sufficient; no surprise catastrophe, affection meter or compulsory romance is needed to make this a complete episode.

These are possible journeys, not fixed scripts or guaranteed model behaviour. Story-shaping gives requested developments more influence; Living-world allows credible refusal. Both support quiet care, alternative paths and stopping without an avatar. Each new narrated passage is a reviewed AI request. Reading, recaps, evidence, episode controls and saved-path management are local.

21 End an episode and return later

An episode is a useful stopping point, not an obligation to keep generating. Choose **End this episode**, optionally supply a short recap, and confirm. The reader offers a resting surface instead of another generation button.

Your story is saved. The world does not move forward while you are away, and characters do not punish absence from the app. When you want to continue, choose **Begin another episode** and name it. Cast, history and commitments remain.

Ending remains explicitly reader-controlled. The scene director can invite a resting point after a resolved thread but cannot end the episode for you.

22 Return without catching up on chores

Choose **Catch me up** beside the reader controls. It opens immediately, then collects the last three narrated summaries, up to six open public commitments and up to twelve public relationship records from this path. Local corrections and character-control entries do not push narrated moments out of the recap. Follow the source links when you need the actual earlier passage.

Time away does not advance the world; a request you already approved may still finish while you are away. The recap does not call a model, reveal private motives, draw on another path or generate a new story continuation. These are bounded reminders, not a second full manuscript: **Recall older facts** and the reader's earlier moments remain available for a particular detail.

23 Illustrate a moment

In Cast & story, choose Illustrate a moment. The dialog opens immediately. Select a loaded story passage and supply an image description. Read earlier moments first to illustrate an older passage. Images appear **above** their associated prose.

Upload image accepts a local raster file up to 20 MB and makes no provider request. The server removes metadata/animation, normalizes orientation and stores a bounded WebP. Unsupported or unsafe files are refused without changing the story.

Paint with AI uses the separate Illustrator provider/model in Settings. The selected passage and art direction are sent; hidden facts, motives, other passages and uploaded image references are not. It buys one image attempt, with no automatic retry. Cancellation and failure retain your direction. Charges may still occur on failure. Check the result and use Save description only to correct its accessible description without buying another image.

Replacing or removing an image changes only the current path. Earlier snapshots retain the old illustration. Rewind can restore it. There is a 200-illustrated-moment limit per path and a 400-image limit per story including historical assets.

The same upload/paint choices are available for **Story cover: upload or paint**, each cast member's **Portrait**, and the selected world and Scribe under Cast & story. The cover appears on Your stories and above the reader header, and enters the front of a book. Reference portraits stay in the private story/save, outside the book. These controls edit the story copy, never its reusable catalogue entry.

Reference painting sends its name, visible description and appearance or setting; cover painting sends the title and premise. Your art direction also travels. Private lore, motives and uploaded image bytes do not. Every surface supports upload without a provider. Image creation alone never establishes a story event or character knowledge.

24 Export a reading path or keep a playable save

Choose Export this reading path for a book: EPUB, PDF, HTML, DOCX, ODT, RTF, Markdown, plain text or JSON. Supply an optional author credit and language tag. Only current-path prose, its cover and placed illustrations are included—not reference portraits, private facts, motives, questions, directions or other paths. No AI request is made. EPUB images each have a separate page immediately before their prose; text remains resizable. Text-only formats describe illustrations instead of embedding pixels. Missing media makes export fail visibly rather than silently producing a broken book.

Choose Download a playable save to preserve **all** paths and continue elsewhere. The `.inkmorrow5` file includes cast, hidden truth, commitments, knowledge, control, episodes, director history, frozen catalogue references, all story images and aggregate known/unknown spend. It excludes credentials, provider configuration, payment consent and pending requests. It is unencrypted: keep it private, and use a book to share with ordinary readers.

On Your stories, choose Import a playable save. Select the file, Check this save, review its story/path/moment/image counts, then Import as a new story. The original is never overwritten. No provider call starts. Configure credentials separately on the destination. Older `.inkmorrow` archives and databases are not accepted. Portable saves support up to 10,000 moments, 40 paths, 64 MB compressed and 128 MB expanded, with conservative preflight for unusually large stories. Keep a cold operator backup as well. A downloaded book cannot restore the playable world.

25 Check your save before you need it

A download is only the first half of a useful backup check. Keep both a playable save for each important story and a cold installation backup maintained by the operator. They solve different problems.

Before saving, wait for any paid request to reach an outcome and reconcile the story. Download a playable save to a private folder. It contains hidden world facts, cast motives and all alternatives, not merely the visible reading path.

On Your stories, choose Import a playable save and Check this save. Read the reported title and path, moment and image counts. Import as a new story. The existing story remains unchanged and no provider request begins.

Open the imported copy. Confirm the current passage, a named alternative, a relationship or commitment, and a placed image if present. Check the play style, fourth-wall choice and optional quality preference. Imported credentials, provider assignments and paid consent are intentionally absent: configure and review future purchases separately.

Download an EPUB or another book format too if you want an independent readable copy. Open it in a reader and inspect at least one illustrated passage. A book is easier to share safely, but it cannot reconstruct hidden state or alternate paths and cannot be imported as a playable save.

Very large stories can exceed the save format's conservative limits. A failed preflight should not overwrite anything; retain the original installation and ask the operator for a cold backup. Do not manually edit the save payload or checksums to force acceptance.

Store copies off the same physical device if recovery from device failure matters. The application does not upload backups for you, encrypt downloaded files, or prove that a synchronisation service retained a complete copy.

26 Failures, costs and recovery

If a reply fails, your direction stays in the input box and the explanation stays beside Continue. The app makes a free reconciliation read, never an automatic paid retry. Invalid output can still cost money. A provider API-key rejection (401) requires a valid credential in Settings; it is not an InkMorrow login error.

The story header distinguishes known provider spend from attempts whose actual cost is unknown. Unknown cost is not zero. Returning to a completed request with the same operation key does not buy another completion; failed requests require a new deliberate action.

If another tab or action changed the story, refresh before continuing. A late reply cannot paint a different story you have opened. After a server restart, abandoned requests are marked interrupted rather than reported successful. Dispatched work whose response was lost remains an unknown-cost attempt, not a free one. Each model call allows one transport attempt: even an uncertain network failure cannot silently trigger another request. Optional quality can buy its reviewed sequence of calls, but never retries an uncertain transport failure.

Use Download a playable save for a complete game, not older manuscript export endpoints. Also keep operator-level cold backups of this isolated installation. Never overwrite older user data.

27 Reading on a phone or with a keyboard

The same reader-director experience works on narrow and wide screens. The header may wrap; the story, path and available actions should remain readable without horizontal page scrolling. The canonical InkMorrow logo is an image, not a substitute font that changes between screens.

Use the labelled navigation to return to Your stories or Settings. Within a story, read earlier moments rather than expecting the browser to download every past passage at once. Returning to a different story must not show a late answer from the story you just left.

Dialogs keep the task in one place. Use their labelled controls, Tab and Shift+Tab to move between fields, and Escape to close when permitted. Closing an ordinary form is not a paid submission. When a paid operation is already running, leaving its view does not undo its provider charge.

In the direction box, Ctrl/Command + Enter invokes the same deliberate send action as the button. Select the input kind and scope first. Do not assume a keyboard shortcut changes Steer into Say or makes an approach automatically succeed.

Busy text is meaningful: a disabled button protects against duplicate purchases. If the interface reports failure, keep the draft and inspect the reconciled story before choosing another attempt. Repeated taps do not make the model respond faster.

Use informative illustration descriptions, especially for details that matter to a reader. Describe the image, not hidden facts absent from it. Correcting that description is local. In EPUB, the illustration's separate page should still be followed by selectable, resizable prose.

If a layout or focus problem blocks you, report the action, screen size and browser, without including keys or private story material. The Maintainer handbook describes the keyboard, mobile and delayed-response regression checks.

28 Journey: no optional provider features

Goal: enjoy an existing story and make a portable reading copy without a new AI purchase. This journey is deliberately not a manual-writing replacement.

1. Unlock the installation and open a story you already have. If none exists, start a curated opening, or import a trusted 5.0 playable save.
2. Read the available moments. Use Catch me up, What matters now and Recall older facts when you want context. These are local reads.
3. Compare saved paths. You can create an alternative at an earlier moment, but without a provider you cannot generate what happens next on it.
4. Correct a genuinely mistaken record or its accessible illustration description. This changes local future context, not earlier prose.
5. Optionally upload an illustration you already own. Uploading sends the file to your local server for validation and normalization, not to a model provider.
6. Export the chosen path as EPUB or PDF. Download a playable save separately if you need every path and the ability to continue later.

Used: reading, recap, evidence, paths, local correction, optional local image upload, book export and playable saves. **Skipped:** Continue, Steer, Ask, AI painting and all quality reviews. Those new generated responses require providers.

No model selection or catalogue browsing is necessary for these actions. Catalogue browsing itself contacts a provider even though it does not buy prose, so leave Settings alone for a fully local session.

The resulting book contains the selected reading path. The save contains private world state and every path: keep it private. Your owner password does not encrypt either downloaded file. No background world simulation advances while you read.

If the imported story has quality enabled, local reading is still free. Configure the required roles only when you later decide to request new narration.

29 Journey: a quiet relationship story

Goal: a low-pressure evening about people, not a puzzle or an optimisation exercise. Start *The Garden After Rain* with gentle consequences. Stay a reader-director. Choose Story-shaping if you want your intended scene to lead; choose Living-world if you want differing preferences to shape the conversation.

Follow the first exchange. Steer toward a small shared activity: “Let them work out where a bench would be useful, without making anyone volunteer for more than they want.” A character declining a group role need not reject friendship.

Read affection, trust, cooperation and expectations as different descriptions. You are not trying to fill a relationship meter. If Jo agrees to label seedlings, that does not establish leadership or permanent agreement. Let later scenes show whether a small promise was kept and what that means.

Keep quality Off for the simplest, fastest experience. If repeated contradictions become distracting, first inspect the recorded facts and storyteller settings. A single standard-model review is an optional experiment, not a compulsory upgrade. Do not enable both roles simply because more must be better.

Skip Inhabit, structured challenges, AI painting and extensive worldbuilding. Never for fourth-wall addresses suits an immersive tone; Rarely is available if a gentle acknowledgment of the reader belongs in this story.

When the group reaches a comfortable pause, linger over tea or the newly useful space, then end the episode. There need not be a catastrophe, romance or revelation. A short recap in your own words is a local note, not a prose-writing workflow.

Used: curated cast, Follow, Steer, relationships, commitments, episode controls and a playable save. **Skipped:** avatar control and optional media/model calls. **Cost:** one storyteller call per new response with quality Off.

Outcome: a story worth returning to, with its relationships and unfinished promises intact.

30 Journey: a mystery with fair resistance

Goal: discover an answer through credible evidence while remaining outside the cast. Start The Drowned Bell in Living-world, with fourth-wall permission Never. Keep a clear boundary between what you as reader suspect, what characters know, and what the world records as true.

Follow the opening and inspect public clues. Steer an investigation rather than dictating its solution: “Have them compare the survey traces with what Vale actually remembers.” Ask can clarify the available information, but is not a secret-answer command.

Use Approaches to this situation for the authored structured challenge. A refusal should be read as a result with reasons, not an invitation to hammer the button. Unchanged grounds reuse that ruling without another AI purchase. Relevant new authority, evidence or circumstances may legitimately change it. The game should allow earned cooperation as reliably as it allows refusal.

If ordinary generated dialogue contradicts the structured result, recognise the limit: application-owned adjudication cannot prove every sentence semantically consistent. Review the evidence, correct a recording error when appropriate, or branch before the scene. Repeated nagging is not a reliable correction tool.

For a difficult continuity-heavy scene, try Memory review on an alternative path. It checks the candidate against bounded relevant records and may miss something. Standard review focuses more on character behaviour; Both adds both checks and its larger call ceiling. No mode is a substitute for a suitable storyteller.

Skip character inhabitation unless you specifically want to choose one person's speech. Learning the answer does not force every relationship to resolve with it. Allow aftermath before deciding the episode is finished.

Used: public evidence, knowledge, structured approaches, paths and optional memory review. **Skipped:** forced avatar play and optional illustration. **Outcome:** a discovered reading path, plus a private save that still contains hidden truth and alternatives. Share the book, not the save, with an unspoiled reader.

31 Journey: inhabit one conversation

Goal: make one person's decisions while retaining a readable story before and after that moment. Begin as reader-director and follow until a conversation matters enough that you want to choose the words yourself.

Create an alternative path before a consequential exchange if you want to preserve the original possibility. In Cast & story, choose Inhabit for the person and confirm the handoff. Check the reader's control label before sending anything: a direction addressed to the storyteller and a character's spoken line are different kinds of input.

Choose Say for speech, or Act for an intention. An action is not a declaration that the desired outcome has already happened. In Living-world, another person may refuse credibly; in Story-shaping, the requested direction has stronger influence within the established context.

The storyteller owns the surroundings and other people, not your controlled person's inner decisions. If a response invents their commitment, feeling or speech, treat that as an error rather than silently surrendering control. Structured checks help, and optional Standard review may catch additional problems, but neither is a guarantee about every sentence.

Release the role with Return to reader-director when the conversation is over. You are not leaving a separate minigame: the same prose, facts, relationships and history continue. You can end the episode without switching control if you wish; the saved path preserves the handoff.

Used: Follow, optional fork, explicit control, Act/Say, evidence and episode closure. **Skipped:** unrelated worldbuilding, painting and constant review. **Cost:** new responses use the reviewed storyteller sequence; taking or releasing control and creating a path are local. **Outcome:** a continuous reading experience with one deliberately player-controlled exchange, preserved in a playable save.

32 Journey: the complete feature set

Goal: explore the full game and finish with both a readable book and a tested playable copy. Spread this journey over several sessions; features are options, not a checklist the game expects you to perform every night.

1. Configure storyteller, memory-support and Illustrator roles. Choose session credentials or the encrypted vault deliberately, and set an upstream spend limit.
2. In Visual Library create a compatible world, an additional character and a Scribe. Upload reference art or explicitly paint it. Start The Drowned Bell, select those references, review boundaries, choose Living-world and stay outside the cast.
3. Follow once, steer a single moment, then retain a focus explicitly. Select an optional possible direction, edit it, and send only when satisfied.
4. Ask a clarification outside the story. Inspect a recorded change and its evidence. Search older facts; correct only an actual mistake.
5. Try an explicit approach to the situation. Observe a recorded refusal if the grounds are insufficient. Repeating unchanged grounds is free, not a new roll.
6. Inhabit one person for a conversation, then return to reader-director.
Allow Rarely for fourth-wall addresses if that suits the tone; absence of an aside is allowed.
7. Create an alternative path. Change style or quality there to explore a different experience without replacing the first.
8. Select Both quality roles, review its six-call ceiling, and request a passage.
The ordinary passing path uses three calls; one repair can raise that to six. A failed review can cost money without producing a scene.
9. Upload a story cover and explicitly paint a moment. Inspect world/Scribe and cast portraits in Cast & story; change a story portrait without changing its template. Correct descriptions locally. Passage art appears above its prose.
10. Reach a satisfying pause, end the episode, and later begin another question.
Use Catch me up on return rather than buying a recap.
11. Export a reading path as EPUB and inspect its separate illustration pages.
Download a private save, check it, import it as a new story, and verify an alternate path, cover and portrait. Keep a full installation backup for reusable catalogues.

Cost boundary: new narration, Ask, selected quality calls and AI painting are paid. The remaining actions are local. **Outcome:** one reader-facing book and one private, verified, all-path continuation copy. Nothing is published publicly by these actions.

33 Coming from the 4 series

Version 5.0 is a new game, not a new layout for the old writing suite. Your usual position is reader-director outside the cast. Follow and Steer are complete ways to play; Inhabit is optional.

Manual prose editing, manuscript import, prepared successor pages, Chronicle/Codex/Gallery/Gate rooms, narration, audiobooks and public snapshot sharing are not the 5.0 production workflow. Natural-language direction, starting situations, cast descriptions, factual correction and short episode recaps remain because they support play.

Reusable visual world, character and Scribe catalogues are available in the new Visual Library, with upload and AI painting. They are new 5.0 references, not an import path for old templates. All selected details and images freeze into each story.

The database family is ink-morrow-5. The default location is database-v5/ink-morrow-5.db, separate from the old database directory. Pointing 5.0 at a 4.x database fails closed; it does not migrate or erase that file. Keep the old application with its old data if you still need to read it there.

Old .inkmorrow manuscript archives are not accepted. New .inkmorrow5 saves preserve playable stories and all their paths. Character-template import from the old series is not provided as a release feature. No conversion is required or promised before you can enjoy a new story.

Images are now attached to playable moments. They appear above their associated prose in the reader, and on a separate preceding page in EPUB. A book is a selected-path reading export; a save is an unencrypted, private continuation package. Neither includes credentials.

If an older bookmark names Desk, Gallery or a retired API, return to the new story shelf. Do not try to revive the writing system by changing a URL or environment setting. The production server exposes the game, while inherited internal modules remain only for tested implementation reuse.

The short version: start fresh, keep old data separate, and use the new save format for 5.0 continuity. Historical release records stay in the repository for reference; they are not current operating instructions.