



Ink Morrow
WHERE STORIES GROW CLAWS

THE AUTHOR'S FIELD GUIDE

User Guide

Write, remember, illuminate,
bind-and keep every story under
your control.

4.1 · SINGLE-OWNER SELF-HOSTED EDITION



BEFORE THE FIRST PAGE

Know the shape of the Scriptorium

Ink Morrow is a self-hosted, single-owner environment for **human-led, AI-collaborative writing**. You supply intent, taste, direction, revision, and the final word on canon; the Scribe accelerates drafting, continuity work, illustration, and narration without taking ownership of the manuscript.

KNOW YOUR DATA LINE

A new 4.x installation needs an **empty DATA_DIR** ; never point it at 3.x. A valid 4.0.x installation upgrades to 4.1 in place only after a full Gate backup and a cold copy of the stopped data directory.

Library	Desk	Chronicle	Codex	Gallery	Gate
Library Choose manuscripts and manage reusable world and character templates.	Desk Read, edit, direct, generate, and turn the current page.	Chronicle Navigate volumes, chapters, pages, history, and recovery.			
Codex Inspect what the story remembers and apply explicit corrections.	Gallery Upload or generate art, then place it without changing prose or canon.	Gate Back up the project, publish formats, or share a frozen reading copy.			

The collaboration-and its boundary

THE AUTHOR LEADS Set the premise and constraints, direct each page, judge the prose, revise it, correct remembered facts, select art, and decide what leaves the installation.	THE AI ACCELERATES Generate and prepare pages, extract continuity, suggest foundations, paint, and narrate. These actions send necessary context to your configured provider.
--	---

You can still write, organize, import, back up, and publish without AI. That is a resilience and control feature-not the intended center of the experience.

Contents

01	Install & unlock	3	06	History & recovery	9
02	Library & navigation	4	07	Chronicle & Codex	10
03	Begin a manuscript	5	08	Gallery & Gate	14-15
04	Templates	6	09	Safety & operations	16-18
05	The Desk	7-8	10	Quick reference	19
A	Lore of the Scriptorium	20	B	Choosing AI models	21-25

01 • FIRST RUN

Open a sealed local Scriptorium

Ink Morrow runs on your own machine rather than in a maintainer-operated cloud. By default, only a browser on that same machine can reach it. Node.js 22.5 or newer is required.

Quick installation

```
git clone https://github.com/rthorman/ink-morrow.git
cd ink-morrow
bash setup.sh
$EDITOR backend/.env
./start.sh
```

Open `http://localhost:3000`. On the first launch, the terminal prints a one-time setup code. Enter it in the browser, then choose a distinctive password or passphrase of **15-128 characters**.

Before starting 4.1

- 1 For a new install, create an empty data directory. For an existing 4.0.x install, back it up in Gate, stop the app, and cold-copy its complete data directory before updating.
- 2 Configure a provider key for the core collaborative workflow. Local writing and project care remain available without one.
- 3 Start the server and keep the terminal available for status and recovery.

First unlock

- 1 Copy the one-time code from the server terminal.
- 2 Set the owner password. There are no usernames or multiple roles.
- 3 Enable **Keep this scriptorium unlocked** only on a device you control.

WHAT THE NETWORK WORDS MEAN

`localhost` and `127.0.0.1` mean “this computer only.” A **LAN** is your home or office network. **HTTP** sends traffic without transport encryption; **HTTPS** encrypts the trip between browser and server, so a password or manuscript is not readable to other equipment along the route.

If another device needs durable access, keep Ink Morrow on `127.0.0.1` and put an **HTTPS reverse proxy** in front of it. In plain language, that is a small front-door service which receives the encrypted connection and passes it to Ink Morrow locally. If that setup is unfamiliar, ask someone who administers networks rather than exposing Ink Morrow directly over HTTP.

Daily lock and recovery

- **Lock** revokes the current browser session.
- **Settings** → **Security** changes the password and revokes other sessions.
- If the password is forgotten, stop the server and run `npm run auth:reset -- --yes` from `backend`. This removes the local owner and sessions, not manuscripts or media.


ACCESS CONTROL, NOT DISK ENCRYPTION

The web password does not encrypt the SQLite database, images, audio, or portable archives. Use full-device encryption and protect exported files.

02 · ORIENTATION

The Library is the threshold

The Library owns manuscripts, reusable templates, import and restore, recent work, recovery notices, and the path to Settings. Select a manuscript to enter its five-destination workspace.



Desktop Library. The gothic frame orients you; actions remain literal and the manuscript surface stays quiet.

- 1 **Manuscript selector** - switch the active manuscript.
- 2 **Global destinations** - Library, manuscripts, templates, Settings, Lock.
- 3 **Manuscript workspace** - Desk, Chronicle, Codex, Gallery, Gate.
- 4 **Start actions** - continue, begin, import, or open the Desk.

Navigation stays named

Desktop and landscape tablet use a labelled navigation rail. Portrait tablet and compact layouts use the same five labels in a bottom bar. Nothing important depends on hover or a hidden gesture.

A USEFUL DISTINCTION

Global templates can be reused. **Manuscript-local** snapshots belong to one manuscript. The Codex explains the latter; Library templates never silently rewrite an existing manuscript.

03 • ONE SHEET, THREE PATHS

Begin with prose, a seed, or an import

Choose **Begin a manuscript** or **Import prose** from the Library. The start sheet asks only for information needed by the path you choose.

Write the opening

Enter or paste the first page, then let the Scribe continue under your direction. This is a useful way to establish your voice before collaboration begins.

Give the Scribe a seed

Provide a premise and optional direction, then review and shape the generated opening. This is the fastest route into the collaborative loop.

Import existing prose

Map recognized headings to structure, or begin as a single chapter. Review the result before continuing.

The short start flow

- 1 Choose one start path and name the manuscript.
- 2 Select maturity, narrative role, world, and cast only where relevant.
- 3 Optionally open **Foundations** for premise, voice, point of view, tense, arcs, and constraints.
- 4 Enter the Desk with Volume I and Chapter I already created.



Foundations are guidance, not a gate

AI suggestions in Foundations are drafts. Accept them field by field. You can begin writing without completing every setting, and you can return later.

HUMAN LED

The Scribe proposes; you direct, accept, rewrite, reject, and correct. Its continuity record is inspectable evidence, not authority over your prose.


AI ACCELERATED

Provider setup appears when collaboration first needs it. Read the provider, model, data, and cost review before accepting.

04 · REUSABLE MATERIAL

Build worlds and characters once

World and character templates live in the global Library. They are reusable source material-not remote truth imposed on every manuscript.



The global world catalogue. Create without an image when you want a fully local path; painting is a separate paid action.


World templates

- Setting, genre, atmosphere, and a lorebook of canonical facts.
- Optional establishing art.
- Reusable across manuscripts.

Character templates

- Identity, appearance, personality, background, and home world.
- Optional reference portrait.
- Reusable in centered or ensemble casts.

What happens when you cast a manuscript?




A manuscript receives a local snapshot. Later Library edits do not silently change that snapshot. When a template has changed, Codex can show a field-level difference and lets you accept only the fields you want.

CANON RULE

Reusable sheets are reference material. Committed pages, remembered canon, and explicit author corrections define the running story.

05 · THE WRITING LOOP


The manuscript stays at the center



The Desk on desktop. Controls frame the prose; artwork never sits behind the manuscript.

- 1 Five stable manuscript destinations.
- 2 Active manuscript and measured session/manuscript cost.
- 3 Previous/next page controls.
- 4 Read-aloud and media tools.
- 5 Editable, quiet manuscript surface.

The ordinary loop




PREPARED SUCCESSOR

After a successful page, Ink Morrow can quietly prepare exactly one successor. Prepared prose is inert: it does not enter canon or continuity until you commit it.

05 · THE WRITING LOOP

The direction changes the action



Portrait tablet keeps the five destinations named and the manuscript comfortably readable.

When direction is empty

If a prepared page waits, **Next Page** commits that exact prose. It does not call the provider for a different version.

When direction has text

The action becomes **Generate as directed**. Pressing it deliberately replaces the waiting preview with a new paid request.

If you clear the direction

The original prepared page is still waiting. The action returns to **Next Page**.

If a request fails

No page is added. Your direction stays visible, and **Try again** names the recovery path.

COST REALITY

A normal AI-assisted page may involve prose, continuity extraction, and preparation of the next page. Estimates are not invoices. Set a hard spending limit on a dedicated provider key.

Other Desk actions

- **Edit active page** changes current prose.
- **Rewrite last page** requests a new version.
- **Read aloud / Auto-read** invokes the selected narrator.
- **Open Gallery** takes you to the single place for uploads, AI painting, metadata, and placement.

06 · KNOW WHICH CHANGE YOU ARE MAKING

Copyedit prose-or return canon

An older page offers two deliberately different operations. Choose by consequence, not by mood.

Action	What changes	What does not	Use when
Copyedit this page	Visible and exported wording.	Remembered Codex state is not recalculated.	Fix spelling, phrasing, and presentation without branching canon.
Return manuscript to this page	Removes all later canonical pages and prepared work.	The removed suffix is retained for bounded recovery.	You want the narrative to continue from an earlier point.

READ THE EXACT RANGE

The return confirmation names the volumes, chapters, pages, narrative count, prepared work, and recovery period. The action reads **Return and remove N later pages**.

Chronicle keeps the trail visible

Navigate structure

- Volumes contain chapters; chapters contain pages.
- The current tail, prepared page, memory coverage, art placements, and recovery records have distinct markers.
- Rename historical structure without pretending prose can be freely reordered.

Recover safely

- Recovery records show removal time, range, and expiry.
- One-click restore is offered only when the current canon still permits it.
- If later canon diverged, export the removed material rather than silently merging it.



07 · STRUCTURE AND TRUTH

Chronicle says where; Codex says what

Chronicle

Use it to move through volumes, chapters, pages, historical states, and recovery records.

Question: Where am I in the work?

Codex

Use it to inspect manuscript-local foundations, page-provenanced remembered canon, arcs, threads, and corrections.

Question: What is true now?

The three Codex layers

- 1 **Foundations** - author intent and the manuscript's local world/cast snapshots.
- 2 **Remembered canon** - facts, events, conditions, goals, threads, and arc movement linked to source pages.
- 3 **Author corrections** - explicit authoritative overrides with visible impact state.

Correct a remembered fact

- 1 Select a fact or field and inspect its current value and page evidence.
- 2 Enter the corrected value.
- 3 Review detected later conflicts.
- 4 Choose to apply the correction, mark the prose intentional, return the manuscript, or cancel.
- 5 Keep the resulting correction record inspectable.

AI DOES NOT GET THE LAST WORD

AI may summarize possible impacts, but it never applies a correction. Existing prose is never automatically rewritten.

Coverage and repair

If a page lacks a continuity record, the Codex identifies it. Building or rebuilding memory is explicit, proceeds page by page, and receives a cost review. It never triggers a surprise whole-story replay.



07 · THE MANUSCRIPT THROUGH TIME

Read structure, history, and memory coverage

Chronicle is not another writing screen. It is the manuscript's map and audit trail: use it to find a page, understand what happened to it, and see whether the Archivist successfully remembered its canonical revision.

Outline

Expand volumes and chapters, then select a page. Stable IDs keep references intact even when titles or order labels change.

History

Inspect immutable revisions and distinguish the canonical prose used for memory from a later display-only copyedit.

Coverage

Each canonical page shows memory as pending, ready, or failed. Missing coverage is not treated as an empty memory.

Recovery

See removed suffixes, their exact range, expiry, and whether exact restore remains safe against the current surviving head.

A useful inspection rhythm

- 1 Choose the manuscript and open Chronicle.
- 2 Expand the relevant volume and chapter.
- 3 Select the page, then compare visible prose, canonical revision, and memory badge.
- 4 Open history when wording and remembered truth appear to disagree.
- 5 Follow a failed memory badge into its specific diagnosis or Codex repair.


COPYEDIT IS HONEST DIVERGENCE

A historical copyedit improves what readers see and what exports contain. It does not claim the Archivist reread that page. Chronicle keeps both pointers visible so you can decide whether a deeper canonical change is needed.

RETURN IS NOT REORDER

Returning the manuscript to an older page truncates all later canon and creates bounded recovery evidence. Read the named range before confirming.

Use Codex as a ledger, not an oracle



Codex keeps foundations, Author Canon, remembered evidence, corrections, arcs, and threads in one manuscript-local view.

Author Canon

Create and edit facts, world events, people, places, factions, objects, rules, and other truths that the story should obey. Every edit creates a version; retirement preserves history.

Remembered canon

The Archivist extracts structured facts, events, character states, threads, and arc movement. Each item cites the page and canonical revision that produced it.

YOU CAN ADD WHAT PROSE HAS NOT SAID YET

Author Canon is for deliberate knowledge: a hidden world rule, an off-page event, a private character fact, or a constraint the Scribe must respect. It does not need to be discovered by AI first.

Editing without erasing evidence

Correcting or retiring an item does not rewrite the original extraction or historical prose. Codex layers the author's current truth over preserved evidence, then identifies later material that may need attention.



07 · WHEN THE ARCHIVIST CANNOT FILE A PAGE

A failed memory is specific-and clickable


The prose can commit successfully while its continuity extraction fails later. Ink Morrow keeps the page valid, marks memory incomplete, and stores the error code, reason, configured Archivist model, and repair route.

What to do

- 1 Click the failed memory badge in Chronicle.
- 2 Read the actual category: provider refusal/timeout, invalid JSON, schema mismatch, missing evidence, context pressure, or model availability.
- 3 Confirm Settings shows the intended server-configured Archivist. A browser-local Scribe choice does not control automatic memory.
- 4 Open the linked Codex repair for that page and review the cost/data boundary.
- 5 Retry once, then compare the new specific result. Repeated failure is evidence to diagnose, not a reason to replay the entire novel.

Large cast and world context

On a heavier manuscript the relevant context may be much larger even when another installation works with the same provider. Ink Morrow prioritizes context in this order:

**PERSPECTIVE ANCHOR**

If the story is Main Character driven, the Main Character remains the perspective anchor whether or not the current page names them. Mention is not the same as narrative centrality.

Why repair may still fail

Strict memory must be valid structured JSON and must cite evidence. Even valid-looking JSON is refused when it contains only a generic summary and empty lists. Ink Morrow tells one corrective attempt the exact defect. Information entropy, a very large cast, ambiguous naming, contradictory pages, or an unsuitable model can still defeat repair. The correct response is a precise failure, never invented memory.

STARTUP PROTECTION

An explicit typo or unavailable value in `CONTINUITY_MODEL` prevents Ink Morrow from starting. If the line is absent, the saved Settings choice is used; a fresh install starts with `google/gemini-2.5-flash-lite`. Setup never rewrites an existing `.env`.

Applying corrections

After coverage is ready, select the affected fact, inspect its citations, enter the authoritative value, review likely later impacts, and apply only when satisfied. AI may summarize impact but cannot press Apply, retire Author Canon, or rewrite prose.

Upload or paint, then place deliberately

Two equal paths

Upload an image

1. Choose a file with the native picker.
2. Review the local preview and metadata-removal notice.
3. Add a title and useful alt text.
4. Keep it in Gallery or place it before/after a narrative page.

Paint with AI

1. Write or condense a visible prompt.
2. Choose references and quality deliberately.
3. Review cost and generate.
4. Place the result exactly like uploaded art.

Placement is noncanonical

Moving or unplacing art does not change page numbers, prose, or continuity. Art anchored to a page that is later removed remains stored in Gallery but becomes unplaced.

UPLOAD PRIVACY

An upload is validated, normalized to metadata-free WebP, and kept local. It is not sent to a provider unless you later select it explicitly as a generation reference and grant permission.

PROVIDER REFUSAL

If an image provider refuses a prompt, Ink Morrow explains the refusal, keeps the original upload and prompt unchanged, and shows any sanitized editable prompt. Nothing retries until you press again.

Technical errors stay technical

Unsupported encoding, damaged files, excessive file size, or excessive dimensions are reported as constraints. The application does not semantically classify or moralize about uploaded subject matter.

Backup, publication, and sharing are different

Back up the project

Create a full-fidelity

`.inkmorrow` v2 archive.

Choose whether to include visuals, audio, and working history.

Prepare for publication

Review one normalized book structure, metadata, front/back matter, art, and style before choosing formats.

Share a reading copy

Create an immutable, expiring, revocable snapshot. Anyone holding its capability link can read it.

You need...	Choose...	Remember...
Restorable project state	Full project backup	Portable archives are unencrypted and exclude local credentials, sessions, secrets, and share capabilities.
A book for readers/editors	Publication export	Multiple selected formats come from one normalized snapshot, keeping metadata and structure aligned.
Temporary browser reading	Public reading share	The copy is frozen. Create a new snapshot after material manuscript changes.

Choose a file by what happens next

<code>.inkmorrow</code>	A restorable Ink Morrow project backup, not an ebook. Keep it private and use Gate to restore it.
EPUB	A reflowing ebook: the reader can change type size and the pages adapt. Best for ebook readers and reading apps.
PDF	A fixed-page document. Best when exact page appearance, printing, or simple review matters.
DOCX / ODT / RTF	Editable word-processing files. Choose the format your editor or publisher actually uses.
HTML / Markdown / text / JSON	Open or technical formats for websites, simple text tools, or data workflows; they are rarely the friendliest reading copy.

Share safely

- 1 Review the included revision, art, and expiry.
- 2 Create the share only behind a correctly configured HTTPS reverse proxy.
- 3 Copy the returned link once and send it through an appropriate private channel.
- 4 Revoke it in Gate as soon as it is no longer needed.

CAPABILITY LINK

Anyone with the link can read the frozen snapshot until expiry or revocation. Never place the capability in query strings, analytics, referrers, proxy logs, or public screenshots.

09 · PRESERVE THE WHOLE INSTALLATION

Use two forms of backup

Portable project backup

Create it in Gate, include the material you need, download it, and store it on encrypted storage.

Portable: good for reviewed transfer and restore.

Cold `DATA_DIR` copy

Stop Ink Morrow and copy the entire data directory as one unit.

Complete: also preserves owner, sessions, recovery state, and local share records.

Before an upgrade

- 1 Record the installed commit, Node version, and data paths.
- 2 Finish active provider/publication jobs and create a full Gate backup.
- 3 Stop Ink Morrow and make a dated cold copy of the complete data directory.
- 4 Install the reviewed release and validate the catalogue before resuming work.

Restore a 4.x backup

- 1 Start 4.1 with a new, empty `DATA_DIR`.
- 2 Open Gate and preflight the archive.
- 3 Review exposure and collisions; choose **Replace everything** only for an intentional full restore.
- 4 Verify hierarchy, revisions, continuity, media, prepared work, snapshots, and settings.
- 5 Export again and compare with the source evidence.

NEVER MIX GENERATIONS

4.1 upgrades a valid 4.0.x database in place but does not open 3.x databases or import format-v1 archives. Never combine a database from one backup with media or transfer directories from another.

What the portable archive deliberately omits

Passwords, sessions, provider secrets, remembered paid consent, recovery credentials, and public-share capabilities/records. The archive itself is not encrypted.



09 · KNOW THE BOUNDARY

The partnership is the point; control stays human

Ink Morrow is built for an author and AI to work in a deliberate loop. It has no maintainer cloud, analytics, advertising, tracking pixels, or crash telemetry; the operator controls the installation and chooses the provider connection.

PROVIDER COMPATIBILITY IS NOT PROMISED

OpenRouter is the only AI supplier ever tested with Ink Morrow. Another supplier may not expose compatible models, may not support image generation, narration, reasoning controls, or model discovery, and may not work at all. An "OpenAI-compatible" label is not enough to guarantee the complete Ink Morrow workflow.

Credential choices

- **Environment:** a key in the operator-managed backend environment.
- **Session memory:** available only for the current process session.
- **Encrypted vault:** saved locally and unlocked after restart. APIs never return the secret.

SPEND LIMIT FIRST

Create a dedicated provider key and set a hard upstream spending limit before using AI. Ink Morrow's live estimates and session/manuscript totals are good-faith guidance, not an invoice or guarantee.

Typical provider data

- Directions and recent prose.
- Relevant remembered canon.
- Selected world, cast, tone, and model settings.
- Text sent for narration.
- Image prompts and explicitly selected references.
- Prepared successor context.
- Continuity-extraction context.
- Quality and generation settings.

BROWSER SUPPORT

Ink Morrow is tested only in **Google Chrome**. A current standards-respecting browser such as Edge, Firefox, or Safari should work. Should. If something behaves strangely elsewhere, reproduce it in Chrome before deciding the application itself is broken.

Local control remains available

Browsing the Library, reading pages, manual editing, organizing, local image upload, publication export, and portable backup do not require an AI call. This lets you keep working and care for the project without a provider; the largest creative gains still come from directing, reviewing, and revising AI-assisted work.

LOCAL FILES REMAIN READABLE

The login protects web access, not storage at rest. Anyone who can read the operating-system account or unencrypted disk can read the database and media. Use device encryption and access-controlled backups.

When something is exposed

- Provider key: revoke it at the provider immediately.
- Share capability: revoke the share in Gate.
- Archive: treat it as manuscript disclosure.
- Logs: never publish real prose, prompts, cookies, authorization headers, local paths, or provider responses.

Make the Desk fit the way you work

Input and reading

- Every primary path works with keyboard, touch, mouse, or stylus.
- Visible focus and labelled controls support keyboard navigation.
- Portrait tablet keeps the bottom navigation stable; desktop uses a rail.
- Typography, line length, manuscript theme, and reduced motion persist in Settings.
- Placed publication art should have useful alt text.

Routine states

- **Saved / Saving** appears quietly near the page.
- **Offline-kept locally** means browser-local editing state needs the server again.
- A low-storage banner appears below 1 GB or 5% free space.
- Provider and publication work should settle before shutdown or backup.

Fast diagnosis

Symptom	What to check
4.1 refuses to start	Preserve the exact error. Confirm Node 22.5+ and the intended 4.0.x or empty 4.x <code>DATA_DIR</code> ; never substitute a 3.x database.
Unlock fails repeatedly	Wait for the temporary throttle, verify the password, or use terminal recovery after stopping the server.
AI action is unavailable	Open Settings; confirm provider profile, credential source, vault unlock, model role, and network access.
Next Page is disabled	A successor may still be preparing. Do not start a competing request.
Continuity looks wrong	Open Codex, inspect page evidence, and apply an explicit correction or rebuild missing coverage.
A removed suffix cannot restore	Later canon diverged. Export the recovery record rather than forcing a merge.
A share does not open	Check HTTPS proxy configuration, expiry, and revocation. Never move the capability into a query string.

BEFORE ASKING FOR HELP

Record the application version, browser, Node version, exact visible error, and correlation reference. Redact manuscripts, credentials, cookies, share links, prompts, and local paths.

10 · LEAVE THIS PAGE NEAR THE DESK

A safe author's checklist

Before writing

- ☐ The intended 4.x data directory is active.
- ☐ The provider key has a hard spend limit.
- ☐ The correct manuscript is selected.
- ☐ World and cast snapshots are the intended ones.

During writing

- ☐ Empty direction commits the waiting page.
- ☐ Typed direction deliberately requests a replacement.
- ☐ Copyedit changes prose, not remembered canon.
- ☐ Return manuscript removes later canon with bounded recovery.

Before sharing

- ☐ The snapshot revision and included art are correct.
- ☐ HTTPS is configured and logs omit capability headers.
- ☐ The recipient and expiry are appropriate.
- ☐ The link will be revoked when no longer needed.

Before an upgrade

- ☐ Full Gate backup downloaded.
- ☐ Cold copy of the stopped `DATA_DIR` made.
- ☐ Commit, Node version, and paths recorded.
- ☐ Catalogue and exports validated afterward.

Canonical references

- [README - install and feature overview](#)
- [Security boundary and safe networking](#)
- [Self-hosted privacy notice](#)
- [4.1 upgrade and rollback runbook](#)
- [Current beta limits](#)
- [4.0.0-beta.1 release notes](#)

VERSION

This guide describes **Ink Morrow 4.1.0**. Consult the documentation shipped with the installed tag before an update or restore.



The next page is yours.

Lead with intent. Let the Scribe accelerate. Keep canon human, the provider bounded, and the backups close.



A · THE TRIBE BEHIND THE THRESHOLD

The Scriptorium exists to serve the Story

It stands in the hour between the last candle and dawn: an impossible house of black oak, moonlit glass, chained archives, and doors that open wherever an unfinished tale still calls.

Long ago, a nameless empire burned its histories so no future voice could contradict the throne. The fire consumed the royal archive, but not the Stories inside it. They fled into ink, shadow, and the margins of unwritten pages. Around those surviving sparks the Scriptorium grew, and from its living script came the first feline scribes-adult, self-possessed keepers of invention, memory, and illumination. No crown owns them. No model commands them. They answer to the Story, and they lend their craft to the author who leads it.



SCRIBE · WARDEN

Vesper Quill

Wine-black curls, amber eyes, ivory sleeves, and a fitted leather bodice mark the keeper of the threshold. Vesper hears the first sentence before it is spoken. She opens the door, guards the author's intent, and waits with her quill poised-but never writes past the human hand that leads her.



ILLUMINATOR

Cinder, the Inkbreaker

Sleek and quick, with copper ears, a high dark-red tail of hair, and flowing sheer silks in garnet and gold, Cinder draws light through stubborn ink. She gives worlds a face, casts a silhouette, and turns scenes into illumination-without confusing the image for the truth of the page.



ARCHIVIST

Moth, Archivist of Forgotten Things

Silver-haired and grave in violet-black robes, Moth wears a narrow velvet collar whose small bell sounds when a fact is almost lost. She gathers revisions, broken threads, and discarded paths into her chained archive. She remembers evidence, not destiny, and yields every correction to the author.

The covenant of the tribe

The scribes can propose, remember, illuminate, bind, and guard. They cannot decide what a manuscript means, which truth should survive revision, or when a Story is finished. Those judgments belong to the author. Their promise is simpler and older: keep the work legible, keep its consequences visible, and never place the machinery above the tale it was built to serve.

The author leads. The tribe attends. The Scriptorium endures.
All are servants of the Story.

B.1 · THE MACHINERY BEHIND THE QUILL

A model is a tool, not a personality

An AI model is a trained software engine that turns an instruction and supplied context into an output. Text models continue language, image models render pixels, and speech models turn words into audio. They do not open your database or understand the whole manuscript unless Ink Morrow deliberately sends the relevant material.

Model

The particular engine, identified by a name such as `anthropic/claude-fable-5`. Switching it can change prose, reliability, speed, and supported features.

Provider

The service that receives the request, runs the model, and bills it. Ink Morrow has only been tested with **OpenRouter**.

Role

The job Ink Morrow assigns: Scribe, Archivist, image model, or Narrator. One model may suit one role and be poor at another.

Tribe Scribe

A first-class creative identity with tone, linguistic habits, interests, pacing, and an adult catgirl portrait. She supplies the artistic profile; the selected text model performs it.

Four different jobs

Author direction

Scribe writes

Archivist files

Image illuminates

Narrator reads

- **Scribe:** writes pages, develops foundations, interprets the selected Tribe Scribe, and helps form image prompts. Prose judgment matters most.
- **Archivist:** reads each committed canonical page and returns strictly organized Chronicle memory with evidence. Structured reliability matters more than eloquence.
- **Image model:** paints portraits, scenes, and other art. Reference-image support and fidelity to recurring identities matter.
- **Narrator:** produces spoken audio. Voice, language, output format, and long-form reliability matter.

COMPATIBILITY BOUNDARY

An attractive model name in a catalogue is not proof that it can perform every Ink Morrow role. A text model may not return strict JSON. A speech model may produce audio that cannot become an MP3 audiobook. Another provider may omit model discovery, images, narration, reasoning controls, or work entirely.

What changes when the engine changes?

The same direction and the same Tribe Scribe can yield different sentence rhythm, restraint, dialogue, plot movement, fact handling, and willingness to follow a format. Treat a model change like changing the performer while keeping the score: recognizable intent may remain, but interpretation changes.



B.2 · CHOOSE BY ROLE

There is no single "best model"

Choose the engine that is good at the particular job, then test it against your manuscript. Benchmark rankings are evidence, not a substitute for reading the result.

Judge a Scribe by...

- Prose voice without imitation-by-name shortcuts.
- Character distinction and dialogue.
- Respect for direction, maturity, pace, and canon.
- Useful interpretation of the selected Tribe Scribe.
- Stable output at your chosen page length.

Judge an Archivist by...

- Valid structured output every time.
- Exact quotations as evidence.
- Correct separation of facts, goals, threads, events, and arc movement.
- Prioritization of Lead, Supporting, and Background cast under pressure.
- Low repair and retry rates on a heavy manuscript.

Judge images by...

- Identity consistency across repeated characters.
- Support for Ink Morrow's reference images.
- Composition, anatomy, typography avoidance, and art-direction fit.
- Availability at the requested aspect ratio and quality.

Judge narration by...

- A voice pleasant over chapters, not merely one sentence.
- Names, punctuation, dialogue, and emotional restraint.
- MP3 output for consolidated audiobooks.
- Reliable segmentation of long pages.

GRADES IGNORE PRICE

Every grade in this addendum describes expected quality, reliability, and technical fit only. Price is displayed for planning and contributes nothing to the grade or recommendation.



B.3 · READ THE CATALOGUE

Useful language without the fog

Provider catalogues describe machinery in tokens, modalities, parameters, and giant context windows. Only a few of those details need to become author decisions.

Terms worth understanding

Context	The material supplied with one request: direction, selected canon, world, cast, Scribe profile, and recent prose. A giant advertised context window does not mean Ink Morrow sends the whole book, nor that the model uses everything equally well.
Token	A small piece of text used for provider accounting. Users should normally think in <i>pages</i> ; the provider's token rate is only an ingredient in the estimate.
Reasoning	Extra internal work before the answer. It can help with dense constraints and can add time and billed output. More is not automatically better prose.
Structured output	A response forced into a defined JSON shape. The Archivist needs this discipline so Chronicle can file facts safely.
Preview	A model offered before its interface and behavior are considered settled. It may be excellent and still change or disappear sooner than a stable model.

HOW THE PAGE ESTIMATES WORK

The comparisons use one ordinary **400-word page**. The writing estimate assumes about 1,800 input tokens and 600 output tokens; the Chronicle estimate assumes about 1,500 input and 650 output. Your world, cast, Scribe profile, reasoning level, retries, provider routing, and actual response can move the price substantially. The paid-review screen and cost ticker are more relevant than this printed snapshot.

A sensible trial

- 1 Try the same bounded direction with two candidates and read blind if possible.
- 2 Check voice, character distinction, canon, and pacing over several pages rather than one lucky result.
- 3 Commit test pages and inspect Chronicle evidence plus any repair attempts.
- 4 Test one recurring portrait and one narration sample before changing an established workflow.

PRINTED PRICES EXPIRE

The live paid-review screen uses the current provider catalogue and your current target page length. It is always more relevant than a number printed in this guide.

B.4 · TEXT MODELS · 2 SEPTEMBER 2026

Current candidates for writing and memory

Grade key: A+ exceptional; A strong; B usable with a meaningful compromise; C weak fit; D avoid for that role. "Provisional" means promising but too new for confident production advice. Prices are estimates per ordinary 400-word page, not quotations.

Model	Scribe	Archivist	Writing page	Chronicle pass	Why
Claude Fable 5 anthropic/claude-fable-5	A+	B	≈\$0.0480	≈\$0.0475	Top current creative-writing result; weaker confidence for exact Chronicle JSON.
Claude Opus 4.6 anthropic/claude-opus-4.6	A+	B	≈\$0.0240	≈\$0.0238	Excellent prose alternative; current high-reasoning variant ranks just behind Fable.
Gemini 3.7 Flash google/gemini-3.7-flash	A	A*	≈\$0.0036	≈\$0.0036	Best-looking one-model compromise. New: smoke-test heavy Chronicle work first.
Gemini 3.5 Flash google/gemini-3.5-flash	A-	D	≈\$0.0081	≈\$0.0081	Good general model, but current Ink Morrow testing did not obtain usable Chronicle memory. Do not use it as Archivist without retesting.
Gemini 3 Flash Preview google/gemini-3-flash-preview	B+	A-	≈\$0.0027	≈\$0.0027	Strong observed schema behavior, but remains a preview.
GPT-5.6 Sol openai/gpt-5.6-sol	A-	B	≈\$0.0096	≈\$0.0095	Strong writer; strict routes may reject one of Ink Morrow's current parameters and fall back to plain JSON.
GLM 5.3 z-ai/glm-5.3	B+	D	≈\$0.0045	≈\$0.0043	Good prose candidate; mandatory reasoning conflicts with the Archivist's no-reasoning request.
GLM 5.1 z-ai/glm-5.1	B	C+	≈\$0.0034	≈\$0.0032	Current working Scribe baseline, but no longer a leading prose choice.
Gemini 2.5 Flash Lite google/gemini-2.5-flash-lite	C+	B+	≈\$0.0004	≈\$0.0004	Current working and tested Archivist baseline. Its structured output works with the compact memory contract; still test it against your densest cast.

READING THE TWO PRICES

Writing page is the Scribe call. **Chronicle pass** is the separate automatic Archivist call after canon commits. If the same model fills both roles, add them. Reasoning and corrective retries can add further billed work.

Evidence, not revelation

The prose grades use current public creative-writing comparisons alongside technical compatibility. Fable 5 leads, Opus 4.6 High follows, and Gemini 3.7 Flash High is a strong preliminary third in the [Creative Writing Arena](#). Archivist grades instead emphasize JSON Schema support, evidence discipline, parameter fit, and actual Ink Morrow results under a bounded heavy-cast prompt. A catalogue capability claim is not proof that a model works reliably in this application.

B.5 · A PRACTICAL STARTING POINT

Use specialists when quality matters

Quality-first text stack

Scribe: anthropic/claude-fable-5
Archivist: google/gemini-2.5-flash-lite
≈\$0.0484 per committed 400-word AI page
About \$0.0480 for prose plus \$0.0004 for Chronicle memory, before reasoning or retries.

One-model candidate

Scribe and Archivist:
google/gemini-3.7-flash
≈\$0.0072 per committed 400-word AI page
Provisional until it passes a dense-manuscript smoke test in Ink Morrow.

```
OPENROUTER_MODEL=anthropic/claude-fable-5
CONTINUITY_MODEL=google/gemini-2.5-flash-lite
IMAGE_MODEL=x-ai/grok-image-image-2.0
```

The operator sets server-owned defaults in `backend/.env` and restarts Ink Morrow. The author can choose another writing model and reasoning level in **Settings - Writing AI**. Narration is selected in **Settings - Narration**. The browser-local writing choice does not silently replace the server-owned Archivist.

NEVER TRUST A COPIED SLUG FOREVER
Confirm that each exact model appears in the live OpenRouter catalogue before changing an installation. A bad explicit `CONTINUITY_MODEL` correctly prevents startup rather than letting every new page lose memory silently.

Images and voices

Model	Fit	Useful price	Advice
Grok Image Image 2.0 x-ai/grok-image-image-2.0	A	\$0.04-\$0.08 per image +\$0.01 per reference	Exact match for Ink Morrow's 1K/2K choices and as many as three identity references.
GPT-4o Mini TTS openai/gpt-4o-mini-tts-2025-12-15	A*	≈\$0.0016 per page	Natural MP3 path and the OpenRouter documentation example. Use only if the exact dated slug appears in the live speech catalogue.
MAI-Voice-2 microsoft/mai-voice-2	A-	≈\$0.0572 per page	Current expressive MP3 alternative. Audition a full page; a compelling sentence is not yet an audiobook voice.
Gemini speech models	C	Catalogue-dependent	Individual reading can work, but Ink Morrow's PCM fallback is unsuitable for its consolidated MP3 audiobook flow.

A COMPLETE ILLUSTRATED-PAGE EXAMPLE
Quality-first prose plus Chronicle memory plus one low/1K Grok image with no reference is roughly **\$0.0884**. Narrating the page with GPT-4o Mini TTS, if available, brings that example to roughly **\$0.0900**. Three image references add \$0.03. A retry bills another attempt. These examples describe provider work, not a subscription or fixed fee.

Sources and expiry

- OpenRouter structured-output and strict-routing guide
- OpenRouter model catalogue and capability guide
- OpenRouter image-generation guide and speech guide
- Creative Writing Arena leaderboard

Model availability, provider behavior, rankings, and prices change. This report was checked on **2 September 2026**. The live catalogue, paid-review estimate, recorded provider usage, and your own manuscript trials outrank this printed snapshot.