
GMP AUDIT REPORT

Audit Date	28-06-2025
Name Of Auditor	dilpreet
Name Of Auditee	mohan
Audit Scope	Low Risk
Audit Criteria : GMP Audit	
GMP Audit Rating	

	No. of findings	%
Critical	0	0%
Major	0	0%
Minor	2	5%
Compliant	38	95%



Non Conformance Summary Sheet

S.No	Details	Finding	Category	Closure Date
1	Are metal detectable pens in use?	22	Not Applicable	
2	All switches/plugs/knobs on machinery are intact?	SAS	Not Applicable	
3	Are cleaning records completed correctly and up-to-date?	SSA	Minor	
4	All CCP checks are carried out competently by trained staff?	ASSA	Minor	

Question 1	Are food ingredients/products/packaging stored off the floor?
Status	Compliant
Remarks	TEST
Action Required	255
Question 2	Are part used bags of ingredients/packaging sealed and correctly labelled?
Status	Compliant
Remarks	TEST
Action Required	2
Question 3	Are all ingredients labelled and within their expiration date?
Status	Compliant
Remarks	2
Action Required	2
Question 4	Is stock rotation in place and being followed (first in, first out)?

Status	Compliant
Remarks	22
Action Required	22
Question 5	Is there clear segregation of allergen and non allergen WIP and is it correctly labelled?
Status	Compliant
Remarks	22
Question 6	Is the production allergen sequence being followed correctly?
Status	Compliant
Remarks	222
Question 7	Are the allergen controls being followed by staff?
Status	Compliant
Remarks	22
Question 8	Are the cleaning brushes clean, the correct colour for the area and stored off the floor?

Status	Compliant
Remarks	222
Action Required	2
Question 9	Is waste removed from the area on a regular basis, with no overflowing bins?
Status	Compliant
Remarks	222
Action Required	22
Question 10	Are all safety knives and cutters effectively controlled?
Status	Compliant
Remarks	22
Action Required	22
Question 11	Is the area tidy (i.e. floor area clean, free from food spillages and surface tables are kept free)?
Status	Compliant

Remarks	22
Action Required	22
Question 12	Is there an absence of evidence of broken/cracked plastic/glass?
Status	Compliant
Remarks	222
Action Required	222
Question 13	Is there an absence of evidence of temporary repairs, e.g. string/tape?
Status	Compliant
Remarks	na
Action Required	sdds
Question 14	No evidence or signs of infestation or insects?
Status	Compliant
Remarks	na
Action Required	sas

Question 15	No evidence of damage or corrosion on machinery or equipment. No loose, missing or corroded screws and fittings.
Status	Compliant
Remarks	SAASAS
Question 16	Is soap, sanitizer and disposable blue towels all available for use?
Status	Compliant
Remarks	SSAS
Action Required	SASA
Question 17	Are the hand wash/utensil sinks clean and free from odour?
Status	Compliant
Remarks	ASASSA
Question 18	No jewellery or watches are being worn except a plain wedding ring/band?
Status	Compliant
Remarks	SASASA

Question 19	No evidence of smoking or eating in these areas?
Status	Compliant
Remarks	SSS
Action Required	ASA
Question 20	No evidence of strong perfume or aftershave, false fingernails, nail varnish etc?
Status	Compliant
Remarks	SS
Action Required	SSA
Question 21	All staff following procedures personal hygiene rules?
Status	Compliant
Remarks	S
Action Required	SS
Question 22	All records completed correctly?

Status	Compliant
Remarks	SS
Action Required	SSA
Question 23	Are any ingredients on hold within this area? If so, do documented records exist?
Status	Compliant
Remarks	SSA
Action Required	S
Question 24	All scales are in good condition and working correctly?
Status	Compliant
Remarks	SDS
Action Required	DSDSDS
Question 25	Are cleaning records completed correctly and up-to-date?
Status	Minor

Remarks	S
Action Required	SSA
Question 26	All CCP checks are carried out competently by trained staff?
Status	Minor
Remarks	SA
Action Required	ASSA
Question 27	Batch codes are being recorded on production paperwork where applicable?
Status	Compliant
Remarks	S
Action Required	SSA
Question 28	Are ceilings and evaporators/extractor vents clean and in good condition?
Status	Compliant
Remarks	SA

Action Required	SDS
Question 29	Are light covers and electric plugs clean, intact and working?
Status	Compliant
Remarks	SASA
Action Required	SASASA
Question 30	Are all walls clean and in good condition?
Status	Compliant
Remarks	SA
Action Required	AS
Question 31	Are all wall/floor junctions clean and correctly sealed?
Status	Compliant
Remarks	S
Action Required	SASASA

Question 32	Tables, tanks, pipe-work, racking and control panels are free of food residues, dirt debris and corrosion?
Status	Compliant
Remarks	SA
Action Required	SAS
Question 33	Is the floor clean and free from damage and standing water?
Status	Compliant
Remarks	SA
Action Required	SASA
Question 34	Are the drains and drainage channels free of odours or waste build up?
Status	Compliant
Remarks	S
Action Required	SASASA
Question 35	Are the strip curtains/roller shutter doors clean and free of damage?

Status	Compliant
Remarks	SASA
Action Required	SASA
Question 36	Are racks, shelves and plastic pallets free of excess build up?
Status	Compliant
Remarks	SS
Action Required	SS
Question 37	Are rubber seals and bristle strips on door/hatches clean and free from damage?
Status	Compliant
Remarks	SA
Action Required	SAAS
Question 38	Are hose pipes clean, kept off the floor and intact?
Status	Compliant

Remarks	S
Action Required	SS
Question 39	Are chemicals correctly controlled and labelled?
Status	Compliant
Remarks	S
Action Required	SASAS
Question 40	

Auditor Signature :		Auditee Signature :	