

Week 4 Quiz ****Please Note: No Grace Period****

[Help Center](#)

The **due date** for this quiz is **Sun 4 Oct 2015 4:30 PM PDT**.

- ☒ In accordance with the Coursera Honor Code, I (Robert Orlowski) certify that the answers here are my own work. **Thank you!**

Question 1

What is produced at the end of this snippet of R code?

```
set.seed(1)
rpois(5, 2)
```

- ☐ A vector with the numbers 1, 4, 1, 1, 5
- ☐ A vector with the numbers 3.3, 2.5, 0.5, 1.1, 1.7
- ☒ A vector with the numbers 1, 1, 2, 4, 1
- ☐ It is impossible to tell because the result is random

Question 2

What R function can be used to generate standard Normal random variables?

- ☒ rnorm
- ☐ pnorm
- ☐ dnorm
- ☐ qnorm

Question 3

When simulating data, why is using the `set.seed()` function important?

- ☐ It ensures that the sequence of random numbers is truly random.
- ☐ It can be used to generate non-uniform random numbers.

- ☒ It ensures that the sequence of random numbers starts in a specific place and is therefore reproducible.
- ☐ It ensures that the random numbers generated are within specified boundaries.

Question 4

Which function can be used to evaluate the inverse cumulative distribution function for the Poisson distribution?

- ☒ qpois
- ☐ rpois
- ☐ ppois
- ☐ dpois

Question 5

What does the following code do?

```
set.seed(10)
x <- rep(0:1, each = 5)
e <- rnorm(10, 0, 20)
y <- 0.5 + 2 * x + e
```

- ☐ Generate random exponentially distributed data
- ☒ Generate data from a Normal linear model
- ☐ Generate uniformly distributed random data
- ☐ Generate data from a Poisson generalized linear model

Question 6

What R function can be used to generate Binomial random variables?

- ☐ dbinom
- ☐ qbinom
- ☒ rbinom
- ☐ pbinom

Question 7

What aspect of the R runtime does the profiler keep track of when an R expression is evaluated?

- ☐ the global environment
- ☐ the working directory
- ☒ the function call stack
- ☐ the package search list

Question 8

Consider the following R code

```
library(datasets)
Rprof()
fit <- lm(y ~ x1 + x2)
Rprof(NULL)
```

(Assume that y, x1, and x2 are present in the workspace.) Without running the code, what percentage of the run time is spent in the 'lm' function, based on the 'by.total' method of normalization shown in 'summaryRprof()'?

- ☒ 100%
- ☐ 23%
- ☐ It is not possible to tell
- ☐ 50%

Question 9

When using 'system.time()', what is the user time?

- ☐ It is the "wall-clock" time it takes to evaluate an expression
- ☒ It is the time spent by the CPU evaluating an expression
- ☐ It is a measure of network latency
- ☐ It is the time spent by the CPU waiting for other tasks to finish

Question 10

If a computer has more than one available processor and R is able to take advantage of that, then which of the following is true when using 'system.time()'?

- ☐ user time is 0
- ☐ user time is always smaller than elapsed time
- ☐ elapsed time is 0
- ☒ elapsed time may be smaller than user time

☒ In accordance with the Coursera Honor Code, I (Robert Orlowski) certify that the answers here are my own work.

Thank you!

Submit Answers

Save Answers

