

date	task						
27-April-2026	Blueprint flow (retirement planning step-by-step) History queries ("what did we discuss", "show history", etc.) Off-topic blocking (non-finance topics) RTR knowledge base (specific FAQs about baskets, NPS, PPF, etc.) Calculator (arithmetic expressions)						
28-April-2026	working on chatbot arithmetic calculation user blueprint calculation rtr information fund basket what ifs comparison						
29-April-2026	RAG (Retrieval-Augmented Generation) now fetch best result in locally files as well from online and mix the response from side and provide accurate result llm service -> separate file banani hai						
30-April-2026	1. Current approach (local data -> AI enhancement) - This is the right approach and it's called RAG (Retrieval Augmented Generation). It's the industry standard.						
01-May-2026	BRANCH NAME : dev_ai (updated code hai abhi without rag modification involves) edit_rag (here, rag do modification after getting ai response) working : reduce ai server response time . quality of response is not good . architecture is not good -> rag hitana hai .						
05-May-2026	working on chatbot -> orchestrator jaise bna rhe hai -> user ko show ho rha what are the steps taken on backend side Orchestrator Status: PARTIALLY FUNCTIONAL The orchestrator core loop works (SSE streaming + tool-calling), but has critical gaps.						
06-May-2026	File-by-File Breakdown 1. src/components/chat-popup.tsx — Frontend Entry Point What it does: The chat UI component. When user sends a message, it calls sendMessage(). 2. src/app/api/chat/route.ts — API Route What it does: Receives HTTP POST, validates payload, scrubs PII, calls orchestrator, returns SSE stream. 3. src/lib/services/orchestrator-service.ts — The Brain This is the core file. It's a ReadableStream that emits SSE events. Here's every step:						
08-May-2026	chat bot 's admin panel just to make host knowledge dynamically fetch from db. now if we implement chat bot in different website then only only store host_knowdge and host id iframe lagana hai , rtmf mai -> yaha se call hoga ,chatbot with user query and host_id -> chatbot pr received huya host_id -> fetch host_knowledge from db and rest flow is same . analys the codebase and now we to store the host knowledge in mysql db so tell which static is use for fetching the data like (rtr knowledge, faq) and store this in my sql db you have credential for adminer local db create new table called 'host_knowledge' and store all such data and tell me also so we can cross check and delete those static file from project						
09-May-2026	1.comment advance setting in blueprint module 2. now welcome username isshows Files safe to delete (they're reference/docs only, not imported by any service): - src/lib/knowledge/nps-blueprint-logic.md — reference doc, never imported - docs/reference/rtr-details.md — reference doc, never imported - prompt/prompt.md — historical prompt notes, never imported						
11-May-2026	change the host_id : from 'rtr' to 'rtr_mf_chat_bot' in chat is save in db now in session_id concatenate email also in blueprint -> if one answer is missing then only then ask no need to ask all the answers						
12-May-2026	-> DONE, in blueprint module they ask same question if user 's already give question . in other case only ask only those question who does not have answer. -> DONE, NOW what if age, what if sip, and so on such cases are handle						
13-May-2026	pick color which is similar rtr website and build tool calling UI. Refine the current implementation to ensure the chatbot is responsive and mobile-friendly.						
14-May-2026	Execution Lifecycle (condensed) 1. UI Trigger — Host site (rtr-cursor-2) renders a floating button. On click, it opens an iframe to chatbot/embed and sends userData via postMessage. 2. Embed Page — Receives userData from URL params or postMessage, renders <ChatPopup> with apiEndpoint="/api/host/rtr". 3. Message Send — useChatService.sendMessage() does a fetch POST to the BFF route. Response consumed as a ReadableStream (SSE).						
15-May-2026	1. Extracts email from user_data / user_profile 2. Builds sessionId with email suffix 3. PII-scrubs message and user_data 4. Calls orchestrateChat() in src/lib/services/orchestrator-service.ts						
18-May-2026	add new UI -> given bu TPM (new lovable ui)						

19-May-2026	1. change the icon of clear history, DONE 2. test files breaking resolved 3. change the font of query and response -> DONE - User query — chat-popup.tsx:633: text-sm on the user bubble div - AI response — chat-popup.tsx:653: text-sm on the wrapper div around 4. when user hover on clear history then thumb will be see. 5. Task 1: User query div height → chat-popup.tsx:633 — change py-2.5 to py-1.5						
20-May-2026	now blueprint calculator will come in single screen , no need to scroll up&down -> user now edit his details and this update details will show in blueprint also -> sessionid bug resolved -> projected corpus commented () -> portfolio response -> ab no need to show						
21-May-2026	work: DONE comment -> build a sip plan for 1.2 cr goal , "your input", cross button -> Delete dead code files (vector-store, rag-service, faq-matcher, blueprint-followup, data-aggregator)						
22-May-2026	add save.reset button in blueprint div add shadow in response div remove extra fileincludes(rag,vector etc) now whole hostknowledge, user data, system prompt, user history go to ai . caht-ui.ts file mai line 158 mai change bullet point show ho rhe hai color change krna h						
23-May-2026	1. now reduce history size -> 10 to 6 history user data fetch, 2. change the font/bullet points. in response 3. comment compare basket tools, now all query goes to llm with {hostknowledge , userdata, system_prompt} and make run in loop. last time we check locally to resolve such type of query.						
25-May-2026	now testing in progress of chatbot,now every query ab llm ke pass jayegi with {system prompt, hostknowledge, userdata[history,current query]} and in loop we check llm need tools or they finalize the output.						
27-May-2026	What: Takes history + context injection + current message → builds the final array sent to LLM. Why: The LLM needs a specific format: [{role: "user/assistant/tool", content: "..."}]. This function: 1. Caps history at 6 messages (saves tokens) 2. Appends the current user message WITH context injection embedded in it						
28-May-2026	there some point which discussed and working on 1.) arithmetic tool chahiye 2.) be specific response no need to give whole user data again and again (for e.g.waht if retirement age is 54,then what changes happen) 3.) user can be ask anything :- if inflation is go up 1% then what will do? what is 3 month fund performance 4.) user ask page like fundlisting page or wishlist page then it will redirect to that page						
29-May-2026	1. Add 5 profile steps to blueprint-service.ts (name, sex, employmentType, liquidity, stepUpSip) — new BlueprintStep types, 2. Implement what-if scenario logic — when user asks 'what if PreRoR is 8%' or 'what if retirement is 45', do NOT regenerate blueprint. Instead, show only the changed values side-by-side (old vs new). Only update blueprint after user confirmation. 3. Add radio button widget for sex & employment_type steps in chat-popup.tsx — render clickable options in chat (Man/Lady/Trans for sex, 8 options+Other for employment type). On click, send answer as chat message. 4. Update ai-config.ts system prompt — add rules for profile collection steps, what-if handling (show delta only, wait for confirmation before updating blueprint)						
30-May-2026	test cases of blueprint, if age is not coming in payload then llm will ask this question and only other question well those data is not coming from payload.						
01-June-2026	working branch : dynamic5.1 DONE : comment 'corpus gap' and show desired income as on retirement year' in place of 'corpus gap' DONE : make inflation number will be dynamic DONE : comment goal probability, 'return13 %' which are below the 'rtr score', 'Post-ret'						
02-June-2026	doubt : sheet mai default value is Life Expectancy Default Value 100 Post-Retirement Rate of Return Default Value 6.5% yaha pr 7.5% r dia , ab sahi retirement corpus match kr rha with rtr.money & application. Pre-Retirement Rate of Return Default Value 7% Inflation Rate Default Value 4.5% point to working , testing krna: if user data is not come in api then llm should all missing details for showing blueprint first time user come to site then bot can ask all necessary question then only show blueprint-plan testing : waht if inflation go up 14% waht if retirement age is 59						
03-June-2026	DONE: in prompt : sip calculator -> comment -> we dont have this calculator DONE: comment: in blueprint comment rtr score just only show inflation rate, currently we don't have correct formula for this . DONE testing question (query) : what if retirement age is 54 :response will be only show changed data DONE what if age is 18 :response will be only show changed data DONE in blueprint module there is "Increase your monthly SIP by ₹4.96 L to close the gap." where you calculate this dynamic 4.96l data? DONE: "What do you know about me" → no tools, text-only.						

	DONE : COMMENT: here desired income is wrong. DONE : COMMENT "Possible monthly income at retirement." DONE : QUERY : "Suggest top 3 mutual funds for me", iska response's layout sahi kr rhe hai . DONE : COMMENTED "Projected corpus": this comes WHEN query IS : "tell funds in details " DONE : fundbasket tool.						
04-June-2026	TESTING SCENARIO 1: WHEN USER NOT LOGGED IN						
	DONE: user'S name is not store in context if user is not logged in case DONE : The basket comparison now shows only real DB data (return %, volatility, allocation, risk, horizon, who it's for) — no misleading hardcoded corpus projections. DONE : comment -> project corpus in "fund basket:" because it hard coded values DONE : create a new function for checking what user fund wants in details? or general so it solve this error like "no fund found", it will compare the query with db fund data (NOW USER CAN GIVVE WRONG FUND NAME STILL GOT RIGHT DATA). MEET WITH SKG SIR POINT TO BE WORKING recent chat history -retrieval 1. now in chatbot , show the chat retrieval icon or string, just like gpt website has new conversation or list of history 2. blueprint div should be commented -> now data come from api and show in theory format. 3. agr user blueprint page pr hai to isse related hae lim will ask question 4. in first / initial chatbot page there is some question will be appear (why do i need a {user.corpus} to retire ?) 5. be specific to the answer if host_knowledge has else use generic. 6. mutual fund ka data hamesha new aayega. for ne query no need to check history of different conversation 7. (I'm your retirement and financial planning assistant. I can only help with topics like mutual funds, insurance, retirement planning, tax saving, and investment strategies. Please ask me something related to these topics.)) replace with--> "I'm your retirement RTR assistant. I can only help related to retirement and life goals.Please ask something related to this " 8. ((Would you like to see the full plan details?)) replace with --> If there's anything specific you'd like to know or modify, feel free to ask!						
05-June-2026							
8-June-2026	1. create a screen in chatbot called 'history list' shows, here user can see all his conversation and able to check specific conversation. 2. added new icon called 'new conversation' for start new conversation in header. 3. modify the 'clear conversation' icon to new icon. 4. new table is created called 'conversation' that storing user content and linked with 'chat_history' table so that we fetch all conversation for loggedin user. 5. in conversation table, add new key called 'seq' which works for 'autoincrementedkey' updated branch: dynamic5.2 -> stable commit : 04328ef7bb3d5363acdac0caa0be4d0321ee272e - create a new table called 'query_cache' -add new functions for this functionality. now we save general query in 'query_cache' using its embedded form and compare this with new query for better result. TTL is 30days						
9-June2026	When a general query comes in, an OpenAI's text-embedding-3-small embedding model (a vector of numbers) is generated for the query text . After the LLM responds, the system checks if the response is cacheable via isCacheableResponse() (query-cache-service.ts:53-78). If yes, the query text, its embedding vector, the LLM response, and a 30-day TTL (expires_at) are stored in the query_cache MySQL table - Add NISM website reference (https://www.nism.ac.in) for SEBI/securities market queries - Add KNOWLEDGE SOURCE CLASSIFICATION section to SYSTEM_PROMPT						
10-June-26	meeting with skg sir 1. mobile appmai integrated krna hai 2. mobile app jis page pr hai , uss page ki knowledge ho and dusre page data puchta hai tab uss page ka redirect button show krna hai , ab user buton pr click krega , then waha (page) pahuckr fir se puchega 3. new api for token , so then we can fetch the blueprint						
11-June-2026	latest branch : dynamic5.2 (cache, nism,chat retrieval) create new branch from main, called 'api_intigrationv1'----> here implement blueprint api to fetch data.						
12-June-2026	new branch created from 'api_intigrationv1' is 'api_intigrationv2' now change iframe with scrip so there is no need to do extra code and test the blueprint edit and show api .						
13-June-2026	Removed all calculator.projectPlan() calls and UserPlanInput build nps api investigate						
15-June-2026	new api needed to calculate the user's required corpus base on changeable input , currently we have save or edit api which direct modify db data. but first user said proceed then only hit this api						
16-June-2026	create a new branch from main, 'fix/widget-identity-and-history-2' The 4 Problems 1. Double decode 2.BFF decode is decorative, not a gate. 3. Trust boundary crack 4. Authorization check stripped						
17-June-2026	leave						