

# Orders

1inch Fusion+ Orders API

POST <https://api.1inch.dev/fusion-plus/orders/v1.0/order/status>

Get orders by hashes

## Request Body

Content type

application/json

Click in to adjust the request body:

```
{
  "orderHashes": [
    "0x10ea5bd12b2d04566e175de24c2df41a058bf16df4af3eb2fb9bff38a9da98e9",
    "0x20ea5bd12b2d04566e175de24c2df41a058bf16df4af3eb2fb9bff38a9da98e8",
    "0x30ea5bd12b2d04566e175de24c2df41a058bf16df4af3eb2fb9bff38a9da98e7",
    "0x40ea5bd12b2d04566e175de24c2df41a058bf16df4af3eb2fb9bff38a9da98e6"
  ]
}
```

Request Body Schema:

- ▼ OrdersByHashesInput **object**
  - ▼ orderHashes \* **array**
    - items **string**

## swagger.response

Code: default

Schema:

- ▼ GetOrderFillsByHashOutput **object**
  - orderHash \* **string**
  - ▼ status \* **string (Enum)**
    - pending
    - executed
    - expired
    - cancelled

- refunding
- refunded
- ▼ validation \* string (Enum)
  - valid
  - order-predicate-returned-false
  - not-enough-balance
  - not-enough-allowance
  - invalid-permit-signature
  - invalid-permit-spender
  - invalid-permit-signer
  - invalid-signature
  - failed-to-parse-permit-details
  - unknown-permit-version
  - wrong-epoch-manager-and-bit-invalidator
  - failed-to-decode-remaining
  - unknown-failure
- ▼ order \* any
  - ▼ allOf[0] LimitOrderV4StructOutput object
    - salt \* string
    - maker \* string
    - receiver \* string
    - makerAsset \* string
    - takerAsset \* string
    - makingAmount \* string
    - takingAmount \* string
    - makerTraits \* string
  - extension \* string
- ▼ points \* any
  - ▼ allOf[0] AuctionPointOutput object
    - delay \* number
    - coefficient \* number
  - approximateTakingAmount \* string
  - positiveSurplus \* string
- ▼ fills \* array
  - ▼ items FillOutputDto object
    - ▼ status \* string (Enum)
      - pending
      - executed
      - refunding
      - refunded
    - txHash \* string
    - filledMakerAmount \* string
    - filledAuctionTakerAmount \* string
    - ▼ escrowEvents \* array
      - ▼ items EscrowEventDataOutput object
        - transactionHash \* string
        - escrow \* string
        - ▼ side \* string (Enum)
          - src
          - dst
        - ▼ action \* string (Enum)
          - src\_escrow\_created
          - dst\_escrow\_created
          - withdrawn
          - funds\_rescued
          - escrow\_cancelled
        - blockTimestamp \* number
- auctionStartDate \* number
- auctionDuration \* number
- initialRateBump \* number
- createdAt \* number
- srcTokenPriceUsd \* object
- dstTokenPriceUsd \* object
- cancelTx \* object

srcChainId \* number  
dstChainId \* number  
cancelable \* boolean  
takerAsset \* string  
timeLocks \* string

## Authorization - API KEY

API KEY

[Sign in](#) for automatic API key authentication.

Try it



NodeJS

Python

cURL

Go

```
const axios = require("axios");

async function httpCall() {
  const url = "https://api.1inch.dev/fusion-plus/orders/v1.0/order/status";

  const config = {
    headers: undefined,
    params: {},
    paramsSerializer: {
      indexes: null,
    },
  };
  const body = {
    orderHashes: [
      "0x10ea5bd12b2d04566e175de24c2df41a058bf16df4af3eb2fb9bff38a9da98e9",
      "0x20ea5bd12b2d04566e175de24c2df41a058bf16df4af3eb2fb9bff38a9da98e8",
      "0x30ea5bd12b2d04566e175de24c2df41a058bf16df4af3eb2fb9bff38a9da98e7",
      "0x40ea5bd12b2d04566e175de24c2df41a058bf16df4af3eb2fb9bff38a9da98e6",
    ],
  };
}
```

## Response

Click the try-it button to test your API call and see the real-time response right here.

Previous

[Get order by hash](#)

Next

[Get quote details based on input data](#)

