





Q

Swagger

1inch Tokens API

GET https://api.1inch.dev/token/v1.2/{chainId}/custom/{address}

Get single token Get token info

✓ providers * array



swagger.response Code: 200 Token info Schema: TokenDto object chainId * number symbol * string name * string address * string decimals * number logoURI string rating * number eip2612 boolean isFoT boolean tags * array ✓ items TagDto object provider * string value * string

```
Code: 400
Invalid chain ID or address
Schema:

BadRequestErrorDto object
    statusCode * number
    message * string
    error * string
```

```
Authorization - API KEY
```

API KEY

Sign in for automatic API key authentication.

items string

```
<del>Q</del>
    Try it
NodeJS
               Python cURL Go
    const axios = require("axios");
    async function httpCall() {
     const url =
      "https://api.1inch.dev/token/v1.2/1/custom/0x111111111111117dc0aa78b770fa6a73803
    4120c302";
     const config = {
      headers: undefined,
      params: {},
      paramsSerializer: {
       indexes: null,
     },
    };
     try {
      const response = await axios.get(url, config);
      console.log(response.data);
     } catch (error) {
      console.error(error):
```

Response

Click the try-it button to test your API call and see the real-time response right here.

Previous

Next

Get many tokens

Get single token >