





Q

Orders

1inch Fusion API

GET https://api.1inch.dev/fusion/orders/v2.0/{chain}/order/active

Get gasless swap active orders



swagger.response

Code: 200

Array of queried active orders

Code: 400

Input data is invalid

Code: default

Schema:

- ✓ GetActiveOrdersOutput object
 - ✓ meta * Meta object

 totalItems * number

 itemsPerPage * number

```
totalPages * number
     currentPage * number
items * array

✓ items ActiveOrdersOutput object

         orderHash * string
         signature * string
         deadline * string
         auctionStartDate * string
         auctionEndDate * string
         quoteld * string
         remainingMakerAmount * string
         extension * string

✓ order * any

✓ allOf[0] FusionOrderV4 object

                salt * string
                maker * string
                receiver * string
                makerAsset * string
                takerAsset * string
                makingAmount * string
                takingAmount * string
                makerTraits * string
       version * string (Enum)
            2.0
            2.1
            2.2
```

Authorization - API KEY

API KEY

Sign in for automatic API key authentication.

Try it

NodeJS Python cURL Go

```
const axios = require("axios");

async function httpCall() {
  const url = "https://api.1inch.dev/fusion/orders/v2.0/1/order/active";

const config = {
  headers: undefined,
  params: {
    page: 1,
    limit: 100,
    version: "2.0",
  },
  paramsSerializer: {
    indexes: null,
  },
}
```

```
try {
const response = await axios.get(url, config);
```

Response

Click the try-it button to test your API call and see the real-time response right here.

Previous

Next

< Introduction

Get actual settlement contract address >

© 2025 1inch Limited | Privacy Policy | Terms of Service | Commercial API Terms of Use