



## 1inch Swap API

### Find the best quote to swap with 1inch Router

 Ethereum

chain number \* (path)

1

```
0xffffffffffffffffffffffffffffffff
```

0x11111111117dc0aa78b770fa6a738034'

1000000000000000000

All supported liquidity sources by default

Partner fee. min: 0; max: 3 Should be the same for /quote and /swap

Network price per gas in wei. By default fast network gas price

parts **number** (query)

```
mainRouteParts number (query)
```

gasLimit **number** (query)

includeTokensInfo **boolean** (query)

Return fromToken and toToken info in response

includeProtocols **boolean** (query)

Return used swap protocols in response

includeGas **boolean** (query)

Return approximated gas in response

connectorTokens **string** (query)

excludedProtocols **string** (query)

excluded supported liquidity sources

## swagger.response

Code: 200

Schema:

- ▼ QuoteResponse **object**
  - ▼ srcToken **any**
    - ▼ allOf[0] TokenInfo **object**
      - address \* **string**
      - symbol \* **string**
      - name \* **string**
      - decimals \* **number**
      - logoURI \* **string**
      - domainVersion **string**
      - eip2612 **boolean**
      - isFoT **boolean**
    - ▼ tags **array**
      - items **string**
  - ▼ dstToken **any**
    - ▼ allOf[0] TokenInfo **object**
      - address \* **string**
      - symbol \* **string**
      - name \* **string**
      - decimals \* **number**
      - logoURI \* **string**
      - domainVersion **string**
      - eip2612 **boolean**
      - isFoT **boolean**
    - ▼ tags **array**
      - items **string**
  - dstAmount \* **string**
  - ▼ protocols **array**
    - ▼ items TokenSwaps **object**
      - token \* **string**
      - ▼ hops \* **array**
        - ▼ items TokenHop **object**
          - part \* **number**
          - dst \* **string**

```
    fromTokenId * number
    toTokenId * number
  }
  protocols * array
  {
    items SelectedLiquiditySource object
    name * string
    part * number
  }
  gas number
```

Code: 400

Schema:

```
QuoteRequestError object
  error * string
  description * string
  statusCode * number (Enum)
    400
    500
  requestId * string
  meta * array
  {
    items HttpExceptionMeta object
    type * string
    value * string
  }
```

## Authorization - API KEY

API KEY

[Sign in](#) for automatic API key authentication.

Try it



NodeJS Python cURL Go

```
const axios = require("axios");

async function httpCall() {
  const url = "https://api.1inch.dev/swap/v6.1/1/quote";

  const config = {
    headers: undefined,
    params: {
      src: "0xe000000000000000000000000000000000000000",
      dst: "0x11111111117dc0aa78b770fa6a738034120c302",
      amount: "1000000000000000",
    },
    paramsSerializer: {
      indexes: null,
    },
  };
}
```

```
try {  
  const response = await axios.get(url, config);
```



## Response

Click the try-it button to test your API call and see the real-time response right here.

Previous

[< Quick start](#)

Next

[Generate calldata to swap on 1inch Router](#)

