









Q

# Swagger

Token-details API

POST https://api.1inch.dev/token-details/v1.0/prices/change/{chain}

Returns token price change by interval for a list of tokens



## Request Body

Content type application/json

Click in to adjust the request body:

```
{
    "tokenAddresses": [
        "0x111111111117dC0aa78b770fA6A738034120C302",
        "0x1f9840a85d5aF5bf1D1762F925BDADdC4201F984"
    ],
    "interval": "24h"
}
```

Request Body Schema:

- GetTokenListPriceRequestDto object
  - tokenAddresses \* array items string
  - interval \* string (Enum)5m

10m 15m 30m 50m 1h 2h 3h 4h 6h 12h 24h 2d 3d 7d 14d 15d 30d 60d 90d 365d max

#### swagger.response

Code: 200

Token price changes over the given interval

Schema:

array

▼ items TokenListPriceChangeResponseDto object

tokenAddress \* string inUSD \* number inPercent \* number

Code: 400

If data format is invalid or there are validation errors

Code: 404

If one or more tokens were not found in the price listings

Code: 500 Fatal server error

### Authorization - API KEY

**API KEY** 

Sign in for automatic API key authentication.

G

NodeJS Python cURL Go

```
const axios = require("axios");
async function httpCall() {
 const url = "https://api.1inch.dev/token-details/v1.0/prices/change/1";
 const config = {
  headers: undefined,
  params: {},
  paramsSerializer: {
   indexes: null,
 },
};
 const body = {
  tokenAddresses: [
   "0x1111111111117dC0aa78b770fA6A738034120C302",
   "0x1f9840a85d5aF5bf1D1762F925BDADdC4201F984",
  interval: "24h",
};
```

#### Response

Click the try-it button to test your API call and see the real-time response right here.

Previous

Returns historical token prices at USD by time interval

Next

Returns token price change by interval for a list of tokens