

# Swagger

Transaction history

POST https://api.1inch.dev/history/v2.0/history/{address}/events/swaps

Returns swap events for the user

## Parameters

address **string** \* (path)

Account address

0x111111111117dC0aa78b770fA6A738034

## Request Body

Content type

application/json

Click in to adjust the request body:

```
{
  "filter": {
    "chain_ids": [
      "string"
    ],
    "token_address_from": {},
    "token_address_to": {},
    "limit": 0
  }
}
```

Request Body Schema:

- HistorySwapFilterRootDto **object**
- filter \* HistorySwapFilterDto **object**
  - chain\_ids \* array
    - items **string**
  - token\_address\_from \* UnifiedTokenAddress **object**
  - token\_address\_to \* UnifiedTokenAddress **object**
  - limit **number**

## swagger.response

Code: 200

Schema:

- ▼ array
  - ▼ items HistoryEventResponseDto object
    - item \* object
    - cache\_counter \* number

Code: 400

Bad Request.

Code: 401

Unauthorized.

Code: 500

Internal server error.

## Authorization - API KEY

API KEY

[Sign in](#) for automatic API key authentication.

Try it



NodeJS

Python

cURL

Go

`const axios = require("axios");`

`const httpCall = async function (url) {`

## Response

Click the try-it button to test your API call and see the real-time response right here.

```
params: {},
paramsSerializer: {
```

```
  indexes: null,
},
```

Previous

[Returns history event with search filter](#)

```
const body = {
```

```
  filter: {
    chain_ids: ["string"],
```

```
    token_address_from: {},
```

```
    token_address_to: {},
```

```
    limit: 0.
```

Next

[Introduction](#)

© 2025 All rights reserved | [Privacy Policy](#) | [Terms of Service](#) | [Commercial API Terms of Use](#)