






## C

## Swagger

1inch Orderbook API

GET https://api.1inch.dev/orderbook/v4.0/{chain}/all

Get all limit orders



## swagger.response

Code: 200

Array of queried limit orders

```
Schema:
       array

    items GetLimitOrdersV4Response object

             signature * string
             orderHash * string
             createDateTime * string
             remainingMakerAmount * string
             makerBalance * string
             makerAllowance * string

✓ data * any

✓ allOf[0] LimitOrderV4Data object

                     makerAsset * string
                     takerAsset * string
                     maker * string
                     receiver string
                     makingAmount * string
                     takingAmount * string
                     salt * string
                     extension string
                     makerTraits string
             makerRate * string
             takerRate * string
             isMakerContract * boolean
             orderInvalidReason * string
Code: 400
Input data is invalid
Schema:
      object

✓ statusCode integer (Enum)

             400
          message string
      error string (Enum)
             Bad Request
Authorization - API KEY
  APIKEY
```

Sign in for automatic API key authentication.

async function httpCall() {

const url = "https://api.1inch.dev/orderbook/v4.0/1/all";

NodeJS Python cURL Go

const axios = require("axios");

```
const config = {
  headers: undefined,
  params: {
    page: 1,
    limit: 100,
    statuses: "1,2,3",
    takerAsset: "0x1234567890ABCDEF1234567890ABCDEF12345678",
    makerAsset: "0x1234567890ABCDEF1234567890ABCDEF12345678",
},
paramsSerializer: {
  indexes: null,
  },
};
```

## Response

Click the try-it button to test your API call and see the real-time response right here.

Previous

Next

Get order by the specified order hash

Get orders count by specified filters >

© 2025 1inch Limited Privacy Policy Terms of Service Commercial API Terms of Use