

Swagger

Transaction history

GET <https://api.1inch.dev/history/v2.0/history/{address}/events>

Returns history events for address

Network



Ethereum



Parameters

address **string** * (path)

Account address

0x266E77cE9034a023056ea2845CB6A2051

limit **number** (query)

Amount of events to return, default is 100, max is 2048

100

tokenAddress **string** (query)

Token address used at event

chainId **number** (query)

chainId

1

toTimestampMs **string** (query)

To time at milliseconds

1695283931212

fromTimestampMs **string** (query)

From time at milliseconds

1694754179096

swagger.response

Code: 200

Schema:



array



items HistoryResponseDto **object**



items * array



items HistoryEventDto **object**

```
id * string
address * string
type * number
▼ rating * string (Enum)
    Reliable
    Scam
timeMs * number
▼ details * TransactionDetailsDto object
    orderInBlock * number
    txHash * string
    ▼ chainId * number (Enum)
        1
        45
        137
        10
        56
        42161
        43114
        100
        250
        1313161554
        8217
        324
        8453
        59144
        501
        146
        130
        blockNumber * number
        blockTimeSec * number
        status * string
    ▼ type * string (Enum)
        Unknown
        Approve
        Wrap
        Unwrap
        Transfer
        SwapExactInput
        SwapExactOutput
        LimitOrderFill
        LimitOrderCancel
        LimitOrderCancelAll
        Multicall
        AddLiquidity
        RemoveLiquidity
        Borrow
        Repay
        Stake
        Unstake
        Vote
        DelegateVotePower
        UnDelegateVotePower
        DiscardVote
        DeployPool
        Claim
        AbiDecoded
        TraceDecoded
        Action
        Bridge
        BuyNft
        BidNft
        OfferSellNft
        Burn
        WrappedTx
        RegisterENSDomain
        Revoke
        CreateSafe
        AddOwner
```

```

    Send
    Receive
    MultiStage
    Swap
    LimitOrderCreate
  ✓ tokenActions * array
    ✓ items TokenActionDto object
      address * string
      standard * string
      fromAddress * string
      toAddress * string
      tokenId object
      amount object
      ✓ direction * string (Enum)
        In
        Out
        Self
        On
      fromAddress * string
      toAddress * string
      nonce * number
      feeInSmallestNative * string
    ✓ meta TransactionDetailsMetaDto object
      is1inchFusionSwap object
      is1inchCrossChainSwap object
      orderFillPercentage object
      ensDomainName object
      fromChainId object
      toChainId object
      safeAddress object
      protocol object
  cache_counter * number

```

Code: 400
Bad Request.

Code: 401
Unauthorized.

Code: 500
Internal server error.

Authorization - API KEY

API KEY

[Sign in](#) for automatic API key authentication.

Try it



NodeJS Python cURL Go

```
const axios = require("axios");
```

```
async function httpCall() {
  const url =
    "https://api.1inch.dev/history/v2.0/history/0x266E77cE9034a023056ea2845CB6A20517F6FDB7/events";

  const config = {
    headers: undefined,
    params: {
      limit: 100,
      chainId: "1",
      toTimestampMs: 1695283931212,
      fromTimestampMs: 1694754179096,
    },
    paramsSerializer: {
      indexes: null,
    },
  };
}
```

Response

Click the try-it button to test your API call and see the real-time response right here.

Previous

[< Quickstart guide](#)

Next

[Get history events by address >](#)