

# Swagger

Transaction history

POST <https://api.1inch.dev/history/v2.0/history/{address}/search/events>

Returns history event with search filter

## Parameters

address **string** \* (path)

Account address

0x1111111111117dC0aa78b770fA6A738034

## Request Body

Content type

application/json

Click in to adjust the request body:

```
{
  "filter": {
    "and": {
      "and": {
        "from_time_ms": null,
        "to_time_ms": null,
        "chain_ids": [
          "string"
        ],
        "transaction_types": [
          "string"
        ],
        "token_addresses": [
          "string"
        ],
        "chain_based_token_addresses": [
          "string"
        ]
      }
    }
  }
}
```

Request Body Schema:

▼ HistorySearchMultiFilterRootDto **object**

- ▼ filter \* HistorySearchMultiFilterRootFilterDto object
  - ▼ and \* HistorySearchMultiFilterRootAndDto object
    - ▼ and \* SearchAndMultiFilterDto object
      - from\_time\_ms object
      - to\_time\_ms object
      - ▼ chain\_ids array
        - items string
      - ▼ transaction\_types array
        - items string
      - ▼ token\_addresses array
        - items string
      - ▼ chain\_based\_token\_addresses array
        - items string
    - ▼ or \* SearchOrMultiFilterDto object
      - ▼ chain\_ids array
        - items string
      - ▼ transaction\_types array
        - items string
      - ▼ chain\_based\_token\_addresses array
        - items string
      - transaction\_hash UnifiedTransactionHash object
      - from\_or\_to\_address UnifiedAccountAddress object
- limit number

## swagger.response

Code: 200

Schema:

- ▼ array
  - ▼ items HistoryEventResponseDto object
    - item \* object
    - cache\_counter \* number

Code: 400

Bad Request.

Code: 401

Unauthorized.

Code: 500

Internal server error.

## Authorization - API KEY

API KEY

[Sign in](#) for automatic API key authentication.



NodeJS

Python

cURL

Go

```
const axios = require("axios");

async function httpCall() {
  const url =
    "https://api.1inch.dev/history/v2.0/history/0x11111111117dC0aa78b770fA6A738034120C302/search/events";

  const config = {
    headers: undefined,
    params: {},
    paramsSerializer: {
      indexes: null,
    },
  };
  const body = {
    filter: {
      and: {
        and: {
          from_time_ms: null,
          to time ms: null.
        }
      }
    }
  };
}
```

## Response

Click the try-it button to test your API call and see the real-time response right here.

Previous

[< Get history events by address](#)

Next

[Returns swap events for the user >](#)