








Q

Orders

1inch Fusion+ Orders API

GET https://api.1inch.dev/fusion-plus/orders/v1.0/order/maker/{address}

Get orders by maker address



```
Find history by the given destination token
Example:
0xc2132d05d31c914a87c6611c10748aeb04b58e8f
withToken string (query)
Find history items by source or destination token
Example:
0xc2132d05d31c914a87c6611c10748aeb04b58e8f
dstChainId number (query)
Destination chain of cross chain
Example: 137
srcChainId number (query)
Source chain of cross chain
Example: 1
chainId number (query)
                                                             1
chainId for looking by dstChainId == chainId OR srcChainId
== chainId
Example: 56
swagger.response
```

```
Code: default
Schema:
      GetOrderByMakerOutput object

✓ meta * Meta object

             totalltems * number
             itemsPerPage * number
             totalPages * number
             currentPage * number

✓ items * array

✓ items ActiveOrdersOutput object

                 orderHash * string
                 signature * string
                 deadline * number
                 auctionStartDate * number
                 auctionEndDate * number
                 quoteld * string
                 remainingMakerAmount * string
                 makerBalance * string
                 makerAllowance * string
                 isMakerContract * boolean
                 extension * string
                 srcChainId * number
                 dstChainId * number

✓ order * any

✓ allOf[0] CrossChainOrderDto object

                        salt * string
                        maker * string
                        receiver * string
                        makerAsset * string
                        takerAsset * string
                        makingAmount * string
                        takingAmount * string
```

makerTraits * string

secretHashes array

```
items array

• fills * array

items string
```

Authorization - API KEY

API KEY

Sign in for automatic API key authentication.

```
ф
    Try it
NodeJS
              Python
                          cURL
                                        Go
    const axios = require("axios");
    async function httpCall() {
     const url =
      "https://api.1inch.dev/fusion-plus/orders/v1.0/order/maker/{address}";
     const config = {
      headers: undefined,
      params: {
       chainId: "1",
      paramsSerializer: {
       indexes: null,
     },
    };
      const response = await axios.get(url, config);
      console.log(response.data);
     } catch (error) {
```

Response

Click the try-it button to test your API call and see the real-time response right here.

Previous

Get actual escrow factory contract address

Next

Get all data to perform withdrawal and cancellation