









Q

TakerTraitsLib

type TakerTraits is uint256;

Functions

is Making Amount

```
function isMakingAmount(
     TakerTraits takerTraits
) internal pure returns (bool)
```

Parameters:

Name	Туре	Description
takerTraits	TakerTraits	

Return values

Туре	Description
bool	

unwrapWeth

function unwrapWeth(
 TakerTraits takerTraits
) internal pure returns (bool)

Parameters:

Name	Туре	Description
takerTraits	TakerTraits	

Return values

Туре	Description
bool	

skip Maker Permit

```
function skipMakerPermit(
     TakerTraits takerTraits
) internal pure returns (bool)
```

Parameters:

Name	Туре	Description
takerTraits	TakerTraits	

Return values

Туре	Description
bool	

usePermit2

```
function usePermit2(
    TakerTraits takerTraits
) internal pure returns (bool)
```

Parameters:

Name	Туре	Description
takerTraits	TakerTraits	

Return values

Туре	Description
bool	

threshold

```
function threshold(
    TakerTraits takerTraits
```

) internal pure returns (uint256)

Parameters:

Name	Туре	Description
takerTraits	TakerTraits	

Return values

Туре	Description
uint256	

Previous

SeriesEpochManager

Next

IUniswapV3SwapCallback >

© 2025 1inch Limited | Privacy Policy | Terms of Service | Commercial API Terms of Use