





Q

## Swagger

1inch Tokens API

GET https://api.1inch.dev/token/v1.3/{chainId}/custom

Get many tokens

Get tokens info



## swagger.response

Code: 200

Tokens info map

Schema:

✓ object

```
    0x111111111117dc0aa78b770fa6a738034120c302 TokenInfoDto object
        address * string
        chainId * number
        decimals * number
        extensions object
        logoURI * string
        name * string
        symbol * string
    * tags * array
        items string
```

Code: 400

Invalid chain ID or address

Schema:

 BadRequestErrorDto object statusCode \* number message \* string error \* string

## Authorization - API KEY

**API KEY** 

Sign in for automatic API key authentication.

```
ф
    Try it
               Python
NodeJS
                             cURL
                                         Go
    const axios = require("axios");
    async function httpCall() {
     const url = "https://api.1inch.dev/token/v1.3/1/custom";
     const config = {
      headers: undefined,
      params: {},
      paramsSerializer: {
       indexes: null,
      },
     };
     try {
      const response = await axios.get(url, config);
      console.log(response.data);
     } catch (error) {
      console.error(error);
     }
    }
```

## Response

Click the try-it button to test your API call and see the real-time response right here.

Previous Next

© 2025 1inch Limited | Privacy Policy | Terms of Service | Commercial API Terms of Use