





Q

Swagger

1inch Orderbook API

GET https://api.1inch.dev/orderbook/v4.0/{chain}/unique-active-pairs

Get unique active token pairs



swagger.response

Code: 400

Input data is invalid

Schema:

- ✓ object
 - ✓ statusCode integer (Enum)

 400

message string

✓ error string (Enum)

Bad Request

Code: default

Schema:

GetActiveUniquePairsResponse object

```
    meta * Meta object
        totalltems * number
        itemsPerPage * number
        totalPages * number
        currentPage * number
    items * array
    items UniquePairs object
        makerAsset * string
        takerAsset * string
```

Authorization - API KEY

API KEY

Sign in for automatic API key authentication.

```
ф
    Try it
NodeJS
               Python
                             cURL
                                        Go
    const axios = require("axios");
    async function httpCall() {
     const url = "https://api.1inch.dev/orderbook/v4.0/1/unique-active-pairs";
     const config = {
      headers: undefined,
      params: {
       page: 1,
       limit: 100,
      paramsSerializer: {
       indexes: null,
      },
    };
     try {
      const response = await axios.get(url, config);
      console.log(response.data);
     } catch (error) {
```

Response

Click the try-it button to test your API call and see the real-time response right here.

Previous

Get all active orders which have permit for the specified wallet address and token Next

Get calculated making amount on trading pair by provided amount

© 2025 1inch Limited Privacy Policy Terms of Service Commercial API Terms of Use