





Q

Swagger

1inch Balance API

POST https://api.1inch.dev/balance/v1.2/{chain}/allowances/{spender}/{walletAddress}

Get allowances of custom tokens by spender for walletAddress



```
Request Body

Content type

application/json

Click in to adjust the request body:

{
   "tokens": [
    "0xdac17f958d2ee523a2206206994597c13d831ec7"
```

Request Body Schema:

}

- CustomTokensRequest object
 - ✓ tokens * array

items string

swagger.response

Code: 200

Get address balances

Schema:

object

Authorization - API KEY

API KEY

Sign in for automatic API key authentication.

```
ф
   Try it
NodeJS
              Python
                        cURL
                                       Go
    const axios = require("axios");
    async function httpCall() {
     const url =
      "https://api.1inch.dev/balance/v1.2/1/allowances/{spender}/{walletAddress}";
     const config = {
      headers: undefined,
      params: {},
      paramsSerializer: {
       indexes: null,
     },
    };
     const body = {
     tokens: ["0xdac17f958d2ee523a2206206994597c13d831ec7"],
    };
    try {
      const response = await axios.post(url, body, config);
      console.log(response.data):
```

Response

Click the try-it button to test your API call and see the real-time response right here.

Previous

Get balances and allowances of custom tokens by spender for walletAddress

Get allowances of custom tokens by spender for walletAddress

>

Next

© 2025 1inch Limited

Privacy Policy | Terms of Service | Commercial API Terms of Use