







32 Articles

Q

Swagger

Transaction history

POST https://api.1inch.dev/history/v2.0/history/{address}/events

Get history events by address

Parameters

address string * (path)

Account address

0x111111111117dC0aa78b770fA6A738034

Request Body

Content type application/json

Click in to adjust the request body:

```
{
  "filter": {
    "from_time_ms": null,
     "to_time_ms": null,
     "chain_ids": [
       "string"
     "transaction_types": [
       "string"
    ],
     "token_addresses": [
       "string"
    ],
     "chain_based_token_addresses": [
       "string"
    ],
    "limit": 0
```

Request Body Schema:

✓ PostMultiFilterDto object

```
filter * MultiFilterDto object
    from_time_ms object
    to_time_ms object

    chain_ids array
        items string

    transaction_types array
        items string

    token_addresses array
        items string

    chain_based_token_addresses array
        items string
    limit number
```

```
swagger.response
Code: 201
Schema:
      array

✓ items HistoryResponseDto object

✓ items * array

▼ items HistoryEventDto object

                   id * string
                    address * string
                   type * number

✓ rating * string (Enum)

                       Reliable
                       Scam
                   timeMs * number

    details * TransactionDetailsDto object

                       orderInBlock * number
                       txHash * string
                   chainId * number (Enum)
                           45
                           137
                           10
                           56
                           42161
                           43114
                           100
                           250
                           1313161554
                          8217
                           324
                           8453
                           59144
                           501
                           146
                           130
                       blockNumber * number
                       blockTimeSec * number
                       status * string
                   Unknown
                           Approve
                           Wrap
                           Unwrap
                           Transfer
                           SwapExactInput
```

```
SwapExactOutput
               LimitOrderFill
               LimitOrderCancel
               LimitOrderCancelAll
               Multicall
               AddLiquidity
               RemoveLiquidity
               Borrow
               Repay
               Stake
               Unstake
               Vote
               DelegateVotePower
               UnDelegateVotePower
               DiscardVote
               DeployPool
               Claim
               AbiDecoded
               TraceDecoded
               Action
               Bridge
               BuyNft
               BidNft
               OfferSellNft
               Burn
               WrappedTx
               RegisterENSDomain
               Revoke
               CreateSafe
               AddOwner
               Send
               Receive
               MultiStage
               Swap
               LimitOrderCreate

✓ tokenActions * array

▼ items TokenActionDto object

                  address * string
                  standard * string
                  fromAddress * string
                  toAddress * string
                  tokenId object
                  amount object
               direction * string (Enum)
                      In
                      Out
                      Self
                      On
           fromAddress * string
           toAddress * string
           nonce * number
           feeInSmallestNative * string

▼ meta TransactionDetailsMetaDto object

               is1inchFusionSwap object
               is1inchCrossChainSwap object
               orderFillPercentage object
               ensDomainName object
               fromChainId object
               toChainId object
               safeAddress object
              protocol object
cache_counter * number
```

Code: 400 Bad Request. Code: 401 Unauthorized.

Code: 500

Internal server error.

Authorization - API KEY

API KEY

Sign in for automatic API key authentication.

```
<del>Q</del>
   Try it
NodeJS
            Python
                       cURL
                                 Go
   const axios = require("axios");
   async function httpCall() {
    const url =
     120C302/events";
    const config = {
     headers: undefined,
     params: {},
     paramsSerializer: {
      indexes: null,
     },
    };
    const body = {
     filter: {
      from_time_ms: null,
      to_time_ms: null,
      chain_ids: ["string"],
      transaction types: ["string"].
```

Response

Click the try-it button to test your API call and see the real-time response right here.

Previous Next

Quickstart guide

Get history events by address >

© 2025 1inch Limited Privacy Policy Terms of Service Commercial API Terms of Use