▤ Articles 🔍

Swagger

1inch Tokens API

GET   https://api.1inch.dev/token/v1.3/search

Search multi-chain tokens by name or symbol
Search multi-chain tokens by name or symbol

Parameters

query string (query)

Text to search for in token address, token symbol, or description

| 1inch |

ignore_listed boolean (query)

Whether to ignore listed tokens

| ⌄ |

only_positive_rating boolean * (query)

| ⌄ |

limit number (query)

Maximum number of tokens to return

| 10 |

country object * (query)

| |

swagger.response

Code: 200

Search results

Schema:

⌄   array
  ⌄   items TokenDto object
          chainId * number
          symbol * string
          name * string
          address * string
          decimals * number
          logoURI string
          rating * number
          eip2612 boolean
          isFoT boolean

∨   tags * array
     ∨   items   TagDto   object
           provider * string
           value * string
∨   providers * array
         items   string

Code: 400

Invalid chain ID

Authorization - API KEY

API KEY

Sign in for automatic API key authentication.

Try it

NodeJS   Python   cURL   Go

```javascript
const axios = require("axios");

async function httpCall() {
  const url = "https://api.1inch.dev/token/v1.3/search";

  const config = {
    headers: undefined,
    params: {
      query: "1inch",
      limit: 10,
    },
    paramsSerializer: {
      indexes: null,
    },
  };

  try {
    const response = await axios.get(url, config);
    console.log(response.data);
  } catch (error) {
```

Response

Click the try-it button to test your API call and see the real-time response right here.