





Q

Orders

1inch Fusion+ Orders API

GET https://api.1inch.dev/fusion-plus/orders/v1.0/order/secrets/{orderHash}

Get all data to perform withdrawal and cancellation

```
Parameters

orderHash string * (path)

Example:

0xa0ea5bd12b2d04566e175de24c2df41a058bf16df4af3eb2fb9bff38a9da98e9
```

swagger.response

Code: 201

Public secrets and all data related to withdrawal and cancellation

Code: default

Schema:

```
    ResolverDataOutput object
```

- orderType * string (Enum)SingleFillMultipleFills
- ✓ secrets * array
 - items PublicSecret object

idx * number secret * string

- ✓ srcImmutables * any
 - allOf[0] Immutables object orderHash * string hashlock * string maker * string taker * string token * string amount * string safetyDeposit * string timelocks * string
- ✓ dstImmutables * any
 - allOf[0] Immutables objectorderHash * string

Authorization - API KEY

API KEY

Sign in for automatic API key authentication.

```
<del>Q</del>
    Try it
               Python
                          cURL
NodeJS
                                         Go
    const axios = require("axios");
    async function httpCall() {
     const url =
      "https://api.1inch.dev/fusion-plus/orders/v1.0/order/secrets/{orderHash}";
     const config = {
      headers: undefined,
      params: {},
      paramsSerializer: {
       indexes: null,
      },
     };
     try {
      const response = await axios.get(url, config);
      console.log(response.data);
     } catch (error) {
      console.error(error);
```

Response

Click the try-it button to test your API call and see the real-time response right here.

Previous

Get orders by maker address

Next

>

Get idx of each secret that is ready for submission for specific order

© 2025 1inch Limited | Privacy Policy | Terms of Service | Commercial API Terms of Use