Orders

1inch Fusion+ Orders API

GET https://api.1inch.dev/fusion-plus/orders/v1.0/order/maker/{address}

Get orders by maker address

Network

Ethereum

Parameters

address string * (path)

Maker's address
Example: 0x1000000000000000000000000000000000000001

page number (query)

Pagination step, default: 1 (page = offset / limit)
Example: 1

limit number (query)

Number of active orders to receive (default: 100, max: 500)
Example: 100

timestampFrom number (query)

timestampFrom in milliseconds for interval [timestampFrom, timestampTo)
Example: 1750683155392

timestampTo number (query)

timestampTo in milliseconds for interval [timestampFrom, timestampTo)
Example: 1750683155392

srcToken string (query)

Find history by the given source token
Example: 0xc02aaa39b223fe8d0a0e5c4f27ead9083c756cc2

dstToken string (query)

Find history by the given destination token
Example:
0xc2132d05d31c914a87c6611c10748aeb04b58e8f

withToken string (query)

Find history items by source or destination token
Example:
0xc2132d05d31c914a87c6611c10748aeb04b58e8f

dstChainId number (query)

Destination chain of cross chain
Example: 137

srcChainId number (query)

Source chain of cross chain
Example: 1

chainId number (query)

chainId for looking by dstChainId == chainId OR srcChainId == chainId
Example: 56

1

swagger.response

Code: default

Schema:

- GetOrderByMakerOutput object
  - meta * Meta object
    - totalItems * number
    - itemsPerPage * number
    - totalPages * number
    - currentPage * number
  - items * array
    - items ActiveOrdersOutput object
      - orderHash * string
      - signature * string
      - deadline * number
      - auctionStartDate * number
      - auctionEndDate * number
      - quoteId * string
      - remainingMakerAmount * string
      - makerBalance * string
      - makerAllowance * string
      - isMakerContract * boolean
      - extension * string
      - srcChainId * number
      - dstChainId * number
      - order * any
        - allOf[0] CrossChainOrderDto object
          - salt * string
          - maker * string
          - receiver * string
          - makerAsset * string
          - takerAsset * string
          - makingAmount * string
          - takingAmount * string
          - makerTraits * string
        - secretHashes array

items array

fills * array

items string

Authorization - API KEY

API KEY

Sign in for automatic API key authentication.

Try it

NodeJS Python cURL Go

```
const axios = require("axios");

async function httpCall() {
 const url =
  "https://api.1inch.dev/fusion-plus/orders/v1.0/order/maker/{address}";

 const config = {
  headers: undefined,
  params: {
   chainId: "1",
  },
  paramsSerializer: {
   indexes: null,
  },
 };

 try {
  const response = await axios.get(url, config);
  console.log(response.data);
 } catch (error) {
```

Response

Click the try-it button to test your API call and see the real-time response right here.

Previous
Get actual escrow factory contract address

Next
Get all data to perform withdrawal and cancellation

© 2025 1inch Limited