⊞ Articles   🔍

Orders

1inch Fusion+ Orders API

GET   https://api.1inch.dev/fusion-plus/orders/v1.0/order/active

Get cross chain swap active orders

Parameters

page number (query)

Pagination step, default: 1 (page = offset / limit)
Example: 1

limit number (query)

Number of active orders to receive (default: 100, max: 500)
Example: 100

srcChain number (query)

Source chain of cross chain
Example: 1

dstChain number (query)

Destination chain of cross chain
Example: 137

swagger.response

Code: 200
Array of queried active orders

Code: 400
Input data is invalid

Code: default

Schema:

⌄   GetActiveOrdersOutput object
   ⌄   meta * Meta object
            totalItems * number
            itemsPerPage * number
            totalPages * number
            currentPage * number

✔   items * array
            ✔   items ActiveOrdersOutput object
                    orderHash * string
                    signature * string
                    deadline * number
                    auctionStartDate * number
                    auctionEndDate * number
                    quoteId * string
                    remainingMakerAmount * string
                    makerBalance * string
                    makerAllowance * string
                    isMakerContract * boolean
                    extension * string
                    srcChainId * number
                    dstChainId * number
                ✔   order * any
                    ✔   allOf[0] CrossChainOrderDto object
                            salt * string
                            maker * string
                            receiver * string
                            makerAsset * string
                            takerAsset * string
                            makingAmount * string
                            takingAmount * string
                            makerTraits * string
            ✔   secretHashes array
                    items array
            ✔   fills * array
                    items string

Authorization - API KEY

API KEY

Sign in for automatic API key authentication.

Try it

NodeJS   Python   cURL   Go

```javascript
const axios = require("axios");

async function httpCall() {
  const url = "https://api.1inch.dev/fusion-plus/orders/v1.0/order/active";

  const config = {
    headers: undefined,
    params: {},
    paramsSerializer: {
      indexes: null,
    },
  };
};
```

```
try {
  const response = await axios.get(url, config);
  console.log(response.data);
} catch (error) {
  console.error(error);
}
```

Response

Click the try-it button to test your API call and see the real-time response right here.

Privacy Policy | Terms of Service | Commercial API Terms of Use