PENTESTER ACADEMYTOOL BOX PENTESTING

OF THE PENTESTER ACADEMYTOOL BOX PENTESTING

OF THE PENTESTING HACKER PENTESTER

TEAM LABSPENTES TO THE PENTESTER

TEAM LABSPENTES TO THE PENTESTER

OF THE PENTESTING HACKER

THE PENTESTING HACKER

TOOL BOX


OF THE PENTESTING

Name	BloofoxCMS
URL	https://www.attackdefense.com/challengedetails?cid=279
Туре	Real World Webapps : Local File Inclusion


Important Note: This document illustrates all the important steps required to complete this lab. This is by no means a comprehensive step-by-step solution for this exercise. This is only provided as a reference to various commands needed to complete this exercise and for your further research on this topic. Also, note that the IP addresses and domain names might be different in your lab.

Solution:

Step 1: Inspect the web application.




Step 2: Search on google "bloofoxcms local file inclusion" and look for publically available exploits.



There are two exploit db link for different version of Bloofox CMS.


Find the version information of Bloofoxcms.

Login to the admin portal of the web application. The admin portal can be accessed by navigating to "/admin" directory. (Many web applications have their admin portal at "/admin" directory)



The login credential of the web application is provided in the challenge description:


Username: adminPassword: admin



The version of BloofoxCMS is 0.5.0

The exploit db link for bloofoxcms version 0.5.0 contains the LFI payload and the information regarding the vulnerable web page.

Exploit DB Link: https://www.exploit-db.com/exploits/39032




Step 3: Using the information provided at exploit db link, form the target URL and navigate to it.

Vulnerable Webpage: /admin/index.php

Vulnerable Parameter: fileurl

Payload: config.php






The content of "config.php" was dumped on the web page.

Step 4: Modify the payload used in previous step and retrieve the content of "/etc/passwd" file

Target URL:

http://eoxtbo0xfo4u5d2wkuge9u7bn.asia.attackdefenselabs.com/admin/index.php?mode=settin gs&page=editor&fileurl=../../../etc/passwd



The content of "/etc/passwd" file was dumped on the web page.

References:

- BloofoxCMS (https://www.bloofox.com/)
- 2. BloofoxCMS 0.5.0 'fileurl' Local File Inclusion (https://www.exploit-db.com/exploits/39032)