Minneapolis Birth Data 2006 – 2008

June, 2010

Minneapolis Department of Health and Family Support

Published by:

Minneapolis Department of Health and Family Support Gretchen Musicant, Commissioner

Prepared and Written by:

Gopal Narayan, MS, MPH, Epidemiologist Hattie Wiysel, Office Manager

The mission of the Minneapolis Department of Health and Family Support is to provide leadership in meeting the unique needs of our urban population and eliminating disparities by engaging partners in promoting individual and community health.

Please feel free to use this information with the following citation:
Minneapolis Department of Health and Family Support.
Minneapolis Birth Data 2006-2008, June 2010.

For more information about this data, please contact Gopal Narayan, Minneapolis Department of Health and Family Support (612) 673-2993 or gopalakrishnan.narayan@ci.minneapolis.mn.us

For copies about this publication please contact Hattie Wiysel, Minneapolis Department of Health and Family Support (612) 673-3557 or hattie.wiysele@ci.minneapolis.mn.us

Web site: www.ci.minneapolis.mn.us/dhfs

Minneapolis Residents' Live Births Summary

OVERVIEW

This data book focuses on live births to Minneapolis residents from 2006 to 2008. There were 18,953 births to the residents of Minneapolis during this period. Selected characteristics of these births by community and neighborhood are presented in this report.

The City of Minneapolis is divided into eleven communities: Camden, Northeast, Near North, Central, University, Calhoun Isles, Powderhorn, Phillips, Longfellow, Southwest, and Nokomis. The communities are further divided into 85 neighborhoods. This data book focuses on the 84 neighborhoods in which births occurred between the years 2006 and 2008.

This data book is arranged by communities and by neighborhoods within communities. The sum of births for the communities does not equal the total number of births for Minneapolis. This difference is due to the fact that on some birth certificates, mother's residence information was incomplete or unavailable. These births are included in Minneapolis total, but assigned to the category "Unknown Community."

This data book provides the health and social characteristics that are commonly used to assess pregnancy outcomes. Data are collected on these characteristics for all births. These data demonstrate the diversity among the neighborhoods of Minneapolis which can assist with neighborhood planning efforts.

Data trend comparisons must be undertaken with caution when the number of births in a given area is very small. In an attempt to provide greater stability in birth trends, birth counts were aggregated over a three-year period. Nonetheless, the numbers of births in some neighborhoods remain small. *Counts less than or equal to 5 are denoted by* (<=5) and percentages for these counts are denoted by *(asterisk).

| | BRYN-N NEIGHBO | | CALHOUN | | MINNEAPOLIS TOTAL | |
|---|--------------------------|--------------------------------|----------------------------|-----------------------------------|---|------------------------------------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 107 | 0.6 | 676 | 3.6 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY WHITE NON-HISPANIC BLACK NON-HISPANIC AMERICAN INDIAN ASIAN/PACIFIC ISLANDER HISPANIC | 85 7 0 <=5 6 | 79.4 6.5 0.0 * 5.6 | 515 68 9 47 30 | 76.2 10.1 1.3 7.0 7.0 | 7,951 5,338 659 1,318 3,427 | 42.0 28.2 3.5 7.0 18.1 |
| MARITAL STATUS MARRIED UNMARRIED | 96 11 | 89.7 10.3 | 539 137 | 79.7 20.3 | 10,227 8,717 | 54.0 46.0 |
| AGE OF MOTHER UNDER 18 18 - 19 20 - 34 35 AND OVER | <=5 0 61 45 | * 0.0 57.0 42.1 | <=5 7 416 249 | * 1.0 61.5 36.8 | 680 1,086 13,783 3,403 | 3.6 5.7 72.7 18.0 |
| MOTHER'S EDUCATION LESS THAN HIGH SCHOOL HIGH SCHOOL GRAD MORE THAN HIGH SCHOOL | <=5 6 98 | 5.7 92.5 | 25 77 564 | 3.8 11.6 84.7 | 4,478 4,710 8,955 | 24.7 26.0 49.4 |
| GESTATION UNDER 37 WEEKS 37 OR MORE WEEKS | 12 95 | 11.2 88.8 | 58 617 | 8.6 91.4 | 2,054 16,867 | 10.9 89.1 |
| BIRTH WEIGHT 2500 + GRAMS UNDER 2500 GRAMS | 101 6 | 94.4 5.6 | 643 33 | 95.1 4.9 | 17,493 1,454 | 92.3 7.7 |
| TRIMESTER BEGAN CARE 1st TRIMESTER 2nd TRIMESTER 3rd TRIMESTER NO CARE | 97 <=5 <=5 0 | 96.0 * * 0.0 | 585 55 13 <=5 | 89.4 8.4 2.0 | 14,025 2,984 637 101 | 79.0 16.8 3.6 0.6 |
| ADEQUACY OF CARE ADEQUATE INTERMEDIATE INADEQUATE NO CARE | 82 <=5 <=5 0 | 93.2 * 0.0 | 477 66 15 <=5 | 85.3 11.8 2.7 | 10,770 3,477 921 102 | 70.5 22.8 6.0 0.7 |

| | CARA NEIGHBOI | | | CALHOUN ISLES COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|------------------|---------|--------|-------------------------|--------|----------------------|--|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT | |
| TOTAL BIRTHS | 146 | 0.8 | 676 | 3.6 | 18,953 | 100.0 | |
| MOTHER'S RACE/ETHNICITY | | | | | | | |
| WHITE NON-HISPANIC | 89 | 61.0 | 515 | 76.2 | 7,951 | 42.0 | |
| BLACK NON-HISPANIC | 34 | 23.3 | 68 | 10.1 | 5,338 | 28.2 | |
| AMERICAN INDIAN | 7 | 4.8 | 9 | 1.3 | 659 | 3.5 | |
| ASIAN/PACIFIC ISLANDER | 10 | 6.8 | 47 | 7.0 | 1,318 | 7.0 | |
| HISPANIC | 6 | 4.1 | 30 | 7.0 | 3,427 | 18.1 | |
| MARITAL STATUS | | | | | | | |
| MARRIED | 92 | 63.0 | 539 | 79.7 | 10,227 | 54.0 | |
| UNMARRIED | 54 | 37.0 | 137 | 20.3 | 8,717 | 46.0 | |
| AGE OF MOTHER | | | | | | | |
| UNDER 18 | 0 | 0.0 | <=5 | * | 680 | 3.6 | |
| 18 - 19 | <=5 | * | 7 | 1.0 | 1,086 | 5.7 | |
| 20 - 34 | 108 | 74.0 | 416 | 61.5 | 13,783 | 72.7 | |
| 35 AND OVER | 37 | 25.3 | 249 | 36.8 | 3,403 | 18.0 | |
| MOTHER'S EDUCATION | | | | | | | |
| LESS THAN HIGH SCHOOL | 10 | 6.9 | 25 | 3.8 | 4,478 | 24.7 | |
| HIGH SCHOOL GRAD | 29 | 20.1 | 77 | 11.6 | 4,710 | 26.0 | |
| MORE THAN HIGH SCHOOL | 105 | 72.9 | 564 | 84.7 | 8,955 | 49.4 | |
| GESTATION | | | | | | | |
| UNDER 37 WEEKS | 10 | 6.8 | 58 | 8.6 | 2,054 | 10.9 | |
| 37 OR MORE WEEKS | 136 | 93.2 | 617 | 91.4 | 16,867 | 89.1 | |
| BIRTH WEIGHT | | | | | | | |
| 2500 + GRAMS | 141 | 96.6 | 643 | 95.1 | 17,493 | 92.3 | |
| UNDER 2500 GRAMS | <=5 | * | 33 | 4.9 | 1,454 | 7.7 | |
| TRIMESTER STARTED CARE | | | | | | | |
| 1st TRIMESTER | 121 | 85.2 | 585 | 89.4 | 14,025 | 79.0 | |
| 2nd TRIMESTER | 17 | 12.0 | 55 | 8.4 | 2,984 | 16.8 | |
| 3rd TRIMESTER | <=5 | * | 13 | 2.0 | 637 | 3.6 | |
| NO CARE | 0 | 0.0 | <=5 | * | 101 | 0.6 | |
| ADEQUACY OF CARE | | | | | | | |
| ADEQUATE | 92 | 79.3 | 477 | 85.3 | 10,770 | 70.5 | |
| INTERMEDIATE | 20 | 17.2 | 66 | 11.8 | 3,477 | 22.8 | |
| INADEQUATE | <=5 | * | 15 | 2.7 | 921 | 6.0 | |
| NO CARE | 0 | 0.0 | <=5 | * | 102 | 0.7 | |
| | - | | | | | - | |

| | CEDAR ISLES DEAN NEIGHBORHOOD | | CALHOUN ISLES COMMUNITY | | MINNEAPOLIS TOTAL | |
|------------------------------------|-------------------------------|-----------|-------------------------|-------------|----------------------|--------------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 62 | 0.3 | 676 | 3.6 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | | | | |
| WHITE NON-HISPANIC | 55 | 88.7 | 515 | 76.2 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | <=5 | * | 68 | 10.1 | 5,338 | 28.2 |
| AMERICAN INDIAN | 0 | 0.0 | 9 | 1.3 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER HISPANIC | <=5 | | 47 | 7.0 7.0 | 1,318 | 7.0 |
| HISPANIC | | | 30 | 7.0 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 51 | 82.3 | 539 | 79.7 | 10,227 | 54.0 |
| UNMARRIED | 11 | 17.7 | 137 | 20.3 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | <=5 | * | 680 | 3.6 |
| 18 - 19 | 0 | 0.0 | 7 | 1.0 | 1,086 | 5.7 |
| 20 - 34 | 36 | 58.1 | 416 | 61.5 | 13,783 | 72.7 |
| 35 AND OVER | 25 | 40.3 | 249 | 36.8 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 0 | 0.0 | 25 | 3.8 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 0 6 | 10.0 | 77 | 3.6 11.6 | 4,476 | 24.7 26.0 |
| MORE THAN HIGH SCHOOL | 54 | 90.0 | 564 | 84.7 | 8,955 | 49.4 |
| WORL THAT HOTTOGLOGE | J-1 | 30.0 | 304 | 04.7 | 0,555 | 75.7 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | <=5 | * | 58 | 8.6 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 57 | 91.9 | 617 | 91.4 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 59 | 95.2 | 643 | 95.1 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | <=5 | * | 33 | 4.9 | 1,454 | 7.7 |
| | | | | | | |
| TRIMESTER STARTED CARE | - 7 | 05.0 | 505 | 00.4 | 4.4.005 | 70.0 |
| 1st TRIMESTER | 57 | 95.0 * | 585 | 89.4 | 14,025 | 79.0 |
| 2nd TRIMESTER | <=5 | | 55 | 8.4 | 2,984 | 16.8 |
| 3rd TRIMESTER | 0 | 0.0 | 13 | 2.0 | 637 | 3.6 |
| NO CARE | 0 | 0.0 | <=5 | | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 47 | 94.0 | 477 | 85.3 | 10,770 | 70.5 |
| INTERMEDIATE | <=5 | * | 66 | 11.8 | 3,477 | 22.8 |
| INADEQUATE | 0 | 0.0 | 15 | 2.7 | 921 | 6.0 |
| NO CARE | 0 | 0.0 | <=5 | * | 102 | 0.7 |

| | _ | EAST ISLES NEIGHBORHOOD | | N ISLES JNITY | MINNEAPOLIS TOTAL | |
|---|------------|-------------------------|----------|------------------|----------------------|-------------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 66 | 0.3 | 676 | 3.6 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | | | | |
| WHITE NON-HISPANIC | 56 | 84.8 | 515 | 76.2 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | <=5 | * | 68 | 10.1 | 5,338 | 28.2 |
| AMERICAN INDIAN ASIAN/PACIFIC ISLANDER | 0 | 0.0 | 9 | 1.3 7.0 | 659 1,318 | 3.5 7.0 |
| HISPANIC | <=5 <=5 | * | 47 30 | 7.0 7.0 | 1,316 3,427 | 7.0 18.1 |
| THOI AINIC | <=0 | | 30 | 7.0 | 5,427 | 10.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 55 | 83.3 | 539 | 79.7 | 10,227 | 54.0 |
| UNMARRIED | 11 | 16.7 | 137 | 20.3 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | <=5 | * | 680 | 3.6 |
| 18 - 19 | <=5 | * | 7 | 1.0 | 1,086 | 5.7 |
| 20 - 34 | 30 | 45.5 | 416 | 61.5 | 13,783 | 72.7 |
| 35 AND OVER | 33 | 50.0 | 249 | 36.8 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | <=5 | * | 25 | 3.8 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 8 | 12.3 | 77 | 11.6 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 56 | 86.2 | 564 | 84.7 | 8,955 | 49.4 |
| | | | | | | |
| GESTATION | | * | 50 | 0.0 | 0.054 | 40.0 |
| UNDER 37 WEEKS | <=5 | | 58 | 8.6 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 61 | 92.4 | 617 | 91.4 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 62 | 93.9 | 643 | 95.1 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | <=5 | * | 33 | 4.9 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 54 | 83.1 | 585 | 89.4 | 14,025 | 79.0 |
| 2nd TRIMESTER | 7 | 10.8 | 55 | 8.4 | 2,984 | 16.8 |
| 3rd TRIMESTER | <=5 | * | 13 | 2.0 | 637 | 3.6 |
| NO CARE | 0 | 0.0 | <=5 | * | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUACE OF CARE ADEQUATE | 51 | 85.0 | 477 | 85.3 | 10,770 | 70.5 |
| INTERMEDIATE | <=5 | * | 66 | 11.8 | 3,477 | 22.8 |
| INADEQUATE | <=5 | * | 15 | 2.7 | 921 | 6.0 |
| NO CARE | 0 | 0.0 | <=5 | * | 102 | 0.7 |
| | | | | | | |

| | ECC NEIGHBO | | | CALHOUN ISLES COMMUNITY | | MINNEAPOLIS TOTAL | |
|--|----------------------|--------------------------|------------------------|----------------------------|---------------------------------|----------------------------|--|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT | |
| TOTAL BIRTHS | 62 | 0.3 | 676 | 3.6 | 18,953 | 100.0 | |
| MOTHER'S RACE/ETHNICITY WHITE NON-HISPANIC BLACK NON-HISPANIC AMERICAN INDIAN ASIAN/PACIFIC ISLANDER | 48 <=5 0 9 | 77.4 * 0.0 14.5 | 515 68 9 47 | 76.2 10.1 1.3 7.0 | 7,951 5,338 659 1,318 | 42.0 28.2 3.5 7.0 | |
| HISPANIC | <=5 | * | 30 | 7.0 | 3,427 | 18.1 | |
| MARITAL STATUS MARRIED UNMARRIED | 55 7 | 88.7 11.3 | 539 137 | 79.7 20.3 | 10,227 8,717 | 54.0 46.0 | |
| AGE OF MOTHER UNDER 18 18 - 19 20 - 34 35 AND OVER | <=5 0 37 24 | * 0.0 59.7 38.7 | <=5 7 416 249 | * 1.0 61.5 36.8 | 680 1,086 13,783 3,403 | 3.6 5.7 72.7 18.0 | |
| MOTHER'S EDUCATION LESS THAN HIGH SCHOOL HIGH SCHOOL GRAD MORE THAN HIGH SCHOOL | <=5 <=5 55 | * * 90.2 | 25 77 564 | 3.8 11.6 84.7 | 4,478 4,710 8,955 | 24.7 26.0 49.4 | |
| GESTATION UNDER 37 WEEKS 37 OR MORE WEEKS | 7 55 | 11.3 88.7 | 58 617 | 8.6 91.4 | 2,054 16,867 | 10.9 89.1 | |
| BIRTH WEIGHT 2500 + GRAMS UNDER 2500 GRAMS | 59 <=5 | 95.2 * | 643 33 | 95.1 4.9 | 17,493 1,454 | 92.3 7.7 | |
| TRIMESTER STARTED CARE 1st TRIMESTER 2nd TRIMESTER 3rd TRIMESTER NO CARE | 59 <=5 <=5 | 95.2 * * 0.0 | 585 55 13 <=5 | 89.4 8.4 2.0 | 14,025 2,984 637 101 | 79.0 16.8 3.6 0.6 | |
| ADEQUACY OF CARE ADEQUATE INTERMEDIATE INADEQUATE NO CARE | 47 6 <=5 0 | 87.0 11.1 * | 477 66 15 <=5 | 85.3 11.8 2.7 | 10,770 3,477 921 102 | 70.5 22.8 6.0 0.7 | |

| | KENWOOD NEIGHBORHOOD | | CALHOUN | | MINNEAPOLIS TOTAL | |
|-------------------------|-------------------------|---------|--------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 33 | 0.2 | 676 | 3.6 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | | | | |
| WHITE NON-HISPANIC | 32 | 97.0 | 515 | 76.2 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 0 | 0.0 | 68 | 10.1 | 5,338 | 28.2 |
| AMERICAN INDIAN | 0 | 0.0 | 9 | 1.3 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | <=5 | * | 47 | 7.0 | 1,318 | 7.0 |
| HISPANIC | 0 | 0.0 | 30 | 7.0 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 30 | 90.9 | 539 | 79.7 | 10,227 | 54.0 |
| UNMARRIED | <=5 | * | 137 | 20.3 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | 0 | 0.0 | <=5 | * | 680 | 3.6 |
| 18 - 19 | 0 | 0.0 | 7 | 1.0 | 1,086 | 5.7 |
| 20 - 34 | 16 | 48.5 | 416 | 61.5 | 13,783 | 72.7 |
| 35 AND OVER | 17 | 51.5 | 249 | 36.8 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 0 | 0.0 | 25 | 3.8 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | <=5 | * | 77 | 11.6 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 31 | 93.9 | 564 | 84.7 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | <=5 | * | 58 | 8.6 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 32 | 97.0 | 617 | 91.4 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 32 | 97.0 | 643 | 95.1 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | <=5 | * | 33 | 4.9 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 29 | 90.6 | 585 | 89.4 | 14,025 | 79.0 |
| 2nd TRIMESTER | <=5 | * | 55 | 8.4 | 2,984 | 16.8 |
| 3rd TRIMESTER | 0 | 0.0 | 13 | 2.0 | 637 | 3.6 |
| NO CARE | 0 | 0.0 | < = 5 | * | 101 | 0.6 |
| | ŭ | 0.0 | . 0 | | | 0.0 |
| ADEQUACY OF CARE | _ | | | | | |
| ADEQUATE | 20 | 76.9 | 477 | 85.3 | 10,770 | 70.5 |
| INTERMEDIATE | <=5 | * | 66 | 11.8 | 3,477 | 22.8 |
| INADEQUATE | <=5 | * | 15 | 2.7 | 921 | 6.0 |
| NO CARE | 0 | 0.0 | <=5 | * | 102 | 0.7 |

| | LOWRY HILL NEIGHBORHOOD | | | CALHOUN ISLES COMMUNITY | | MINNEAPOLIS TOTAL | |
|---|----------------------------|------------------------------|----------------------------|-----------------------------------|---|------------------------------------|--|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT | |
| TOTAL BIRTHS | 73 | 0.4 | 676 | 3.6 | 18,953 | 100.0 | |
| MOTHER'S RACE/ETHNICITY WHITE NON-HISPANIC BLACK NON-HISPANIC AMERICAN INDIAN ASIAN/PACIFIC ISLANDER HISPANIC | 61 <=5 0 6 <=5 | 83.6 * 0.0 8.2 * | 515 68 9 47 30 | 76.2 10.1 1.3 7.0 7.0 | 7,951 5,338 659 1,318 3,427 | 42.0 28.2 3.5 7.0 18.1 | |
| MARITAL STATUS MARRIED UNMARRIED | 63 10 | 86.3 13.7 | 539 137 | 79.7 20.3 | 10,227 8,717 | 54.0 46.0 | |
| AGE OF MOTHER UNDER 18 18 - 19 20 - 34 35 AND OVER | 0 <=5 30 40 | 0.0 * 41.1 54.8 | <=5 7 416 249 | * 1.0 61.5 36.8 | 680 1,086 13,783 3,403 | 3.6 5.7 72.7 18.0 | |
| MOTHER'S EDUCATION LESS THAN HIGH SCHOOL HIGH SCHOOL GRAD MORE THAN HIGH SCHOOL | <=5 9 62 | * 12.5 86.1 | 25 77 564 | 3.8 11.6 84.7 | 4,478 4,710 8,955 | 24.7 26.0 49.4 | |
| GESTATION UNDER 37 WEEKS 37 OR MORE WEEKS | 9 64 | 12.3 87.7 | 58 617 | 8.6 91.4 | 2,054 16,867 | 10.9 89.1 | |
| BIRTH WEIGHT 2500 + GRAMS UNDER 2500 GRAMS | 69 <=5 | 94.5 | 643 33 | 95.1 4.9 | 17,493 1,454 | 92.3 7.7 | |
| TRIMESTER STARTED CARE 1st TRIMESTER 2nd TRIMESTER 3rd TRIMESTER NO CARE | 63 7 0 0 | 90.0 10.0 0.0 0.0 | 585 55 13 <=5 | 89.4 8.4 2.0 | 14,025 2,984 637 101 | 79.0 16.8 3.6 0.6 | |
| ADEQUACY OF CARE ADEQUATE INTERMEDIATE INADEQUATE NO CARE | 54 11 0 0 | 83.1 16.9 0.0 0.0 | 477 66 15 <=5 | 85.3 11.8 2.7 | 10,770 3,477 921 102 | 70.5 22.8 6.0 0.7 | |

| | | LOWRY HILL EAST NEIGHBORHOOD | | CALHOUN ISLES COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|--------|---------------------------------|--------------|-------------------------|--------|----------------------|--|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT | |
| TOTAL BIRTHS | 93 | 0.5 | 676 | 3.6 | 18,953 | 100.0 | |
| MOTHER'S RACE/ETHNICITY | | | | | | | |
| WHITE NON-HISPANIC | 63 | 67.7 | 515 | 76.2 | 7,951 | 42.0 | |
| BLACK NON-HISPANIC | 16 | 17.2 | 68 | 10.1 | 5,338 | 28.2 | |
| AMERICAN INDIAN | <=5 | * | 9 | 1.3 | 659 | 3.5 | |
| ASIAN/PACIFIC ISLANDER | <=5 | * | 47 | 7.0 | 1,318 | 7.0 | |
| HISPANIC | 6 | 6.5 | 30 | 7.0 | 3,427 | 18.1 | |
| MARITAL STATUS | | | | | | | |
| MARRIED | 68 | 73.1 | 539 | 79.7 | 10,227 | 54.0 | |
| UNMARRIED | 25 | 26.9 | 137 | 20.3 | 8,717 | 46.0 | |
| AGE OF MOTHER | | | | | | | |
| UNDER 18 | 0 | 0.0 | <=5 | * | 680 | 3.6 | |
| 18 - 19 | 0 | 0.0 | 7 | 1.0 | 1,086 | 5.7 | |
| 20 - 34 | 70 | 75.3 | 416 | 61.5 | 13,783 | 72.7 | |
| 35 AND OVER | 23 | 24.7 | 249 | 36.8 | 3,403 | 18.0 | |
| MOTHER'S EDUCATION | | | | | | | |
| LESS THAN HIGH SCHOOL | 9 | 9.8 | 25 | 3.8 | 4,478 | 24.7 | |
| HIGH SCHOOL GRAD | 11 | 12.0 | 77 | 11.6 | 4,710 | 26.0 | |
| MORE THAN HIGH SCHOOL | 72 | 78.3 | 564 | 84.7 | 8,955 | 49.4 | |
| GESTATION | | | | | | | |
| UNDER 37 WEEKS | <=5 | * | 58 | 8.6 | 2,054 | 10.9 | |
| 37 OR MORE WEEKS | 88 | 95.7 | 617 | 91.4 | 16,867 | 89.1 | |
| BIRTH WEIGHT | | | | | | | |
| 2500 + GRAMS | 91 | 97.8 | 643 | 95.1 | 17,493 | 92.3 | |
| UNDER 2500 GRAMS | <=5 | * | 33 | 4.9 | 1,454 | 7.7 | |
| TRIMESTER STARTED CARE | | | | | | | |
| 1st TRIMESTER | 75 | 84.3 | 585 | 89.4 | 14,025 | 79.0 | |
| 2nd TRIMESTER | 10 | 11.2 | 55 | 8.4 | 2,984 | 16.8 | |
| 3rd TRIMESTER | <=5 | * | 13 | 2.0 | 637 | 3.6 | |
| NO CARE | <=5 | * | <=5 | * | 101 | 0.6 | |
| ADEQUACY OF CARE | | | | | | | |
| ADEQUATE | 59 | 83.1 | 477 | 85.3 | 10,770 | 70.5 | |
| INTERMEDIATE | 8 | 11.3 | 66 | 11.8 | 3,477 | 22.8 | |
| INADEQUATE | <=5 | * | 15 | 2.7 | 921 | 6.0 | |
| NO CARE | <=5 | * | < = 5 | * | 102 | 0.7 | |
| | | | | | | | |

| | WEST CALHOUN NEIGHBORHOOD | | CALHOU | | MINNEAPOLIS TOTAL | |
|--|------------------------------|------------|-----------|--------------|----------------------|--------------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 34 | 0.2 | 676 | 3.6 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | | | | |
| WHITE NON-HISPANIC BLACK NON-HISPANIC | 26 | 76.5 * | 515 68 | 76.2 10.1 | 7,951 5,338 | 42.0 28.2 |
| AMERICAN INDIAN | <=5 0 | 0.0 | 9 | 1.3 | 5,336 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | <=5 | * | 47 | 7.0 | 1,318 | 7.0 |
| HISPANIC | <=5 | * | 30 | 7.0 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 29 | 85.3 | 539 | 79.7 | 10,227 | 54.0 |
| UNMARRIED | <=5 | | 137 | 20.3 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | 0 | 0.0 | <=5 7 | * | 680 | 3.6 |
| 18 - 19 20 - 34 | <=5 28 | 82.4 | 7 416 | 1.0 61.5 | 1,086 13,783 | 5.7 72.7 |
| 35 AND OVER | <=5 | * | 249 | 36.8 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 0 | 0.0 | 25 | 3.8 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | <=5 | * | 77 | 11.6 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 31 | 93.9 | 564 | 84.7 | 8,955 | 49.4 |
| GESTATION | | * | | | 0.054 | 40.0 |
| UNDER 37 WEEKS | <=5 | | 58 647 | 8.6 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 29 | 85.3 | 617 | 91.4 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 29 | 85.3 | 643 | 95.1 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | <=5 | · | 33 | 4.9 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 30 | 90.9 | 585 | 89.4 | 14,025 | 79.0 |
| 2nd TRIMESTER | <=5 | | 55 | 8.4 | 2,984 | 16.8 |
| 3rd TRIMESTER NO CARE | 0 | 0.0 0.0 | 13 <=5 | 2.0 | 637 101 | 3.6 0.6 |
| | U | 0.0 | ζ=0 | | 101 | 0.0 |
| ADEQUACY OF CARE | 0.5 | 00.0 | 4 | 05.0 | 40 770 | 70 5 |
| ADEQUATE INTERMEDIATE | 25 <=5 | 86.2 | 477 66 | 85.3 11.8 | 10,770 3,477 | 70.5 22.8 |
| INADEQUATE | <=5 0 | 0.0 | 15 | 2.7 | 3,477 921 | 22.8 6.0 |
| NO CARE | 0 | 0.0 | <=5 | * | 102 | 0.7 |
| | | | | | | |

| | CLEVELAND NEIGHBORHOOD | | CAME COMMU | | MINNEAPOLIS TOTAL | |
|---|-----------------------------|----------------------------------|--------------------------------|------------------------------------|---|------------------------------------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 191 | 1.0 | 1,709 | 9.0 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY WHITE NON-HISPANIC BLACK NON-HISPANIC AMERICAN INDIAN ASIAN/PACIFIC ISLANDER HISPANIC | 78 76 <=5 21 14 | 40.8 39.8 * 11.0 7.3 | 587 655 47 243 162 | 34.3 38.3 2.8 14.2 9.5 | 7,951 5,338 659 1,318 3,427 | 42.0 28.2 3.5 7.0 18.1 |
| MARITAL STATUS MARRIED UNMARRIED | 97 94 | 50.8 49.2 | 738 969 | 43.2 56.8 | 10,227 8,717 | 54.0 46.0 |
| AGE OF MOTHER UNDER 18 18 - 19 20 - 34 35 AND OVER | 8 11 136 36 | 4.2 5.8 71.2 18.8 | 99 162 1,251 197 | 5.8 9.5 73.2 11.5 | 680 1,086 13,783 3,403 | 3.6 5.7 72.7 18.0 |
| MOTHER'S EDUCATION LESS THAN HIGH SCHOOL HIGH SCHOOL GRAD MORE THAN HIGH SCHOOL | 27 58 97 | 14.8 31.9 53.3 | 373 516 724 | 23.1 32.0 44.9 | 4,478 4,710 8,955 | 24.7 26.0 49.4 |
| GESTATION UNDER 37 WEEKS 37 OR MORE WEEKS | 33 158 | 17.3 82.7 | 223 1,484 | 13.1 86.9 | 2,054 16,867 | 10.9 89.1 |
| BIRTH WEIGHT 2500 + GRAMS UNDER 2500 GRAMS | 163 28 | 85.3 14.7 | 1,543 165 | 90.3 9.7 | 17,493 1,454 | 92.3 7.7 |
| TRIMESTER STARTED CARE 1st TRIMESTER 2nd TRIMESTER 3rd TRIMESTER NO CARE | 151 20 <=5 0 | 86.8 11.5 * | 1,162 268 44 7 | 78.5 18.1 3.0 0.5 | 14,025 2,984 637 101 | 79.0 16.8 3.6 0.6 |
| ADEQUACY OF CARE ADEQUATE INTERMEDIATE INADEQUATE NO CARE | 112 26 <=5 0 | 79.4 18.4 * | 850 299 67 7 | 69.5 24.4 5.5 0.6 | 10,770 3,477 921 102 | 70.5 22.8 6.0 0.7 |

| | FOLW NEIGHBO | | CAMD COMMU | | MINNEAPOLIS TOTAL | |
|-------------------------|-----------------|---------|---------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 323 | 1.7 | 1,709 | 9.0 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | | | | |
| WHITE NON-HISPANIC | 71 | 22 | 587 | 34.3 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 156 | 48.3 | 655 | 38.3 | 5,338 | 28.2 |
| AMERICAN INDIAN | 9 | 2.8 | 47 | 2.8 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 53 | 16.4 | 243 | 14.2 | 1,318 | 7.0 |
| HISPANIC | 32 | 9.9 | 162 | 9.5 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 110 | 34.1 | 738 | 43.2 | 10,227 | 54.0 |
| UNMARRIED | 213 | 65.9 | 969 | 56.8 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | 22 | 6.8 | 99 | 5.8 | 680 | 3.6 |
| 18 - 19 | 33 | 10.2 | 162 | 9.5 | 1,086 | 5.7 |
| 20 - 34 | 238 | 73.7 | 1,251 | 73.2 | 13,783 | 72.7 |
| 35 AND OVER | 30 | 9.3 | 197 | 11.5 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 84 | 28.1 | 373 | 23.1 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 112 | 37.5 | 516 | 32.0 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 103 | 34.4 | 724 | 44.9 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 45 | 14 | 223 | 13.1 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 276 | 86 | 1,484 | 86.9 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 289 | 89.5 | 1,543 | 90.3 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 34 | 10.5 | 165 | 9.7 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 191 | 71 | 1,162 | 78.5 | 14,025 | 79.0 |
| 2nd TRIMESTER | 65 | 24.2 | 268 | 18.1 | 2,984 | 16.8 |
| 3rd TRIMESTER | 10 | 3.7 | 44 | 3.0 | 637 | 3.6 |
| NO CARE | <=5 | * | 7 | 0.5 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 127 | 59.1 | 850 | 69.5 | 10,770 | 70.5 |
| INTERMEDIATE | 67 | 31.2 | 299 | 24.4 | 3,477 | 22.8 |
| INADEQUATE | 18 | 8.4 | 67 | 5.5 | 921 | 6.0 |
| NO CARE | <=5 | * | 7 | 0.6 | 102 | 0.7 |
| | | | | | | |

| | LIND-BO NEIGHBO | | CAMD COMMU | | MINNEAPOLIS TOTAL | |
|---|----------------------------|------------------------------------|--------------------------------|------------------------------------|---|------------------------------------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 242 | 1.3 | 1,709 | 9.0 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY WHITE NON-HISPANIC BLACK NON-HISPANIC AMERICAN INDIAN ASIAN/PACIFIC ISLANDER HISPANIC | 90 79 10 36 23 | 37.2 32.6 4.1 14.9 9.5 | 587 655 47 243 162 | 34.3 38.3 2.8 14.2 9.5 | 7,951 5,338 659 1,318 3,427 | 42.0 28.2 3.5 7.0 18.1 |
| MARITAL STATUS MARRIED UNMARRIED | 109 133 | 45 55 | 738 969 | 43.2 56.8 | 10,227 8,717 | 54.0 46.0 |
| AGE OF MOTHER UNDER 18 18 - 19 20 - 34 35 AND OVER | 12 21 188 21 | 5.0 8.7 77.7 8.7 | 99 162 1,251 197 | 5.8 9.5 73.2 11.5 | 680 1,086 13,783 3,403 | 3.6 5.7 72.7 18.0 |
| MOTHER'S EDUCATION LESS THAN HIGH SCHOOL HIGH SCHOOL GRAD MORE THAN HIGH SCHOOL | 54 62 111 | 23.8 27.3 48.9 | 373 516 724 | 23.1 32.0 44.9 | 4,478 4,710 8,955 | 24.7 26.0 49.4 |
| GESTATION UNDER 37 WEEKS 37 OR MORE WEEKS | 22 220 | 9.1 90.9 | 223 1,484 | 13.1 86.9 | 2,054 16,867 | 10.9 89.1 |
| BIRTH WEIGHT 2500 + GRAMS UNDER 2500 GRAMS | 224 18 | 92.6 7.4 | 1,543 165 | 90.3 9.7 | 17,493 1,454 | 92.3 7.7 |
| TRIMESTER STARTED CARE 1st TRIMESTER 2nd TRIMESTER 3rd TRIMESTER NO CARE | 175 34 6 0 | 81.4 15.8 2.8 0.0 | 1,162 268 44 7 | 78.5 18.1 3.0 0.5 | 14,025 2,984 637 101 | 79.0 16.8 3.6 0.6 |
| ADEQUACY OF CARE ADEQUATE INTERMEDIATE INADEQUATE NO CARE | 132 36 9 0 | 74.6 20.3 5.1 0.0 | 850 299 67 7 | 69.5 24.4 5.5 0.6 | 10,770 3,477 921 102 | 70.5 22.8 6.0 0.7 |

| | MCKIN NEIGHBO | | CAMD COMMU | | MINNEAPOLIS TOTAL | |
|---|------------------|--------------|---------------|-------------|----------------------|--------------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 219 | 1.2 | 1,709 | 9.0 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | | | | |
| WHITE NON-HISPANIC | 33 | 15.1 | 587 | 34.3 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 109 | 49.8 | 655 | 38.3 | 5,338 | 28.2 |
| AMERICAN INDIAN ASIAN/PACIFIC ISLANDER | 11 | 5 15.5 | 47 | 2.8 14.2 | 659 | 3.5 |
| HISPANIC | 34 31 | 15.5 14.2 | 243 162 | 9.5 | 1,318 3,427 | 7.0 18.1 |
| HISPANIC | 31 | 14.2 | 162 | 9.5 | 3,427 | 10.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 70 | 32.1 | 738 | 43.2 | 10,227 | 54.0 |
| UNMARRIED | 148 | 67.9 | 969 | 56.8 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | 22 | 10.0 | 99 | 5.8 | 680 | 3.6 |
| 18 - 19 | 22 | 10.0 | 162 | 9.5 | 1,086 | 5.7 |
| 20 - 34 | 163 | 74.4 | 1,251 | 73.2 | 13,783 | 72.7 |
| 35 AND OVER | 12 | 5.5 | 197 | 11.5 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 72 | 34.8 | 373 | 23.1 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 72 74 | 34.6 35.7 | 516 | 32.0 | 4,476 | 24.7 26.0 |
| MORE THAN HIGH SCHOOL | 61 | 29.5 | 724 | 44.9 | 8,955 | 49.4 |
| MORE THAN THOM SCHOOL | 01 | 29.5 | 124 | 44.3 | 0,933 | 43.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 31 | 14.2 | 223 | 13.1 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 188 | 85.8 | 1,484 | 86.9 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 196 | 89.5 | 1,543 | 90.3 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 23 | 10.5 | 165 | 9.7 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 134 | 70.5 | 1,162 | 78.5 | 14,025 | 79.0 |
| 2nd TRIMESTER | 44 | 23.2 | 268 | 18.1 | 2,984 | 16.8 |
| 3rd TRIMESTER | 11 | 5.8 | 44 | 3.0 | 637 | 3.6 |
| NO CARE | <=5 | * | 7 | 0.5 | 101 | 0.6 |
| | . 0 | | • | 2.0 | | 3.0 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 87 | 54.0 | 850 | 69.5 | 10,770 | 70.5 |
| INTERMEDIATE | 57 | 35.4 | 299 | 24.4 | 3,477 | 22.8 |
| INADEQUATE | 16 | 9.9 | 67 | 5.5 | 921 | 6.0 |
| NO CARE | <=5 | * | 7 | 0.6 | 102 | 0.7 |

| | SHINGLE CREEK | | CAMD | | MINNEAPOLIS TOTAL | | |
|--|---------------------------|-------------------------------------|--------------------------------|------------------------------------|---|------------------------------------|--|
| | NEIGHBO NUMBER | PERCENT | COMMU NUMBER | PERCENT | NUMBER | PERCENT | |
| TOTAL BIRTHS | 180 | 0.9 | 1,709 | 9.0 | 18,953 | 100.0 | |
| MOTHER'S RACE/ETHNICITY WHITE NON-HISPANIC BLACK NON-HISPANIC AMERICAN INDIAN ASIAN/PACIFIC ISLANDER HISPANIC | 51 61 0 45 23 | 28.3 33.9 0.0 25.0 12.8 | 587 655 47 243 162 | 34.3 38.3 2.8 14.2 9.5 | 7,951 5,338 659 1,318 3,427 | 42.0 28.2 3.5 7.0 18.1 | |
| MARITAL STATUS MARRIED UNMARRIED | 80 99 | 44.7 55.3 | 738 969 | 43.2 56.8 | 10,227 8,717 | 54.0 46.0 | |
| AGE OF MOTHER UNDER 18 18 - 19 20 - 34 35 AND OVER | 9 26 129 16 | 5.0 14.4 71.7 8.9 | 99 162 1,251 197 | 5.8 9.5 73.2 11.5 | 680 1,086 13,783 3,403 | 3.6 5.7 72.7 18.0 | |
| MOTHER'S EDUCATION LESS THAN HIGH SCHOOL HIGH SCHOOL GRAD MORE THAN HIGH SCHOOL | 40 57 72 | 23.7 33.7 42.6 | 373 516 724 | 23.1 32.0 44.9 | 4,478 4,710 8,955 | 24.7 26.0 49.4 | |
| GESTATION UNDER 37 WEEKS 37 OR MORE WEEKS | 25 155 | 13.9 86.1 | 223 1,484 | 13.1 86.9 | 2,054 16,867 | 10.9 89.1 | |
| BIRTH WEIGHT 2500 + GRAMS UNDER 2500 GRAMS | 164 16 | 91.1 8.9 | 1,543 165 | 90.3 9.7 | 17,493 1,454 | 92.3 7.7 | |
| TRIMESTER STARTED CARE 1st TRIMESTER 2nd TRIMESTER 3rd TRIMESTER NO CARE | 112 32 <=5 0 | 75.7 21.6 * | 1,162 268 44 7 | 78.5 18.1 3.0 0.5 | 14,025 2,984 637 101 | 79.0 16.8 3.6 0.6 | |
| ADEQUACY OF CARE ADEQUATE INTERMEDIATE INADEQUATE NO CARE | 90 32 6 0 | 70.3 25.0 4.7 0.0 | 850 299 67 7 | 69.5 24.4 5.5 0.6 | 10,770 3,477 921 102 | 70.5 22.8 6.0 0.7 | |

| | VICT(| | CAMD COMMU | | MINNEAPOLIS TOTAL | |
|-------------------------|--------|---------|---------------|-----------|----------------------|----------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 273 | 1.4 | 1,709 | 9.0 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | | | | |
| WHITE NON-HISPANIC | 174 | 63.7 | 587 | 34.3 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 52 | 19.0 | 655 | 38.3 | 5,338 | 28.2 |
| AMERICAN INDIAN | <=5 | * | 47 | 2.8 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 21 | 7.7 | 243 | 14.2 | 1,318 | 7.0 |
| HISPANIC | 16 | 5.9 | 162 | 9.5 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 172 | 63.0 | 738 | 43.2 | 10,227 | 54.0 |
| UNMARRIED | 101 | 37.0 | 969 | 56.8 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | 6 | 2.2 | 99 | 5.8 | 680 | 3.6 |
| 18 - 19 | 17 | 6.2 | 162 | 9.5 | 1,086 | 5.7 |
| 20 - 34 | 198 | 72.5 | 1,251 | 73.2 | 13,783 | 72.7 |
| 35 AND OVER | 52 | 19.0 | 197 | 11.5 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 25 | 9.4 | 373 | 23.1 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 56 | 21.1 | 516 | 32.0 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 184 | 69.4 | 724 | 44.9 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 35 | 12.8 | 223 | 13.1 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 238 | 87.2 | 1,484 | 86.9 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 253 | 92.7 | 1,543 | 90.3 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 20 | 7.3 | 165 | 9.7 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 214 | 88.8 | 1,162 | 78.5 | 14,025 | 79.0 |
| 2nd TRIMESTER | 23 | 9.5 | 268 | 18.1 | 2,984 | 16.8 |
| 3rd TRIMESTER | <=5 | * | 44 | 3.0 | 637 | 3.6 |
| NO CARE | 0 | 0.0 | 7 | 0.5 | 101 | 0.6 |
| | | | | | | |
| ADEQUACY OF CARE | 4 | 0.4.5 | | - | 40 | - |
| ADEQUATE | 166 | 81.8 | 850 | 69.5 | 10,770 | 70.5 |
| INTERMEDIATE | 32 | 15.8 | 299 | 24.4 | 3,477 | 22.8 |
| INADEQUATE | <=5 | * | 67 | 5.5 | 921 | 6.0 |
| NO CARE | 0 | 0.0 | 7 | 0.6 | 102 | 0.7 |

| | WEBBER CAMDEN NEIGHBORHOOD | | CAMD COMMU | | MINNEAPOLIS TOTAL | |
|---|----------------------------|----------------------|---------------|--------------|----------------------|--------------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 281 | 1.5 | 1,709 | 9.0 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | | | | |
| WHITE NON-HISPANIC | 90 | 32.0 | 587 | 34.3 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 122 | 43.4 | 655 | 38.3 | 5,338 | 28.2 |
| AMERICAN INDIAN ASIAN/PACIFIC ISLANDER | 11 33 | 3.9 11.7 | 47 243 | 2.8 14.2 | 659 1,318 | 3.5 7.0 |
| HISPANIC | 23 | 8.2 | 162 | 9.5 | 3,427 | 18.1 |
| THOI / WIG | 20 | 0.2 | 102 | 0.0 | 0,421 | 10.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 100 | 35.6 | 738 | 43.2 | 10,227 | 54.0 |
| UNMARRIED | 181 | 64.4 | 969 | 56.8 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | 20 | 7.1 | 99 | 5.8 | 680 | 3.6 |
| 18 - 19 | 32 | 11.4 | 162 | 9.5 | 1,086 | 5.7 |
| 20 - 34 | 199 | 70.8 | 1,251 | 73.2 | 13,783 | 72.7 |
| 35 AND OVER | 30 | 10.7 | 197 | 11.5 | 3,403 | 18.0 |
| MOTUEDIS EDUCATION | | | | | | |
| MOTHER'S EDUCATION LESS THAN HIGH SCHOOL | 71 | 26.9 | 373 | 23.1 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 97 | 26.9 36.7 | 516 | 32.0 | 4,478 | 26.0 |
| MORE THAN HIGH SCHOOL | 96 | 36. <i>1</i> 36.4 | 724 | 32.0 44.9 | 8,955 | 49.4 |
| Merce Transfer Correct | 00 | 00.1 | , _ , | 11.0 | 0,000 | 10.1 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 32 | 11.4 | 223 | 13.1 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 249 | 88.6 | 1,484 | 86.9 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 254 | 90.7 | 1,543 | 90.3 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 26 | 9.3 | 165 | 9.7 | 1,454 | 7.7 |
| TRIMECTED OTABLED CARE | | | | | | |
| TRIMESTER STARTED CARE 1st TRIMESTER | 185 | 75.8 | 1,162 | 78.5 | 14,025 | 79.0 |
| 2nd TRIMESTER | 50 | 20.5 | 268 | 78.5 18.1 | 2,984 | 79.0 16.8 |
| 3rd TRIMESTER | 6 | 20.5 | 44 | 3.0 | 637 | 3.6 |
| NO CARE | <=5 | 2. 5 | 7 | 0.5 | 101 | 0.6 |
| 7.10 | | | • | 0.0 | | 0.0 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 136 | 68.7 | 850 | 69.5 | 10,770 | 70.5 |
| INTERMEDIATE | 49 | 24.7 | 299 | 24.4 | 3,477 | 22.8 |
| INADEQUATE | 10 | 5.1 * | 67 | 5.5 | 921 | 6.0 |
| NO CARE | <=5 | * | 7 | 0.6 | 102 | 0.7 |

| | DOWNTOWN EAST NEIGHBORHOOD | | CENTRAL CO | MMUNITY | MINNEAPOLIS TOTAL | |
|-------------------------|-------------------------------|---------|-------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 60 | 0.3 | 788 | 4.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | | | | |
| WHITE NON-HISPANIC | 20 | 33.3 | 289 | 36.7 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 34 | 56.7 | 314 | 39.8 | 5,338 | 28.2 |
| AMERICAN INDIAN | <=5 | * | 32 | 4.1 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | <=5 | * | 88 | 11.2 | 1,318 | 7.0 |
| HISPANIC | <=5 | * | 56 | 7.1 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 21 | 35.0 | 454 | 57.8 | 10,227 | 54.0 |
| UNMARRIED | 39 | 65.0 | 332 | 42.2 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | 15 | 1.9 | 680 | 3.6 |
| 18 - 19 | <=5 | * | 40 | 5.1 | 1,086 | 5.7 |
| 20 - 34 | 47 | 78.3 | 627 | 79.6 | 13,783 | 72.7 |
| 35 AND OVER | 7 | 11.7 | 106 | 13.5 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 10 | 18.2 | 126 | 17.0 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 19 | 34.5 | 220 | 29.6 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 26 | 47.3 | 397 | 53.4 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 10 | 16.7 | 80 | 10.2 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 50 | 83.3 | 707 | 89.8 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 54 | 90.0 | 722 | 91.6 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 6 | 10 | 66 | 8.4 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 24 | 45.3 | 556 | 74.9 | 14,025 | 79.0 |
| 2nd TRIMESTER | 18 | 34.0 | 153 | 20.6 | 2,984 | 16.8 |
| 3rd TRIMESTER | 10 | 18.9 | 30 | 4.0 | 637 | 3.6 |
| NO CARE | < = 5 | * | <=5 | * | 101 | 0.6 |
| | _3 | | _ 0 | | 101 | 0.0 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 19 | 38.0 | 418 | 65.4 | 10,770 | 70.5 |
| INTERMEDIATE | 16 | 32.0 | 174 | 27.2 | 3,477 | 22.8 |
| INADEQUATE | 14 | 28.0 | 44 | 6.9 | 921 | 6.0 |
| NO CARE | <=5 | * | <=5 | * | 102 | 0.7 |

| | DOWNTOWN WEST NEIGHBORHOOD | | CENTRAL CO | MMUNITY | MINNEAPOLIS TOTAL | |
|-------------------------|-------------------------------|---------|------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 80 | 0.4 | 788 | 4.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | | | | |
| WHITE NON-HISPANIC | 29 | 36.3 | 289 | 36.7 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 9 | 11.3 | 314 | 39.8 | 5,338 | 28.2 |
| AMERICAN INDIAN | <=5 | * | 32 | 4.1 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 34 | 42.5 | 88 | 11.2 | 1,318 | 7.0 |
| HISPANIC | <=5 | * | 56 | 7.1 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 66 | 82.5 | 454 | 57.8 | 10,227 | 54.0 |
| UNMARRIED | 14 | 17.5 | 332 | 42.2 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | 15 | 1.9 | 680 | 3.6 |
| 18 - 19 | <=5 | * | 40 | 5.1 | 1,086 | 5.7 |
| 20 - 34 | 67 | 83.8 | 627 | 79.6 | 13,783 | 72.7 |
| 35 AND OVER | 9 | 11.3 | 106 | 13.5 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | . 5 | * | 106 | 17.0 | 4 470 | 247 |
| | <=5 | | 126 | 17.0 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 14 | 17.7 | 220 | 29.6 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 64 | 81.0 | 397 | 53.4 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 6 | 7.5 | 80 | 10.2 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 74 | 92.5 | 707 | 89.8 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 76 | 95.0 | 722 | 91.6 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | <=5 | * | 66 | 8.4 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 65 | 86.7 | 556 | 74.9 | 14,025 | 79.0 |
| 2nd TRIMESTER | 9 | 12 | 153 | 20.6 | 2,984 | 16.8 |
| 3rd TRIMESTER | <=5 | * | 30 | 4.0 | 637 | 3.6 |
| NO CARE | 0 | 0.0 | <=5 | * | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 50 | 80.6 | 418 | 65.4 | 10,770 | 70.5 |
| INTERMEDIATE | 11 | 17.7 | 174 | 27.2 | 3,477 | 22.8 |
| INADEQUATE | < = 5 | * | 44 | 6.9 | 921 | 6.0 |
| NO CARE | 0 | 0.0 | <=5 | * | 102 | 0.7 |
| | J | 0.0 | 1-0 | | 102 | 0.7 |

| | ELLIOT PARK NEIGHBORHOOD | | CENTRAL CO | MMUNITY | MINNEAPOLIS TOTAL | |
|-------------------------|-----------------------------|---------|------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 229 | 1.2 | 788 | 4.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | | | | |
| WHITE NON-HISPANIC | 46 | 20.1 | 289 | 36.7 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 144 | 62.9 | 314 | 39.8 | 5,338 | 28.2 |
| AMERICAN INDIAN | 14 | 6.1 | 32 | 4.1 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 9 | 3.9 | 88 | 11.2 | 1,318 | 7.0 |
| HISPANIC | 13 | 5.7 | 56 | 7.1 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 114 | 50.2 | 454 | 57.8 | 10,227 | 54.0 |
| UNMARRIED | 113 | 49.8 | 332 | 42.2 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | 15 | 1.9 | 680 | 3.6 |
| 18 - 19 | 12 | 5.2 | 40 | 5.1 | 1,086 | 5.7 |
| 20 - 34 | 179 | 78.2 | 627 | 79.6 | 13,783 | 72.7 |
| 35 AND OVER | 34 | 14.8 | 106 | 13.5 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 52 | 24.4 | 126 | 17.0 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 96 | 45.1 | 220 | 29.6 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 65 | 30.5 | 397 | 53.4 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 22 | 9.6 | 80 | 10.2 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 207 | 90.4 | 707 | 89.8 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 208 | 90.8 | 722 | 91.6 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 21 | 9.2 | 66 | 8.4 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 158 | 71.8 | 556 | 74.9 | 14,025 | 79.0 |
| 2nd TRIMESTER | 54 | 24.5 | 153 | 20.6 | 2,984 | 16.8 |
| 3rd TRIMESTER | 7 | 3.2 | 30 | 4.0 | 637 | 3.6 |
| NO CARE | <=5 | * | <=5 | * | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 107 | 58.8 | 418 | 65.4 | 10,770 | 70.5 |
| INTERMEDIATE | 64 | 35.2 | 174 | 27.2 | 3,477 | 22.8 |
| INADEQUATE | 10 | 5.5 | 44 | 6.9 | 921 | 6.0 |
| NO CARE | <=5 | * | <=5 | * | 102 | 0.7 |

| | LORING PARK NEIGHBORHOOD | | CENTRAL CO | MMUNITY | MINNEAPOLIS TOTAL | |
|-------------------------|-----------------------------|---------|------------|----------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 145 | 0.8 | 788 | 4.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | | | | |
| WHITE NON-HISPANIC | 61 | 42.1 | 289 | 36.7 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 53 | 36.6 | 314 | 39.8 | 5,338 | 28.2 |
| AMERICAN INDIAN | <=5 | * | 32 | 4.1 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 12 | 8.3 | 88 | 11.2 | 1,318 | 7.0 |
| HISPANIC | 15 | 10.3 | 56 | 7.1 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 88 | 60.7 | 454 | 57.8 | 10,227 | 54.0 |
| UNMARRIED | 57 | 39.3 | 332 | 42.2 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | 15 | 1.9 | 680 | 3.6 |
| 18 - 19 | 6 | 4.1 | 40 | 5.1 | 1,086 | 5.7 |
| 20 - 34 | 122 | 84.1 | 627 | 79.6 | 13,783 | 72.7 |
| 35 AND OVER | 15 | 10.3 | 106 | 13.5 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 8 | 6.0 | 126 | 17.0 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 32 | 23.9 | 220 | 29.6 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 94 | 70.1 | 397 | 53.4 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 15 | 10.4 | 80 | 10.2 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 129 | 89.6 | 707 | 89.8 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 135 | 93.1 | 722 | 91.6 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 10 | 6.9 | 66 | 8.4 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 107 | 77.5 | 556 | 74.9 | 14,025 | 79.0 |
| 2nd TRIMESTER | 28 | 20.3 | 153 | 20.6 | 2,984 | 16.8 |
| 3rd TRIMESTER | <=5 | * | 30 | 4.0 | 637 | 3.6 |
| NO CARE | 0 | 0.0 | <=5 | * | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUACY OF CARE | 04 | 74 7 | 440 | 05.4 | 40 770 | 70 5 |
| ADEQUATE | 91 | 71.7 | 418 | 65.4 | 10,770 | 70.5 |
| INTERMEDIATE | 30 | 23.6 | 174 | 27.2 | 3,477 | 22.8 |
| INADEQUATE | 6 | 4.7 | 44 | 6.9 * | 921 | 6.0 |
| NO CARE | 0 | 0.0 | <=5 | * | 102 | 0.7 |

| | NORTH LOOP NEIGHBORHOOD | | CENTRAL CO | MMUNITY | MINNEAPOLIS TOTAL | |
|-------------------------|----------------------------|---------|-------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 153 | 0.8 | 788 | 4.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | | | | |
| WHITE NON-HISPANIC | 89 | 58.2 | 289 | 36.7 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 22 | 14.4 | 314 | 39.8 | 5,338 | 28.2 |
| AMERICAN INDIAN | 6 | 3.9 | 32 | 4.1 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 29 | 19.0 | 88 | 11.2 | 1,318 | 7.0 |
| HISPANIC | 6 | 3.9 | 56 | 7.1 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 112 | 73.2 | 454 | 57.8 | 10,227 | 54.0 |
| UNMARRIED | 41 | 26.8 | 332 | 42.2 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | 15 | 1.9 | 680 | 3.6 |
| 18 - 19 | <=5 | * | 40 | 5.1 | 1,086 | 5.7 |
| 20 - 34 | 113 | 73.9 | 627 | 79.6 | 13,783 | 72.7 |
| 35 AND OVER | 34 | 22.2 | 106 | 13.5 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 18 | 12.2 | 126 | 17.0 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 26 | 17.7 | 220 | 29.6 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 103 | 70.1 | 397 | 53.4 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 14 | 9.2 | 80 | 10.2 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | | | 707 | _ | • | |
| 37 OR WORE WEEKS | 139 | 90.8 | 707 | 89.8 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | 722 | 91.6 | | |
| 2500 + GRAMS | 142 | 92.8 | 66 | 8.4 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 11 | 7.2 | | | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 115 | 81.0 | 556 | 74.9 | 14,025 | 79.0 |
| 2nd TRIMESTER | 20 | 14.1 | 153 | 20.6 | 2,984 | 16.8 |
| 3rd TRIMESTER | 7 | 4.9 | 30 | 4.0 | 637 | 3.6 |
| NO CARE | 0 | 0.0 | <=5 | * | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 89 | 73.6 | 418 | 65.4 | 10,770 | 70.5 |
| INTERMEDIATE | 22 | 18.2 | 174 | 27.2 | 3,477 | 22.8 |
| INADEQUATE | 10 | 8.3 | 44 | 6.9 | 921 | 6.0 |
| NO CARE | 0 | 0.0 | <=5 | * | 102 | 0.7 |
| | 3 | 0.0 | \- 0 | | 102 | 0.7 |

| | STEVENS SQUARE NEIGHBORHOOD | | CENTRAL CO | OMMUNITY | MINNEAPOLIS TOTAL | |
|-------------------------|--------------------------------|---------|------------|----------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 121 | 0.6 | 788 | 4.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | | | | |
| WHITE NON-HISPANIC | 44 | 36.4 | 289 | 36.7 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 52 | 43.0 | 314 | 39.8 | 5,338 | 28.2 |
| AMERICAN INDIAN | 6 | 5 | 32 | 4.1 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | <=5 | * | 88 | 11.2 | 1,318 | 7.0 |
| HISPANIC | 16 | 13.2 | 56 | 7.1 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 53 | 43.8 | 454 | 57.8 | 10,227 | 54.0 |
| UNMARRIED | 68 | 56.2 | 332 | 42.2 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | 15 | 1.9 | 680 | 3.6 |
| 18 - 19 | 13 | 10.7 | 40 | 5.1 | 1,086 | 5.7 |
| 20 - 34 | 99 | 81.8 | 627 | 79.6 | 13,783 | 72.7 |
| 35 AND OVER | 7 | 5.8 | 106 | 13.5 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 37 | 32.2 | 126 | 17.0 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 33 | 28.7 | 220 | 29.6 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 45 | 39.1 | 397 | 53.4 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 13 | 10.7 | 80 | 10.2 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 108 | 89.3 | 707 | 89.8 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | 722 | 91.6 | | |
| 2500 + GRAMS | 107 | 88.4 | 66 | 8.4 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 14 | 11.6 | | | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 87 | 76.3 | 556 | 74.9 | 14,025 | 79.0 |
| 2nd TRIMESTER | 24 | 21.1 | 153 | 20.6 | 2,984 | 16.8 |
| 3rd TRIMESTER | <=5 | * | 30 | 4.0 | 637 | 3.6 |
| NO CARE | <=5 | * | <=5 | * | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 62 | 63.9 | 418 | 65.4 | 10,770 | 70.5 |
| INTERMEDIATE | 31 | 32.0 | 174 | 27.2 | 3,477 | 22.8 |
| INADEQUATE | <=5 | * | 44 | 6.9 | 921 | 6.0 |
| NO CARE | <=5 | * | <=5 | * | 102 | 0.7 |

| | COOI NEIGHBO | | | LONGELLOW COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|-----------------|---------|-----------------|---------------------|--------|----------------------|--|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT | |
| TOTAL BIRTHS | 138 | 0.7 | 1,350 | 7.1 | 18,953 | 100.0 | |
| MOTHER'S RACE/ETHNICITY | • | | | | | | |
| WHITE NON-HISPANIC | 100 | 72.5 | 690 | 51.1 | 7,951 | 42.0 | |
| BLACK NON-HISPANIC | 12 | 8.7 | 387 | 28.7 | 5,338 | 28.2 | |
| AMERICAN INDIAN | <=5 | * | 45 | 3.3 | 659 | 3.5 | |
| ASIAN/PACIFIC ISLANDER | 9 | 6.5 | 46 | 3.4 | 1,318 | 7.0 | |
| HISPANIC | 13 | 9.4 | 163 | 12.1 | 3,427 | 18.1 | |
| MARITAL STATUS | | | | | | | |
| MARRIED | 106 | 76.8 | 842 | 62.4 | 10,227 | 54.0 | |
| UNMARRIED | 32 | 23.2 | 507 | 37.6 | 8,717 | 46.0 | |
| AGE OF MOTHER | | | | | | | |
| UNDER 18 | 0 | 0.0 | 21 | 1.6 | 680 | 3.6 | |
| 18 - 19 | 9 | 6.5 | 49 | 3.6 | 1,086 | 5.7 | |
| 20 - 34 | 92 | 66.7 | 993 | 73.6 | 13,783 | 72.7 | |
| 35 AND OVER | 37 | 26.8 | 287 | 21.3 | 3,403 | 18.0 | |
| MOTHER'S EDUCATION | | | | | | | |
| LESS THAN HIGH SCHOOL | 13 | 9.6 | 254 | 19.3 | 4,478 | 24.7 | |
| HIGH SCHOOL GRAD | 20 | 14.7 | 327 | 24.8 | 4,710 | 26.0 | |
| MORE THAN HIGH SCHOOL | 103 | 75.7 | 737 | 55.9 | 8,955 | 49.4 | |
| GESTATION | | | | | | | |
| UNDER 37 WEEKS | 11 | 8.0 | 145 | 10.8 | 2,054 | 10.9 | |
| 37 OR MORE WEEKS | 127 | 92.0 | 1,200 | 89.2 | 16,867 | 89.1 | |
| BIRTH WEIGHT | | | | | | | |
| 2500 + GRAMS | 136 | 98.6 | 1,277 | 94.7 | 17,493 | 92.3 | |
| UNDER 2500 GRAMS | <=5 | * | ['] 72 | 5.3 | 1,454 | 7.7 | |
| TRIMESTER STARTED CARE | | | | | | | |
| 1st TRIMESTER | 119 | 89.5 | 1,072 | 83.0 | 14,025 | 79.0 | |
| 2nd TRIMESTER | 12 | 9.0 | 174 | 13.5 | 2,984 | 16.8 | |
| 3rd TRIMESTER | <=5 | * | 41 | 3.2 | 637 | 3.6 | |
| NO CARE | 0 | 0.0 | <=5 | * | 101 | 0.6 | |
| ADEQUACY OF CARE | | | | | | | |
| ADEQUATE | 86 | 81.1 | 808 | 73.9 | 10,770 | 70.5 | |
| INTERMEDIATE | 18 | 17.0 | 232 | 21.2 | 3,477 | 22.8 | |
| INADEQUATE | <=5 | * | 49 | 4.5 | 921 | 6.0 | |
| NO CARE | 0 | 0.0 | <=5 | * | 102 | 0.7 | |
| | | | | | | | |

| | HIAW <i>A</i> NEIGHBO | | | LONGELLOW COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|--------------------------|---------|--------|---------------------|--------|----------------------|--|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT | |
| TOTAL BIRTHS | 235 | 1.2 | 1,350 | 7.1 | 18,953 | 100.0 | |
| MOTHER'S RACE/ETHNICITY | | | | | | | |
| WHITE NON-HISPANIC | 165 | 70.2 | 690 | 51.1 | 7,951 | 42.0 | |
| BLACK NON-HISPANIC | 27 | 11.5 | 387 | 28.7 | 5,338 | 28.2 | |
| AMERICAN INDIAN | 7 | 3.0 | 45 | 3.3 | 659 | 3.5 | |
| ASIAN/PACIFIC ISLANDER | 6 | 2.6 | 46 | 3.4 | 1,318 | 7.0 | |
| HISPANIC | 26 | 11.1 | 163 | 12.1 | 3,427 | 18.1 | |
| MARITAL STATUS | | | | | | | |
| MARRIED | 149 | 63.4 | 842 | 62.4 | 10,227 | 54.0 | |
| UNMARRIED | 86 | 36.6 | 507 | 37.6 | 8,717 | 46.0 | |
| AGE OF MOTHER | | | | | | | |
| UNDER 18 | <=5 | * | 21 | 1.6 | 680 | 3.6 | |
| 18 - 19 | 10 | 4.3 | 49 | 3.6 | 1,086 | 5.7 | |
| 20 - 34 | 167 | 71.1 | 993 | 73.6 | 13,783 | 72.7 | |
| 35 AND OVER | 55 | 23.4 | 287 | 21.3 | 3,403 | 18.0 | |
| MOTHER'S EDUCATION | | | | | | | |
| LESS THAN HIGH SCHOOL | 25 | 10.9 | 254 | 19.3 | 4,478 | 24.7 | |
| HIGH SCHOOL GRAD | 41 | 17.8 | 327 | 24.8 | 4,710 | 26.0 | |
| MORE THAN HIGH SCHOOL | 164 | 71.3 | 737 | 55.9 | 8,955 | 49.4 | |
| GESTATION | | | | | | | |
| UNDER 37 WEEKS | 28 | 12.0 | 145 | 10.8 | 2,054 | 10.9 | |
| 37 OR MORE WEEKS | 206 | 88.0 | 1,200 | 89.2 | 16,867 | 89.1 | |
| BIRTH WEIGHT | | | | | | | |
| 2500 + GRAMS | 220 | 94.0 | 1,277 | 94.7 | 17,493 | 92.3 | |
| UNDER 2500 GRAMS | 14 | 6.0 | 72 | 5.3 | 1,454 | 7.7 | |
| TRIMESTER STARTED CARE | | | | | | | |
| 1st TRIMESTER | 201 | 86.6 | 1,072 | 83.0 | 14,025 | 79.0 | |
| 2nd TRIMESTER | 29 | 12.5 | 174 | 13.5 | 2,984 | 16.8 | |
| 3rd TRIMESTER | <=5 | * | 41 | 3.2 | 637 | 3.6 | |
| NO CARE | 0 | 0.0 | <=5 | * | 101 | 0.6 | |
| ADEQUACY OF CARE | | | | | | | |
| ADEQUATE | 152 | 80.0 | 808 | 73.9 | 10,770 | 70.5 | |
| INTERMEDIATE | 33 | 17.4 | 232 | 21.2 | 3,477 | 22.8 | |
| INADEQUATE | <=5 | * | 49 | 4.5 | 921 | 6.0 | |
| NO CARE | 0 | 0.0 | <=5 | * | 102 | 0.7 | |

| NUMBER PERCENT NUMBER PERCENT NUMBER PERCENT NUMBER PERCENT TOTAL BIRTHS 324 1.7 1,350 7.1 18,953 100.0 MOTHER'S RACE/ETHNICITY VHITE NON-HISPANIC 207 63.9 690 51.1 7,951 42.0 BLACK NON-HISPANIC 49 15.1 387 28.7 5,338 28.2 |
|--|
| MOTHER'S RACE/ETHNICITY WHITE NON-HISPANIC 207 63.9 690 51.1 7,951 42.0 |
| WHITE NON-HISPANIC 207 63.9 690 51.1 7,951 42.0 |
| , |
| BLACK NON-HISPANIC 49 15.1 387 28.7 5,338 28.2 |
| |
| AMERICAN INDIAN 9 2.8 45 3.3 659 3.5 |
| ASIAN/PACIFIC ISLANDER 12 3.7 46 3.4 1,318 7.0 |
| HISPANIC 44 13.6 163 12.1 3,427 18.1 |
| MARITAL STATUS |
| MARRIED 203 62.8 842 62.4 10,227 54.0 |
| UNMARRIED 120 37.2 507 37.6 8,717 46.0 |
| AGE OF MOTHER |
| UNDER 18 <=5 * 21 1.6 680 3.6 |
| 18 - 19 9 2.8 49 3.6 1,086 5.7 |
| 20 - 34 242 74.7 993 73.6 13,783 72.7 |
| 35 AND OVER 69 21.3 287 21.3 3,403 18.0 |
| MOTHER'S EDUCATION |
| LESS THAN HIGH SCHOOL 47 14.8 254 19.3 4,478 24.7 |
| HIGH SCHOOL GRAD 60 18.9 327 24.8 4,710 26.0 |
| MORE THAN HIGH SCHOOL 210 66.2 737 55.9 8,955 49.4 |
| GESTATION |
| UNDER 37 WEEKS 39 12.1 145 10.8 2,054 10.9 |
| 37 OR MORE WEEKS 284 87.9 1,200 89.2 16,867 89.1 |
| BIRTH WEIGHT |
| 2500 + GRAMS 303 93.5 1,277 94.7 17,493 92.3 |
| UNDER 2500 GRAMS 21 6.5 72 5.3 1,454 7.7 |
| TRIMESTER STARTED CARE |
| 1st TRIMESTER 254 81.9 1,072 83.0 14,025 79.0 |
| 2nd TRIMESTER 46 14.8 174 13.5 2,984 16.8 |
| 3rd TRIMESTER 7 2.3 41 3.2 637 3.6 |
| NO CARE <=5 * <=5 * 101 0.6 |
| ADEQUACY OF CARE |
| ADEQUATE 206 75.5 808 73.9 10,770 70.5 |
| INTERMEDIATE 53 19.4 232 21.2 3,477 22.8 |
| INADEQUATE 11 4.0 49 4.5 921 6.0 |
| NO CARE <=5 * <=5 * 102 0.7 |

| | LONGFELLOW NEIGHBORHOOD | | | LONGELLOW COMMUNITY | | MINNEAPOLIS TOTAL | |
|---|----------------------------|--------------|------------|------------------------|-----------------|----------------------|--|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT | |
| TOTAL BIRTHS | 260 | 1.4 | 1,350 | 7.1 | 18,953 | 100.0 | |
| MOTHER'S RACE/ETHNICITY WHITE NON-HISPANIC | 106 | 40.8 | 690 | 51.1 | 7,951 | 42.0 | |
| BLACK NON-HISPANIC | 57 | 40.8 21.9 | 387 | 28.7 | 5,338 | 28.2 | |
| AMERICAN INDIAN | 18 | 6.9 | 45 | 3.3 | 659 | 3.5 | |
| ASIAN/PACIFIC ISLANDER | 7 | 2.7 | 46 | 3.4 | 1,318 | 7.0 | |
| HISPANIC | 65 | 25.0 | 163 | 12.1 | 3,427 | 18.1 | |
| MARITAL STATUS | | | | | | | |
| MARRIED | 143 | 55.0 | 842 | 62.4 | 10,227 | 54.0 | |
| UNMARRIED | 117 | 45.0 | 507 | 37.6 | 8,717 | 46.0 | |
| AGE OF MOTHER | | | | | | | |
| UNDER 18 | 12 | 4.6 | 21 | 1.6 | 680 | 3.6 | |
| 18 - 19 20 - 24 | 11 | 4.2 75.0 | 49 | 3.6 73.6 | 1,086 13,783 | 5.7 | |
| 20 - 34 35 AND OVER | 195 42 | 75.0 16.2 | 993 287 | 21.3 | 3,403 | 72.7 18.0 | |
| MOTHER'S EDUCATION | | | | | | | |
| LESS THAN HIGH SCHOOL | 73 | 29.1 | 254 | 19.3 | 4,478 | 24.7 | |
| HIGH SCHOOL GRAD | 64 | 25.5 | 327 | 24.8 | 4,710 | 26.0 | |
| MORE THAN HIGH SCHOOL | 114 | 45.4 | 737 | 55.9 | 8,955 | 49.4 | |
| GESTATION | | | | | | | |
| UNDER 37 WEEKS | 28 | 10.8 | 145 | 10.8 | 2,054 | 10.9 | |
| 37 OR MORE WEEKS | 232 | 89.2 | 1,200 | 89.2 | 16,867 | 89.1 | |
| BIRTH WEIGHT | | | | | | | |
| 2500 + GRAMS | 244 | 93.8 | 1,277 | 94.7 | 17,493 | 92.3 | |
| UNDER 2500 GRAMS | 16 | 6.2 | 72 | 5.3 | 1,454 | 7.7 | |
| TRIMESTER STARTED CARE | | | | | | | |
| 1st TRIMESTER | 211 | 84.4 | 1,072 | 83.0 | 14,025 | 79.0 | |
| 2nd TRIMESTER | 34 | 13.6 | 174 | 13.5 | 2,984 | 16.8 | |
| 3rd TRIMESTER | <=5 | * | 41 | 3.2 | 637 101 | 3.6 | |
| NO CARE | <=5 | | <=5 | | 101 | 0.6 | |
| ADEQUACY OF CARE | | | | | | | |
| ADEQUATE | 150 | 68.8 | 808 | 73.9 | 10,770 | 70.5 | |
| INTERMEDIATE | 61 | 28.0 | 232 | 21.2 | 3,477 | 22.8 | |
| INADEQUATE NO CARE | 6 <=5 | 2.8 | 49 <=5 | 4.5 * | 921 102 | 6.0 0.7 | |
| INO CAIL | <=ΰ | | <=ວ | | 102 | 0.7 | |

| | SEWARD NEIGHBORHOOD | | | LONGELLOW COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|------------------------|---------|-------------|------------------------|--------|----------------------|--|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT | |
| TOTAL BIRTHS | 393 | 2.1 | 1,350 | 7.1 | 18,953 | 100.0 | |
| MOTHER'S RACE/ETHNICITY | | | | | | | |
| WHITE NON-HISPANIC | 112 | 28.5 | 690 | 51.1 | 7,951 | 42.0 | |
| BLACK NON-HISPANIC | 242 | 61.6 | 387 | 28.7 | 5,338 | 28.2 | |
| AMERICAN INDIAN | 8 | 2.0 | 45 | 3.3 | 659 | 3.5 | |
| ASIAN/PACIFIC ISLANDER | 12 | 3.1 | 46 | 3.4 | 1,318 | 7.0 | |
| HISPANIC | 15 | 3.8 | 163 | 12.1 | 3,427 | 18.1 | |
| MARITAL STATUS | | | | | | | |
| MARRIED | 241 | 61.3 | 842 | 62.4 | 10,227 | 54.0 | |
| UNMARRIED | 152 | 38.7 | 507 | 37.6 | 8,717 | 46.0 | |
| AGE OF MOTHER | | | | | | | |
| UNDER 18 | <=5 | * | 21 | 1.6 | 680 | 3.6 | |
| 18 - 19 | 10 | 2.5 | 49 | 3.6 | 1,086 | 5.7 | |
| 20 - 34 | 297 | 75.6 | 993 | 73.6 | 13,783 | 72.7 | |
| 35 AND OVER | 29 <i>1</i> 84 | 21.4 | 287 | 21.3 | 3,403 | 18.0 | |
| 33 AND OVER | 04 | 21.4 | 201 | 21.3 | 3,403 | 10.0 | |
| MOTHER'S EDUCATION | | | | | | | |
| LESS THAN HIGH SCHOOL | 96 | 25.0 | 254 | 19.3 | 4,478 | 24.7 | |
| HIGH SCHOOL GRAD | 142 | 37.0 | 327 | 24.8 | 4,710 | 26.0 | |
| MORE THAN HIGH SCHOOL | 146 | 38.0 | 737 | 55.9 | 8,955 | 49.4 | |
| GESTATION | | | | | | | |
| UNDER 37 WEEKS | 39 | 10.0 | 145 | 10.8 | 2,054 | 10.9 | |
| 37 OR MORE WEEKS | 351 | 90.0 | 1,200 | 89.2 | 16,867 | 89.1 | |
| BIRTH WEIGHT | | | | | | | |
| 2500 + GRAMS | 374 | 95.2 | 1,277 | 94.7 | 17,493 | 92.3 | |
| UNDER 2500 GRAMS | 19 | 4.8 | 72 | 5.3 | 1,454 | 7.7 | |
| TRIMESTER STARTED CARE | | | | | | | |
| 1st TRIMESTER | 287 | 78.4 | 1,072 | 83.0 | 14,025 | 79.0 | |
| 2nd TRIMESTER | 53 | 14.5 | 174 | 13.5 | 2,984 | 16.8 | |
| 3rd TRIMESTER | 26 | 7.1 | 41 | 3.2 | 637 | 3.6 | |
| NO CARE | 0 | 0.0 | <=5 | 3.Z * | 101 | 0.6 | |
| NO CARL | U | 0.0 | _ 5 | | 101 | 0.0 | |
| ADEQUACY OF CARE | | | | | | | |
| ADEQUATE | 214 | 69.9 | 808 | 73.9 | 10,770 | 70.5 | |
| INTERMEDIATE | 67 | 21.9 | 232 | 21.2 | 3,477 | 22.8 | |
| INADEQUATE | 25 | 8.2 | 49 | 4.5 | 921 | 6.0 | |
| NO CARE | 0 | 0.0 | <=5 | * | 102 | 0.7 | |

| | | | | NEAR NORTH COMMUNITY | | POLIS AL |
|--|--------------|--------------|--------------|----------------------|----------------|--------------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 219 | 1.2 | 2,303 | 12.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY WHITE NON-HISPANIC | , 39 | 17.8 | 311 | 13.5 | 7.051 | 42.0 |
| BLACK NON-HISPANIC | 104 | 17.6 47.5 | 1,279 | 55.5 | 7,951 5,338 | 42.0 28.2 |
| AMERICAN INDIAN | < = 5 | * | 43 | 1.9 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 58 | 26.5 | 414 | 18.0 | 1,318 | 7.0 |
| HISPANIC | 13 | 5.9 | 226 | 9.8 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 86 | 39.3 | 691 | 30.0 | 10,227 | 54.0 |
| UNMARRIED | 133 | 60.7 | 1,610 | 70.0 | 8,717 | 46.0 |
| AGE OF MOTHER | 40 | | 404 | 0.0 | 000 | 0.0 |
| UNDER 18 18 - 19 | 12 26 | 5.5 11.9 | 184 259 | 8.0 11.2 | 680 1,086 | 3.6 5.7 |
| 20 - 34 | 152 | 69.4 | 259 1,654 | 71.8 | 13,783 | 72.7 |
| 35 AND OVER | 29 | 13.2 | 206 | 8.9 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 74 | 36.8 | 714 | 33.3 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 76 | 37.8 | 874 | 40.8 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 51 | 25.4 | 555 | 25.9 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 29 | 13.3 | 320 | 13.9 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 189 | 86.7 | 1,979 | 86.1 | 16,867 | 89.1 |
| BIRTH WEIGHT | 004 | 24.2 | | 00.4 | 47 400 | 00.0 |
| 2500 + GRAMS | 201 18 | 91.8 | 2,037 | 88.4 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 10 | 8.2 | 266 | 11.6 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 130 | 68.4 | 1,310 | 67.9 | 14,025 | 79.0 |
| 2nd TRIMESTER | 50 | 26.3 | 478 | 24.8 | 2,984 | 16.8 |
| 3rd TRIMESTER | 7 | 3.7 | 116 | 6.0 | 637 | 3.6 |
| NO CARE | <=5 | | 25 | 1.3 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 82 | 55.0 | 870 | 55.0 | 10,770 | 70.5 |
| INTERMEDIATE | 53 11 | 35.6 | 503 | 31.8 | 3,477 | 22.8 |
| INADEQUATE NO CARE | 11 <=5 | 7.4 * | 183 25 | 11.6 1.6 | 921 102 | 6.0 0.7 |
| NO O/ NCL | _ J | | 20 | 1.0 | 102 | 0.7 |

| | HAWTH NEIGHBO | | NEAR NORTH COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|------------------|---------|----------------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 382 | 2.0 | 2,303 | 12.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | / | | | | | |
| WHITE NON-HISPANIC | 61 | 16.0 | 311 | 13.5 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 183 | 47.9 | 1,279 | 55.5 | 5,338 | 28.2 |
| AMERICAN INDIAN | 12 | 3.1 | 43 | 1.9 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 81 | 21.2 | 414 | 18.0 | 1,318 | 7.0 |
| HISPANIC | 40 | 10.5 | 226 | 9.8 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 99 | 26.0 | 691 | 30.0 | 10,227 | 54.0 |
| UNMARRIED | 282 | 74.0 | 1,610 | 70.0 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | 42 | 11.0 | 184 | 8.0 | 680 | 3.6 |
| 18 - 19 | 50 | 13.1 | 259 | 11.2 | 1,086 | 5.7 |
| 20 - 34 | 264 | 69.1 | 1,654 | 71.8 | 13,783 | 72.7 |
| 35 AND OVER | 26 | 6.8 | 206 | 8.9 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 142 | 39.6 | 714 | 33.3 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 150 | 41.8 | 874 | 40.8 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 67 | 18.7 | 555 | 25.9 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 74 | 19.5 | 320 | 13.9 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 306 | 80.5 | 1,979 | 86.1 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 323 | 84.6 | 2,037 | 88.4 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 59 | 15.4 | 266 | 11.6 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 187 | 59.6 | 1,310 | 67.9 | 14,025 | 79.0 |
| 2nd TRIMESTER | 100 | 31.8 | 478 | 24.8 | 2,984 | 16.8 |
| 3rd TRIMESTER | 23 | 7.3 | 116 | 6.0 | 637 | 3.6 |
| NO CARE | <=5 | * | 25 | 1.3 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 112 | 45.2 | 870 | 55.0 | 10,770 | 70.5 |
| INTERMEDIATE | 90 | 36.3 | 503 | 31.8 | 3,477 | 22.8 |
| INADEQUATE | 42 | 16.9 | 183 | 11.6 | 921 | 6.0 |
| NO CARE | <=5 | * | 25 | 1.6 | 102 | 0.7 |

| | JORI NEIGHBO | | NEAR NORTH COMMUNITY | | | MINNEAPOLIS TOTAL | |
|---|-----------------|-------------|-------------------------|-------------|--------------|----------------------|--|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT | |
| TOTAL BIRTHS | 574 | 3.0 | 2,303 | 12.2 | 18,953 | 100.0 | |
| MOTHER'S RACE/ETHNICITY | | | | | | | |
| WHITE NON-HISPANIC | 77 | 13.4 | 311 | 13.5 | 7,951 | 42.0 | |
| BLACK NON-HISPANIC | 290 | 50.5 | 1,279 | 55.5 | 5,338 | 28.2 | |
| AMERICAN INDIAN ASIAN/PACIFIC ISLANDER | 14 126 | 2.4 22.0 | 43 414 | 1.9 18.0 | 659 1,318 | 3.5 7.0 | |
| HISPANIC | 59 | 10.3 | 226 | 9.8 | 3,427 | 18.1 | |
| | | . 0.0 | | 0.0 | 3, | | |
| MARITAL STATUS MARRIED | 159 | 27.7 | 691 | 30.0 | 10,227 | 54.0 | |
| UNMARRIED | 414 | 72.3 | 1,610 | 70.0 | 8,717 | 46.0 | |
| OT WIN WARRED | 717 | 72.0 | 1,010 | 70.0 | 0,7 17 | 40.0 | |
| AGE OF MOTHER | | | | | | | |
| UNDER 18 | 49 | 8.5 | 184 | 8.0 | 680 | 3.6 | |
| 18 - 19 | 76 | 13.2 | 259 | 11.2 | 1,086 | 5.7 | |
| 20 - 34 35 AND OVER | 403 46 | 70.2 8.0 | 1,654 206 | 71.8 8.9 | 13,783 | 72.7 18.0 | |
| 35 AND OVER | 40 | 0.0 | 200 | 0.9 | 3,403 | 10.0 | |
| MOTHER'S EDUCATION | | | | | | | |
| LESS THAN HIGH SCHOOL | 190 | 35.7 | 714 | 33.3 | 4,478 | 24.7 | |
| HIGH SCHOOL GRAD | 213 | 40.0 | 874 | 40.8 | 4,710 | 26.0 | |
| MORE THAN HIGH SCHOOL | 129 | 24.2 | 555 | 25.9 | 8,955 | 49.4 | |
| GESTATION | | | | | | | |
| UNDER 37 WEEKS | 63 | 11.0 | 320 | 13.9 | 2,054 | 10.9 | |
| 37 OR MORE WEEKS | 510 | 89.0 | 1,979 | 86.1 | 16,867 | 89.1 | |
| BIRTH WEIGHT | | | | | | | |
| 2500 + GRAMS | 515 | 89.7 | 2,037 | 88.4 | 17,493 | 92.3 | |
| UNDER 2500 GRAMS | 59 | 10.3 | 266 | 11.6 | 1,454 | 7.7 | |
| TRIMESTER STARTED CARE | | | | | | | |
| 1st TRIMESTER | 321 | 68.0 | 1,310 | 67.9 | 14,025 | 79.0 | |
| 2nd TRIMESTER | 110 | 23.3 | 478 | 24.8 | 2,984 | 16.8 | |
| 3rd TRIMESTER | 35 | 7.4 | 116 | 6.0 | 637 | 3.6 | |
| NO CARE | 6 | 1.3 | 25 | 1.3 | 101 | 0.6 | |
| ADEQUACY OF CARE | | | | | | | |
| ADEQUATE | 216 | 54.0 | 870 | 55.0 | 10,770 | 70.5 | |
| INTERMEDIATE | 127 | 31.8 | 503 | 31.8 | 3,477 | 22.8 | |
| INADEQUATE | 51 | 12.8 | 183 | 11.6 | 921 | 6.0 | |
| NO CARE | 6 | 1.5 | 25 | 1.6 | 102 | 0.7 | |

| | NEAR N | | NEAR N | | MINNEAF TOTA | |
|-------------------------|--------|---------|--------|---------|-----------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 471 | 2.5 | 2,303 | 12.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | / | | | | | |
| WHITE NON-HISPANIC | 48 | 10.2 | 311 | 13.5 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 297 | 63.1 | 1,279 | 55.5 | 5,338 | 28.2 |
| AMERICAN INDIAN | 6 | 1.3 | 43 | 1.9 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 50 | 10.6 | 414 | 18.0 | 1,318 | 7.0 |
| HISPANIC | 67 | 14.2 | 226 | 9.8 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 143 | 30.4 | 691 | 30.0 | 10,227 | 54.0 |
| UNMARRIED | 328 | 69.6 | 1,610 | 70.0 | 8,717 | 46.0 |
| ONWARRED | 320 | 09.0 | 1,010 | 70.0 | 0,7 17 | 40.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | 41 | 8.7 | 184 | 8.0 | 680 | 3.6 |
| 18 - 19 | 43 | 9.1 | 259 | 11.2 | 1,086 | 5.7 |
| 20 - 34 | 357 | 75.8 | 1,654 | 71.8 | 13,783 | 72.7 |
| 35 AND OVER | 30 | 6.4 | 206 | 8.9 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 159 | 36.2 | 714 | 33.3 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 179 | 40.8 | 874 | 40.8 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 101 | 23.0 | 555 | 25.9 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 72 | 15.3 | 320 | 13.9 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 399 | 84.7 | 1,979 | 86.1 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 408 | 86.6 | 2,037 | 88.4 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 63 | 13.4 | 266 | 11.6 | 1,454 | 7.7 |
| | _ | | | | | |
| TRIMESTER STARTED CARE | | 07.0 | 4.040 | 07.0 | 44.005 | 70.0 |
| 1st TRIMESTER | 277 | 67.6 | 1,310 | 67.9 | 14,025 | 79.0 |
| 2nd TRIMESTER | 101 | 24.6 | 478 | 24.8 | 2,984 | 16.8 |
| 3rd TRIMESTER | 26 | 6.3 | 116 | 6.0 | 637 | 3.6 |
| NO CARE | 6 | 1.5 | 25 | 1.3 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 193 | 59.9 | 870 | 55.0 | 10,770 | 70.5 |
| INTERMEDIATE | 103 | 30.4 | 503 | 31.8 | 3,477 | 22.8 |
| INADEQUATE | 37 | 10.9 | 183 | 11.6 | 921 | 6.0 |
| NO CARE | 6 | 1.8 | 25 | 1.6 | 102 | 0.7 |

| | SUMNER- GLENWOOD NEIGHBORHOOD | | | NEAR NORTH COMMUNITY | | POLIS AL |
|------------------------------|-------------------------------------|---------|--------|-------------------------|--------|-------------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 132 | 0.7 | 2,303 | 12.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | , | | | | | |
| WHITE NON-HISPANIC | 8 | 6.1 | 311 | 13.5 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 111 | 84.1 | 1,279 | 55.5 | 5,338 | 28.2 |
| AMERICAN INDIAN | 0 | 0.0 | 43 | 1.9 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 9 | 6.8 | 414 | 18.0 | 1,318 | 7.0 |
| HISPANIC | <=5 | ^ | 226 | 9.8 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 54 | 40.9 | 691 | 30.0 | 10,227 | 54.0 |
| UNMARRIED | 78 | 59.1 | 1,610 | 70.0 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | 184 | 8.0 | 680 | 3.6 |
| 18 - 19 | 6 | 4.5 | 259 | 11.2 | 1,086 | 5.7 |
| 20 - 34 | 107 | 81.1 | 1,654 | 71.8 | 13,783 | 72.7 |
| 35 AND OVER | 15 | 11.4 | 206 | 8.9 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 17 | 13.9 | 714 | 33.3 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 72 | 59.0 | 874 | 40.8 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 33 | 27.0 | 555 | 25.9 | 8,955 | 49.4 |
| OFOTATION | | | | | | |
| GESTATION UNDER 37 WEEKS | 16 | 12.1 | 320 | 13.9 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 116 | 87.9 | 1,979 | 86.1 | 16,867 | 89.1 |
| or on more weeks | 110 | 07.0 | 1,070 | 00.1 | 10,007 | 00.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 121 | 91.7 | 2,037 | 88.4 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 11 | 8.3 | 266 | 11.6 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | <u> </u> | | | | | |
| 1st TRIMESTER | 93 | 79.5 | 1,310 | 67.9 | 14,025 | 79.0 |
| 2nd TRIMESTER | 22 | 18.8 | 478 | 24.8 | 2,984 | 16.8 |
| 3rd TRIMESTER | <=5 | * | 116 | 6.0 | 637 | 3.6 |
| NO CARE | 0 | 0.0 | 25 | 1.3 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUACT OF CARE ADEQUATE | 60 | 63.2 | 870 | 55.0 | 10,770 | 70.5 |
| INTERMEDIATE | 31 | 32.6 | 503 | 31.8 | 3,477 | 22.8 |
| INADEQUATE | <=5 | * | 183 | 11.6 | 921 | 6.0 |
| NO CARE | 0 | 0.0 | 25 | 1.6 | 102 | 0.7 |

| | WILLAR NEIGHBO | | NEAR NO | | MINNEAF TOTA | |
|-------------------------|-------------------|---------|---------|---------|-----------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 525 | 2.8 | 2,303 | 12.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | , | | | | | |
| WHITE NON-HISPANIC | 78 | 14.9 | 311 | 13.5 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 294 | 56.0 | 1,279 | 55.5 | 5,338 | 28.2 |
| AMERICAN INDIAN | 8 | 1.5 | 43 | 1.9 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 90 | 17.1 | 414 | 18.0 | 1,318 | 7.0 |
| HISPANIC | 46 | 8.8 | 226 | 9.8 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 150 | 28.6 | 691 | 30.0 | 10,227 | 54.0 |
| UNMARRIED | 375 | 71.4 | 1,610 | 70.0 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | 36 | 6.9 | 184 | 8.0 | 680 | 3.6 |
| 18 - 19 | 58 | 11.0 | 259 | 11.2 | 1,086 | 5.7 |
| 20 - 34 | 371 | 70.7 | 1,654 | 71.8 | 13,783 | 72.7 |
| 35 AND OVER | 60 | 11.4 | 206 | 8.9 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 132 | 26.9 | 714 | 33.3 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 184 | 37.6 | 874 | 40.8 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 174 | 35.5 | 555 | 25.9 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 66 | 12.6 | 320 | 13.9 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 459 | 87.4 | 1,979 | 86.1 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 469 | 89.3 | 2,037 | 88.4 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 56 | 10.7 | 266 | 11.6 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | <u> </u> | | | | | |
| 1st TRIMESTER | 302 | 70.9 | 1,310 | 67.9 | 14,025 | 79.0 |
| 2nd TRIMESTER | 95 | 22.3 | 478 | 24.8 | 2,984 | 16.8 |
| 3rd TRIMESTER | 23 | 5.4 | 116 | 6.0 | 637 | 3.6 |
| NO CARE | 6 | 1.4 | 25 | 1.3 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 207 | 59.1 | 870 | 55.0 | 10,770 | 70.5 |
| INTERMEDIATE | 99 | 28.3 | 503 | 31.8 | 3,477 | 22.8 |
| INADEQUATE | 38 | 10.9 | 183 | 11.6 | 921 | 6.0 |
| NO CARE | 6 | 1.7 | 25 | 1.6 | 102 | 0.7 |

| | DIAMOND LAKE NEIGHBORHOOD | | | NOKOMIS COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|---------------------------|------|--------|----------------------|--------|----------------------|--|
| | | | NUMBER | PERCENT | NUMBER | PERCENT | |
| TOTAL BIRTHS | 278 | 1.5 | 2,008 | 10.6 | 18,953 | 100.0 | |
| MOTHER'S RACE/ETHNICITY | | | | | | | |
| WHITE NON-HISPANIC | 224 | 80.6 | 1,435 | 71.5 | 7,951 | 42.0 | |
| BLACK NON-HISPANIC | 16 | 5.8 | 185 | 9.2 | 5,338 | 28.2 | |
| AMERICAN INDIAN | <=5 | * | 34 | 1.7 | 659 | 3.5 | |
| ASIAN/PACIFIC ISLANDER | 8 | 2.9 | 60 | 3.0 | 1,318 | 7.0 | |
| HISPANIC | 26 | 9.4 | 266 | 13.2 | 3,427 | 18.1 | |
| MARITAL STATUS | | | | | | | |
| MARRIED | 225 | 80.9 | 1,457 | 72.6 | 10,227 | 54.0 | |
| UNMARRIED | 53 | 19.1 | 550 | 27.4 | 8,717 | 46.0 | |
| AGE OF MOTHER | | | | | | | |
| UNDER 18 | <=5 | * | 37 | 1.8 | 680 | 3.6 | |
| 18 - 19 | <=5 | * | 55 | 2.7 | 1,086 | 5.7 | |
| 20 - 34 | 193 | 69.4 | 1,456 | 72.5 | 13,783 | 72.7 | |
| 35 AND OVER | 77 | 27.7 | 460 | 22.9 | 3,403 | 18.0 | |
| MOTHER'S EDUCATION | | | | | | | |
| LESS THAN HIGH SCHOOL | 15 | 5.6 | 249 | 12.7 | 4,478 | 24.7 | |
| HIGH SCHOOL GRAD | 30 | 11.2 | 292 | 14.9 | 4,710 | 26.0 | |
| MORE THAN HIGH SCHOOL | 224 | 83.3 | 1,416 | 72.4 | 8,955 | 49.4 | |
| GESTATION | | | | | | | |
| UNDER 37 WEEKS | 40 | 14.4 | 228 | 11.4 | 2,054 | 10.9 | |
| 37 OR MORE WEEKS | 237 | 85.6 | 1,777 | 88.6 | 16,867 | 89.1 | |
| BIRTH WEIGHT | | | | | | | |
| 2500 + GRAMS | 254 | 91.4 | 1,863 | 92.8 | 17,493 | 92.3 | |
| UNDER 2500 GRAMS | 24 | 8.6 | 145 | 7.2 | 1,454 | 7.7 | |
| TRIMESTER STARTED CARE | | | | | | | |
| 1st TRIMESTER | 252 | 92.3 | 1,718 | 87.6 | 14,025 | 79.0 | |
| 2nd TRIMESTER | 16 | 5.9 | 197 | 10.0 | 2,984 | 16.8 | |
| 3rd TRIMESTER | <=5 | * | 40 | 2.0 | 637 | 3.6 | |
| NO CARE | <=5 | * | 6 | 0.3 | 101 | 0.6 | |
| ADEQUACY OF CARE | | | | | | | |
| ADEQUATE | 210 | 87.5 | 1,397 | 82.1 | 10,770 | 70.5 | |
| INTERMEDIATE | 22 | 9.2 | 246 | 14.5 | 3,477 | 22.8 | |
| INADEQUATE | 6 | 2.5 | 53 | 3.1 | 921 | 6.0 | |
| NO CARE | <=5 | * | 6 | 0.4 | 102 | 0.7 | |

| | ERICSSON NEIGHBORHOOD | | NOKO COMMU | | MINNEAPOLIS TOTAL | |
|-------------------------|--------------------------|---------|---------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 179 | 0.9 | 2,008 | 10.6 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | | | | |
| WHITE NON-HISPANIC | 143 | 79.9 | 1,435 | 71.5 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 9 | 5.0 | 185 | 9.2 | 5,338 | 28.2 |
| AMERICAN INDIAN | <=5 | * | 34 | 1.7 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | <=5 | * | 60 | 3.0 | 1,318 | 7.0 |
| HISPANIC | 17 | 9.5 | 266 | 13.2 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 135 | 75.4 | 1,457 | 72.6 | 10,227 | 54.0 |
| UNMARRIED | 44 | 24.6 | 550 | 27.4 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | 37 | 1.8 | 680 | 3.6 |
| 18 - 19 | 0 | 0.0 | 55 | 2.7 | 1,086 | 5.7 |
| 20 - 34 | 137 | 76.5 | 1,456 | 72.5 | 13,783 | 72.7 |
| 35 AND OVER | 40 | 22.3 | 460 | 22.9 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 19 | 10.9 | 249 | 12.7 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 18 | 10.3 | 292 | 14.9 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 138 | 78.9 | 1,416 | 72.4 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 24 | 13.4 | 228 | 11.4 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 155 | 86.6 | 1,777 | 88.6 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 160 | 89.4 | 1,863 | 92.8 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 19 | 10.6 | 145 | 7.2 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 158 | 88.8 | 1,718 | 87.6 | 14,025 | 79.0 |
| 2nd TRIMESTER | 17 | 9.6 | 197 | 10.0 | 2,984 | 16.8 |
| 3rd TRIMESTER | <=5 | * | 40 | 2.0 | 637 | 3.6 |
| NO CARE | 0 | 0.0 | 6 | 0.3 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 122 | 79.7 | 1,397 | 82.1 | 10,770 | 70.5 |
| INTERMEDIATE | 27 | 17.6 | 246 | 14.5 | 3,477 | 22.8 |
| INADEQUATE | <=5 | * | 53 | 3.1 | 921 | 6.0 |
| NO CARE | 0 | 0.0 | 6 | 0.4 | 102 | 0.7 |

| | FIELD NEIGHBORHOOD | | | NOKOMIS COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|-----------------------|---------|--------|----------------------|--------|----------------------|--|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT | |
| TOTAL BIRTHS | 108 | 0.6 | 2,008 | 10.6 | 18,953 | 100.0 | |
| MOTHER'S RACE/ETHNICITY | | | | | | | |
| WHITE NON-HISPANIC | 82 | 75.9 | 1,435 | 71.5 | 7,951 | 42.0 | |
| BLACK NON-HISPANIC | 9 | 8.3 | 185 | 9.2 | 5,338 | 28.2 | |
| AMERICAN INDIAN | <=5 | * | 34 | 1.7 | 659 | 3.5 | |
| ASIAN/PACIFIC ISLANDER | <=5 | * | 60 | 3.0 | 1,318 | 7.0 | |
| HISPANIC | 9 | 8.3 | 266 | 13.2 | 3,427 | 18.1 | |
| MARITAL STATUS | | | | | | | |
| MARRIED | 82 | 75.9 | 1,457 | 72.6 | 10,227 | 54.0 | |
| UNMARRIED | 26 | 24.1 | 550 | 27.4 | 8,717 | 46.0 | |
| AGE OF MOTHER | | | | | | | |
| UNDER 18 | 0 | 0.0 | 37 | 1.8 | 680 | 3.6 | |
| 18 - 19 | <=5 | * | 55 | 2.7 | 1,086 | 5.7 | |
| 20 - 34 | 79 | 73.1 | 1,456 | 72.5 | 13,783 | 72.7 | |
| 35 AND OVER | 28 | 25.9 | 460 | 22.9 | 3,403 | 18.0 | |
| MOTHER'S EDUCATION | | | | | | | |
| LESS THAN HIGH SCHOOL | 10 | 9.3 | 249 | 12.7 | 4,478 | 24.7 | |
| HIGH SCHOOL GRAD | 16 | 15.0 | 292 | 14.9 | 4,710 | 26.0 | |
| MORE THAN HIGH SCHOOL | 81 | 75.7 | 1,416 | 72.4 | 8,955 | 49.4 | |
| GESTATION | | | | | | | |
| UNDER 37 WEEKS | 9 | 8.3 | 228 | 11.4 | 2,054 | 10.9 | |
| 37 OR MORE WEEKS | 99 | 91.7 | 1,777 | 88.6 | 16,867 | 89.1 | |
| BIRTH WEIGHT | | | | | | | |
| 2500 + GRAMS | 103 | 95.4 | 1,863 | 92.8 | 17,493 | 92.3 | |
| UNDER 2500 GRAMS | <=5 | * | 145 | 7.2 | 1,454 | 7.7 | |
| TRIMESTER STARTED CARE | | | | | | | |
| 1st TRIMESTER | 95 | 92.2 | 1,718 | 87.6 | 14,025 | 79.0 | |
| 2nd TRIMESTER | 8 | 7.8 | 197 | 10.0 | 2,984 | 16.8 | |
| 3rd TRIMESTER | 0 | 0.0 | 40 | 2.0 | 637 | 3.6 | |
| NO CARE | 0 | 0.0 | 6 | 0.3 | 101 | 0.6 | |
| ADEQUACY OF CARE | | | | | | | |
| ADEQUATE | 74 | 87.1 | 1,397 | 82.1 | 10,770 | 70.5 | |
| INTERMEDIATE | 10 | 11.8 | 246 | 14.5 | 3,477 | 22.8 | |
| INADEQUATE | <=5 | * | 53 | 3.1 | 921 | 6.0 | |
| NO CARE | 0 | 0 | 6 | 0.4 | 102 | 0.7 | |
| | | | | | | | |

| | HALE NEIGHBORHOOD | | NOKO COMMU | | MINNEAPOLIS TOTAL | |
|---|----------------------|--------------|---------------|--------------|----------------------|--------------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 177 | 0.9 | 2,008 | 10.6 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY WHITE NON-HISPANIC | 158 | 89.3 | 1,435 | 71.5 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | <=5 | 09.3 * | 1,435 | 9.2 | 5,338 | 42.0 28.2 |
| AMERICAN INDIAN | <=5 | * | 34 | 1.7 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | <=5 | * | 60 | 3.0 | 1,318 | 7.0 |
| HISPANIC | 9 | 5.1 | 266 | 13.2 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 155 | 87.6 | 1,457 | 72.6 | 10,227 | 54.0 |
| UNMARRIED | 22 | 12.4 | 550 | 27.4 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | 37 | 1.8 | 680 | 3.6 |
| 18 - 19 | <=5 | * | 55 | 2.7 | 1,086 | 5.7 |
| 20 - 34 | 114 | 64.4 | 1,456 | 72.5 | 13,783 | 72.7 |
| 35 AND OVER | 57 | 32.2 | 460 | 22.9 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | 0 | 0.4 | 0.40 | 40.7 | 4 470 | 047 |
| LESS THAN HIGH SCHOOL | 6 | 3.4 | 249 | 12.7 | 4,478 4,710 | 24.7 |
| HIGH SCHOOL GRAD MORE THAN HIGH SCHOOL | 20 151 | 11.3 85.3 | 292 1,416 | 14.9 72.4 | 4,710 8,955 | 26.0 49.4 |
| MORE THAN HIGH SCHOOL | 131 | 00.3 | 1,410 | 72.4 | 0,900 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 8 | 4.5 | 228 | 11.4 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 169 | 95.5 | 1,777 | 88.6 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 168 | 94.9 | 1,863 | 92.8 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 9 | 5.1 | 145 | 7.2 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 165 | 95.4 | 1,718 | 87.6 | 14,025 | 79.0 |
| 2nd TRIMESTER | <=5 | * | 197 | 10.0 | 2,984 | 16.8 |
| 3rd TRIMESTER | <=5 | * | 40 | 2.0 | 637 | 3.6 |
| NO CARE | 0 | 0.0 | 6 | 0.3 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 136 | 92.5 | 1,397 | 82.1 | 10,770 | 70.5 |
| INTERMEDIATE | 7 | 4.8 | 246 | 14.5 | 3,477 | 22.8 |
| INADEQUATE | <=5 | * | 53 | 3.1 | 921 | 6.0 |
| NO CARE | 0 | 0.0 | 6 | 0.4 | 102 | 0.7 |

| | KEEWAYDIN NEIGHBORHOOD | | NOKO COMMU | | MINNEAPOLIS TOTAL | |
|-------------------------|---------------------------|---------|---------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 133 | 0.7 | 2,008 | 10.6 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | | | | |
| WHITE NON-HISPANIC | 114 | 85.7 | 1,435 | 71.5 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | <=5 | * | 185 | 9.2 | 5,338 | 28.2 |
| AMERICAN INDIAN | <=5 | * | 34 | 1.7 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | <=5 | * | 60 | 3.0 | 1,318 | 7.0 |
| HISPANIC | 6 | 4.5 | 266 | 13.2 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 105 | 78.9 | 1,457 | 72.6 | 10,227 | 54.0 |
| UNMARRIED | 28 | 21.1 | 550 | 27.4 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | 37 | 1.8 | 680 | 3.6 |
| 18 - 19 | <=5 | * | 55 | 2.7 | 1,086 | 5.7 |
| 20 - 34 | 100 | 75.2 | 1,456 | 72.5 | 13,783 | 72.7 |
| 35 AND OVER | 27 | 20.3 | 460 | 22.9 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 7 | 5.3 | 249 | 12.7 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 16 | 12.1 | 292 | 14.9 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 109 | 82.6 | 1,416 | 72.4 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 12 | 9.0 | 228 | 11.4 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 121 | 91.0 | 1,777 | 88.6 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 121 | 91.0 | 1,863 | 92.8 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 12 | 9.0 | 145 | 7.2 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 120 | 93.0 | 1,718 | 87.6 | 14,025 | 79.0 |
| 2nd TRIMESTER | 7 | 5.4 | 197 | 10.0 | 2,984 | 16.8 |
| 3rd TRIMESTER | <=5 | * | 40 | 2.0 | 637 | 3.6 |
| NO CARE | 0 | 0.0 | 6 | 0.3 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 99 | 89.2 | 1,397 | 82.1 | 10,770 | 70.5 |
| INTERMEDIATE | 12 | 10.8 | 246 | 14.5 | 3,477 | 22.8 |
| INADEQUATE | 0 | 0.0 | 53 | 3.1 | 921 | 6.0 |
| NO CARE | 0 | 0.0 | 6 | 0.4 | 102 | 0.7 |
| | | | | | | |

| | MINNEHAHA NEIGHBORHOOD | | | NOKOMIS COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|---------------------------|---------|--------|----------------------|--------|----------------------|--|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT | |
| TOTAL BIRTHS | 192 | 1.0 | 2,008 | 10.6 | 18,953 | 100.0 | |
| MOTHER'S RACE/ETHNICITY | | | | | | | |
| WHITE NON-HISPANIC | 149 | 77.6 | 1,435 | 71.5 | 7,951 | 42.0 | |
| BLACK NON-HISPANIC | 12 | 6.3 | 185 | 9.2 | 5,338 | 28.2 | |
| AMERICAN INDIAN | <=5 | * | 34 | 1.7 | 659 | 3.5 | |
| ASIAN/PACIFIC ISLANDER | 12 | 6.3 | 60 | 3.0 | 1,318 | 7.0 | |
| HISPANIC | 10 | 5.2 | 266 | 13.2 | 3,427 | 18.1 | |
| MARITAL STATUS | | | | | | | |
| MARRIED | 147 | 76.6 | 1,457 | 72.6 | 10,227 | 54.0 | |
| UNMARRIED | 45 | 23.4 | 550 | 27.4 | 8,717 | 46.0 | |
| AGE OF MOTHER | | | | | | | |
| UNDER 18 | <=5 | * | 37 | 1.8 | 680 | 3.6 | |
| 18 - 19 | <=5 | * | 55 | 2.7 | 1,086 | 5.7 | |
| 20 - 34 | 134 | 69.8 | 1,456 | 72.5 | 13,783 | 72.7 | |
| 35 AND OVER | 52 | 27.1 | 460 | 22.9 | 3,403 | 18.0 | |
| MOTHER'S EDUCATION | | | | | | | |
| LESS THAN HIGH SCHOOL | 8 | 4.3 | 249 | 12.7 | 4,478 | 24.7 | |
| HIGH SCHOOL GRAD | 31 | 16.8 | 292 | 14.9 | 4,710 | 26.0 | |
| MORE THAN HIGH SCHOOL | 146 | 78.9 | 1,416 | 72.4 | 8,955 | 49.4 | |
| GESTATION | | | | | | | |
| UNDER 37 WEEKS | 20 | 10.4 | 228 | 11.4 | 2,054 | 10.9 | |
| 37 OR MORE WEEKS | 172 | 89.6 | 1,777 | 88.6 | 16,867 | 89.1 | |
| BIRTH WEIGHT | | | | | | | |
| 2500 + GRAMS | 181 | 94.3 | 1,863 | 92.8 | 17,493 | 92.3 | |
| UNDER 2500 GRAMS | 11 | 5.7 | 145 | 7.2 | 1,454 | 7.7 | |
| TRIMESTER STARTED CARE | | | | | | | |
| 1st TRIMESTER | 167 | 89.8 | 1,718 | 87.6 | 14,025 | 79.0 | |
| 2nd TRIMESTER | 16 | 8.6 | 197 | 10.0 | 2,984 | 16.8 | |
| 3rd TRIMESTER | <=5 | * | 40 | 2.0 | 637 | 3.6 | |
| NO CARE | <=5 | * | 6 | 0.3 | 101 | 0.6 | |
| ADEQUACY OF CARE | | | | | | | |
| ADEQUATE ADEQUATE | 131 | 84.0 | 1,397 | 82.1 | 10,770 | 70.5 | |
| INTERMEDIATE | 23 | 14.7 | 246 | 14.5 | 3,477 | 22.8 | |
| INADEQUATE | <=5 | * | 53 | 3.1 | 921 | 6.0 | |
| NO CARE | <=5 <=5 | * | 6 | 0.4 | 102 | 0.7 | |
| IIO O/IIIL | \- 3 | | J | 0.4 | 102 | 0.7 | |

| | MORRIS PARK NEIGHBORHOOD | | NOKO COMMU | | MINNEAPOLIS TOTAL | |
|-------------------------|-----------------------------|---------|---------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 130 | 0.7 | 2,008 | 10.6 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | | | | |
| WHITE NON-HISPANIC | 75 | 57.7 | 1,435 | 71.5 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 14 | 10.8 | 185 | 9.2 | 5,338 | 28.2 |
| AMERICAN INDIAN | <=5 | * | 34 | 1.7 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | <=5 | * | 60 | 3.0 | 1,318 | 7.0 |
| HISPANIC | 35 | 26.9 | 266 | 13.2 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 75 | 57.7 | 1,457 | 72.6 | 10,227 | 54.0 |
| UNMARRIED | 55 | 42.3 | 550 | 27.4 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | 37 | 1.8 | 680 | 3.6 |
| 18 - 19 | <=5 | * | 55 | 2.7 | 1,086 | 5.7 |
| 20 - 34 | 102 | 78.5 | 1,456 | 72.5 | 13,783 | 72.7 |
| 35 AND OVER | 22 | 16.9 | 460 | 22.9 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 24 | 19.0 | 249 | 12.7 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 33 | 26.2 | 292 | 14.9 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 69 | 54.8 | 1,416 | 72.4 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 18 | 13.8 | 228 | 11.4 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 112 | 86.2 | 1,777 | 88.6 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 119 | 91.5 | 1,863 | 92.8 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 11 | 8.5 | 145 | 7.2 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 109 | 85.8 | 1,718 | 87.6 | 14,025 | 79.0 |
| 2nd TRIMESTER | 16 | 12.6 | 197 | 10.0 | 2,984 | 16.8 |
| 3rd TRIMESTER | <=5 | * | 40 | 2.0 | 637 | 3.6 |
| NO CARE | <=5 | * | 6 | 0.3 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 87 | 77.7 | 1,397 | 82.1 | 10,770 | 70.5 |
| INTERMEDIATE | 19 | 17.0 | 246 | 14.5 | 3,477 | 22.8 |
| INADEQUATE | <=5 | * | 53 | 3.1 | 921 | 6.0 |
| NO CARE | <=5 | * | 6 | 0.4 | 102 | 0.7 |

| | NORTH NEIGHBO | | | NOKOMIS COMMUNITY | | POLIS AL |
|-------------------------|------------------|---------|------------------|----------------------|--------|--------------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 256 | 1.4 | 2,008 | 10.6 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | | | | |
| WHITE NON-HISPANIC | 203 | 79.3 | 1,435 | 71.5 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 13 | 5.1 | 185 | 9.2 | 5,338 | 28.2 |
| AMERICAN INDIAN | <=5 | * | 34 | 1.7 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | <=5 | * | 60 | 3.0 | 1,318 | 7.0 |
| HISPANIC | 27 | 10.5 | 266 | 13.2 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 209 | 81.6 | 1,457 | 72.6 | 10,227 | 54.0 |
| UNMARRIED | 47 | 18.4 | 550 | 27.4 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | 37 | 1.8 | 680 | 3.6 |
| 18 - 19 | 7 | 2.7 | 55 | 2.7 | 1,086 | 5.7 |
| 20 - 34 | 182 | 71.1 | 1,456 | 72.5 | 13,783 | 72.7 |
| 35 AND OVER | 67 | 26.2 | 460 | 22.9 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 23 | 9.2 | 249 | 12.7 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 25 | 10.0 | 292 | 14.9 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 203 | 80.9 | 1,416 | 72.4 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 31 | 12.2 | 228 | 11.4 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 224 | 87.8 | 1,777 | 88.6 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 242 | 94.5 | 1,863 | 92.8 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 14 | 5.5 | 145 | 7.2 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 225 | 89.3 | 1,718 | 87.6 | 14,025 | 79.0 |
| 2nd TRIMESTER | 19 | 7.5 | [^] 197 | 10.0 | 2,984 | 16.8 |
| 3rd TRIMESTER | 7 | 2.8 | 40 | 2.0 | 637 | 3.6 |
| NO CARE | <=5 | * | 6 | 0.3 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 188 | 85.8 | 1,397 | 82.1 | 10,770 | 70.5 |
| INTERMEDIATE | 24 | 11.0 | 246 | 14.5 | 3,477 | 22.8 |
| INADEQUATE | 6 | 2.7 | 53 | 3.1 | 921 | 6.0 |
| NO CARE | < = 5 | * | 6 | 0.4 | 102 | 0.7 |
| | | | J | • • • | | - |

| | PAGE NEIGHBORHOOD | | NOKO COMMU | | MINNEAPOLIS TOTAL | |
|-------------------------|----------------------|---------|---------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 84 | 0.4 | 2,008 | 10.6 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | | | | |
| WHITE NON-HISPANIC | 77 | 91.7 | 1,435 | 71.5 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | <=5 | * | 185 | 9.2 | 5,338 | 28.2 |
| AMERICAN INDIAN | <=5 | * | 34 | 1.7 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | <=5 | * | 60 | 3.0 | 1,318 | 7.0 |
| HISPANIC | <=5 | * | 266 | 13.2 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 80 | 95.2 | 1,457 | 72.6 | 10,227 | 54.0 |
| UNMARRIED | <=5 | * | 550 | 27.4 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | 37 | 1.8 | 680 | 3.6 |
| 18 - 19 | <=5 | * | 55 | 2.7 | 1,086 | 5.7 |
| 20 - 34 | 49 | 58.3 | 1,456 | 72.5 | 13,783 | 72.7 |
| 35 AND OVER | 35 | 41.7 | 460 | 22.9 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | <=5 | * | 249 | 12.7 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | <=5 | * | 292 | 14.9 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 82 | 97.6 | 1,416 | 72.4 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 11 | 13.1 | 228 | 11.4 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 73 | 86.9 | 1,777 | 88.6 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 78 | 92.9 | 1,863 | 92.8 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 6 | 7.1 | 145 | 7.2 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 83 | 98.8 | 1,718 | 87.6 | 14,025 | 79.0 |
| 2nd TRIMESTER | 0 | 0.0 | 197 | 10.0 | 2,984 | 16.8 |
| 3rd TRIMESTER | <=5 | * | 40 | 2.0 | 637 | 3.6 |
| NO CARE | 0 | 0.0 | 6 | 0.3 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 72 | 94.7 | 1,397 | 82.1 | 10,770 | 70.5 |
| INTERMEDIATE | <=5 | * | 246 | 14.5 | 3,477 | 22.8 |
| INADEQUATE | <=5 | * | 53 | 3.1 | 921 | 6.0 |
| NO CARE | 0 | 0.0 | 6 | 0.4 | 102 | 0.7 |

| | REGINA NEIGHBORHOOD | | NOKO COMMU | | MINNEAPOLIS TOTAL | |
|-------------------------|------------------------|---------|---------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 136 | 0.7 | 2,008 | 10.6 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | | | | |
| WHITE NON-HISPANIC | 58 | 42.6 | 1,435 | 71.5 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 25 | 18.4 | 185 | 9.2 | 5,338 | 28.2 |
| AMERICAN INDIAN | <=5 | * | 34 | 1.7 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | <=5 | * | 60 | 3.0 | 1,318 | 7.0 |
| HISPANIC | 45 | 33.1 | 266 | 13.2 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 66 | 48.9 | 1,457 | 72.6 | 10,227 | 54.0 |
| UNMARRIED | 69 | 51.1 | 550 | 27.4 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | 6 | 4.4 | 37 | 1.8 | 680 | 3.6 |
| 18 - 19 | 12 | 8.8 | 55 | 2.7 | 1,086 | 5.7 |
| 20 - 34 | 103 | 75.7 | 1,456 | 72.5 | 13,783 | 72.7 |
| 35 AND OVER | 15 | 11.0 | 460 | 22.9 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 38 | 29.7 | 249 | 12.7 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 27 | 21.1 | 292 | 14.9 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 63 | 49.2 | 1,416 | 72.4 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 14 | 10.3 | 228 | 11.4 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 122 | 89.7 | 1,777 | 88.6 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 125 | 91.9 | 1,863 | 92.8 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 11 | 8.1 | 145 | 7.2 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 93 | 72.1 | 1,718 | 87.6 | 14,025 | 79.0 |
| 2nd TRIMESTER | 30 | 23.3 | 197 | 10.0 | 2,984 | 16.8 |
| 3rd TRIMESTER | 6 | 4.7 | 40 | 2.0 | 637 | 3.6 |
| NO CARE | 0 | 0.0 | 6 | 0.3 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 76 | 66.7 | 1,397 | 82.1 | 10,770 | 70.5 |
| INTERMEDIATE | 30 | 26.3 | 246 | 14.5 | 3,477 | 22.8 |
| INADEQUATE | 8 | 7.0 | 53 | 3.1 | 921 | 6.0 |
| NO CARE | 0 | 0.0 | 6 | 0.4 | 102 | 0.7 |

| | WENONAH NEIGHBORHOOD | | | NOKOMIS COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|-------------------------|---------|--------|----------------------|--------|----------------------|--|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT | |
| TOTAL BIRTHS | 335 | 1.8 | 2,008 | 10.6 | 18,953 | 100.0 | |
| MOTHER'S RACE/ETHNICITY | | | | | | | |
| WHITE NON-HISPANIC | 152 | 45.4 | 1,435 | 71.5 | 7,951 | 42.0 | |
| BLACK NON-HISPANIC | 78 | 23.3 | 185 | 9.2 | 5,338 | 28.2 | |
| AMERICAN INDIAN | 7 | 2.1 | 34 | 1.7 | 659 | 3.5 | |
| ASIAN/PACIFIC ISLANDER | 9 | 2.7 | 60 | 3.0 | 1,318 | 7.0 | |
| HISPANIC | 81 | 24.2 | 266 | 13.2 | 3,427 | 18.1 | |
| MARITAL STATUS | | | | | | | |
| MARRIED | 178 | 53.1 | 1,457 | 72.6 | 10,227 | 54.0 | |
| UNMARRIED | 157 | 46.9 | 550 | 27.4 | 8,717 | 46.0 | |
| AGE OF MOTHER | | | | | | | |
| UNDER 18 | 14 | 4.2 | 37 | 1.8 | 680 | 3.6 | |
| 18 - 19 | 18 | 5.4 | 55 | 2.7 | 1,086 | 5.7 | |
| 20 - 34 | 263 | 78.5 | 1,456 | 72.5 | 13,783 | 72.7 | |
| 35 AND OVER | 40 | 11.9 | 460 | 22.9 | 3,403 | 18.0 | |
| MOTHER'S EDUCATION | | | | | | | |
| LESS THAN HIGH SCHOOL | 99 | 30.7 | 249 | 12.7 | 4,478 | 24.7 | |
| HIGH SCHOOL GRAD | 74 | 22.9 | 292 | 14.9 | 4,710 | 26.0 | |
| MORE THAN HIGH SCHOOL | 150 | 46.4 | 1,416 | 72.4 | 8,955 | 49.4 | |
| GESTATION | | | | | | | |
| UNDER 37 WEEKS | 41 | 12.3 | 228 | 11.4 | 2,054 | 10.9 | |
| 37 OR MORE WEEKS | 293 | 87.7 | 1,777 | 88.6 | 16,867 | 89.1 | |
| BIRTH WEIGHT | | | | | | | |
| 2500 + GRAMS | 312 | 93.1 | 1,863 | 92.8 | 17,493 | 92.3 | |
| UNDER 2500 GRAMS | 23 | 6.9 | 145 | 7.2 | 1,454 | 7.7 | |
| TRIMESTER STARTED CARE | | | | | | | |
| 1st TRIMESTER | 251 | 76.8 | 1,718 | 87.6 | 14,025 | 79.0 | |
| 2nd TRIMESTER | 63 | 19.3 | 197 | 10.0 | 2,984 | 16.8 | |
| 3rd TRIMESTER | 12 | 3.7 | 40 | 2.0 | 637 | 3.6 | |
| NO CARE | <=5 | * | 6 | 0.3 | 101 | 0.6 | |
| ADEQUACY OF CARE | | | | | | | |
| ADEQUATE | 202 | 69.9 | 1,397 | 82.1 | 10,770 | 70.5 | |
| INTERMEDIATE | 71 | 24.6 | 246 | 14.5 | 3,477 | 22.8 | |
| INADEQUATE | 15 | 5.2 | 53 | 3.1 | 921 | 6.0 | |
| NO CARE | <=5 | * | 6 | 0.4 | 102 | 0.7 | |
| | | | | | | | |

| | AUDUBON PARK NEIGHBORHOOD | | NORTHEAST COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|------------------------------|---------|------------------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 298 | 1.6 | 1,939 | 10.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | , | | | | | |
| WHITE NON-HISPANIC | 214 | 71.8 | 995 | 51.3 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 26 | 8.7 | 380 | 19.6 | 5,338 | 28.2 |
| AMERICAN INDIAN | <=5 | * | 58 | 3.0 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 10 | 3.4 | 71 | 3.7 | 1,318 | 7.0 |
| HISPANIC | 37 | 12.4 | 402 | 20.7 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 199 | 67.0 | 1,111 | 57.3 | 10,227 | 54.0 |
| UNMARRIED | 98 | 33.0 | 827 | 42.7 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | 10 | 3.4 | 58 | 3.0 | 680 | 3.6 |
| 18 - 19 | 12 | 4.0 | 92 | 4.7 | 1,086 | 5.7 |
| 20 - 34 | 211 | 70.8 | 1,478 | 76.2 | 13,783 | 72.7 |
| 35 AND OVER | 65 | 21.8 | 311 | 16.0 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 45 | 15.5 | 445 | 23.7 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 37 | 12.7 | 497 | 26.4 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 209 | 71.8 | 938 | 49.9 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 34 | 11.4 | 181 | 9.3 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 264 | 88.6 | 1,757 | 90.7 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 287 | 96.3 | 1,827 | 94.2 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 11 | 3.7 | 112 | 5.8 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | : | | | | | |
| 1st TRIMESTER | 239 | 84.2 | 1,477 | 80.7 | 14,025 | 79.0 |
| 2nd TRIMESTER | 36 | 12.7 | 279 | 15.2 | 2,984 | 16.8 |
| 3rd TRIMESTER | 8 | 2.8 | 66 | 3.6 | 637 | 3.6 |
| NO CARE | <=5 | * | 8 | 0.4 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE ADEQUATE | 189 | 77.5 | 1,143 | 71.9 | 10,770 | 70.5 |
| INTERMEDIATE | 42 | 17.3 | 343 | 21.6 | 3,477 | 22.8 |
| INADEQUATE | 12 | 4.9 | 96 | 6.0 | 921 | 6.0 |
| NO CARE | < = 5 | * | 8 | 0.5 | 102 | 0.7 |
| - | | | • | | | |

| | BELTRAMI NEIGHBORHOOD | | NORTHEAST COMMUNITY | | MINNEAPOLIS TOTAL | |
|---|-----------------------------------|------------------------|-------------------------------|------------------------------------|---|------------------------------------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 57 | 0.3 | 1,939 | 10.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY WHITE NON-HISPANIC BLACK NON-HISPANIC AMERICAN INDIAN ASIAN/PACIFIC ISLANDER HISPANIC | , 17 12 <=5 <=5 20 | 29.8 21.1 * * | 995 380 58 71 402 | 51.3 19.6 3.0 3.7 20.7 | 7,951 5,338 659 1,318 3,427 | 42.0 28.2 3.5 7.0 18.1 |
| MARITAL STATUS MARRIED UNMARRIED | 13 44 | 22.8 77.2 | 1,111 827 | 57.3 42.7 | 10,227 8,717 | 54.0 46.0 |
| AGE OF MOTHER UNDER 18 18 - 19 20 - 34 35 AND OVER | <=5 8 40 <=5 | * 14.0 70.2 * | 58 92 1,478 311 | 3.0 4.7 76.2 16.0 | 680 1,086 13,783 3,403 | 3.6 5.7 72.7 18.0 |
| MOTHER'S EDUCATION LESS THAN HIGH SCHOOL HIGH SCHOOL GRAD MORE THAN HIGH SCHOOL | 18 22 13 | 34.0 41.5 24.5 | 445 497 938 | 23.7 26.4 49.9 | 4,478 4,710 8,955 | 24.7 26.0 49.4 |
| GESTATION UNDER 37 WEEKS 37 OR MORE WEEKS | 9 48 | 15.8 84.2 | 181 1,757 | 9.3 90.7 | 2,054 16,867 | 10.9 89.1 |
| BIRTH WEIGHT 2500 + GRAMS UNDER 2500 GRAMS | 53 <=5 | 93.0 | 1,827 112 | 94.2 5.8 | 17,493 1,454 | 92.3 7.7 |
| TRIMESTER STARTED CARE 1st TRIMESTER 2nd TRIMESTER 3rd TRIMESTER NO CARE | 35 15 <=5 0 | 67.3 28.8 * | 1,477 279 66 8 | 80.7 15.2 3.6 0.4 | 14,025 2,984 637 101 | 79.0 16.8 3.6 0.6 |
| ADEQUACY OF CARE ADEQUATE INTERMEDIATE INADEQUATE NO CARE | 28 13 <=5 0 | 65.1 30.2 * | 1,143 343 96 8 | 71.9 21.6 6.0 0.5 | 10,770 3,477 921 102 | 70.5 22.8 6.0 0.7 |

| | BOTTINEAU NEIGHBORHOOD | | NORTHEAST COMMUNITY | | MINNEAPOLIS TOTAL | |
|--|------------------------------|--------------------------------|-------------------------------|------------------------------------|---|------------------------------------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 137 | 0.7 | 1,939 | 10.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY WHITE NON-HISPANIC BLACK NON-HISPANIC AMERICAN INDIAN ASIAN/PACIFIC ISLANDER HISPANIC | 26 91 <=5 <=5 14 | 19.0 66.4 * * 10.2 | 995 380 58 71 402 | 51.3 19.6 3.0 3.7 20.7 | 7,951 5,338 659 1,318 3,427 | 42.0 28.2 3.5 7.0 18.1 |
| MARITAL STATUS MARRIED UNMARRIED | 76 61 | 55.5 44.5 | 1,111 827 | 57.3 42.7 | 10,227 8,717 | 54.0 46.0 |
| AGE OF MOTHER UNDER 18 18 - 19 20 - 34 35 AND OVER | <=5 6 109 21 | 4.4 79.6 15.3 | 58 92 1,478 311 | 3.0 4.7 76.2 16.0 | 680 1,086 13,783 3,403 | 3.6 5.7 72.7 18.0 |
| MOTHER'S EDUCATION LESS THAN HIGH SCHOOL HIGH SCHOOL GRAD MORE THAN HIGH SCHOOL | 39 56 34 | 30.2 43.4 26.4 | 445 497 938 | 23.7 26.4 49.9 | 4,478 4,710 8,955 | 24.7 26.0 49.4 |
| GESTATION UNDER 37 WEEKS 37 OR MORE WEEKS | 8 129 | 5.8 94.2 | 181 1,757 | 9.3 90.7 | 2,054 16,867 | 10.9 89.1 |
| BIRTH WEIGHT 2500 + GRAMS UNDER 2500 GRAMS | 132 <=5 | 96.4 | 1,827 112 | 94.2 5.8 | 17,493 1,454 | 92.3 7.7 |
| TRIMESTER STARTED CARE 1st TRIMESTER 2nd TRIMESTER 3rd TRIMESTER NO CARE | 97 28 6 0 | 74.0 21.4 4.6 0.0 | 1,477 279 66 8 | 80.7 15.2 3.6 0.4 | 14,025 2,984 637 101 | 79.0 16.8 3.6 0.6 |
| ADEQUACY OF CARE ADEQUATE INTERMEDIATE INADEQUATE NO CARE | 72 31 10 0 | 63.7 27.4 8.8 0.0 | 1,143 343 96 8 | 71.9 21.6 6.0 0.5 | 10,770 3,477 921 102 | 70.5 22.8 6.0 0.7 |

| | COLUMBIA PARK NEIGHBORHOOD | | NORTHEAST COMMUNITY | | MINNEAPOLIS TOTAL | |
|------------------------------------|-------------------------------|---------|------------------------|-------------|----------------------|-------------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 85 | 0.4 | 1,939 | 10.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | , | | | | | |
| WHITE NON-HISPANIC | 58 | 68.2 | 995 | 51.3 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 12 | 14.1 | 380 | 19.6 | 5,338 | 28.2 |
| AMERICAN INDIAN | 0 | 0.0 | 58 | 3.0 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER HISPANIC | <=5 13 | 15.3 | 71 402 | 3.7 20.7 | 1,318 | 7.0 18.1 |
| HISPAINIC | 13 | 15.3 | 402 | 20.7 | 3,427 | 10.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 55 | 64.7 | 1,111 | 57.3 | 10,227 | 54.0 |
| UNMARRIED | 30 | 35.3 | 827 | 42.7 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | 58 | 3.0 | 680 | 3.6 |
| 18 - 19 | <=5 | * | 92 | 4.7 | 1,086 | 5.7 |
| 20 - 34 | 64 | 75.3 | 1,478 | 76.2 | 13,783 | 72.7 |
| 35 AND OVER | 15 | 17.6 | 311 | 16.0 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 15 | 17.6 | 445 | 23.7 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 21 | 24.7 | 497 | 26.4 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 49 | 57.6 | 938 | 49.9 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 9 | 10.6 | 181 | 9.3 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 76 | 89.4 | 1,757 | 90.7 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 78 | 91.8 | 1,827 | 94.2 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 7 | 8.2 | 112 | 5.8 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | <u>:</u> | | | | | |
| 1st TRIMESTER | - 65 | 81.3 | 1,477 | 80.7 | 14,025 | 79.0 |
| 2nd TRIMESTER | 11 | 13.8 | 279 | 15.2 | 2,984 | 16.8 |
| 3rd TRIMESTER | <=5 | * | 66 | 3.6 | 637 | 3.6 |
| NO CARE | 0 | 0.0 | 8 | 0.4 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE ADEQUATE | 52 | 75.4 | 1,143 | 71.9 | 10,770 | 70.5 |
| INTERMEDIATE | 12 | 17.4 | 343 | 21.6 | 3,477 | 22.8 |
| INADEQUATE | <=5 | * | 96 | 6.0 | 921 | 6.0 |
| NO CARE | 0 | 0.0 | 8 | 0.5 | 102 | 0.7 |

| | HOLLAND NEIGHBORHOOD | | NORTHEAST COMMUNITY | | MINNEAPOLIS TOTAL | |
|--|-------------------------|--------------|---|--------------|----------------------|--------------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 289 | 1.5 | 1,939 | 10.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | | | | |
| WHITE NON-HISPANIC BLACK NON-HISPANIC | 86 74 | 29.8 25.6 | 995 380 | 51.3 19.6 | 7,951 5,338 | 42.0 28.2 |
| AMERICAN INDIAN | 16 | 5.5 | 58 | 3.0 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | <=5 | * | 71 | 3.7 | 1,318 | 7.0 |
| HISPANIC | 103 | 35.6 | 402 | 20.7 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 138 | 47.8 | 1,111 | 57.3 | 10,227 | 54.0 |
| UNMARRIED | 151 | 52.2 | 827 | 42.7 | 8,717 | 46.0 |
| AGE OF MOTHER | _ | | | | | |
| UNDER 18 18 - 19 | 7 16 | 2.4 5.5 | 58 92 | 3.0 4.7 | 680 1,086 | 3.6 5.7 |
| 20 - 34 | 231 | 79.9 | 1,478 | 76.2 | 13,783 | 72.7 |
| 35 AND OVER | 35 | 12.1 | 311 | 16.0 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 97 | 35.3 | 445 | 23.7 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 87 | 31.6 | 497 | 26.4 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 91 | 33.1 | 938 | 49.9 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 28 | 9.7 | 181 | 9.3 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 261 | 90.3 | 1,757 | 90.7 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 269 | 93.1 | 1,827 | 94.2 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 20 | 6.9 | 112 | 5.8 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 197 | 73.0 | 1,477 | 80.7 | 14,025 | 79.0 |
| 2nd TRIMESTER 3rd TRIMESTER | 52 19 | 19.3 7.0 | 279 66 | 15.2 3.6 | 2,984 637 | 16.8 3.6 |
| NO CARE | 19 <=5 | 7.U * | 8 | 0.4 | 101 | 0.6 |
| NO OME | _ 3 | | O | 0.4 | 101 | 0.0 |
| ADEQUACY OF CARE | 4 4 4 | 50.5 | 4 | 74.0 | 40 770 | 70 5 |
| ADEQUATE INTERMEDIATE | 141 70 | 59.5 29.5 | 1,143 343 | 71.9 21.6 | 10,770 3,477 | 70.5 22.8 |
| INADEQUATE | 70 24 | 29.5 10.1 | 343 96 | 6.0 | 3,477 921 | 6.0 |
| NO CARE | ~= 5 | * | 8 | 0.5 | 102 | 0.7 |
| | | | | | | |

| | LOGAN PARK NEIGHBORHOOD | | NORTHEAST COMMUNITY | | MINNEAPOLIS TOTAL | |
|---|------------------------------|--------------------------------|-------------------------------|------------------------------------|---|------------------------------------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 96 | 0.5 | 1,939 | 10.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY WHITE NON-HISPANIC BLACK NON-HISPANIC AMERICAN INDIAN ASIAN/PACIFIC ISLANDER HISPANIC | 45 15 <=5 <=5 28 | 46.9 15.6 * * 29.2 | 995 380 58 71 402 | 51.3 19.6 3.0 3.7 20.7 | 7,951 5,338 659 1,318 3,427 | 42.0 28.2 3.5 7.0 18.1 |
| MARITAL STATUS MARRIED UNMARRIED | 39 57 | 40.6 59.4 | 1,111 827 | 57.3 42.7 | 10,227 8,717 | 54.0 46.0 |
| AGE OF MOTHER UNDER 18 18 - 19 20 - 34 35 AND OVER | <=5 <=5 77 16 | * * 80.2 16.7 | 58 92 1,478 311 | 3.0 4.7 76.2 16.0 | 680 1,086 13,783 3,403 | 3.6 5.7 72.7 18.0 |
| MOTHER'S EDUCATION LESS THAN HIGH SCHOOL HIGH SCHOOL GRAD MORE THAN HIGH SCHOOL | 30 30 34 | 31.9 31.9 36.2 | 445 497 938 | 23.7 26.4 49.9 | 4,478 4,710 8,955 | 24.7 26.0 49.4 |
| GESTATION UNDER 37 WEEKS 37 OR MORE WEEKS | 7 89 | 7.3 92.7 | 181 1,757 | 9.3 90.7 | 2,054 16,867 | 10.9 89.1 |
| BIRTH WEIGHT 2500 + GRAMS UNDER 2500 GRAMS | 91 <=5 | 94.8 | 1,827 112 | 94.2 5.8 | 17,493 1,454 | 92.3 7.7 |
| TRIMESTER STARTED CARE 1st TRIMESTER 2nd TRIMESTER 3rd TRIMESTER NO CARE | 67 15 <=5 0 | 77.9 17.4 * | 1,477 279 66 8 | 80.7 15.2 3.6 0.4 | 14,025 2,984 637 101 | 79.0 16.8 3.6 0.6 |
| ADEQUACY OF CARE ADEQUATE INTERMEDIATE INADEQUATE NO CARE | 53 21 <=5 0 | 67.9 26.9 * | 1,143 343 96 8 | 71.9 21.6 6.0 0.5 | 10,770 3,477 921 102 | 70.5 22.8 6.0 0.7 |

| | MARS TERR NEIGHBO | ACE | NORTHI COMMU | | MINNEAPOLIS TOTAL | |
|---|--------------------------------|-----------------------------------|-------------------------------|------------------------------------|---|------------------------------------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 58 | 0.3 | 1,939 | 10.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY WHITE NON-HISPANIC BLACK NON-HISPANIC AMERICAN INDIAN ASIAN/PACIFIC ISLANDER HISPANIC | , 22 8 <=5 9 15 | 37.9 13.8 * 15.5 25.9 | 995 380 58 71 402 | 51.3 19.6 3.0 3.7 20.7 | 7,951 5,338 659 1,318 3,427 | 42.0 28.2 3.5 7.0 18.1 |
| MARITAL STATUS MARRIED UNMARRIED | 25 33 | 43.1 56.9 | 1,111 827 | 57.3 42.7 | 10,227 8,717 | 54.0 46.0 |
| AGE OF MOTHER UNDER 18 18 - 19 20 - 34 35 AND OVER | <=5 6 43 6 | * 10.3 74.1 10.3 | 58 92 1,478 311 | 3.0 4.7 76.2 16.0 | 680 1,086 13,783 3,403 | 3.6 5.7 72.7 18.0 |
| MOTHER'S EDUCATION LESS THAN HIGH SCHOOL HIGH SCHOOL GRAD MORE THAN HIGH SCHOOL | 20 15 20 | 36.4 27.3 36.4 | 445 497 938 | 23.7 26.4 49.9 | 4,478 4,710 8,955 | 24.7 26.0 49.4 |
| GESTATION UNDER 37 WEEKS 37 OR MORE WEEKS | <=5 54 | * 93.1 | 181 1,757 | 9.3 90.7 | 2,054 16,867 | 10.9 89.1 |
| BIRTH WEIGHT 2500 + GRAMS UNDER 2500 GRAMS | 55 <=5 | 94.8 | 1,827 112 | 94.2 5.8 | 17,493 1,454 | 92.3 7.7 |
| TRIMESTER STARTED CARE 1st TRIMESTER 2nd TRIMESTER 3rd TRIMESTER NO CARE | 35 15 <=5 <=5 | 64.8 27.8 * | 1,477 279 66 8 | 80.7 15.2 3.6 0.4 | 14,025 2,984 637 101 | 79.0 16.8 3.6 0.6 |
| ADEQUACY OF CARE ADEQUATE INTERMEDIATE INADEQUATE NO CARE | 28 13 <=5 <=5 | 60.9 28.3 * | 1,143 343 96 8 | 71.9 21.6 6.0 0.5 | 10,770 3,477 921 102 | 70.5 22.8 6.0 0.7 |

| | NORTHEAST PARK NEIGHBORHOOD | | NORTHEAST COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|--------------------------------|---------|------------------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 52 | 0.3 | 1,939 | 10.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | • | | | | | |
| WHITE NON-HISPANIC | 25 | 48.1 | 995 | 51.3 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 9 | 17.3 | 380 | 19.6 | 5,338 | 28.2 |
| AMERICAN INDIAN | <=5 | * | 58 | 3.0 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | <=5 | * | 71 | 3.7 | 1,318 | 7.0 |
| HISPANIC | 13 | 25.0 | 402 | 20.7 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 24 | 46.2 | 1,111 | 57.3 | 10,227 | 54.0 |
| UNMARRIED | 28 | 53.8 | 827 | 42.7 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | 58 | 3.0 | 680 | 3.6 |
| 18 - 19 | 6 | 11.5 | 92 | 4.7 | 1,086 | 5.7 |
| 20 - 34 | 40 | 76.9 | 1,478 | 76.2 | 13,783 | 72.7 |
| 35 AND OVER | <=5 | * | 311 | 16.0 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 19 | 37.3 | 445 | 23.7 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 14 | 27.5 | 497 | 26.4 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 18 | 35.3 | 938 | 49.9 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | <=5 | * | 181 | 9.3 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 49 | 94.2 | 1,757 | 90.7 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 47 | 90.4 | 1,827 | 94.2 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | <=5 | * | 112 | 5.8 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 39 | 78.0 | 1,477 | 80.7 | 14,025 | 79.0 |
| 2nd TRIMESTER | 8 | 16.0 | 279 | 15.2 | 2,984 | 16.8 |
| 3rd TRIMESTER | <=5 | * | 66 | 3.6 | 637 | 3.6 |
| NO CARE | <=5 | * | 8 | 0.4 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 26 | 65.0 | 1,143 | 71.9 | 10,770 | 70.5 |
| INTERMEDIATE | 7 | 17.5 | 343 | 21.6 | 3,477 | 22.8 |
| INADEQUATE | 6 | 15.0 | 96 | 6.0 | 921 | 6.0 |
| NO CARE | <=5 | * | 8 | 0.5 | 102 | 0.7 |

| | ST. ANTHONY EAST NEIGHBORHOOD | | NORTHEAST COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|----------------------------------|---------|------------------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 72 | 0.4 | 1,939 | 10.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | <i>(</i> | | | | | |
| WHITE NON-HISPANIC | 32 | 44.4 | 995 | 51.3 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 13 | 18.1 | 380 | 19.6 | 5,338 | 28.2 |
| AMERICAN INDIAN | 6 | 8.3 | 58 | 3.0 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | <=5 | * | 71 | 3.7 | 1,318 | 7.0 |
| HISPANIC | 17 | 23.6 | 402 | 20.7 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 40 | 55.6 | 1,111 | 57.3 | 10,227 | 54.0 |
| UNMARRIED | 32 | 44.4 | 827 | 42.7 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | 58 | 3.0 | 680 | 3.6 |
| 18 - 19 | <=5 | * | 92 | 4.7 | 1,086 | 5.7 |
| 20 - 34 | 58 | 80.6 | 1,478 | 76.2 | 13,783 | 72.7 |
| 35 AND OVER | 7 | 9.7 | 311 | 16.0 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 16 | 23.2 | 445 | 23.7 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 25 | 36.2 | 497 | 26.4 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 28 | 40.6 | 938 | 49.9 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 6 | 8.3 | 181 | 9.3 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 66 | 91.7 | 1,757 | 90.7 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 65 | 90.3 | 1,827 | 94.2 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 7 | 9.7 | 112 | 5.8 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | <u> </u> | | | | | |
| 1st TRIMESTER | 49 | 73.1 | 1,477 | 80.7 | 14,025 | 79.0 |
| 2nd TRIMESTER | 13 | 19.4 | 279 | 15.2 | 2,984 | 16.8 |
| 3rd TRIMESTER | <=5 | * | 66 | 3.6 | 637 | 3.6 |
| NO CARE | <=5 | * | 8 | 0.4 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 40 | 65.6 | 1,143 | 71.9 | 10,770 | 70.5 |
| INTERMEDIATE | 16 | 26.2 | 343 | 21.6 | 3,477 | 22.8 |
| INADEQUATE | <=5 | * | 96 | 6.0 | 921 | 6.0 |
| NO CARE | <=5 | * | 8 | 0.5 | 102 | 0.7 |
| | | | | | | |

| | ST. ANTHONY WEST NEIGHBORHOOD | | NORTHEAST COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|----------------------------------|---------|------------------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 78 | 0.4 | 1,939 | 10.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | Y | | | | | |
| WHITE NON-HISPANIC | 55 | 70.5 | 995 | 51.3 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 9 | 11.5 | 380 | 19.6 | 5,338 | 28.2 |
| AMERICAN INDIAN | <=5 | * | 58 | 3.0 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | <=5 | * | 71 | 3.7 | 1,318 | 7.0 |
| HISPANIC | 10 | 12.8 | 402 | 20.7 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 51 | 65.4 | 1,111 | 57.3 | 10,227 | 54.0 |
| UNMARRIED | 27 | 34.6 | 827 | 42.7 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | 58 | 3.0 | 680 | 3.6 |
| 18 - 19 | <=5 | * | 92 | 4.7 | 1,086 | 5.7 |
| 20 - 34 | 58 | 74.4 | 1,478 | 76.2 | 13,783 | 72.7 |
| 35 AND OVER | 14 | 17.9 | 311 | 16.0 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 10 | 12.8 | 445 | 23.7 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 19 | 24.4 | 497 | 26.4 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 49 | 62.8 | 938 | 49.9 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 8 | 10.3 | 181 | 9.3 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 70 | 89.7 | 1,757 | 90.7 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 73 | 93.6 | 1,827 | 94.2 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | <=5 | * | 112 | 5.8 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | = | | | | | |
| 1st TRIMESTER | 65 | 89.0 | 1,477 | 80.7 | 14,025 | 79.0 |
| 2nd TRIMESTER | 8 | 11.0 | 279 | 15.2 | 2,984 | 16.8 |
| 3rd TRIMESTER | 0 | 0.0 | 66 | 3.6 | 637 | 3.6 |
| NO CARE | 0 | 0.0 | 8 | 0.4 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 52 | 81.3 | 1,143 | 71.9 | 10,770 | 70.5 |
| INTERMEDIATE | 10 | 15.6 | 343 | 21.6 | 3,477 | 22.8 |
| INADEQUATE | <=5 | * | 96 | 6.0 | 921 | 6.0 |
| NO CARE | 0 | 0.0 | 8 | 0.5 | 102 | 0.7 |
| | | | | | | |

| | | RIDAN BORHOOD | | HEAST IUNITY | | MINNEAPOLIS TOTAL | |
|---------------------------|--------|------------------|---------|-----------------|------------|----------------------|--|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT | |
| TOTAL BIRTHS | 161 | 0.8 | 1,939 | 10.2 | 18,953 | 100.0 | |
| MOTHER'S RACE/ETHNICIT | Υ | | | | | | |
| WHITE NON-HISPANIC | 61 | 37.9 | 995 | 51.3 | 7,951 | 42.0 | |
| BLACK NON-HISPANIC | 57 | 35.4 | 380 | 19.6 | 5,338 | 28.2 | |
| AMERICAN INDIAN | 8 | 5.0 | 58 | 3.0 | 659 | 3.5 | |
| ASIAN/PACIFIC ISLANDER | <=5 | | 71 | 3.7 | 1,318 | 7.0 | |
| HISPANIC | 29 | 18.0 | 402 | 20.7 | 3,427 | 18.1 | |
| MARITAL STATUS | | | | | | | |
| MARRIED | 69 | 42.9 | 1,111 | 57.3 | 10,227 | 54.0 | |
| UNMARRIED | 92 | 57.1 | 827 | 42.7 | 8,717 | 46.0 | |
| AGE OF MOTHER | | | | | | | |
| UNDER 18 | 6 | 3.7 | 58 | 3.0 | 680 | 3.6 | |
| 18 - 19 | 7 | 4.3 | 92 | 4.7 | 1,086 | 5.7 | |
| 20 - 34 | 126 | 78.3 | 1,478 | 76.2 | 13,783 | 72.7 | |
| 35 AND OVER | 22 | 13.7 | 311 | 16.0 | 3,403 | 18.0 | |
| MOTHER'S EDUCATION | | | | | | | |
| LESS THAN HIGH SCHOOL | 43 | 27.9 | 445 | 23.7 | 4,478 | 24.7 | |
| HIGH SCHOOL GRAD | 61 | 39.6 | 497 | 26.4 | 4,710 | 26.0 | |
| MORE THAN HIGH SCHOOL | 50 | 32.5 | 938 | 49.9 | 8,955 | 49.4 | |
| GESTATION | | | | | | | |
| UNDER 37 WEEKS | 12 | 7.5 | 181 | 9.3 | 2,054 | 10.9 | |
| 37 OR MORE WEEKS | 148 | | 1,757 | | 16,867 | 89.1 | |
| BIRTH WEIGHT | | | | | | | |
| 2500 + GRAMS | 155 | 96.3 | 1,827 | 94.2 | 17,493 | 92.3 | |
| UNDER 2500 GRAMS | 6 | | 112 | | 1,454 | 7.7 | |
| TDIMEOTED OT (DTED O () | _ | | | | | | |
| TRIMESTER STARTED CAR | | 04.5 | 4 477 | 00.7 | 4.4.005 | 70.0 | |
| 1st TRIMESTER | 125 | | 1,477 | | 14,025 | 79.0 | |
| 2nd TRIMESTER | 19 | | 279 | | 2,984 | 16.8 | |
| 3rd TRIMESTER NO CARE | <=5 | | 66 8 | 3.6 0.4 | 637 101 | 3.6 | |
| NO CARE | 0 | 0.0 | 0 | 0.4 | 101 | 0.6 | |
| ADEQUACY OF CARE | | | | | | | |
| ADEQUATE | 95 | 76.6 | 1,143 | 71.9 | 10,770 | 70.5 | |
| INTERMEDIATE | 22 | 17.7 | 343 | 21.6 | 3,477 | 22.8 | |
| INADEQUATE | 7 | | 96 | | 921 | 6.0 | |
| NO CARE | 0 | 0.0 | 8 | 0.5 | 102 | 0.7 | |

| | WAITE PARK NEIGHBORHOOD | | NORTHEAST COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|-------------------------|---------|------------------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 291 | 1.5 | 1,939 | 10.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | / | | | | | |
| WHITE NON-HISPANIC | 208 | 71.5 | 995 | 51.3 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 18 | 6.2 | 380 | 19.6 | 5,338 | 28.2 |
| AMERICAN INDIAN | <=5 | * | 58 | 3.0 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 16 | 5.5 | 71 | 3.7 | 1,318 | 7.0 |
| HISPANIC | 42 | 14.4 | 402 | 20.7 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 219 | 75.3 | 1,111 | 57.3 | 10,227 | 54.0 |
| UNMARRIED | 72 | 24.7 | 827 | 42.7 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | 58 | 3.0 | 680 | 3.6 |
| 18 - 19 | 6 | 2.1 | 92 | 4.7 | 1,086 | 5.7 |
| 20 - 34 | 229 | 78.7 | 1,478 | 76.2 | 13,783 | 72.7 |
| 35 AND OVER | 51 | 17.5 | 311 | 16.0 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 40 | 13.9 | 445 | 23.7 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 52 | 18.1 | 497 | 26.4 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 196 | 68.1 | 938 | 49.9 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 29 | 10.0 | 181 | 9.3 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 262 | 90.0 | 1,757 | 90.7 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 273 | 93.8 | 1,827 | 94.2 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 18 | 6.2 | 112 | 5.8 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 248 | 87.9 | 1,477 | 80.7 | 14,025 | 79.0 |
| 2nd TRIMESTER | 28 | 9.9 | 279 | 15.2 | 2,984 | 16.8 |
| 3rd TRIMESTER | <=5 | * | 66 | 3.6 | 637 | 3.6 |
| NO CARE | <=5 | * | 8 | 0.4 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 195 | 78.6 | 1,143 | 71.9 | 10,770 | 70.5 |
| INTERMEDIATE | 44 | 17.7 | 343 | 21.6 | 3,477 | 22.8 |
| INADEQUATE | 7 | 2.8 | 96 | 6.0 | 921 | 6.0 |
| NO CARE | <=5 | * | 8 | 0.5 | 102 | 0.7 |

| | WINDOM PARK NEIGHBORHOOD | | NORTHEAST COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|-----------------------------|---------|------------------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 265 | 1.4 | 1,939 | 10.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | • | | | | | |
| WHITE NON-HISPANIC | 146 | 55.1 | 995 | 51.3 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 36 | 13.6 | 380 | 19.6 | 5,338 | 28.2 |
| AMERICAN INDIAN | 6 | 2.3 | 58 | 3.0 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 11 | 4.2 | 71 | 3.7 | 1,318 | 7.0 |
| HISPANIC | 61 | 23.0 | 402 | 20.7 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 163 | 61.5 | 1,111 | 57.3 | 10,227 | 54.0 |
| UNMARRIED | 102 | 38.5 | 827 | 42.7 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | 10 | 3.8 | 58 | 3.0 | 680 | 3.6 |
| 18 - 19 | 13 | 4.9 | 92 | 4.7 | 1,086 | 5.7 |
| 20 - 34 | 192 | 72.5 | 1,478 | 76.2 | 13,783 | 72.7 |
| 35 AND OVER | 50 | 18.9 | 311 | 16.0 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 53 | 20.5 | 445 | 23.7 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 58 | 22.5 | 497 | 26.4 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 147 | 57.0 | 938 | 49.9 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 24 | 9.1 | 181 | 9.3 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 241 | 90.9 | 1,757 | 90.7 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 249 | 94.0 | 1,827 | 94.2 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 16 | 6.0 | 112 | 5.8 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 216 | 85.4 | 1,477 | 80.7 | 14,025 | 79.0 |
| 2nd TRIMESTER | 31 | 12.3 | 279 | 15.2 | 2,984 | 16.8 |
| 3rd TRIMESTER | 6 | 2.4 | 66 | 3.6 | 637 | 3.6 |
| NO CARE | 0 | 0.0 | 8 | 0.4 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 172 | 77.1 | 1,143 | 71.9 | 10,770 | 70.5 |
| INTERMEDIATE | 42 | 18.8 | 343 | 21.6 | 3,477 | 22.8 |
| INADEQUATE | 9 | 4.0 | 96 | 6.0 | 921 | 6.0 |
| NO CARE | 0 | 0.0 | 8 | 0.5 | 102 | 0.7 |

| | EAST PHILLIPS NEIGHBORHOOD | | PHILLIPS CO | PHILLIPS COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|----------------------------|---------|-------------|--------------------|--------|----------------------|--|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT | |
| TOTAL BIRTHS | 409 | 2.2 | 1,558 | 8.2 | 18,953 | 100.0 | |
| MOTHER'S RACE/ETHNICITY | | | | | | | |
| WHITE NON-HISPANIC | 39 | 9.5 | 152 | 9.8 | 7,951 | 42.0 | |
| BLACK NON-HISPANIC | 84 | 20.5 | 565 | 36.3 | 5,338 | 28.2 | |
| AMERICAN INDIAN | 98 | 24.0 | 189 | 12.1 | 659 | 3.5 | |
| ASIAN/PACIFIC ISLANDER | 9 | 2.2 | 33 | 2.1 | 1,318 | 7.0 | |
| HISPANIC | 174 | 42.5 | 604 | 38.8 | 3,427 | 18.1 | |
| MARITAL STATUS | | | | | | | |
| MARRIED | 107 | 26.2 | 497 | 31.9 | 10,227 | 54.0 | |
| UNMARRIED | 302 | 73.8 | 1,061 | 68.1 | 8,717 | 46.0 | |
| AGE OF MOTHER | | | | | | | |
| UNDER 18 | 20 | 4.9 | 71 | 4.6 | 680 | 3.6 | |
| 18 - 19 | 46 | 11.2 | 139 | 8.9 | 1,086 | 5.7 | |
| 20 - 34 | 310 | 75.8 | 1,171 | 75.2 | 13,783 | 72.7 | |
| 35 AND OVER | 33 | 8.1 | 177 | 11.4 | 3,403 | 18.0 | |
| MOTHER'S EDUCATION | | | | | | | |
| LESS THAN HIGH SCHOOL | 193 | 49.7 | 715 | 48.5 | 4,478 | 24.7 | |
| HIGH SCHOOL GRAD | 124 | 32.0 | 504 | 34.2 | 4,710 | 26.0 | |
| MORE THAN HIGH SCHOOL | 71 | 18.3 | 255 | 17.3 | 8,955 | 49.4 | |
| GESTATION | | | | | | | |
| UNDER 37 WEEKS | 50 | 12.3 | 184 | 11.8 | 2,054 | 10.9 | |
| 37 OR MORE WEEKS | 357 | 87.7 | 1,371 | 88.2 | 16,867 | 89.1 | |
| BIRTH WEIGHT | | | | | | | |
| 2500 + GRAMS | 376 | 91.9 | 1,421 | 91.2 | 17,493 | 92.3 | |
| UNDER 2500 GRAMS | 33 | 8.1 | 137 | 8.8 | 1,454 | 7.7 | |
| TRIMESTER STARTED CARE | | | | | | | |
| 1st TRIMESTER | 265 | 67.8 | 1,005 | 67.7 | 14,025 | 79.0 | |
| 2nd TRIMESTER | 97 | 24.8 | 388 | 26.1 | 2,984 | 16.8 | |
| 3rd TRIMESTER | 26 | 6.6 | 76 | 5.1 | 637 | 3.6 | |
| NO CARE | <=5 | * | 15 | 1.0 | 101 | 0.6 | |
| ADEQUACY OF CARE | | | | | | | |
| ADEQUATE | 181 | 52.9 | 722 | 55.5 | 10,770 | 70.5 | |
| INTERMEDIATE | 117 | 34.2 | 436 | 33.5 | 3,477 | 22.8 | |
| INADEQUATE | 41 | 12.0 | 128 | 9.8 | 921 | 6.0 | |
| NO CARE | <=5 | * | 15 | 1.2 | 102 | 0.7 | |
| | | | | | | | |

| NUMBER PERCENT NUMBER PERCENT NUMBER PERCENT | | WEST PHILLIPS NEIGHBORHOOD | | PHILLIPS CO | PHILLIPS COMMUNITY | | MINNEAPOLIS TOTAL | |
|---|-------------------------|-------------------------------|---------|-------------|--------------------|--------|----------------------|--|
| MOTHER'S RACE/ETHNICITY WHITE NON-HISPANIC BLACK NON-HISPANIC 180 53.1 565 36.3 5,338 28.2 AMERICAN INDIAN 15 4.4 189 12.1 659 3.5 ASIAN/PACIFIC ISLANDER 8 2.4 33 2.1 1,318 7.0 HISPANIC 105 31.0 604 38.8 3,427 18.1 MARITAL STATUS MARRIED 119 35.1 497 31.9 10,227 54.0 UNMARRIED 220 64.9 1,061 68.1 8,717 46.0 AGE OF MOTHER UNDER 18 9 2.7 711 4.6 680 3.6 18 - 19 21 6.2 139 8.9 1,086 5.7 20 - 34 259 76.4 1,171 75.2 13,783 72.7 35 AND OVER 50 14.7 177 11.4 3,403 18.0 MOTHER'S EDUCATION LESS THAN HIGH SCHOOL 140 45.5 715 48.5 4,478 24.7 HIGH SCHOOL GRAD 118 38.3 504 34.2 4,710 26.0 MORE THAN HIGH SCHOOL 50 16.2 255 17.3 8,955 49.4 GESTATION UNDER 3 46 13.6 184 11.8 2,054 10.9 GESTATION UNDER 37 WEEKS 46 13.6 184 11.8 2,054 10.9 37 OR MORE WEEKS 293 86.4 1,371 88.2 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 298 87.9 1,421 91.2 17,493 92.3 UNDER 2500 GRAMS 41 12.1 137 8.8 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 229 71.3 1,005 67.7 14,025 79.0 2nd TRIMESTER 74 23.1 388 26.1 2,984 16.8 37 OR MORE 4-5 15 1.0 10.1 0.6 ADEQUACY OF CARE ADEQUATE 189 59.7 722 55.5 10,770 70.5 INTERMEDIATE 84 29.7 436 33.5 3,477 22.8 INADEQUATE 186 9.8 921 6.0 | | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT | |
| WHITE NON-HISPANIC 27 8.0 152 9.8 7,951 42.0 BLACK NON-HISPANIC 180 53.1 565 36.3 5,338 28.2 AMERICAN INDIAN 15 4.4 189 12.1 6.69 3.5 ASIAN/PACIFIC ISLANDER 8 2.4 33 2.1 1,318 7.0 HISPANIC 105 31.0 604 38.8 3,427 18.1 MARITAL STATUS MARRIED 119 35.1 497 31.9 10,227 54.0 UNMARRIED 220 64.9 1,061 68.1 8,717 46.0 UNMARRIED 220 64.9 1,061 68.1 8,717 46.0 AGE OF MOTHER UNDER 18 9 2.7 71 4.6 680 3.6 18 - 19 21 6.2 139 8.9 1,086 5.7 20 - 34 259 76.4 1,171 75.2 13,783 72.7 35 AND OVER 50 14.7 177 11.4 3,403 18.0 MOTHER'S EDUCATION LESS THAN HIGH SCHOOL 140 45.5 715 48.5 4,478 24.7 HIGH SCHOOL FAND HIGH SCHOOL 50 16.2 255 17.3 8,955 49.4 AGESTATION UNDER 37 WEEKS 46 13.6 184 11.8 2,054 10.9 37 OR MORE WEEKS 293 86.4 1,371 88.2 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 41 12.1 137 8.8 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER STARTED CARE 1st TRIMESTER STARTED CARE 1st TRIMESTER TRATED CARE 1st TRIMESTER 74 23.1 388 26.1 2,994 16.8 3rd TRIMESTER 13 4.0 76 5.1 637 3.6 NO CARE 45 5 7 722 55.5 10,770 70.5 INTERMEDIATE 169 59.7 8.8 128 9.8 921 6.0 | TOTAL BIRTHS | 339 | 1.8 | 1,558 | 8.2 | 18,953 | 100.0 | |
| BLACK NON-HISPANIC AMERICAN INDIAN 15 | MOTHER'S RACE/ETHNICITY | , | | | | | | |
| AMERICAN INDIAN 15 4.4 189 12.1 659 3.5 ASIAN/PACIFIC ISLANDER 8 2.4 33 2.1 1,318 7.0 HISPANIC 105 31.0 604 38.8 3,427 18.1 MARITAL STATUS MARRIED 119 35.1 497 31.9 10,227 54.0 UNMARRIED 220 64.9 1,061 68.1 8,717 46.0 AGE OF MOTHER UNDER 18 9 2.7 71 4.6 680 3.6 18 - 19 21 6.2 139 8.9 1,086 5.7 20 - 34 259 76.4 1,171 75.2 13,783 72.7 35 AND OVER 50 14.7 177 11.4 3,403 18.0 MOTHER'S EDUCATION LESS THAN HIGH SCHOOL 140 45.5 715 48.5 4,478 24.7 HIGH SCHOOL GRAD 118 38.3 504 34.2 4,710 26.0 MORE THAN HIGH SCHOOL 50 16.2 255 17.3 8,955 49.4 GESTATION UNDER 37 WEEKS 46 13.6 184 11.8 2,054 10.9 37 OR MORE WEEKS 293 86.4 1,371 88.2 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 298 87.9 1,421 91.2 17,493 92.3 UNDER 2500 GRAMS 41 12.1 137 8.8 1,454 7.7 TRIMESTER STARTED CARE 1ST TRIMESTER 74 23.1 388 26.1 2,984 16.8 3rd TRIMESTER 13 4.0 76 5.1 637 3.6 NO CARE 45 77 722 55.5 10,770 70.5 INTERNEDIATE 169 59.7 722 55.5 10,770 70.5 INTERNEDIATE 184 29.7 436 33.5 3,477 22.8 INADEQUATE 169 59.7 722 55.5 10,770 70.5 INTERNEDIATE 184 29.7 436 33.5 3,477 22.8 INADEQUATE 25 8.8 128 9.8 921 6.0 | WHITE NON-HISPANIC | 27 | 8.0 | 152 | 9.8 | 7,951 | 42.0 | |
| ASIAN/PACIFIC ISLANDER | BLACK NON-HISPANIC | 180 | 53.1 | 565 | 36.3 | 5,338 | 28.2 | |
| HISPANIC 105 31.0 604 38.8 3,427 18.1 | AMERICAN INDIAN | 15 | 4.4 | 189 | 12.1 | 659 | 3.5 | |
| MARITAL STATUS MARRIED 119 35.1 497 31.9 10,227 54.0 UNMARRIED 220 64.9 1,061 68.1 8,717 46.0 AGE OF MOTHER UNDER 18 9 2.7 71 4.6 680 3.6 18 - 19 21 6.2 139 8.9 1,086 5.7 20 - 34 259 76.4 1,171 75.2 13,783 72.7 35 AND OVER 50 14.7 177 11.4 3,403 18.0 MOTHER'S EDUCATION LESS THAN HIGH SCHOOL 140 45.5 715 48.5 4,478 24.7 HIGH SCHOOL GRAD 118 38.3 504 34.2 4,710 26.0 MORE THAN HIGH SCHOOL 50 16.2 255 17.3 8,955 49.4 GESTATION UNDER 37 WEEKS 46 13.6 184 11.8 2,054 10.9 37 OR MORE WEEKS 293 86.4 1,371 88.2 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 298 87.9 1,421 91.2 17,493 92.3 UNDER 2500 GRAMS 41 12.1 137 8.8 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 74 23.1 388 26.1 2,984 16.8 3rd TRIMESTER 74 23.1 388 26.1 2,984 16.8 3rd TRIMESTER 13 4.0 76 5.1 637 3.6 NO CARE =5 * 15 1.0 101 0.6 ADEQUACY OF CARE ADEQUACY OF CARE ADEQUACY OF CARE ADEQUATE 169 59.7 722 55.5 10,770 70.5 INTERMEDIATE 84 29.7 436 33.5 3,477 22.8 INADEQUATE 169 59.7 722 55.5 10,770 70.5 INTERMEDIATE 84 29.7 436 33.5 3,477 22.8 INADEQUATE 169 59.7 722 55.5 10,770 70.5 INTERMEDIATE 84 29.7 436 33.5 3,477 22.8 INADEQUATE 25 8.8 128 9.8 921 6.0 | ASIAN/PACIFIC ISLANDER | 8 | 2.4 | 33 | 2.1 | 1,318 | 7.0 | |
| MARRIED 119 35.1 497 31.9 10,227 54.0 UNMARRIED 220 64.9 1,061 68.1 8,717 46.0 AGE OF MOTHER UNDER 18 9 2.7 71 4.6 680 3.6 18 - 19 21 6.2 139 8.9 1,086 5.7 20 - 34 259 76.4 1,171 75.2 13,783 72.7 35 AND OVER 50 14.7 177 11.4 3,403 18.0 MOTHER'S EDUCATION LESS THAN HIGH SCHOOL 140 45.5 715 48.5 4,478 24.7 HIGH SCHOOL GRAD 118 38.3 504 34.2 4,710 26.0 MORE THAN HIGH SCHOOL 50 16.2 255 17.3 8,955 49.4 GESTATION UNDER 37 WEEKS 46 13.6 184 11.8 2,054 10.9 37 OR MORE WEEKS 293 86.4 1,371 88.2 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 298 87.9 1,421 91.2 17,493 92.3 UNDER 2500 GRAMS 41 12.1 137 8.8 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 74 23.1 388 26.1 2,984 16.8 3rd TRIMESTER 13 4.0 76 5.1 637 3.6 NO CARE 45 5 * 15 1.0 101 0.6 ADEQUACY OF CARE ADEQUATE 169 59.7 722 55.5 10,770 70.5 INTERMEDIATE 84 29.7 436 33.5 3,477 22.8 INADEQUATE 25 8.8 128 9.8 921 6.0 | HISPANIC | 105 | 31.0 | 604 | 38.8 | 3,427 | 18.1 | |
| UNMARRIED 220 64.9 1,061 68.1 8,717 46.0 AGE OF MOTHER UNDER 18 9 2.7 71 4.6 680 3.6 18 - 19 21 6.2 139 8.9 1,086 5.7 20 - 34 259 76.4 1,171 75.2 13,783 72.7 35 AND OVER 50 14.7 177 11.4 3,403 18.0 MOTHER'S EDUCATION LESS THAN HIGH SCHOOL 140 45.5 715 48.5 4,478 24.7 HIGH SCHOOL GRAD 118 38.3 504 34.2 4,710 26.0 MORE THAN HIGH SCHOOL 50 16.2 255 17.3 8,955 49.4 GESTATION UNDER 37 WEEKS 46 13.6 184 11.8 2,054 10.9 37 OR MORE WEEKS 293 86.4 1,371 88.2 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 298 87.9 1,421 91.2 17,493 92.3 UNDER 2500 GRAMS 41 12.1 137 8.8 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 74 23.1 388 26.1 2,984 16.8 3rd TRIMESTER 74 23.1 388 26.1 2,984 16.8 3rd TRIMESTER 13 4.0 76 5.1 637 3.6 NO CARE -=5 * 15 1.0 101 0.6 ADEQUACY OF CARE INDERUGITE 84 29.7 436 33.5 3,477 22.8 INADEQUATE 85 8.8 128 9.8 921 6.0 | MARITAL STATUS | | | | | | | |
| AGE OF MOTHER UNDER 18 9 2.7 71 4.6 680 3.6 18 - 19 21 6.2 139 8.9 1,086 5.7 20 - 34 259 76.4 1,171 75.2 13,783 72.7 35 AND OVER 50 14.7 177 11.4 3,403 18.0 MOTHER'S EDUCATION LESS THAN HIGH SCHOOL 140 45.5 715 48.5 4,478 24.7 HIGH SCHOOL GRAD 118 38.3 504 34.2 4,710 26.0 MORE THAN HIGH SCHOOL 50 16.2 255 17.3 8,955 49.4 GESTATION UNDER 37 WEEKS 46 13.6 184 11.8 2,054 10.9 37 OR MORE WEEKS 293 86.4 1,371 88.2 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 298 87.9 1,421 91.2 17,493 92.3 UNDER 2500 GRAMS 41 12.1 137 8.8 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 74 23.1 388 26.1 2,984 16.8 3rd TRIMESTER 74 23.1 388 26.1 2,984 16.8 3rd TRIMESTER 13 4.0 76 5.1 637 3.6 NO CARE = 5 * 15 1.0 101 0.6 ADEQUACY OF CARE ADEQUATE 169 59.7 722 55.5 10,770 70.5 INTERMEDIATE 84 29.7 436 33.5 3,477 22.8 INADEQUATE 160 6.0 | MARRIED | 119 | 35.1 | 497 | 31.9 | 10,227 | 54.0 | |
| UNDER 18 9 2.7 71 4.6 680 3.6 18 - 19 21 6.2 139 8.9 1,086 5.7 20 - 34 259 76.4 1,171 75.2 13,783 72.7 35 AND OVER 50 14.7 177 11.4 3,403 18.0 MOTHER'S EDUCATION LESS THAN HIGH SCHOOL 140 45.5 715 48.5 4,478 24.7 HIGH SCHOOL GRAD 118 38.3 504 34.2 4,710 26.0 MORE THAN HIGH SCHOOL 50 16.2 255 17.3 8,955 49.4 GESTATION UNDER 37 WEEKS 46 13.6 184 11.8 2,054 10.9 37 OR MORE WEEKS 293 86.4 1,371 88.2 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 298 87.9 1,421 91.2 17,493 92.3 UNDER 2500 GRAMS 41 12.1 137 8.8 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 1st TRIMESTER 229 71.3 1,005 67.7 14,025 79.0 2nd TRIMESTER 74 23.1 388 26.1 2,984 16.8 3rd TRIMESTER 74 23.1 388 26.1 2,984 16.8 3rd TRIMESTER 13 4.0 76 5.1 637 3.6 NO CARE <=5 * 15 1.0 101 0.6 ADEQUACY OF CARE ADEQUACY OF CARE ADEQUACY OF CARE ADEQUATE 169 59.7 722 55.5 10,770 70.5 INTERMEDIATE 84 29.7 436 33.5 3,477 22.8 INADEQUATE 25 8.8 128 9.8 921 6.0 | UNMARRIED | 220 | 64.9 | 1,061 | 68.1 | 8,717 | 46.0 | |
| 18 - 19 21 6.2 139 8.9 1,086 5.7 20 - 34 259 76.4 1,171 75.2 13,783 72.7 35 AND OVER 50 14.7 177 11.4 3,403 18.0 MOTHER'S EDUCATION LESS THAN HIGH SCHOOL 140 45.5 715 48.5 4,478 24.7 HIGH SCHOOL GRAD 118 38.3 504 34.2 4,710 26.0 MORE THAN HIGH SCHOOL 50 16.2 255 17.3 8,955 49.4 GESTATION UNDER 37 WEEKS 46 13.6 184 11.8 2,054 10.9 37 OR MORE WEEKS 293 86.4 1,371 88.2 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 298 87.9 1,421 91.2 17,493 92.3 UNDER 2500 GRAMS 41 12.1 137 8.8 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 74 23.1 388 | AGE OF MOTHER | | | | | | | |
| 20 - 34 | UNDER 18 | 9 | 2.7 | 71 | 4.6 | 680 | 3.6 | |
| MOTHER'S EDUCATION LESS THAN HIGH SCHOOL 140 45.5 715 48.5 4,478 24.7 HIGH SCHOOL GRAD 118 38.3 504 34.2 4,710 26.0 MORE THAN HIGH SCHOOL 50 16.2 255 17.3 8,955 49.4 49.4 49.7 49.2 | 18 - 19 | 21 | 6.2 | 139 | 8.9 | 1,086 | 5.7 | |
| MOTHER'S EDUCATION LESS THAN HIGH SCHOOL 140 45.5 715 48.5 4,478 24.7 HIGH SCHOOL GRAD 118 38.3 504 34.2 4,710 26.0 MORE THAN HIGH SCHOOL 50 16.2 255 17.3 8,955 49.4 GESTATION UNDER 37 WEEKS 46 13.6 184 11.8 2,054 10.9 37 OR MORE WEEKS 293 86.4 1,371 88.2 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 298 87.9 1,421 91.2 17,493 92.3 UNDER 2500 GRAMS 41 12.1 137 8.8 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 229 71.3 1,005 67.7 14,025 79.0 2nd TRIMESTER 74 23.1 388 26.1 2,984 16.8 3rd TRIMESTER 13 4.0 76 5.1 637 3.6 NO CARE <=5 | 20 - 34 | 259 | 76.4 | 1,171 | 75.2 | 13,783 | 72.7 | |
| LESS THAN HIGH SCHOOL 140 45.5 715 48.5 4,478 24.7 HIGH SCHOOL GRAD 118 38.3 504 34.2 4,710 26.0 MORE THAN HIGH SCHOOL 50 16.2 255 17.3 8,955 49.4 GESTATION UNDER 37 WEEKS 46 13.6 184 11.8 2,054 10.9 37 OR MORE WEEKS 293 86.4 1,371 88.2 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 298 87.9 1,421 91.2 17,493 92.3 UNDER 2500 GRAMS 41 12.1 137 8.8 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 229 71.3 1,005 67.7 14,025 79.0 2nd TRIMESTER 74 23.1 388 26.1 2,984 16.8 3rd TRIMESTER 13 4.0 76 5.1 637 3.6 NO CARE <=5 | 35 AND OVER | 50 | 14.7 | 177 | 11.4 | 3,403 | 18.0 | |
| HIGH SCHOOL GRAD MORE THAN HIGH SCHOOL 50 16.2 255 17.3 8,955 49.4 GESTATION UNDER 37 WEEKS 46 13.6 184 11.8 2,054 10.9 37 OR MORE WEEKS 293 86.4 1,371 88.2 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 298 87.9 1,421 91.2 17,493 92.3 UNDER 2500 GRAMS 41 12.1 137 8.8 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 229 71.3 1,005 67.7 14,025 79.0 2nd TRIMESTER 74 23.1 388 26.1 2,984 16.8 3rd TRIMESTER 13 4.0 76 5.1 637 3.6 NO CARE <=5 * 15 1.0 101 0.6 ADEQUACY OF CARE ADEQUATE 169 59.7 722 55.5 10,770 70.5 INTERMEDIATE 84 29.7 436 33.5 3,477 22.8 INADEQUATE 25 8.8 128 9.8 921 6.0 | MOTHER'S EDUCATION | | | | | | | |
| MORE THAN HIGH SCHOOL 50 16.2 255 17.3 8,955 49.4 GESTATION UNDER 37 WEEKS 46 13.6 184 11.8 2,054 10.9 37 OR MORE WEEKS 293 86.4 1,371 88.2 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 298 87.9 1,421 91.2 17,493 92.3 UNDER 2500 GRAMS 41 12.1 137 8.8 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 229 71.3 1,005 67.7 14,025 79.0 2nd TRIMESTER 229 71.3 1,005 67.7 14,025 79.0 2nd TRIMESTER 229 71.3 1,005 67.7 14,025 79.0 2nd TRIMESTER 13 4.0 76 5.1 637 3.6 NO CARE <=5 | LESS THAN HIGH SCHOOL | 140 | 45.5 | 715 | 48.5 | 4,478 | 24.7 | |
| GESTATION UNDER 37 WEEKS 46 13.6 184 11.8 2,054 10.9 37 OR MORE WEEKS 293 86.4 1,371 88.2 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 298 87.9 1,421 91.2 17,493 92.3 UNDER 2500 GRAMS 41 12.1 137 8.8 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 229 71.3 1,005 67.7 14,025 79.0 2nd TRIMESTER 74 23.1 388 26.1 2,984 16.8 3rd TRIMESTER 13 4.0 76 5.1 637 3.6 NO CARE <=5 * 15 1.0 101 0.6 ADEQUACY OF CARE ADEQUACY OF CARE ADEQUATE 169 59.7 722 55.5 10,770 70.5 INTERMEDIATE 84 29.7 436 33.5 3,477 22.8 INADEQUATE 25 8.8 128 9.8 921 6.0 | HIGH SCHOOL GRAD | 118 | 38.3 | 504 | 34.2 | 4,710 | 26.0 | |
| UNDER 37 WEEKS 293 86.4 13.6 184 11.8 2,054 10.9 37 OR MORE WEEKS 293 86.4 1,371 88.2 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 298 87.9 1,421 91.2 17,493 92.3 UNDER 2500 GRAMS 41 12.1 137 8.8 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 229 71.3 1,005 67.7 14,025 79.0 2nd TRIMESTER 74 23.1 388 26.1 2,984 16.8 3rd TRIMESTER 13 4.0 76 5.1 637 3.6 NO CARE <=5 * 15 1.0 101 0.6 ADEQUACY OF CARE ADEQUATE 169 59.7 722 55.5 10,770 70.5 INTERMEDIATE 84 29.7 436 33.5 3,477 22.8 INADEQUATE 25 8.8 128 9.8 921 6.0 | MORE THAN HIGH SCHOOL | 50 | 16.2 | 255 | 17.3 | • | 49.4 | |
| 37 OR MORE WEEKS 293 86.4 1,371 88.2 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 298 87.9 1,421 91.2 17,493 92.3 UNDER 2500 GRAMS 41 12.1 137 8.8 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 229 71.3 1,005 67.7 14,025 79.0 2nd TRIMESTER 74 23.1 388 26.1 2,984 16.8 3rd TRIMESTER 13 4.0 76 5.1 637 3.6 NO CARE <=5 * 15 1.0 101 0.6 ADEQUACY OF CARE ADEQUATE 169 59.7 722 55.5 10,770 70.5 INTERMEDIATE 84 29.7 436 33.5 3,477 22.8 INADEQUATE 25 8.8 128 9.8 921 6.0 | GESTATION | | | | | | | |
| BIRTH WEIGHT 2500 + GRAMS 298 87.9 1,421 91.2 17,493 92.3 UNDER 2500 GRAMS 41 12.1 137 8.8 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 229 71.3 1,005 67.7 14,025 79.0 2nd TRIMESTER 74 23.1 388 26.1 2,984 16.8 3rd TRIMESTER 13 4.0 76 5.1 637 3.6 NO CARE 4=5 * 15 1.0 101 0.6 ADEQUACY OF CARE ADEQUACY OF CARE ADEQUACY OF CARE ADEQUACY OF CARE INTERMEDIATE 84 29.7 436 33.5 3,477 22.8 INADEQUATE 25 8.8 128 9.8 921 6.0 | UNDER 37 WEEKS | 46 | 13.6 | 184 | 11.8 | 2,054 | 10.9 | |
| 2500 + GRAMS 298 87.9 1,421 91.2 17,493 92.3 UNDER 2500 GRAMS 41 12.1 137 8.8 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 229 71.3 1,005 67.7 14,025 79.0 2nd TRIMESTER 74 23.1 388 26.1 2,984 16.8 3rd TRIMESTER 13 4.0 76 5.1 637 3.6 NO CARE <=5 | 37 OR MORE WEEKS | 293 | 86.4 | 1,371 | 88.2 | 16,867 | 89.1 | |
| UNDER 2500 GRAMS 41 12.1 137 8.8 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 229 71.3 1,005 67.7 14,025 79.0 2nd TRIMESTER 74 23.1 388 26.1 2,984 16.8 3rd TRIMESTER 13 4.0 76 5.1 637 3.6 NO CARE <=5 | BIRTH WEIGHT | | | | | | | |
| TRIMESTER STARTED CARE 1st TRIMESTER 229 71.3 1,005 67.7 14,025 79.0 2nd TRIMESTER 74 23.1 388 26.1 2,984 16.8 3rd TRIMESTER 13 4.0 76 5.1 637 3.6 NO CARE <=5 * 15 1.0 101 0.6 ADEQUACY OF CARE ADEQUATE 169 59.7 722 55.5 10,770 70.5 INTERMEDIATE 84 29.7 436 33.5 3,477 22.8 INADEQUATE 25 8.8 128 9.8 921 6.0 | 2500 + GRAMS | 298 | 87.9 | 1,421 | 91.2 | 17,493 | 92.3 | |
| 1st TRIMESTER 229 71.3 1,005 67.7 14,025 79.0 2nd TRIMESTER 74 23.1 388 26.1 2,984 16.8 3rd TRIMESTER 13 4.0 76 5.1 637 3.6 NO CARE <=5 | UNDER 2500 GRAMS | 41 | 12.1 | 137 | 8.8 | 1,454 | 7.7 | |
| 2nd TRIMESTER 74 23.1 388 26.1 2,984 16.8 3rd TRIMESTER 13 4.0 76 5.1 637 3.6 NO CARE <=5 | TRIMESTER STARTED CARE | | | | | | | |
| 3rd TRIMESTER 13 4.0 76 5.1 637 3.6 NO CARE <=5 | 1st TRIMESTER | 229 | 71.3 | 1,005 | 67.7 | 14,025 | 79.0 | |
| NO CARE <=5 * 15 1.0 101 0.6 ADEQUACY OF CARE ADEQUATE 169 59.7 722 55.5 10,770 70.5 INTERMEDIATE 84 29.7 436 33.5 3,477 22.8 INADEQUATE 25 8.8 128 9.8 921 6.0 | 2nd TRIMESTER | 74 | 23.1 | 388 | 26.1 | 2,984 | 16.8 | |
| ADEQUACY OF CARE ADEQUATE 169 59.7 722 55.5 10,770 70.5 INTERMEDIATE 84 29.7 436 33.5 3,477 22.8 INADEQUATE 25 8.8 128 9.8 921 6.0 | 3rd TRIMESTER | 13 | 4.0 | 76 | 5.1 | 637 | 3.6 | |
| ADEQUATE 169 59.7 722 55.5 10,770 70.5 INTERMEDIATE 84 29.7 436 33.5 3,477 22.8 INADEQUATE 25 8.8 128 9.8 921 6.0 | NO CARE | <=5 | * | 15 | 1.0 | 101 | 0.6 | |
| INTERMEDIATE 84 29.7 436 33.5 3,477 22.8 INADEQUATE 25 8.8 128 9.8 921 6.0 | ADEQUACY OF CARE | | | | | | | |
| INADEQUATE 25 8.8 128 9.8 921 6.0 | ADEQUATE | 169 | 59.7 | 722 | 55.5 | 10,770 | 70.5 | |
| INADEQUATE 25 8.8 128 9.8 921 6.0 | INTERMEDIATE | 84 | 29.7 | 436 | 33.5 | 3,477 | 22.8 | |
| NO CARE <=5 * 15 1.2 102 0.7 | INADEQUATE | 25 | 8.8 | 128 | 9.8 | 921 | 6.0 | |
| | NO CARE | <=5 | * | 15 | 1.2 | 102 | 0.7 | |

| | MIDTOWN PHILLIPS NEIGHBORHOOD | | PHILLIPS COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|-------------------------------|---------|--------------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 360 | 1.9 | 1,558 | 8.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | • | | | | | |
| WHITE NON-HISPANIC | 33 | 9.2 | 152 | 9.8 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 93 | 25.8 | 565 | 36.3 | 5,338 | 28.2 |
| AMERICAN INDIAN | 27 | 7.5 | 189 | 12.1 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 11 | 3.1 | 33 | 2.1 | 1,318 | 7.0 |
| HISPANIC | 193 | 53.6 | 604 | 38.8 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 119 | 33.1 | 497 | 31.9 | 10,227 | 54.0 |
| UNMARRIED | 241 | 66.9 | 1,061 | 68.1 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | 26 | 7.2 | 71 | 4.6 | 680 | 3.6 |
| 18 - 19 | 34 | 9.4 | 139 | 8.9 | 1,086 | 5.7 |
| 20 - 34 | 258 | 71.7 | 1,171 | 75.2 | 13,783 | 72.7 |
| 35 AND OVER | 42 | 11.7 | 177 | 11.4 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 170 | 49.1 | 715 | 48.5 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 120 | 34.7 | 504 | 34.2 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 56 | 16.2 | 255 | 17.3 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 45 | 12.5 | 184 | 11.8 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 315 | 87.5 | 1,371 | 88.2 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 331 | 91.9 | 1,421 | 91.2 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 29 | 8.1 | 137 | 8.8 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 221 | 64.1 | 1,005 | 67.7 | 14,025 | 79.0 |
| 2nd TRIMESTER | 108 | 31.3 | 388 | 26.1 | 2,984 | 16.8 |
| 3rd TRIMESTER | 14 | 4.1 | 76 | 5.1 | 637 | 3.6 |
| NO CARE | <=5 | * | 15 | 1.0 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 162 | 53.3 | 722 | 55.5 | 10,770 | 70.5 |
| INTERMEDIATE | 117 | 38.5 | 436 | 33.5 | 3,477 | 22.8 |
| INADEQUATE | 23 | 7.6 | 128 | 9.8 | 921 | 6.0 |
| NO CARE | <=5 | * | 15 | 1.2 | 102 | 0.7 |

| | VENTURA VILLAGE NEIGHBORHOOD | | PHILLIPS CO | MMIINITY | MINNEAPOLIS TOTAL | |
|-------------------------|---------------------------------|---------|-------------|----------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 450 | 2.4 | 1,558 | 8.2 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | | | | |
| WHITE NON-HISPANIC | 53 | 11.8 | 152 | 9.8 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 208 | 46.2 | 565 | 36.3 | 5,338 | 28.2 |
| AMERICAN INDIAN | 49 | 10.9 | 189 | 12.1 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | <=5 | * | 33 | 2.1 | 1,318 | 7.0 |
| HISPANIC | 132 | 3.0 | 604 | 38.8 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 152 | 33.8 | 497 | 31.9 | 10,227 | 54.0 |
| UNMARRIED | 298 | 66.2 | 1,061 | 68.1 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | 16 | 3.6 | 71 | 4.6 | 680 | 3.6 |
| 18 - 19 | 38 | 8.4 | 139 | 8.9 | 1,086 | 5.7 |
| 20 - 34 | 344 | 76.4 | 1,171 | 75.2 | 13,783 | 72.7 |
| 35 AND OVER | 52 | 11.6 | 177 | 11.4 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 212 | 49.1 | 715 | 48.5 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 142 | 32.9 | 504 | 34.2 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 78 | 18.1 | 255 | 17.3 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 43 | 9.6 | 184 | 11.8 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 406 | 90.4 | 1,371 | 88.2 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 416 | 92.4 | 1,421 | 91.2 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 34 | 7.6 | 137 | 8.8 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 290 | 67.9 | 1,005 | 67.7 | 14,025 | 79.0 |
| 2nd TRIMESTER | 109 | 25.5 | 388 | 26.1 | 2,984 | 16.8 |
| 3rd TRIMESTER | 23 | 5.4 | 76 | 5.1 | 637 | 3.6 |
| NO CARE | <=5 | * | 15 | 1.0 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 210 | 56.5 | 722 | 55.5 | 10,770 | 70.5 |
| INTERMEDIATE | 118 | 31.7 | 436 | 33.5 | 3,477 | 22.8 |
| INADEQUATE | 39 | 10.5 | 128 | 9.8 | 921 | 6.0 |
| NO CARE | <=5 | * | 15 | 1.2 | 102 | 0.7 |

| | BANCROFT NEIGHBORHOOD | | | POWDERHORN COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|--------------------------|---------|--------|-------------------------|--------|----------------------|--|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT | |
| TOTAL BIRTHS | 176 | 0.9 | 3,353 | 17.7 | 18,953 | 100.0 | |
| MOTHER'S RACE/ETHNICITY | | | | | | | |
| WHITE NON-HISPANIC | 103 | 58.5 | 921 | 27.5 | 7,951 | 42.0 | |
| BLACK NON-HISPANIC | 23 | 13.1 | 832 | 24.8 | 5,338 | 28.2 | |
| AMERICAN INDIAN | 6 | 3.4 | 153 | 4.6 | 659 | 3.5 | |
| ASIAN/PACIFIC ISLANDER | 12 | 6.8 | 84 | 2.5 | 1,318 | 7.0 | |
| HISPANIC | 28 | 15.9 | 1,309 | 39.0 | 3,427 | 18.1 | |
| MARITAL STATUS | | | | | | | |
| MARRIED | 115 | 65.3 | 1,424 | 42.5 | 10,227 | 54.0 | |
| UNMARRIED | 61 | 34.7 | 1,929 | 57.5 | 8,717 | 46.0 | |
| AGE OF MOTHER | | | | | | | |
| UNDER 18 | <=5 | * | 159 | 4.7 | 680 | 3.6 | |
| 18 - 19 | 10 | 5.7 | 206 | 6.1 | 1,086 | 5.7 | |
| 20 - 34 | 126 | 71.6 | 2,498 | 74.5 | 13,783 | 72.7 | |
| 35 AND OVER | 37 | 21.0 | 490 | 14.6 | 3,403 | 18.0 | |
| MOTHER'S EDUCATION | | | | | | | |
| LESS THAN HIGH SCHOOL | 29 | 16.9 | 1,247 | 39.3 | 4,478 | 24.7 | |
| HIGH SCHOOL GRAD | 35 | 20.3 | 865 | 27.3 | 4,710 | 26.0 | |
| MORE THAN HIGH SCHOOL | 108 | 62.8 | 1,062 | 33.5 | 8,955 | 49.4 | |
| GESTATION | | | | | | | |
| UNDER 37 WEEKS | 15 | 8.5 | 331 | 9.9 | 2,054 | 10.9 | |
| 37 OR MORE WEEKS | 161 | 91.5 | 3,017 | 90.1 | 16,867 | 89.1 | |
| BIRTH WEIGHT | | | | | | | |
| 2500 + GRAMS | 165 | 93.8 | 3,096 | 92.4 | 17,493 | 92.3 | |
| UNDER 2500 GRAMS | 11 | 6.3 | 255 | 7.6 | 1,454 | 7.7 | |
| TRIMESTER STARTED CARE | | | | | | | |
| 1st TRIMESTER | 147 | 86.0 | 2,369 | 73.6 | 14,025 | 79.0 | |
| 2nd TRIMESTER | 21 | 12.3 | 679 | 21.1 | 2,984 | 16.8 | |
| 3rd TRIMESTER | <=5 | * | 146 | 4.5 | 637 | 3.6 | |
| NO CARE | <=5 | * | 23 | 0.7 | 101 | 0.6 | |
| ADEQUACY OF CARE | | | | | | | |
| ADEQUATE | 120 | 78.9 | 1,818 | 64.3 | 10,770 | 70.5 | |
| INTERMEDIATE | 24 | 15.8 | 774 | 27.4 | 3,477 | 22.8 | |
| INADEQUATE | 7 | 4.6 | 213 | 7.5 | 921 | 6.0 | |
| NO CARE | <=5 | * | 23 | 8.0 | 102 | 0.7 | |

| NUMBER PERCENT NUMBER PERCENT NUMBER PERCENT TOTAL BIRTHS 207 1.1 3,353 17.7 18,953 100.0 MOTHER'S RACE/ETHNICITY WHITE NON-HISPANIC 50 24.2 921 27.5 7,951 42.0 BLACK NON-HISPANIC 47 22.7 832 24.8 5,338 28.2 AMERICAN INDIAN 6 2.9 153 4.6 659 3.5 ASIAN/PACIFIC ISLANDER <=5 * 84 2.5 1,318 7.0 HISPANIC 100 48.3 1,309 39.0 3,427 18.1 MARITAL STATUS 81 39.1 1,424 42.5 10,227 54.0 UNMARRIED 126 60.9 1,929 57.5 8,717 46.0 |
|--|
| MOTHER'S RACE/ETHNICITY WHITE NON-HISPANIC 50 24.2 921 27.5 7,951 42.0 BLACK NON-HISPANIC 47 22.7 832 24.8 5,338 28.2 AMERICAN INDIAN 6 2.9 153 4.6 659 3.5 ASIAN/PACIFIC ISLANDER <=5 * 84 2.5 1,318 7.0 HISPANIC 100 48.3 1,309 39.0 3,427 18.1 MARITAL STATUS MARRIED 81 39.1 1,424 42.5 10,227 54.0 |
| WHITE NON-HISPANIC 50 24.2 921 27.5 7,951 42.0 BLACK NON-HISPANIC 47 22.7 832 24.8 5,338 28.2 AMERICAN INDIAN 6 2.9 153 4.6 659 3.5 ASIAN/PACIFIC ISLANDER <=5 |
| BLACK NON-HISPANIC 47 22.7 832 24.8 5,338 28.2 AMERICAN INDIAN 6 2.9 153 4.6 659 3.5 ASIAN/PACIFIC ISLANDER <=5 |
| AMERICAN INDIAN 6 2.9 153 4.6 659 3.5 ASIAN/PACIFIC ISLANDER <=5 * 84 2.5 1,318 7.0 HISPANIC 100 48.3 1,309 39.0 3,427 18.1 MARITAL STATUS MARRIED 81 39.1 1,424 42.5 10,227 54.0 |
| ASIAN/PACIFIC ISLANDER <=5 |
| HISPANIC 100 48.3 1,309 39.0 3,427 18.1 MARITAL STATUS 81 39.1 1,424 42.5 10,227 54.0 |
| MARITAL STATUS MARRIED 81 39.1 1,424 42.5 10,227 54.0 |
| MARRIED 81 39.1 1,424 42.5 10,227 54.0 |
| , |
| UNMARRIED 126 60.9 1,929 57.5 8,717 46.0 |
| |
| AGE OF MOTHER |
| UNDER 18 10 4.8 159 4.7 680 3.6 |
| 18 - 19 15 7.2 206 6.1 1,086 5.7 |
| 20 - 34 158 76.3 2,498 74.5 13,783 72.7 |
| 35 AND OVER 24 11.6 490 14.6 3,403 18.0 |
| MOTHER'S EDUCATION |
| LESS THAN HIGH SCHOOL 79 39.7 1,247 39.3 4,478 24.7 |
| HIGH SCHOOL GRAD 53 26.6 865 27.3 4,710 26.0 |
| MORE THAN HIGH SCHOOL 67 33.7 1,062 33.5 8,955 49.4 |
| GESTATION |
| UNDER 37 WEEKS 25 12.1 331 9.9 2,054 10.9 |
| 37 OR MORE WEEKS 182 87.9 3,017 90.1 16,867 89.1 |
| BIRTH WEIGHT |
| 2500 + GRAMS 191 92.7 3,096 92.4 17,493 92.3 |
| UNDER 2500 GRAMS 15 7.3 255 7.6 1,454 7.7 |
| TRIMESTER STARTED CARE |
| 1st TRIMESTER 156 76.8 2,369 73.6 14,025 79.0 |
| 2nd TRIMESTER 38 18.7 679 21.1 2,984 16.8 |
| 3rd TRIMESTER 8 3.9 146 4.5 637 3.6 |
| NO CARE <=5 * 23 0.7 101 0.6 |
| ADEQUACY OF CARE |
| ADEQUATE 117 67.2 1,818 64.3 10,770 70.5 |
| INTERMEDIATE 40 23.0 774 27.4 3,477 22.8 |
| INADEQUATE 16 9.2 213 7.5 921 6.0 |
| NO CARE <=5 * 23 0.8 102 0.7 |

| | CENTRAL NEIGHBORHOOD | | POWDERHORN COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|-------------------------|---------|-------------------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 656 | 3.5 | 3,353 | 17.7 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | | | | |
| WHITE NON-HISPANIC | 80 | 12.2 | 921 | 27.5 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 143 | 21.8 | 832 | 24.8 | 5,338 | 28.2 |
| AMERICAN INDIAN | 27 | 4.1 | 153 | 4.6 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 18 | 2.7 | 84 | 2.5 | 1,318 | 7.0 |
| HISPANIC | 379 | 57.8 | 1,309 | 39.0 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 221 | 33.7 | 1,424 | 42.5 | 10,227 | 54.0 |
| UNMARRIED | 435 | 66.3 | 1,929 | 57.5 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | 49 | 7.5 | 159 | 4.7 | 680 | 3.6 |
| 18 - 19 | 42 | 6.4 | 206 | 6.1 | 1,086 | 5.7 |
| 20 - 34 | 485 | 73.9 | 2,498 | 74.5 | 13,783 | 72.7 |
| 35 AND OVER | 80 | 12.2 | 490 | 14.6 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 348 | 56.3 | 1,247 | 39.3 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 158 | 25.6 | 865 | 27.3 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 112 | 18.1 | 1,062 | 33.5 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 68 | 10.4 | 331 | 9.9 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 587 | 89.6 | 3,017 | 90.1 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 604 | 92.1 | 3,096 | 92.4 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 52 | 7.9 | 255 | 7.6 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 430 | 68.6 | 2,369 | 73.6 | 14,025 | 79.0 |
| 2nd TRIMESTER | 154 | 24.6 | 679 | 21.1 | 2,984 | 16.8 |
| 3rd TRIMESTER | 37 | 5.9 | 146 | 4.5 | 637 | 3.6 |
| NO CARE | 6 | 1.0 | 23 | 0.7 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 320 | 58.0 | 1,818 | 64.3 | 10,770 | 70.5 |
| INTERMEDIATE | 172 | 31.2 | 774 | 27.4 | 3,477 | 22.8 |
| INADEQUATE | 54 | 9.8 | 213 | 7.5 | 921 | 6.0 |
| NO CARE | 6 | 1.1 | 23 | 8.0 | 102 | 0.7 |

| NUMBER PERCENT NUMBER PERCENT NUMBER PERCENT | | CORCORAN NEIGHBORHOOD | | POWDERHORN COMMUNITY | | MINNEAPOLIS TOTAL | |
|---|------------------------|--------------------------|---------|-------------------------|---------|----------------------|---------|
| MOTHER'S RACE/ETHNICITY WHITE NON-HISPANIC BLACK NON-HISPANIC 31 11.9 832 24.8 5,338 28.2 AMERICAN INDIAN 24 9.2 153 4.6 659 3.5 ASIAN/PACIFIC ISLANDER 45 84 2.5 1,318 7.0 HISPANIC 118 45.4 1,309 39.0 3,427 18.1 MARITAL STATUS MARRIED 122 46.9 1,424 42.5 10,227 54.0 UNMARRIED 138 53.1 1,929 57.5 8,717 46.0 UNMARRIED 138 53.1 1,929 57.5 8,717 46.0 AGE OF MOTHER UNDER 18 10 3.8 159 4.7 680 3.6 18 - 19 11 4.2 206 6.1 1,086 5.7 20 - 34 209 80.4 2,498 74.5 13,783 72.7 35 AND OVER 30 11.5 490 14.6 3,403 18.0 MOTHER'S EDUCATION LESS THAN HIGH SCHOOL 94 38.2 1,247 39.3 4,478 24.7 HIGH SCHOOL GRAD 61 24.8 865 27.3 4,710 26.0 MORE THAN HIGH SCHOOL 91 37.0 1,062 33.5 8,955 49.4 GESTATION UNDER 37 WEEKS 36 14.0 331 9.9 2,054 10.9 37 OR MORE WEEKS 222 86.0 3,017 90.1 16,867 89.1 BIRTH WEIGHT 2500 GRAMS 29 11.2 255 7.6 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 189 75.9 2,369 73.6 14,025 79.0 2nd TRIMESTER 44 17.7 679 21.1 2,984 16.8 37 or RORE 44 17.7 679 21.1 2,984 16.8 37 or RORE 45 22 146 4.5 637 3.6 NO CARE 45 22.1 188 64.3 10,770 70.5 ADEQUACY OF CARE ADEQUATE 143 66.2 1,818 64.3 10,770 70.5 INTERMEDIATE 52 24.1 774 27.4 3,477 22.8 INTERMEDIATE 52 24.1 774 27.4 3,477 22.8 INTERMEDIATE 52 24.1 774 27.4 3,477 22.8 | | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| WHITE NON-HISPANIC BLACK NON-HISPANIC 31 11.9 832 24.8 5,338 28.2 AMERICAN INDIAN 24 9.2 153 4.6 659 3.5 ASIAN/PACIFIC ISLANDER <5 * 84 2.5 1,318 7.0 HISPANIC 118 45.4 1,309 39.0 3,427 18.1 MARITAL STATUS MARRIED 122 46.9 1,424 42.5 10,227 54.0 UNMARRIED 138 53.1 1,929 57.5 8,717 46.0 UNMARRIED 138 53.1 1,929 57.5 8,717 46.0 UNDER 18 10 3.8 159 4.7 680 3.6 18 - 19 11 4.2 206 6.1 1,086 5.7 20 - 34 209 80.4 2,498 74.5 13,783 72.7 35 AND OVER 30 11.5 490 14.6 3,403 18.0 MOTHER'S EDUCATION LESS THAN HIGH SCHOOL 94 38.2 1,247 39.3 4,478 24.7 HIGH SCHOOL GRAD 61 24.8 865 27.3 4,710 26.0 MORE THAN HIGH SCHOOL 91 37.0 1,062 33.5 8,955 49.4 GESTATION UNDER 37 WEEKS 36 14.0 331 9.9 2,054 10.9 37 OR MORE WEEKS 222 86.0 3,017 90.1 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 231 88.8 3,096 92.4 17,493 92.3 UNDER 2500 GRAMS 29 11.2 255 7.6 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 189 75.9 2,369 73.6 14,025 79.0 2nd TRIMESTER 144 17.7 679 21.1 2,984 16.8 3rd TRIMESTER 145 5.2 146 4.5 637 3.6 NO CARE =5 * 23 0.7 101 0.6 ADEQUACY OF CARE ADEQUATE 143 66.2 1,818 64.3 10,770 70.5 BINTERMEDIATE 52 24.1 77.4 27.4 3,477 22.8 INADEQUATE 18 8.3 213 7.5 921 6.0 | TOTAL BIRTHS | 260 | 1.4 | 3,353 | 17.7 | 18,953 | 100.0 |
| BLACK NON-HISPANIC 31 11.9 832 24.8 5,338 28.2 AMERICAN INDIAN 24 9.2 153 4.6 659 3.5 ASIAN/PACIFIC ISLANDER <5 * 84 2.5 1,318 7.0 HISPANIC 118 45.4 1,309 39.0 3,427 18.1 MARITAL STATUS MARRIED 122 46.9 1,424 42.5 10,227 54.0 UNMARRIED 138 53.1 1,929 57.5 8,717 46.0 UNMARRIED 138 53.1 1,929 57.5 8,717 46.0 UNMARRIED 138 53.1 1,929 57.5 8,717 46.0 UNMARRIED 141 4.2 206 6.1 1,086 5.7 20.34 209 80.4 2,498 74.5 13,783 72.7 35 AND OVER 30 11.5 490 14.6 3,403 18.0 MOTHER'S EDUCATION LESS THAN HIGH SCHOOL 94 38.2 1,247 39.3 4,478 24.7 HIGH SCHOOL GRAD 61 24.8 865 27.3 4,710 26.0 MORE THAN HIGH SCHOOL 91 37.0 1,062 33.5 8,955 49.4 GESTATION UNDER 37 WEEKS 36 14.0 331 9.9 2,054 10.9 37 OR MORE WEEKS 222 86.0 3,017 90.1 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 29 11.2 255 7.6 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 189 75.9 2,369 73.6 14,025 79.0 TRIMESTER STARTED CARE 1st TRIMESTER 189 75.9 2,369 73.6 14,025 79.0 TRIMESTER 189 75.9 2,369 73.6 14,025 79.0 TRIMESTER 187 17.7 679 21.1 2,984 16.8 3rd TRIMESTER 18 75.9 2,369 73.6 14,025 79.0 TRIMESTER 18 75.9 2,369 73.6 14,025 79.0 TRIMESTER 18 75.9 2,369 73.6 14,025 79.0 TRIMESTER 18 35.2 146 4.5 637 3.6 NO CARE 45 72 24.1 77.7 27.4 3,477 22.8 ADEQUATE 143 66.2 1,818 64.3 10,770 70.5 ADEQUATE 143 66.2 1,818 64.3 10,770 70.5 ADEQUATE 148 8.3 243 7.5 921 6.0 | | • | | | | | |
| AMERICAN INDIAN 24 9.2 153 4.6 659 3.5 ASIAN/PACIFIC ISLANDER <5 * 84 2.5 1,318 7.0 HISPANIC 118 45.4 1,309 39.0 3,427 18.1 MARITAL STATUS MARRIED 122 46.9 1,424 42.5 10,227 54.0 UNMARRIED 138 53.1 1,929 57.5 8,717 46.0 AGE OF MOTHER UNDER 18 10 3.8 159 4.7 680 3.6 18 - 19 11 4.2 206 6.1 1,086 5.7 20 - 34 209 80.4 2,498 74.5 13,783 72.7 35 AND OVER 30 11.5 490 14.6 3,403 18.0 MOTHER'S EDUCATION LESS THAN HIGH SCHOOL 94 38.2 1,247 39.3 4,478 24.7 HIGH SCHOOL GRAD 61 24.8 865 27.3 4,710 26.0 MORE THAN HIGH SCHOOL 91 37.0 1,062 33.5 8,955 49.4 GESTATION UNDER 37 WEEKS 36 14.0 331 9.9 2,054 10.9 37 OR MORE WEEKS 222 86.0 3,017 90.1 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 231 88.8 3,096 92.4 17,493 92.3 UNDER 2500 GRAMS 29 11.2 255 7.6 1,454 7.7 TRIMESTER STARTED CARE 1ST TRIMESTER 44 17.7 679 21.1 2,984 16.8 3rd TRIMESTER 143 5.2 146 4.5 637 3.6 NO CARE <5 * 23 0.7 101 0.6 ADEQUACY OF CARE ADEQUATE 143 66.2 1,818 64.3 10,770 70.5 EINTERMEDIATE 52 24.1 774 27.4 3,477 22.8 INADEQUATE 18 8.3 213 7.5 921 6.0 | | | | | | | |
| ASIAN/PACIFIC ISLANDER | | | | | | • | |
| HISPANIC 118 45.4 1,309 39.0 3,427 18.1 HISPANIC 118 138 53.1 1,929 57.5 8,717 46.0 UNMARRIED 138 53.1 1,929 57.5 8,717 46.0 HISPANIC 18 18 10 3.8 159 4.7 680 3.6 18-19 11 4.2 206 6.1 1,086 5.7 20-34 209 80.4 2,498 74.5 13,783 72.7 35 AND OVER 30 11.5 490 14.6 3,403 18.0 HISPANIC 18 18 19 11.5 490 14.6 3,403 18.0 HISPANIC 18 18 19 11.5 490 14.6 3,403 18.0 HISPANIC 18 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19 | | | | | | | |
| MARITAL STATUS MARRIED 122 46.9 1,424 42.5 10,227 54.0 UNMARRIED 138 53.1 1,929 57.5 8,717 46.0 AGE OF MOTHER UNDER 18 10 3.8 159 4.7 680 3.6 18 - 19 11 4.2 206 6.1 1,086 5.7 20 - 34 209 80.4 2,498 74.5 13,783 72.7 35 AND OVER 30 11.5 490 14.6 3,403 18.0 MOTHER'S EDUCATION LESS THAN HIGH SCHOOL 94 38.2 1,247 39.3 4,478 24.7 HIGH SCHOOL GRAD 61 24.8 865 27.3 4,710 26.0 MORE THAN HIGH SCHOOL 91 37.0 1,062 33.5 8,955 49.4 GESTATION UNDER 37 WEEKS 36 14.0 331 9.9 2,054 10.9 37 OR MORE WEEKS 222 86.0 3,017 90.1 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 231 88.8 3,096 92.4 17,493 92.3 UNDER 2500 GRAMS 29 11.2 255 7.6 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 44 17.7 679 21.1 2,984 16.8 3rd TRIMESTER 44 17.7 679 21.1 2,984 16.8 3rd TRIMESTER 13 5.2 146 4.5 637 3.6 NO CARE 45 2.41 77.4 27.4 3,477 22.8 ADEQUACY OF CARE ADEQUACY OF CARE ADEQUATE 143 66.2 1,818 64.3 10,770 70.5 INTERMEDIATE 52 24.1 774 27.4 3,477 22.8 INADEQUATE 18 8.3 213 7.5 921 6.0 | | | | | | • | |
| MARRIED 122 46.9 1,424 42.5 10,227 54.0 UNMARRIED 138 53.1 1,929 57.5 8,717 46.0 AGE OF MOTHER UNDER 18 10 3.8 159 4.7 680 3.6 18 - 19 11 4.2 206 6.1 1,086 5.7 20 - 34 209 80.4 2,498 74.5 13,783 72.7 35 AND OVER 30 11.5 490 14.6 3,403 18.0 MOTHER'S EDUCATION LESS THAN HIGH SCHOOL 94 38.2 1,247 39.3 4,478 24.7 HIGH SCHOOL GRAD 61 24.8 865 27.3 4,710 26.0 MORE THAN HIGH SCHOOL 91 37.0 1,062 33.5 8,955 49.4 GESTATION UNDER 37 WEEKS 36 14.0 331 9.9 2,054 10.9 37 OR MORE WEEKS 222 86. | HISPANIC | 118 | 45.4 | 1,309 | 39.0 | 3,427 | 18.1 |
| UNMARRIED 138 53.1 1,929 57.5 8,717 46.0 AGE OF MOTHER UNDER 18 10 3.8 159 4.7 680 3.6 18 - 19 11 4.2 206 6.1 1,086 5.7 20 - 34 209 80.4 2,498 74.5 13,783 72.7 35 AND OVER 30 11.5 490 14.6 3,403 18.0 MOTHER'S EDUCATION LESS THAN HIGH SCHOOL 94 38.2 1,247 39.3 4,478 24.7 HIGH SCHOOL GRAD 61 24.8 865 27.3 4,710 26.0 MORE THAN HIGH SCHOOL 91 37.0 1,062 33.5 8,955 49.4 GESTATION UNDER 37 WEEKS 36 14.0 331 9.9 2,054 10.9 37 OR MORE WEEKS 222 86.0 3,017 90.1 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 231 88.8 3,096 92.4 17,493 92.3 UNDER 2500 GRAMS 29 11.2 255 7.6 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 189 75.9 2,369 73.6 14,025 79.0 2nd TRIMESTER 44 17.7 679 21.1 2,984 16.8 3rd TRIMESTER 44 17.7 679 21.1 2,984 16.8 3rd TRIMESTER 13 5.2 146 4.5 637 3.6 NO CARE =5 * 23 0.7 101 0.6 ADEQUACY OF CARE ADEQUACY OF CARE ADEQUATE 143 66.2 1,818 64.3 10,770 70.5 INTERMEDIATE 52 24.1 774 27.4 3,477 22.8 INADEQUATE 18 8.3 213 7.5 921 6.0 | | | | | | | |
| AGE OF MOTHER UNDER 18 10 3.8 159 4.7 680 3.6 18 - 19 11 4.2 206 6.1 1,086 5.7 20 - 34 209 80.4 2,498 74.5 13,783 72.7 35 AND OVER 30 11.5 490 14.6 3,403 18.0 MOTHER'S EDUCATION LESS THAN HIGH SCHOOL 94 38.2 1,247 39.3 4,478 24.7 HIGH SCHOOL GRAD 61 24.8 865 27.3 4,710 26.0 MORE THAN HIGH SCHOOL 91 37.0 1,062 33.5 8,955 49.4 GESTATION UNDER 37 WEEKS 36 14.0 331 9.9 2,054 10.9 37 OR MORE WEEKS 222 86.0 3,017 90.1 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 231 88.8 3,096 92.4 17,493 92.3 UNDER 2500 GRAMS 29 11.2 255 7.6 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 189 75.9 2,369 73.6 14,025 79.0 2nd TRIMESTER 44 17.7 679 21.1 2,984 16.8 3rd TRIMESTER 13 5.2 146 4.5 637 3.6 NO CARE <=5 * 23 0.7 101 0.6 ADEQUACY OF CARE ADEQUACY OF CARE ADEQUACY OF CARE ADEQUACY OF CARE ADEQUATE 143 66.2 1,818 64.3 10,770 70.5 INTERMEDIATE 52 24.1 7774 27.4 3,477 22.8 INADEQUATE 18 8.3 213 7.5 921 6.0 | | | | | | • | |
| UNDER 18 10 3.8 159 4.7 680 3.6 18 - 19 11 4.2 206 6.1 1,086 5.7 20 - 34 209 80.4 2,498 74.5 13,783 72.7 35 AND OVER 30 11.5 490 14.6 3,403 18.0 MOTHER'S EDUCATION LESS THAN HIGH SCHOOL 94 38.2 1,247 39.3 4,478 24.7 HIGH SCHOOL GRAD 61 24.8 865 27.3 4,710 26.0 MORE THAN HIGH SCHOOL 91 37.0 1,062 33.5 8,955 49.4 GESTATION UNDER 37 WEEKS 36 14.0 331 9.9 2,054 10.9 37 OR MORE WEEKS 222 86.0 3,017 90.1 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 29 11.2 255 7.6 1,454 7.7 TRIMESTER STARTED CARE 151 TRIMESTER 141 7.7 679 21.1 2,984 16.8 3rd TRIMESTER 141 7.7 679 21.1 2,984 16.8 3rd TRIMESTER 141 5.2 146 4.5 637 3.6 NO CARE <=5 * 23 0.7 101 0.6 ADEQUACY OF CARE ADEQUATE 184 8.3 213 7.5 921 6.0 | UNMARRIED | 138 | 53.1 | 1,929 | 57.5 | 8,717 | 46.0 |
| 18-19 11 4.2 206 6.1 1,086 5.7 20 - 34 209 80.4 2,498 74.5 13,783 72.7 35 AND OVER 30 11.5 490 14.6 3,403 18.0 MOTHER'S EDUCATION LESS THAN HIGH SCHOOL 94 38.2 1,247 39.3 4,478 24.7 HIGH SCHOOL GRAD 61 24.8 865 27.3 4,710 26.0 MORE THAN HIGH SCHOOL 91 37.0 1,062 33.5 8,955 49.4 GESTATION UNDER 37 WEEKS 36 14.0 331 9.9 2,054 10.9 37 OR MORE WEEKS 222 86.0 3,017 90.1 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 231 88.8 3,096 92.4 17,493 92.3 UNDER 2500 GRAMS 29 11.2 255 7.6 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 189 75.9 2,369 <t< td=""><td>AGE OF MOTHER</td><td></td><td></td><td></td><td></td><td></td><td></td></t<> | AGE OF MOTHER | | | | | | |
| 20 - 34 | UNDER 18 | 10 | 3.8 | 159 | 4.7 | 680 | 3.6 |
| MOTHER'S EDUCATION LESS THAN HIGH SCHOOL 94 38.2 1,247 39.3 4,478 24.7 HIGH SCHOOL GRAD 61 24.8 865 27.3 4,710 26.0 MORE THAN HIGH SCHOOL 91 37.0 1,062 33.5 8,955 49.4 | 18 - 19 | 11 | 4.2 | 206 | 6.1 | 1,086 | 5.7 |
| MOTHER'S EDUCATION LESS THAN HIGH SCHOOL 94 38.2 1,247 39.3 4,478 24.7 HIGH SCHOOL GRAD 61 24.8 865 27.3 4,710 26.0 MORE THAN HIGH SCHOOL 91 37.0 1,062 33.5 8,955 49.4 GESTATION UNDER 37 WEEKS 36 14.0 331 9.9 2,054 10.9 37 OR MORE WEEKS 222 86.0 3,017 90.1 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 231 88.8 3,096 92.4 17,493 92.3 UNDER 2500 GRAMS 29 11.2 255 7.6 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 189 75.9 2,369 73.6 14,025 79.0 2nd TRIMESTER 13 5.2 146 4.5 637 3.6 NO CARE <=5 | | | | 2,498 | | • | |
| LESS THAN HIGH SCHOOL 94 38.2 1,247 39.3 4,478 24.7 HIGH SCHOOL GRAD 61 24.8 865 27.3 4,710 26.0 MORE THAN HIGH SCHOOL 91 37.0 1,062 33.5 8,955 49.4 GESTATION UNDER 37 WEEKS 36 14.0 331 9.9 2,054 10.9 37 OR MORE WEEKS 222 86.0 3,017 90.1 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 231 88.8 3,096 92.4 17,493 92.3 UNDER 2500 GRAMS 29 11.2 255 7.6 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 189 75.9 2,369 73.6 14,025 79.0 2nd TRIMESTER 44 17.7 679 21.1 2,984 16.8 3rd TRIMESTER 13 5.2 146 4.5 637 3.6 NO CARE <=5 <td>35 AND OVER</td> <td>30</td> <td>11.5</td> <td>490</td> <td>14.6</td> <td>3,403</td> <td>18.0</td> | 35 AND OVER | 30 | 11.5 | 490 | 14.6 | 3,403 | 18.0 |
| HIGH SCHOOL GRAD 61 24.8 865 27.3 4,710 26.0 MORE THAN HIGH SCHOOL 91 37.0 1,062 33.5 8,955 49.4 GESTATION UNDER 37 WEEKS 36 14.0 331 9.9 2,054 10.9 37 OR MORE WEEKS 222 86.0 3,017 90.1 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 231 88.8 3,096 92.4 17,493 92.3 UNDER 2500 GRAMS 29 11.2 255 7.6 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 189 75.9 2,369 73.6 14,025 79.0 2nd TRIMESTER 44 17.7 679 21.1 2,984 16.8 3rd TRIMESTER 13 5.2 146 4.5 637 3.6 NO CARE <=5 * 23 0.7 101 0.6 ADEQUACY OF CARE ADEQUATE 143 66.2 1,818 64.3 10,770 70.5 INTERMEDIATE 52 24.1 774 27.4 3,477 22.8 INADEQUATE 18 8.3 213 7.5 921 6.0 | MOTHER'S EDUCATION | | | | | | |
| MORE THAN HIGH SCHOOL 91 37.0 1,062 33.5 8,955 49.4 GESTATION UNDER 37 WEEKS 36 14.0 331 9.9 2,054 10.9 37 OR MORE WEEKS 222 86.0 3,017 90.1 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 231 88.8 3,096 92.4 17,493 92.3 UNDER 2500 GRAMS 29 11.2 255 7.6 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 189 75.9 2,369 73.6 14,025 79.0 2nd TRIMESTER 44 17.7 679 21.1 2,984 16.8 3rd TRIMESTER 13 5.2 146 4.5 637 3.6 NO CARE <=5 | LESS THAN HIGH SCHOOL | 94 | 38.2 | 1,247 | 39.3 | 4,478 | 24.7 |
| GESTATION UNDER 37 WEEKS 36 14.0 331 9.9 2,054 10.9 37 OR MORE WEEKS 222 86.0 3,017 90.1 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 231 88.8 3,096 92.4 17,493 92.3 UNDER 2500 GRAMS 29 11.2 255 7.6 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 189 75.9 2,369 73.6 14,025 79.0 2nd TRIMESTER 44 17.7 679 21.1 2,984 16.8 3rd TRIMESTER 13 5.2 146 4.5 637 3.6 NO CARE <=5 * 23 0.7 101 0.6 ADEQUACY OF CARE ADEQUACY OF CARE ADEQUATE 143 66.2 1,818 64.3 10,770 70.5 INTERMEDIATE 52 24.1 774 27.4 3,477 22.8 INADEQUATE 18 8.3 213 7.5 921 6.0 | HIGH SCHOOL GRAD | 61 | 24.8 | 865 | 27.3 | 4,710 | 26.0 |
| UNDER 37 WEEKS 36 14.0 331 9.9 2,054 10.9 37 OR MORE WEEKS 222 86.0 3,017 90.1 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 231 88.8 3,096 92.4 17,493 92.3 UNDER 2500 GRAMS 29 11.2 255 7.6 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 189 75.9 2,369 73.6 14,025 79.0 2nd TRIMESTER 44 17.7 679 21.1 2,984 16.8 3rd TRIMESTER 13 5.2 146 4.5 637 3.6 NO CARE <=5 * 23 0.7 101 0.6 ADEQUACY OF CARE ADEQUATE 143 66.2 1,818 64.3 10,770 70.5 INTERMEDIATE 52 24.1 774 27.4 3,477 22.8 INADEQUATE 18 8.3 213 7.5 921 6.0 | MORE THAN HIGH SCHOOL | 91 | 37.0 | 1,062 | 33.5 | 8,955 | 49.4 |
| 37 OR MORE WEEKS 222 86.0 3,017 90.1 16,867 89.1 BIRTH WEIGHT 2500 + GRAMS 231 88.8 3,096 92.4 17,493 92.3 UNDER 2500 GRAMS 29 11.2 255 7.6 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 189 75.9 2,369 73.6 14,025 79.0 2nd TRIMESTER 44 17.7 679 21.1 2,984 16.8 3rd TRIMESTER 13 5.2 146 4.5 637 3.6 NO CARE <=5 * 23 0.7 101 0.6 ADEQUACY OF CARE ADEQUATE 143 66.2 1,818 64.3 10,770 70.5 INTERMEDIATE 52 24.1 774 27.4 3,477 22.8 INADEQUATE 18 8.3 213 7.5 921 6.0 | GESTATION | | | | | | |
| BIRTH WEIGHT 2500 + GRAMS 231 88.8 3,096 92.4 17,493 92.3 UNDER 2500 GRAMS 29 11.2 255 7.6 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 189 75.9 2,369 73.6 14,025 79.0 2nd TRIMESTER 44 17.7 679 21.1 2,984 16.8 3rd TRIMESTER 13 5.2 146 4.5 637 3.6 NO CARE ADEQUACY OF CARE ADEQUACY OF CARE ADEQUATE 143 66.2 1,818 64.3 10,770 70.5 INTERMEDIATE 52 24.1 774 27.4 3,477 22.8 INADEQUATE 18 8.3 213 7.5 921 6.0 | UNDER 37 WEEKS | 36 | 14.0 | 331 | 9.9 | 2,054 | 10.9 |
| 2500 + GRAMS 231 88.8 3,096 92.4 17,493 92.3 UNDER 2500 GRAMS 29 11.2 255 7.6 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 189 75.9 2,369 73.6 14,025 79.0 2nd TRIMESTER 44 17.7 679 21.1 2,984 16.8 3rd TRIMESTER 13 5.2 146 4.5 637 3.6 NO CARE <=5 | 37 OR MORE WEEKS | 222 | 86.0 | 3,017 | 90.1 | 16,867 | 89.1 |
| 2500 + GRAMS 231 88.8 3,096 92.4 17,493 92.3 UNDER 2500 GRAMS 29 11.2 255 7.6 1,454 7.7 TRIMESTER STARTED CARE 1st TRIMESTER 189 75.9 2,369 73.6 14,025 79.0 2nd TRIMESTER 44 17.7 679 21.1 2,984 16.8 3rd TRIMESTER 13 5.2 146 4.5 637 3.6 NO CARE <=5 | BIRTH WEIGHT | | | | | | |
| UNDER 2500 GRAMS 29 11.2 255 7.6 1,454 7.7 TRIMESTER STARTED CARE 189 75.9 2,369 73.6 14,025 79.0 2nd TRIMESTER 189 75.9 2,369 73.6 14,025 79.0 2nd TRIMESTER 44 17.7 679 21.1 2,984 16.8 3rd TRIMESTER 13 5.2 146 4.5 637 3.6 NO CARE <=5 | | 231 | 88.8 | 3,096 | 92.4 | 17,493 | 92.3 |
| 1st TRIMESTER 189 75.9 2,369 73.6 14,025 79.0 2nd TRIMESTER 44 17.7 679 21.1 2,984 16.8 3rd TRIMESTER 13 5.2 146 4.5 637 3.6 NO CARE <=5 | UNDER 2500 GRAMS | | | • | | • | |
| 1st TRIMESTER 189 75.9 2,369 73.6 14,025 79.0 2nd TRIMESTER 44 17.7 679 21.1 2,984 16.8 3rd TRIMESTER 13 5.2 146 4.5 637 3.6 NO CARE <=5 | TRIMESTER STARTED CARE | | | | | | |
| 2nd TRIMESTER 44 17.7 679 21.1 2,984 16.8 3rd TRIMESTER 13 5.2 146 4.5 637 3.6 NO CARE <=5 | | | 75.9 | 2.369 | 73.6 | 14.025 | 79.0 |
| 3rd TRIMESTER 13 5.2 146 4.5 637 3.6 NO CARE <=5 | | | | | | | |
| NO CARE <=5 * 23 0.7 101 0.6 ADEQUACY OF CARE ADEQUATE 143 66.2 1,818 64.3 10,770 70.5 INTERMEDIATE 52 24.1 774 27.4 3,477 22.8 INADEQUATE 18 8.3 213 7.5 921 6.0 | | | | | | • | |
| ADEQUATE 143 66.2 1,818 64.3 10,770 70.5 INTERMEDIATE 52 24.1 774 27.4 3,477 22.8 INADEQUATE 18 8.3 213 7.5 921 6.0 | | | | | | | |
| ADEQUATE 143 66.2 1,818 64.3 10,770 70.5 INTERMEDIATE 52 24.1 774 27.4 3,477 22.8 INADEQUATE 18 8.3 213 7.5 921 6.0 | ADEQUACY OF CARE | | | | | | |
| INTERMEDIATE 52 24.1 774 27.4 3,477 22.8 INADEQUATE 18 8.3 213 7.5 921 6.0 | | 143 | 66.2 | 1.818 | 64.3 | 10.770 | 70.5 |
| INADEQUATE 18 8.3 213 7.5 921 6.0 | | | | | | | |
| | | | | | | • | |
| | NO CARE | <=5 | * | 23 | 0.8 | 102 | 0.7 |

| | LYNDALE NEIGHBORHOOD | | POWDERHORN COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|-------------------------|---------|-------------------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 378 | 2.0 | 3,353 | 17.7 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | , | | | | | |
| WHITE NON-HISPANIC | 101 | 26.7 | 921 | 27.5 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 130 | 34.4 | 832 | 24.8 | 5,338 | 28.2 |
| AMERICAN INDIAN | 12 | 3.2 | 153 | 4.6 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 7 | 1.9 | 84 | 2.5 | 1,318 | 7.0 |
| HISPANIC | 120 | 31.7 | 1,309 | 39.0 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 147 | 38.9 | 1,424 | 42.5 | 10,227 | 54.0 |
| UNMARRIED | 231 | 61.1 | 1,929 | 57.5 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | 22 | 5.8 | 159 | 4.7 | 680 | 3.6 |
| 18 - 19 | 24 | 6.3 | 206 | 6.1 | 1,086 | 5.7 |
| 20 - 34 | 264 | 69.8 | 2,498 | 74.5 | 13,783 | 72.7 |
| 35 AND OVER | 68 | 18.0 | 490 | 14.6 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 133 | 37.3 | 1,247 | 39.3 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 117 | 32.8 | 865 | 27.3 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 107 | 30.0 | 1,062 | 33.5 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 38 | 10.1 | 331 | 9.9 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 339 | 89.9 | 3,017 | 90.1 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 351 | 92.9 | 3,096 | 92.4 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 27 | 7.1 | 255 | 7.6 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 253 | 69.9 | 2,369 | 73.6 | 14,025 | 79.0 |
| 2nd TRIMESTER | 87 | 24.0 | 679 | 21.1 | 2,984 | 16.8 |
| 3rd TRIMESTER | 20 | 5.5 | 146 | 4.5 | 637 | 3.6 |
| NO CARE | <=5 | * | 23 | 0.7 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 200 | 63.1 | 1,818 | 64.3 | 10,770 | 70.5 |
| INTERMEDIATE | 87 | 27.4 | 774 | 27.4 | 3,477 | 22.8 |
| INADEQUATE | 28 | 8.8 | 213 | 7.5 | 921 | 6.0 |
| NO CARE | <=5 | * | 23 | 8.0 | 102 | 0.7 |
| | | | | | | |

| | | POWDERHORN PARK NEIGHBORHOOD | | POWDERHORN COMMUNITY | | POLIS AL |
|------------------------|--------|------------------------------|--------|-------------------------|--------|-------------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 576 | 3.0 | 3,353 | 17.7 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICIT | Υ | | | | | |
| WHITE NON-HISPANIC | 154 | 26.7 | 921 | 27.5 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 105 | 18.2 | 832 | 24.8 | 5,338 | 28.2 |
| AMERICAN INDIAN | 34 | 5.9 | 153 | 4.6 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 11 | 1.9 | 84 | 2.5 | 1,318 | 7.0 |
| HISPANIC | 260 | 45.1 | 1,309 | 39.0 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 219 | 38.0 | 1,424 | 42.5 | 10,227 | 54.0 |
| UNMARRIED | 357 | 62.0 | 1,929 | 57.5 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | 33 | 5.7 | 159 | 4.7 | 680 | 3.6 |
| 18 - 19 | 37 | 6.4 | 206 | 6.1 | 1,086 | 5.7 |
| 20 - 34 | 439 | 76.2 | 2,498 | 74.5 | 13,783 | 72.7 |
| 35 AND OVER | 67 | 11.6 | 490 | 14.6 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 226 | 41.5 | 1,247 | 39.3 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 149 | 27.4 | 865 | 27.3 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 169 | 31.1 | 1,062 | 33.5 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 45 | 7.8 | 331 | 9.9 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 530 | 92.2 | 3,017 | 90.1 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 539 | 93.6 | 3,096 | 92.4 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 37 | 6.4 | 255 | 7.6 | 1,454 | 7.7 |
| TRIMESTER STARTED CAR | | | | | | |
| 1st TRIMESTER | 387 | 70.5 | 2,369 | 73.6 | 14,025 | 79.0 |
| 2nd TRIMESTER | 131 | 23.9 | 679 | 21.1 | 2,984 | 16.8 |
| 3rd TRIMESTER | 28 | 5.1 | 146 | 4.5 | 637 | 3.6 |
| NO CARE | <=5 | * | 23 | 0.7 | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 287 | 58.0 | 1,818 | 64.3 | 10,770 | 70.5 |
| INTERMEDIATE | 161 | 32.5 | 774 | 27.4 | 3,477 | 22.8 |
| INADEQUATE | 44 | 8.9 | 213 | 7.5 | 921 | 6.0 |
| NO CARE | <=5 | * | 23 | 8.0 | 102 | 0.7 |
| | | | | | | |

| | | STANDISH NEIGHBORHOOD | | POWDERHORN COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|--------|--------------------------|--------|-------------------------|--------|----------------------|--|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT | |
| TOTAL BIRTHS | 341 | 1.8 | 3,353 | 17.7 | 18,953 | 100.0 | |
| MOTHER'S RACE/ETHNICITY | / | | | | | | |
| WHITE NON-HISPANIC | 211 | 61.9 | 921 | 27.5 | 7,951 | 42.0 | |
| BLACK NON-HISPANIC | 23 | 6.7 | 832 | 24.8 | 5,338 | 28.2 | |
| AMERICAN INDIAN | 13 | 3.8 | 153 | 4.6 | 659 | 3.5 | |
| ASIAN/PACIFIC ISLANDER | 10 | 2.9 | 84 | 2.5 | 1,318 | 7.0 | |
| HISPANIC | 77 | 22.6 | 1,309 | 39.0 | 3,427 | 18.1 | |
| MARITAL STATUS | | | | | | | |
| MARRIED | 216 | 63.3 | 1,424 | 42.5 | 10,227 | 54.0 | |
| UNMARRIED | 125 | 36.7 | 1,929 | 57.5 | 8,717 | 46.0 | |
| AGE OF MOTHER | | | | | | | |
| UNDER 18 | 11 | 3.2 | 159 | 4.7 | 680 | 3.6 | |
| 18 - 19 | 10 | 2.9 | 206 | 6.1 | 1,086 | 5.7 | |
| 20 - 34 | 246 | 72.1 | 2,498 | 74.5 | 13,783 | 72.7 | |
| 35 AND OVER | 74 | 21.7 | 490 | 14.6 | 3,403 | 18.0 | |
| MOTHER'S EDUCATION | | | | | | | |
| LESS THAN HIGH SCHOOL | 58 | 17.6 | 1,247 | 39.3 | 4,478 | 24.7 | |
| HIGH SCHOOL GRAD | 62 | 18.8 | 865 | 27.3 | 4,710 | 26.0 | |
| MORE THAN HIGH SCHOOL | 210 | 63.6 | 1,062 | 33.5 | 8,955 | 49.4 | |
| GESTATION | | | | | | | |
| UNDER 37 WEEKS | 31 | 9.1 | 331 | 9.9 | 2,054 | 10.9 | |
| 37 OR MORE WEEKS | 310 | 90.9 | 3,017 | 90.1 | 16,867 | 89.1 | |
| BIRTH WEIGHT | | | | | | | |
| 2500 + GRAMS | 320 | 94.1 | 3,096 | 92.4 | 17,493 | 92.3 | |
| UNDER 2500 GRAMS | 20 | 5.9 | 255 | 7.6 | 1,454 | 7.7 | |
| TRIMESTER STARTED CARE | | | | | | | |
| 1st TRIMESTER | 268 | 81.2 | 2,369 | 73.6 | 14,025 | 79.0 | |
| 2nd TRIMESTER | 49 | 14.8 | 679 | 21.1 | 2,984 | 16.8 | |
| 3rd TRIMESTER | 10 | 3.0 | 146 | 4.5 | 637 | 3.6 | |
| NO CARE | <=5 | * | 23 | 0.7 | 101 | 0.6 | |
| ADEQUACY OF CARE | | | | | | | |
| ADEQUATE | 231 | 80.5 | 1,818 | 64.3 | 10,770 | 70.5 | |
| INTERMEDIATE | 40 | 13.9 | 774 | 27.4 | 3,477 | 22.8 | |
| INADEQUATE | 13 | 4.5 | 213 | 7.5 | 921 | 6.0 | |
| NO CARE | <=5 | * | 23 | 8.0 | 102 | 0.7 | |

| | WHITTIER NEIGHBORHOOD | | | POWDERHORN COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|--------------------------|---------|--------|-------------------------|--------|----------------------|--|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT | |
| TOTAL BIRTHS | 759 | 4.0 | 3,353 | 17.7 | 18,953 | 100.0 | |
| MOTHER'S RACE/ETHNICITY | • | | | | | | |
| WHITE NON-HISPANIC | 139 | 18.3 | 921 | 27.5 | 7,951 | 42.0 | |
| BLACK NON-HISPANIC | 330 | 43.5 | 832 | 24.8 | 5,338 | 28.2 | |
| AMERICAN INDIAN | 31 | 4.1 | 153 | 4.6 | 659 | 3.5 | |
| ASIAN/PACIFIC ISLANDER | 22 | 2.9 | 84 | 2.5 | 1,318 | 7.0 | |
| HISPANIC | 227 | 29.9 | 1,309 | 39.0 | 3,427 | 18.1 | |
| MARITAL STATUS | | | | | | | |
| MARRIED | 303 | 39.9 | 1,424 | 42.5 | 10,227 | 54.0 | |
| UNMARRIED | 456 | 60.1 | 1,929 | 57.5 | 8,717 | 46.0 | |
| AGE OF MOTHER | | | | | | | |
| UNDER 18 | 21 | 2.8 | 159 | 4.7 | 680 | 3.6 | |
| 18 - 19 | 57 | 7.5 | 206 | 6.1 | 1,086 | 5.7 | |
| 20 - 34 | 571 | 75.2 | 2,498 | 74.5 | 13,783 | 72.7 | |
| 35 AND OVER | 110 | 14.5 | 490 | 14.6 | 3,403 | 18.0 | |
| MOTHER'S EDUCATION | | | | | | | |
| LESS THAN HIGH SCHOOL | 280 | 39.5 | 1,247 | 39.3 | 4,478 | 24.7 | |
| HIGH SCHOOL GRAD | 230 | 32.5 | 865 | 27.3 | 4,710 | 26.0 | |
| MORE THAN HIGH SCHOOL | 198 | 28.0 | 1,062 | 33.5 | 8,955 | 49.4 | |
| GESTATION | | | | | | | |
| UNDER 37 WEEKS | 73 | 9.6 | 331 | 9.9 | 2,054 | 10.9 | |
| 37 OR MORE WEEKS | 686 | 90.4 | 3,017 | 90.1 | 16,867 | 89.1 | |
| BIRTH WEIGHT | | | | | | | |
| 2500 + GRAMS | 695 | 91.6 | 3,096 | 92.4 | 17,493 | 92.3 | |
| UNDER 2500 GRAMS | 64 | 8.4 | 255 | 7.6 | 1,454 | 7.7 | |
| TRIMESTER STARTED CARE | | | | | | | |
| 1st TRIMESTER | 539 | 74.2 | 2,369 | 73.6 | 14,025 | 79.0 | |
| 2nd TRIMESTER | 155 | 21.3 | 679 | 21.1 | 2,984 | 16.8 | |
| 3rd TRIMESTER | 28 | 3.9 | 146 | 4.5 | 637 | 3.6 | |
| NO CARE | <=5 | * | 23 | 0.7 | 101 | 0.6 | |
| ADEQUACY OF CARE | | | | | | | |
| ADEQUATE | 400 | 63.0 | 1,818 | 64.3 | 10,770 | 70.5 | |
| INTERMEDIATE | 198 | 31.2 | 774 | 27.4 | 3,477 | 22.8 | |
| INADEQUATE | 33 | 5.2 | 213 | 7.5 | 921 | 6.0 | |
| NO CARE | <=5 | * | 23 | 8.0 | 102 | 0.7 | |

| | ARMAT NEIGHBO | | | SOUTHWEST COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|------------------|---------|--------|------------------------|--------|----------------------|--|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT | |
| TOTAL BIRTHS | 267 | 1.4 | 2,295 | 12.1 | 18,953 | 100.0 | |
| MOTHER'S RACE/ETHNICITY | | | 1,805 | 78.6 | | | |
| WHITE NON-HISPANIC | 215 | 80.5 | 189 | 8.2 | 7,951 | 42.0 | |
| BLACK NON-HISPANIC | 19 | 7.1 | 28 | 1.2 | 5,338 | 28.2 | |
| AMERICAN INDIAN | <=5 | * | 85 | 3.7 | 659 | 3.5 | |
| ASIAN/PACIFIC ISLANDER | 15 | 5.6 | 149 | 6.5 | 1,318 | 7.0 | |
| HISPANIC | 13 | 4.9 | | | 3,427 | 18.1 | |
| MARITAL STATUS | | | | | | | |
| MARRIED | 226 | 84.6 | 1,859 | 81.0 | 10,227 | 54.0 | |
| UNMARRIED | 41 | 15.4 | 436 | 19.0 | 8,717 | 46.0 | |
| AGE OF MOTHER | | | | | | | |
| UNDER 18 | <=5 | * | 19 | 8.0 | 680 | 3.6 | |
| 18 - 19 | <=5 | * | 53 | 2.3 | 1,086 | 5.7 | |
| 20 - 34 | 191 | 71.5 | 1,454 | 63.4 | 13,783 | 72.7 | |
| 35 AND OVER | 67 | 25.1 | 769 | 33.5 | 3,403 | 18.0 | |
| MOTHER'S EDUCATION | | | | | | | |
| LESS THAN HIGH SCHOOL | 7 | 2.7 | 125 | 5.6 | 4,478 | 24.7 | |
| HIGH SCHOOL GRAD | 29 | 11.2 | 266 | 11.9 | 4,710 | 26.0 | |
| MORE THAN HIGH SCHOOL | 224 | 86.2 | 1,852 | 82.6 | 8,955 | 49.4 | |
| GESTATION | | | | | | | |
| UNDER 37 WEEKS | 18 | 6.7 | 221 | 9.6 | 2,054 | 10.9 | |
| 37 OR MORE WEEKS | 249 | 93.3 | 2,071 | 90.4 | 16,867 | 89.1 | |
| BIRTH WEIGHT | | | | | | | |
| 2500 + GRAMS | 256 | 95.9 | 2,152 | 93.8 | 17,493 | 92.3 | |
| UNDER 2500 GRAMS | 11 | 4.1 | 142 | 6.2 | 1,454 | 7.7 | |
| TRIMESTER STARTED CARE | | | | | | | |
| 1st TRIMESTER | 248 | 94.7 | 2,063 | 92.2 | 14,025 | 79.0 | |
| 2nd TRIMESTER | 12 | 4.6 | 143 | 6.4 | 2,984 | 16.8 | |
| 3rd TRIMESTER | <=5 | * | 27 | 1.2 | 637 | 3.6 | |
| NO CARE | <=5 | * | <=5 | * | 101 | 0.6 | |
| ADEQUACY OF CARE | | | | | | | |
| ADEQUATE | 277 | 92.7 | 1,745 | 88.2 | 10,770 | 70.5 | |
| INTERMEDIATE | 17 | 6.9 | 197 | 10.0 | 3,477 | 22.8 | |
| INADEQUATE | 0 | 0.0 | 30 | 1.5 | 921 | 6.0 | |
| NO CARE | <=5 | * | 6 | 0.3 | 102 | 0.7 | |

| | EAST HARRIET NEIGHBORHOOD | | SOUTHWEST COMMUNITY | | MINNEAPOLIS TOTAL | |
|---------------------------------|------------------------------|---------|------------------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 113 | 0.6 | 2,295 | 12.1 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | 1,805 | 78.6 | | |
| WHITE NON-HISPANIC | 99 | 87.6 | 189 | 8.2 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | <=5 | * | 28 | 1.2 | 5,338 | 28.2 |
| AMERICAN INDIAN | 0 | 0.0 | 85 | 3.7 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER HISPANIC | <=5 7 | 6.2 | 149 | 6.5 | 1,318 | 7.0 |
| HISPANIC | 7 | 0.2 | | | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 93 | 82.3 | 1,859 | 81.0 | 10,227 | 54.0 |
| UNMARRIED | 20 | 17.7 | 436 | 19.0 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | 0 | 0.0 | 19 | 0.8 | 680 | 3.6 |
| 18 - 19 | <=5 | * | 53 | 2.3 | 1,086 | 5.7 |
| 20 - 34 | 59 | 52.2 | 1,454 | 63.4 | 13,783 | 72.7 |
| 35 AND OVER | 50 | 44.2 | 769 | 33.5 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | <=5 | * | 125 | 5.6 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 11 | 9.8 | 266 | 11.9 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 96 | 85.7 | 1,852 | 82.6 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 10 | 8.9 | 221 | 9.6 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 102 | 91.1 | 2,071 | 90.4 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 107 | 94.7 | 2,152 | 93.8 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 6 | 5.3 | 142 | 6.2 | 1,454 | 7.7 |
| 51.2 21. 2000 01 | · · | 0.0 | | 0.2 | ., | |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 99 | 91.7 | 2,063 | 92.2 | 14,025 | 79.0 |
| 2nd TRIMESTER | 7 | 6.5 | 143 | 6.4 | 2,984 | 16.8 |
| 3rd TRIMESTER | <=5 | | 27 | 1.2 | 637 | 3.6 |
| NO CARE | 0 | 0.0 | <=5 | ^ | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 81 | 90.0 | 1,745 | 88.2 | 10,770 | 70.5 |
| INTERMEDIATE | 9 | 10.0 | 197 | 10.0 | 3,477 | 22.8 |
| INADEQUATE | 0 | 0.0 | 30 | 1.5 | 921 | 6.0 |
| NO CARE | 0 | 0.0 | 6 | 0.3 | 102 | 0.7 |

| | FULTON NEIGHBORHOOD | | SOUTHWEST COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|------------------------|---------|------------------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 317 | 1.7 | 2,295 | 12.1 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | 1,805 | 78.6 | | |
| WHITE NON-HISPANIC | 282 | 89.0 | 189 | 8.2 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | <=5 | * | 28 | 1.2 | 5,338 | 28.2 |
| AMERICAN INDIAN | 0 | 0.0 | 85 | 3.7 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 15 | 4.7 | 149 | 6.5 | 1,318 | 7.0 |
| HISPANIC | 11 | 3.5 | | | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 290 | 91.5 | 1,859 | 81.0 | 10,227 | 54.0 |
| UNMARRIED | 27 | 8.5 | 436 | 19.0 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | 19 | 0.8 | 680 | 3.6 |
| 18 - 19 | <=5 | * | 53 | 2.3 | 1,086 | 5.7 |
| 20 - 34 | 179 | 56.5 | 1,454 | 63.4 | 13,783 | 72.7 |
| 35 AND OVER | 136 | 42.9 | 769 | 33.5 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | <=5 | * | 125 | 5.6 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 8 | 2.6 | 266 | 11.9 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 299 | 96.8 | 1,852 | 82.6 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 37 | 11.7 | 221 | 9.6 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 279 | 88.3 | 2,071 | 90.4 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 293 | 92.4 | 2,152 | 93.8 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 24 | 7.6 | 142 | 6.2 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 296 | 96.4 | 2,063 | 92.2 | 14,025 | 79.0 |
| 2nd TRIMESTER | 8 | 2.6 | 143 | 6.4 | 2,984 | 16.8 |
| 3rd TRIMESTER | < = 5 | * | 27 | 1.2 | 637 | 3.6 |
| NO CARE | 0 | 0.0 | <=5 | * | 101 | 0.6 |
| | J | 2.0 | , , | | | 3.3 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 263 | 94.3 | 1,745 | 88.2 | 10,770 | 70.5 |
| INTERMEDIATE | 14 | 5.0 | 197 | 10.0 | 3,477 | 22.8 |
| INADEQUATE | <=5 | | 30 | 1.5 | 921 | 6.0 |
| NO CARE | 0 | 0.0 | 6 | 0.3 | 102 | 0.7 |

| | KEN NEIGHBO | | SOUTH | | MINNEAPOLIS TOTAL | |
|-------------------------|----------------|---------|--------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 206 | 1.1 | 2,295 | 12.1 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | 1,805 | 78.6 | | |
| WHITE NON-HISPANIC | 182 | 88.3 | 189 | 8.2 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | <=5 | * | 28 | 1.2 | 5,338 | 28.2 |
| AMERICAN INDIAN | <=5 | * | 85 | 3.7 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 7 | 3.4 | 149 | 6.5 | 1,318 | 7.0 |
| HISPANIC | 6 | 2.9 | | | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 186 | 90.3 | 1,859 | 81.0 | 10,227 | 54.0 |
| UNMARRIED | 20 | 9.7 | 436 | 19.0 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | 19 | 0.8 | 680 | 3.6 |
| 18 - 19 | <=5 | * | 53 | 2.3 | 1,086 | 5.7 |
| 20 - 34 | 146 | 70.9 | 1,454 | 63.4 | 13,783 | 72.7 |
| 35 AND OVER | 57 | 27.7 | 769 | 33.5 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | <=5 | * | 125 | 5.6 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 17 | 8.4 | 266 | 11.9 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 182 | 90.1 | 1,852 | 82.6 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 26 | 12.6 | 221 | 9.6 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 180 | 87.4 | 2,071 | 90.4 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 186 | 90.3 | 2,152 | 93.8 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 20 | 9.7 | 142 | 6.2 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 193 | 96.5 | 2,063 | 92.2 | 14,025 | 79.0 |
| 2nd TRIMESTER | <=5 | * | 143 | 6.4 | 2,984 | 16.8 |
| 3rd TRIMESTER | <=5 | * | 27 | 1.2 | 637 | 3.6 |
| NO CARE | 0 | 0.0 | <=5 | * | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 169 | 93.4 | 1,745 | 88.2 | 10,770 | 70.5 |
| INTERMEDIATE | 10 | 5.5 | 197 | 10.0 | 3,477 | 22.8 |
| INADEQUATE | <=5 | * | 30 | 1.5 | 921 | 6.0 |
| NO CARE | 0 | 0.0 | 6 | 0.3 | 102 | 0.7 |

| | KINGFIELD NEIGHBORHOOD | | SOUTH\ COMMU | | MINNEAPOLIS TOTAL | |
|-------------------------|---------------------------|---------|-----------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 360 | 1.9 | 2,295 | 12.1 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | 1,805 | 78.6 | | |
| WHITE NON-HISPANIC | 249 | 69.2 | 189 | 8.2 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 20 | 5.6 | 28 | 1.2 | 5,338 | 28.2 |
| AMERICAN INDIAN | 11 | 3.1 | 85 | 3.7 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 16 | 4.4 | 149 | 6.5 | 1,318 | 7.0 |
| HISPANIC | 54 | 15.0 | | | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 257 | 71.4 | 1,859 | 81.0 | 10,227 | 54.0 |
| UNMARRIED | 103 | 28.6 | 436 | 19.0 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | 19 | 0.8 | 680 | 3.6 |
| 18 - 19 | 8 | 2.2 | 53 | 2.3 | 1,086 | 5.7 |
| 20 - 34 | 243 | 67.5 | 1,454 | 63.4 | 13,783 | 72.7 |
| 35 AND OVER | 106 | 29.4 | 769 | 33.5 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 38 | 10.8 | 125 | 5.6 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 55 | 15.6 | 266 | 11.9 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 260 | 73.7 | 1,852 | 82.6 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 31 | 8.6 | 221 | 9.6 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 328 | 91.4 | 2,071 | 90.4 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 335 | 93.1 | 2,152 | 93.8 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 25 | 6.9 | 142 | 6.2 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 315 | 90.0 | 2,063 | 92.2 | 14,025 | 79.0 |
| 2nd TRIMESTER | 27 | 7.7 | 143 | 6.4 | 2,984 | 16.8 |
| 3rd TRIMESTER | 7 | 2.0 | 27 | 1.2 | 637 | 3.6 |
| NO CARE | <=5 | * | <=5 | * | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 265 | 84.1 | 1,745 | 88.2 | 10,770 | 70.5 |
| INTERMEDIATE | 39 | 12.4 | 197 | 10.0 | 3,477 | 22.8 |
| INADEQUATE | 10 | 3.2 | 30 | 1.5 | 921 | 6.0 |
| NO CARE | <=5 | * | 6 | 0.3 | 102 | 0.7 |
| | | | | | | |

| | LINDEN NEIGHBO | | SOUTHV | | MINNEAPOLIS TOTAL | |
|-------------------------|-------------------|---------|--------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 284 | 1.5 | 2,295 | 12.1 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | 1,805 | 78.6 | | |
| WHITE NON-HISPANIC | 258 | 90.8 | 189 | 8.2 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 9 | 3.2 | 28 | 1.2 | 5,338 | 28.2 |
| AMERICAN INDIAN | 0 | 0.0 | 85 | 3.7 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 8 | 2.8 | 149 | 6.5 | 1,318 | 7.0 |
| HISPANIC | <=5 | * | | | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 250 | 88.0 | 1,859 | 81.0 | 10,227 | 54.0 |
| UNMARRIED | 34 | 12.0 | 436 | 19.0 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | 19 | 0.8 | 680 | 3.6 |
| 18 - 19 | <=5 | * | 53 | 2.3 | 1,086 | 5.7 |
| 20 - 34 | 170 | 59.9 | 1,454 | 63.4 | 13,783 | 72.7 |
| 35 AND OVER | 111 | 39.1 | 769 | 33.5 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | <=5 | * | 125 | 5.6 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 16 | 5.7 | 266 | 11.9 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 264 | 94.0 | 1,852 | 82.6 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 31 | 10.9 | 221 | 9.6 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 253 | 89.1 | 2,071 | 90.4 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 268 | 94.4 | 2,152 | 93.8 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 16 | 5.6 | 142 | 6.2 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 262 | 93.9 | 2,063 | 92.2 | 14,025 | 79.0 |
| 2nd TRIMESTER | 15 | 5.4 | 143 | 6.4 | 2,984 | 16.8 |
| 3rd TRIMESTER | <=5 | * | 27 | 1.2 | 637 | 3.6 |
| NO CARE | <=5 | * | <=5 | * | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 228 | 91.9 | 1,745 | 88.2 | 10,770 | 70.5 |
| INTERMEDIATE | 19 | 7.7 | 197 | 10.0 | 3,477 | 22.8 |
| INADEQUATE | 0 | 0.0 | 30 | 1.5 | 921 | 6.0 |
| NO CARE | <=5 | * | 6 | 0.3 | 102 | 0.7 |

| | LYNHURST NEIGHBORHOOD | | SOUTH\ COMMU | | MINNEAPOLIS TOTAL | |
|---------------------------------------|--------------------------|-------------|-----------------|-------------|----------------------|--------------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 253 | 1.3 | 2,295 | 12.1 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | 1,805 | 78.6 | | |
| WHITE NON-HISPANIC | 225 | 88.9 | 189 | 8.2 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 21 | 8.3 | 28 | 1.2 | 5,338 | 28.2 |
| AMERICAN INDIAN | 0 | 0.0 | 85 | 3.7 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER HISPANIC | <=5 0 | 0.0 | 149 | 6.5 | 1,318 3,427 | 7.0 18.1 |
| HISPANIC | U | 0.0 | | | 3,421 | 10.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 229 | 90.5 | 1,859 | 81.0 | 10,227 | 54.0 |
| UNMARRIED | 24 | 9.5 | 436 | 19.0 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | 0 | 0.0 | 19 | 0.8 | 680 | 3.6 |
| 18 - 19 | <=5 | * | 53 | 2.3 | 1,086 | 5.7 |
| 20 - 34 | 129 | 51.0 | 1,454 | 63.4 | 13,783 | 72.7 |
| 35 AND OVER | 123 | 48.6 | 769 | 33.5 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 6 | 2.4 | 125 | 5.6 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 17 | 6.9 | 266 | 11.9 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 222 | 90.6 | 1,852 | 82.6 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 27 | 10.7 | 221 | 9.6 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 226 | 89.3 | 2,071 | 90.4 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 236 | 93.3 | 2,152 | 93.8 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 17 | 6.7 | 142 | 6.2 | 1,454 | 7.7 |
| TOWERTED STADTED SADE | | | | | | |
| TRIMESTER STARTED CARE 1st TRIMESTER | 235 | 95.5 | 2,063 | 92.2 | 14,025 | 79.0 |
| 2nd TRIMESTER | 10 | 95.5 4.1 | 2,003 | 92.2 6.4 | 2,984 | 79.0 16.8 |
| 3rd TRIMESTER | 0 | 0.0 | 27 | 1.2 | 637 | 3.6 |
| NO CARE | < = 5 | * | <=5 | * | 101 | 0.6 |
| | . 3 | | . 3 | | | 0.0 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 187 | 89.9 | 1,745 | 88.2 | 10,770 | 70.5 |
| INTERMEDIATE | 18 | 8.7 | 197 | 10.0 | 3,477 | 22.8 |
| INADEQUATE | <=5 | * | 30 | 1.5 | 921 | 6.0 |
| NO CARE | <=5 | ^ | 6 | 0.3 | 102 | 0.7 |

| | TANGLETOWN NEIGHBORHOOD | | SOUTHWEST COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|----------------------------|---------|------------------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 188 | 1.0 | 2,295 | 12.1 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | 1,805 | 78.6 | | |
| WHITE NON-HISPANIC | 152 | 80.9 | 189 | 8.2 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 14 | 7.4 | 28 | 1.2 | 5,338 | 28.2 |
| AMERICAN INDIAN | <=5 | * | 85 | 3.7 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | <=5 | * | 149 | 6.5 | 1,318 | 7.0 |
| HISPANIC | 12 | 6.4 | | | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 164 | 87.2 | 1,859 | 81.0 | 10,227 | 54.0 |
| UNMARRIED | 24 | 12.8 | 436 | 19.0 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | 19 | 8.0 | 680 | 3.6 |
| 18 - 19 | <=5 | * | 53 | 2.3 | 1,086 | 5.7 |
| 20 - 34 | 94 | 50.0 | 1,454 | 63.4 | 13,783 | 72.7 |
| 35 AND OVER | 89 | 47.3 | 769 | 33.5 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 8 | 4.3 | 125 | 5.6 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 18 | 9.7 | 266 | 11.9 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 160 | 86.0 | 1,852 | 82.6 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 10 | 5.3 | 221 | 9.6 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 178 | 94.7 | 2,071 | 90.4 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 182 | 96.8 | 2,152 | 93.8 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 6 | 3.2 | 142 | 6.2 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 168 | 90.8 | 2,063 | 92.2 | 14,025 | 79.0 |
| 2nd TRIMESTER | 15 | 8.1 | 143 | 6.4 | 2,984 | 16.8 |
| 3rd TRIMESTER | <=5 | * | 27 | 1.2 | 637 | 3.6 |
| NO CARE | 0 | 0.0 | < = 5 | * | 101 | 0.6 |
| | - | | | | | 5.2 |
| ADEQUACY OF CARE | _ | | | | | |
| ADEQUATE | 139 | 88.0 | 1,745 | 88.2 | 10,770 | 70.5 |
| INTERMEDIATE | 17 | 10.8 | 197 | 10.0 | 3,477 | 22.8 |
| INADEQUATE | <=5 | | 30 | 1.5 | 921 | 6.0 |
| NO CARE | 0 | 0.0 | 6 | 0.3 | 102 | 0.7 |

| | WIND NEIGHBO | | SOUTHV | | MINNEAPOLIS TOTAL | |
|-------------------------|-----------------|---------|--------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 307 | 1.6 | 2,295 | 12.1 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | | | 1,805 | 78.6 | | |
| WHITE NON-HISPANIC | 143 | 46.6 | 189 | 8.2 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 96 | 31.3 | 28 | 1.2 | 5,338 | 28.2 |
| AMERICAN INDIAN | 10 | 3.3 | 85 | 3.7 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 12 | 3.9 | 149 | 6.5 | 1,318 | 7.0 |
| HISPANIC | 41 | 13.4 | | | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 164 | 53.4 | 1,859 | 81.0 | 10,227 | 54.0 |
| UNMARRIED | 143 | 46.6 | 436 | 19.0 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | 8 | 2.6 | 19 | 0.8 | 680 | 3.6 |
| 18 - 19 | 26 | 8.5 | 53 | 2.3 | 1,086 | 5.7 |
| 20 - 34 | 243 | 79.2 | 1,454 | 63.4 | 13,783 | 72.7 |
| 35 AND OVER | 30 | 9.8 | 769 | 33.5 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 55 | 18.6 | 125 | 5.6 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 95 | 32.2 | 266 | 11.9 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 145 | 49.2 | 1,852 | 82.6 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 31 | 10.1 | 221 | 9.6 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 276 | 89.9 | 2,071 | 90.4 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 289 | 94.4 | 2,152 | 93.8 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 17 | 5.6 | 142 | 6.2 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 247 | 82.1 | 2,063 | 92.2 | 14,025 | 79.0 |
| 2nd TRIMESTER | 44 | 14.6 | 143 | 6.4 | 2,984 | 16.8 |
| 3rd TRIMESTER | 9 | 3.0 | 27 | 1.2 | 637 | 3.6 |
| NO CARE | <=5 | * | <=5 | * | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 186 | 73.2 | 1,745 | 88.2 | 10,770 | 70.5 |
| INTERMEDIATE | 54 | 21.3 | 197 | 10.0 | 3,477 | 22.8 |
| INADEQUATE | 12 | 4.7 | 30 | 1.5 | 921 | 6.0 |
| NO CARE | <=5 | * | 6 | 0.3 | 102 | 0.7 |
| | | | | | | |

| | CEDAR RI NEIGHBO | _ | | UNIVERSITY COMMUNITY | | POLIS AL |
|-------------------------|---------------------|---------|--------|-------------------------|--------|-------------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 413 | 2.2 | 920 | 4.9 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | , | | | | | |
| WHITE NON-HISPANIC | 17 | 4.1 | 240 | 26.1 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 356 | 86.2 | 456 | 49.6 | 5,338 | 28.2 |
| AMERICAN INDIAN | <=5 | * | 16 | 1.7 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 9 | 2.2 | 143 | 15.5 | 1,318 | 7.0 |
| HISPANIC | 25 | 6.1 | 56 | 6.1 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 220 | 53.3 | 596 | 64.8 | 10,227 | 54.0 |
| UNMARRIED | 193 | 46.7 | 324 | 35.2 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | 6 | 1.5 | 11 | 1.2 | 680 | 3.6 |
| 18 - 19 | 8 | 1.9 | 23 | 2.5 | 1,086 | 5.7 |
| 20 - 34 | 328 | 79.4 | 743 | 80.8 | 13,783 | 72.7 |
| 35 AND OVER | 71 | 17.2 | 143 | 15.5 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 152 | 39.7 | 192 | 21.7 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 173 | 45.2 | 253 | 28.6 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 58 | 15.1 | 439 | 49.7 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 35 | 8.5 | 74 | 8.1 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 376 | 91.5 | 844 | 91.9 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 391 | 94.7 | 865 | 94.1 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 22 | 5.3 | 54 | 5.9 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | Ī | | | | | |
| 1st TRIMESTER | 289 | 73.0 | 670 | 76.7 | 14,025 | 79.0 |
| 2nd TRIMESTER | 85 | 21.5 | 164 | 18.8 | 2,984 | 16.8 |
| 3rd TRIMESTER | 22 | 5.6 | 37 | 4.2 | 637 | 3.6 |
| NO CARE | 0 | 0.0 | <=5 | * | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 195 | 59.5 | 495 | 67.2 | 10,770 | 70.5 |
| INTERMEDIATE | 112 | 34.1 | 201 | 27.3 | 3,477 | 22.8 |
| INADEQUATE | 21 | 6.4 | 39 | 5.3 | 921 | 6.0 |
| NO CARE | 0 | 0.0 | <=5 | * | 102 | 0.7 |

| | COMO NEIGHBORHOOD | | UNIVER COMMU | | MINNEAPOLIS TOTAL | |
|-------------------------|----------------------|---------|-----------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 248 | 1.3 | 920 | 4.9 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | , | | | | | |
| WHITE NON-HISPANIC | 107 | 43.1 | 240 | 26.1 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 27 | 10.9 | 456 | 49.6 | 5,338 | 28.2 |
| AMERICAN INDIAN | 7 | 2.8 | 16 | 1.7 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 95 | 38.3 | 143 | 15.5 | 1,318 | 7.0 |
| HISPANIC | 10 | 4.0 | 56 | 6.1 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 207 | 83.5 | 596 | 64.8 | 10,227 | 54.0 |
| UNMARRIED | 41 | 16.5 | 324 | 35.2 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | 0 | 0.0 | 11 | 1.2 | 680 | 3.6 |
| 18 - 19 | 6 | 2.4 | 23 | 2.5 | 1,086 | 5.7 |
| 20 - 34 | 218 | 87.9 | 743 | 80.8 | 13,783 | 72.7 |
| 35 AND OVER | 24 | 9.7 | 143 | 15.5 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 6 | 2.4 | 192 | 21.7 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 28 | 11.3 | 253 | 28.6 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 213 | 86.2 | 439 | 49.7 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 17 | 6.9 | 74 | 8.1 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 231 | 93.1 | 844 | 91.9 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 236 | 95.5 | 865 | 94.1 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 11 | 4.5 | 54 | 5.9 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 189 | 80.8 | 670 | 76.7 | 14,025 | 79.0 |
| 2nd TRIMESTER | 35 | 15.0 | 164 | 18.8 | 2,984 | 16.8 |
| 3rd TRIMESTER | 8 | 3.4 | 37 | 4.2 | 637 | 3.6 |
| NO CARE | <=5 | * | <=5 | * | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 150 | 71.8 | 495 | 67.2 | 10,770 | 70.5 |
| INTERMEDIATE | 49 | 23.4 | 201 | 27.3 | 3,477 | 22.8 |
| INADEQUATE | 8 | 3.8 | 39 | 5.3 | 921 | 6.0 |
| NO CARE | <=5 | * | <=5 | * | 102 | 0.7 |

| | MARCY HOLMES NEIGHBORHOOD | | UNIVERSITY COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|---------------------------|---------|-------------------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 102 | 0.5 | 920 | 4.9 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | • | | | | | |
| WHITE NON-HISPANIC | 39 | 38.2 | 240 | 26.1 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | 19 | 18.6 | 456 | 49.6 | 5,338 | 28.2 |
| AMERICAN INDIAN | <=5 | * | 16 | 1.7 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | 24 | 23.5 | 143 | 15.5 | 1,318 | 7.0 |
| HISPANIC | 15 | 14.7 | 56 | 6.1 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | 60 | 58.8 | 596 | 64.8 | 10,227 | 54.0 |
| UNMARRIED | 42 | 41.2 | 324 | 35.2 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | <=5 | * | 11 | 1.2 | 680 | 3.6 |
| 18 - 19 | 8 | 7.8 | 23 | 2.5 | 1,086 | 5.7 |
| 20 - 34 | 79 | 77.5 | 743 | 80.8 | 13,783 | 72.7 |
| 35 AND OVER | 13 | 12.7 | 143 | 15.5 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | 11 | 11.0 | 192 | 21.7 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | 21 | 21.0 | 253 | 28.6 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | 68 | 68.0 | 439 | 49.7 | 8,955 | 49.4 |
| GESTATION | | | | | | |
| UNDER 37 WEEKS | 11 | 10.8 | 74 | 8.1 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | 91 | 89.2 | 844 | 91.9 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | 93 | 91.2 | 865 | 94.1 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 9 | 8.8 | 54 | 5.9 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | 68 | 73.9 | 670 | 76.7 | 14,025 | 79.0 |
| 2nd TRIMESTER | 19 | 20.7 | 164 | 18.8 | 2,984 | 16.8 |
| 3rd TRIMESTER | <=5 | * | 37 | 4.2 | 637 | 3.6 |
| NO CARE | 0 | 0.0 | <=5 | * | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | 55 | 68.8 | 495 | 67.2 | 10,770 | 70.5 |
| INTERMEDIATE | 17 | 21.3 | 201 | 27.3 | 3,477 | 22.8 |
| INADEQUATE | 8 | 10.0 | 39 | 5.3 | 921 | 6.0 |
| NO CARE | 0 | 0.0 | <=5 | * | 102 | 0.7 |

| | NICOLLET ISLAND- EAST NEIGHBORHOOD | | UNIVERSITY COMMUNITY | | MINNEAPOLIS TOTAL | |
|--|--|----------------------------|-------------------------------|------------------------------------|---|------------------------------------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 20 | 1.0 | 920 | 4.9 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY WHITE NON-HISPANIC BLACK NON-HISPANIC AMERICAN INDIAN ASIAN/PACIFIC ISLANDER HISPANIC | , 12 <=5 0 <=5 <=5 | 60.0 * 0.0 * * | 240 456 16 143 56 | 26.1 49.6 1.7 15.5 6.1 | 7,951 5,338 659 1,318 3,427 | 42.0 28.2 3.5 7.0 18.1 |
| MARITAL STATUS MARRIED UNMARRIED | 16 <=5 | 80.0 | 596 324 | 64.8 35.2 | 10,227 8,717 | 54.0 46.0 |
| AGE OF MOTHER UNDER 18 18 - 19 20 - 34 35 AND OVER | 0 0 13 7 | 0.0 0.0 65.0 35.0 | 11 23 743 143 | 1.2 2.5 80.8 15.5 | 680 1,086 13,783 3,403 | 3.6 5.7 72.7 18.0 |
| MOTHER'S EDUCATION LESS THAN HIGH SCHOOL HIGH SCHOOL GRAD MORE THAN HIGH SCHOOL | 0 <=5 18 | 0.0 * 90.0 | 192 253 439 | 21.7 28.6 49.7 | 4,478 4,710 8,955 | 24.7 26.0 49.4 |
| GESTATION UNDER 37 WEEKS 37 OR MORE WEEKS | <=5 18 | * 90.0 | 74 844 | 8.1 91.9 | 2,054 16,867 | 10.9 89.1 |
| BIRTH WEIGHT 2500 + GRAMS UNDER 2500 GRAMS | 18 <=5 | 90.0 | 865 54 | 94.1 5.9 | 17,493 1,454 | 92.3 7.7 |
| TRIMESTER STARTED CARE 1st TRIMESTER 2nd TRIMESTER 3rd TRIMESTER NO CARE | 19 <=5 0 0 | 95.0 * 0.0 0.0 | 670 164 37 <=5 | 76.7 18.8 4.2 | 14,025 2,984 637 101 | 79.0 16.8 3.6 0.6 |
| ADEQUACY OF CARE ADEQUATE INTERMEDIATE INADEQUATE NO CARE | 17 <=5 0 0 | 94.4 * 0.0 0.0 | 495 201 39 <=5 | 67.2 27.3 5.3 | 10,770 3,477 921 102 | 70.5 22.8 6.0 0.7 |

| | PROSPECT PARK E- RIVER NEIGHBORHOOD | | UNIVERSITY COMMUNITY | | MINNEAPOLIS TOTAL | |
|---|---|--------------------------|-------------------------------|------------------------------------|---|------------------------------------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 128 | 0.7 | 920 | 4.9 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY WHITE NON-HISPANIC BLACK NON-HISPANIC AMERICAN INDIAN ASIAN/PACIFIC ISLANDER HISPANIC | 62 50 <=5 11 <=5 | 48.4 39.1 * 8.6 | 240 456 16 143 56 | 26.1 49.6 1.7 15.5 6.1 | 7,951 5,338 659 1,318 3,427 | 42.0 28.2 3.5 7.0 18.1 |
| MARITAL STATUS MARRIED UNMARRIED | 87 41 | 68.0 32.0 | 596 324 | 64.8 35.2 | 10,227 8,717 | 54.0 46.0 |
| AGE OF MOTHER UNDER 18 18 - 19 20 - 34 35 AND OVER | <=5 <=5 98 27 | * * 76.6 21.1 | 11 23 743 143 | 1.2 2.5 80.8 15.5 | 680 1,086 13,783 3,403 | 3.6 5.7 72.7 18.0 |
| MOTHER'S EDUCATION LESS THAN HIGH SCHOOL HIGH SCHOOL GRAD MORE THAN HIGH SCHOOL | 20 27 78 | 16.0 21.6 62.4 | 192 253 439 | 21.7 28.6 49.7 | 4,478 4,710 8,955 | 24.7 26.0 49.4 |
| GESTATION UNDER 37 WEEKS 37 OR MORE WEEKS | 8 120 | 6.3 93.8 | 74 844 | 8.1 91.9 | 2,054 16,867 | 10.9 89.1 |
| BIRTH WEIGHT 2500 + GRAMS UNDER 2500 GRAMS | 118 10 | 92.2 7.8 | 865 54 | 94.1 5.9 | 17,493 1,454 | 92.3 7.7 |
| TRIMESTER STARTED CARE 1st TRIMESTER 2nd TRIMESTER 3rd TRIMESTER NO CARE | 101 20 <=5 0 | 82.1 16.3 * | 670 164 37 <=5 | 76.7 18.8 4.2 * | 14,025 2,984 637 101 | 79.0 16.8 3.6 0.6 |
| ADEQUACY OF CARE ADEQUATE INTERMEDIATE INADEQUATE NO CARE | 74 18 <=5 0 | 78.7 19.1 * | 495 201 39 <=5 | 67.2 27.3 5.3 | 10,770 3,477 921 102 | 70.5 22.8 6.0 0.7 |

| | U of M NEIGHBORHOOD | | UNIVERSITY COMMUNITY | | MINNEAPOLIS TOTAL | |
|-------------------------|------------------------|---------|-------------------------|---------|----------------------|---------|
| | NUMBER | PERCENT | NUMBER | PERCENT | NUMBER | PERCENT |
| TOTAL BIRTHS | 6 | 0.0 | 920 | 4.9 | 18,953 | 100.0 |
| MOTHER'S RACE/ETHNICITY | , | | | | | |
| WHITE NON-HISPANIC | <=5 | * | 240 | 26.1 | 7,951 | 42.0 |
| BLACK NON-HISPANIC | <=5 | * | 456 | 49.6 | 5,338 | 28.2 |
| AMERICAN INDIAN | <=5 | * | 16 | 1.7 | 659 | 3.5 |
| ASIAN/PACIFIC ISLANDER | <=5 | * | 143 | 15.5 | 1,318 | 7.0 |
| HISPANIC | <=5 | * | 56 | 6.1 | 3,427 | 18.1 |
| MARITAL STATUS | | | | | | |
| MARRIED | <=5 | * | 596 | 64.8 | 10,227 | 54.0 |
| UNMARRIED | <=5 | * | 324 | 35.2 | 8,717 | 46.0 |
| AGE OF MOTHER | | | | | | |
| UNDER 18 | 0 | 0.0 | 11 | 1.2 | 680 | 3.6 |
| 18 - 19 | 0 | 0.0 | 23 | 2.5 | 1,086 | 5.7 |
| 20 - 34 | <=5 | * | 743 | 80.8 | 13,783 | 72.7 |
| 35 AND OVER | <=5 | * | 143 | 15.5 | 3,403 | 18.0 |
| MOTHER'S EDUCATION | | | | | | |
| LESS THAN HIGH SCHOOL | <=5 | * | 192 | 21.7 | 4,478 | 24.7 |
| HIGH SCHOOL GRAD | <=5 | * | 253 | 28.6 | 4,710 | 26.0 |
| MORE THAN HIGH SCHOOL | <=5 | * | 439 | 49.7 | 8,955 | 49.4 |
| | | | | | 2,000 | |
| GESTATION | _ | * | 7.4 | 0.4 | 0.054 | 40.0 |
| UNDER 37 WEEKS | <=5 | * | 74 | 8.1 | 2,054 | 10.9 |
| 37 OR MORE WEEKS | <=5 | | 844 | 91.9 | 16,867 | 89.1 |
| BIRTH WEIGHT | | | | | | |
| 2500 + GRAMS | <=5 | * | 865 | 94.1 | 17,493 | 92.3 |
| UNDER 2500 GRAMS | 0 | 0.0 | 54 | 5.9 | 1,454 | 7.7 |
| TRIMESTER STARTED CARE | | | | | | |
| 1st TRIMESTER | <=5 | * | 670 | 76.7 | 14,025 | 79.0 |
| 2nd TRIMESTER | <=5 | * | 164 | 18.8 | 2,984 | 16.8 |
| 3rd TRIMESTER | 0 | 0.0 | 37 | 4.2 | 637 | 3.6 |
| NO CARE | 0 | 0.0 | <=5 | * | 101 | 0.6 |
| ADEQUACY OF CARE | | | | | | |
| ADEQUATE | <=5 | * | 495 | 67.2 | 10,770 | 70.5 |
| INTERMEDIATE | <=5 | * | 201 | 27.3 | 3,477 | 22.8 |
| INADEQUATE | 0 | 0.0 | 39 | 5.3 | 921 | 6.0 |
| NO CARE | 0 | 0.0 | <=5 | * | 102 | 0.7 |

Appendix: Definitions

Adequacy of care: This prenatal care utilization index was created using the recommended Prenatal

Care Visit Schedule by the American College of Obstetrics and Gynecology. Factors used were gestational age, time prenatal care began, and the number of prenatal care visits obtained from the actual birth certificate. This index provides a standardized method for assessing the quality and amount of prenatal care.

Gestation: The period of development of the fetus, expressed in completed weeks, calculated

from the first day of the last known menstrual period.

Trimester: One third of the total gestational period necessary for a full-term pregnancy.

Thirteen weeks are allotted each trimester. The count of weeks begins with the

first day of the last known menstrual period.

Reported

Percentages: The percentages used in the tables of this publication reflect the proportion of

known values. Data for many of the factors reported in the tables contain missing

values, thus will not always total to 100 percent.

Publications are available from the

Minneapolis Department of Health and Family Support

250 South 4th Street, Room 510 Minneapolis, MN 55415-1316 Website:

http://www.ci.minneapolis.mn.us/dhfs/research-home.asp

If you need this material in an alternative format please call Minneapolis Department of Health and Family Support at 612-673-2301 or email health.familysupport@ci.minneapolis.mn.us. Deaf and hard-of-hearing persons may use a relay service to call 311 agents at 612-673-3000. TTY users may call 612-673-2157 or 612-673-2626.

Attention: If you have any questions regarding this material please call Minneapolis Department of Health and Family Support at 612-673-2301 or email health.familysupport@ci.minneapolis.mn.us. Hmong - Ceeb toom. Yog koj xav tau kev pab txhais cov xov no rau koj dawb, hu 612-673-2800; Spanish - Atención. Si desea recibir asistencia gratuita para traducir esta información, llama 612-673-2700; Somali - Ogow. Haddii aad dooneyso in lagaa kaalmeeyo tarjamadda macluumaadkani oo lacag la' aan wac 612-673-3500

Minneapolis Department of Health and Family Support

250 South 4th Street Minneapolis, MN 55415-1316

minneapolis

Phone: (612) 673-2301 • Fax: (612) 673-3866