

After Effects CC 2015 SDK 向导

发行版本 1

July 21, 2015

翻译：
主持：
中梓星音。
参与：
Cyun;
刀妹;
12ben;

The information in this document is furnished for informational use only, is subject to change without notice, and should not be construed as a commitment by Adobe Systems Incorporated. Adobe Systems Incorporated assumes no responsibility or liability for any errors or inaccuracies that may appear in this document. The software described in this document is furnished under license and may only be used or copied in accordance with the terms of such license.

Adobe, Adobe After Effects, Adobe Premiere Pro, Adobe Photoshop, Adobe Illustrator, Adobe Type Manager, ATM and PostScript are trademarks of Adobe Systems Incorporated that may be registered in certain jurisdictions. Macintosh and Apple are registered trademarks, and Mac OS are trademarks of Apple Computer, Inc. Microsoft, Excel, and Windows are registered trademarks of Microsoft Corporation. All other products or name brands are trademarks of their respective holders.

The material in this document is supplied by the Adobe Digital Video API Engineering team.

TABLE 1: VERSION HISTORY

Version History		
January 1993	Russell Belfer	Version 1.0 – Initial SDK release.
January 1994	Dan Wilk	Version 2.0 – Updates.
August 1994	Dave Herbstman Dan Wilk	Version 2.0.1 – Added support for PowerPC.
5 March 1996	Brian Andrews	Version 3.0 – Preliminary release for the After Effects developer kitchen.
21 June 1996	Brian Andrews	Version 3.1 – Final 3.x release.
13 Nov. 1996	Brian Andrews	Version 3.1 SDK Release 2 – Minor updates.
17 April 1997	Brian Andrews	Version 3.1 SDK Release 3 – First public release (really a pre-release) of the SDK for Windows development.
1 May 1998	Bruce Bullis	Version 3.1 SDK Release 6 - Editorial changes only
1 January 1999	Bruce Bullis	Version 4.0 SDK Release 1 - Added information on new global flags, custom data types, utilization of PICA suites, CustomUI messaging and parameter supervision, new callbacks. many editorial changes.
9 September 1999	Bruce Bullis	Revised for 4.1; added General plug-ins and AEGP information. Added information on new selectors, resize handle.

TABLE 1: VERSION HISTORY

Version History		
2 February 2001	Bruce Bullis	5.0 release. Entire document edited and reformatted. Sections on 16 bit-per-channel color and parameter supervision, as well as the entire AEGP chapter, have all substantially expanded.
1 December 2001	Bruce Bullis	5.5 release. Added information on new outflags, PiPL changes, and additions and changes to the AEGP API. Numerous clarifications and edits.
4 March 2002	Bruce Bullis	Updated Mac OS X details, expanded AEIO and AEGP documentation.
20 July 2003	Bruce Bullis	Major overhauls for After Effects 6.0. Added documentation for all new (and some old) suites, and many supporting details for effects.
4 April 2004	Bruce Bullis	Updated for 6.5. Expanded and corrected all documentation. Added documentation of all new AEGP functions.
1 December 2005	Bruce Bullis	Updated for 7.0. Added SmartFX documentation. Noted current suite version numbers throughout. Numerous editorial changes. Documented many new AEGP suite functions.
4 April 2006	Bruce Bullis	Updated to reference new development system requirements and XCode-specific issues. Some editing.
1 July 2007	Bruce Bullis	CS3 (8.0) release.
4 May 2009	Zac Lam	CS4 (9.0) release. Complete reorganization of first three chapters. Fleshed out documentation on Premiere Pro.
28 April 2010	Zac Lam	CS5 (10.0) release. 64-bit porting info. Drawbot.
2 May 2011	Zac Lam	CS5.5 (10.5) release.
26 April 2012	Zac Lam	CS6 (11.0) release. Big reorganization of the AEGP and Artisan chapters. Many additions throughout.
15 July 2013	Zac Lam	CC (12.0) release. API version changes, misc small clarifications, more details in AEIO chapter.
12 June 2014	Zac Lam	CC 2014 (13.0) release. Corrections for accuracy. Removed old version references.
21 July 2015	Zac Lam	CC 2015 (13.5) release.

关于这份文档

这个文档多年来一直在完善改进，它像一本百科全书，也像使用指南，这里积累了20多年对API的开发和细化。是的，确实需要这么个文档来解释Ae APIs每个蛋疼的细节。不过看上去好像不会有太多人也去闲的蛋疼把自己埋在这里苦读一番，所以既然你们看到这些文字了，那么我们也尽力让你们读着有趣点并且生动点。如果有机会，我们也会插入图表，插画，和purdy pickshurs（没查到翻译）来解释复杂的API。记住，你的付出总是值得的。

文档结构

[介绍](#) 描述了Ae的整体（integration possibilities）。他解释了Ae的插件（Plug ins）是什么，以及在Ae里面怎么运转的。里面也描述了示例项目（Sample Project），以及如何修改他们。还有在哪里安装他们，他们用什么资源。

插件的基本描述在 [第2章节](#)，那里提供了有关进出入口函数参量的信息。有关能力开关（capability flags），特效参量（effect parameters），图像缓存（image buffers）的信息也在这里。

[第3章节](#) dives深入讨论使用许多提供的回调函数（callback functions）来构建一个完整的插件的细节之处。那里也提供了很多测试方法来保证插件的健壮。

[智能FX](#) 是对插件API的扩展使其支持32位浮点图像，相关描述在第4章节。

Chapter 5 covers [events](#) sent to effect plug-ins, how to incorporate custom user interface elements, parameter supervision, and the reliance of custom data parameter types on Custom UI messaging.

[Audio](#) effects are covered in Chapter 6.

Chapter 7 details the After Effects General Plug-in ([AEGP](#)) API. Provided callback functions, hooking into internal messaging, manipulating the current contents of open projects and handling menu commands are all covered at length.

[Artisans](#), specialized plug-in 3D renderer AEGPs, are covered in chapter 8. Under no circumstances should anyone write an artisan, ever.

Chapter 9 documents [AEIOs](#), specialized AEGPs which handle file input and output.

[Chapter 10](#) discusses issues related to compatibility with Premiere Pro and other applications that support a subset of After Effects plug-ins.

文件编制习惯

Functions, structure names and general C/C++ code are in Courier; `MyStruct` and `MyFunction()`;

Text in blue is [hyperlinked](#).

Command selectors are italicized; *PF_Cmd_RENDER*.

代码命名风格笔记

Because we use the public APIs for our own plug-ins, our coding guidelines are apparent throughout the SDK. Here's a description of the pseudo-neo-post-Hungarian notation we use. Of course, you're welcome to code however you like. If you feel strongly that we should change our internal coding standards, please post your requests at [comp.sys.programmer.better.things.to.do.with.your.time](#), and we'll carefully consider them before not making any changes.

表2: 我们的命名习惯

Type	Suffix	Example
Handle	H	fooH
pointer (to)	P	fooP
Boolean	B	visibleB
Float	F	degreesF
Long	L	offsetL
unsigned long	Lu	countLu
short	S	indexS
char	C	digitC
unsigned char	Cu	redCu
function pointer	_func	sample_func
time value	T	durationT
char * (NULL-terminated C string)	Z	nameZ
rectangle	R	boundsR

TABLE 2: CODING CONVENTIONS

Type	Suffix	Example
fixed rectangle	FiR	boundsFiR
float rectangle	FR	boundsFR
ratio	Rt	scale_factorRt
void *	PV	refconPV
optional parameter (must be passed, can be NULL)	0	extra_flags0

Table 1: Version History	2
About this document	4
Organization	4
Documentation Conventions	5
A note about coding style	5
Table 2: Coding conventions	5

CHAPTER 1: INTRODUCTION 22

What can i do with this SDK?	22
What plug-ins can i build with this SDK?	22
Where do plug-ins appear in After Effects?	23
How does After Effects interact with plug-ins?	24
SDK contents	24
Other integration possibilities	25
Scripting	25
HTML5 Panels	25
aerender	26
Premiere Pro Importers	26
Mercury Transmit	26
SDK Audience	26
Development Requirements	27
What's New?	27
What's New in CC 2015.0.1 (13.5.1)?	27
What's New in CC 2015 (13.5)?	28
What's New in CC 2014 (13.0)?	33
What's New in CC (12.0)?	34
What's New in CS6.0.1 (11.0.1)?	34
What's New in CS6 (11.0)?	35
...and what was new before CS6?	36
How to start creating plug-ins	36
Play!	36

Plan!	36
Hack!	37
Steal!	37
Test!	37
Blame!	37
Developers matter	37
Sample projects	38
Table 3: Sample Project Descriptions	38
Building the sample projects	40
Debugging plug-ins	41
Deleting Preferences	42
Compatibility across multiple versions?	42
Table 4: API Versions	42
Third-party plug-in hosts?	43
PiPL resources	43
Entry Point	44
PiPL resources and Microsoft Visual Studio	44
Multiple PiPLs	44
Super Secret PiPL bit	45
Why do I need to know all this?	45
Exceptions	45
Where installers should put plug-ins	45
Do I have to install the plug-ins to the common folder?	46
Localization	47
Next steps	47

CHAPTER 2: EFFECT BASICS 48

Entry Point	48
Table 5: Entry Point Function Parameters	48
Command Selectors	49
Calling sequence	49

Table 6: Command Selectors	50
What's the difference?	55
PF_InData	56
Table 7: PF_InData	56
extent_hint usage	59
Now with 20% more pixels!	60
Point controls and buffer expansion	60
PF_OutData	61
Table 8: PF_OutData	61
PF_OutFlags	62
Table 9: PF_OutFlags	62
PF_OutFlags2	66
Table 10: PF_OutFlags2	66
Parameters	69
Table 11: Parameter Types	70
Slider range issues?	73
Point parameter origin	73
PF_ParamDef	73
Param zero	73
Table 12: PF_ParamDef	74
Parameter UI Flags	75
Table 13: Parameter UI Flags	75
Parameter Flags	77
Table 14: Parameter Flags	77
PF_ValueDisplayFlags	78
PF_EffectWorld / PF_LayerDef	79
Table 15: PF_EffectWorld structure	79
Rowbytes in PF_EffectWorlds	80
Byte alignment	80
Deeper color	80
Accessor macros for opaque (data type) pixels	81

Table 16: PF_PixelPtr accessor macros	81
Errors	82
Table 17: Error Codes	82
Error reporting policy	82
Dig in!	83

CHAPTER 3: EFFECT DETAILS 84

Free code == GOOD	84
Accessing the After Effects function suites	84
Suite Versions	85
Threading	85
Memory allocation	85
Table 18: PF_HandleSuite1	86
Image buffer management functions	87
Table 19: PF_WorldSuite2	87
Iteration suites	87
Table 20: PF_Iterate8Suite1, PF_Iterate16Suite1, PF_IterateFloatSuite1	88
Graphics utility suites	90
Transform Worlds	91
Table 21: PF_WorldTransformSuite1	91
Kernel Flags	93
Table 22: Kernel Flags	94
Fill ‘em up!	95
Table 23: PF_FillMatteSuite2	95
Sampling images	96
Table 24: PF_SamplingSuite Functions (multiple suites)	96
Table 25: PF_BatchSamplingSuite1	97
Do the math for me	98
Table 26: PF_ANSICallbacksSuite1	98
Interaction callback functions	100
Table 27: Interaction Callbacks	100

Parameter checkout vs. param zero	103
Parameter checkout behavior	103
Parameter checkout and re-entrancy	104
Progress during iteration	104
Pixel aspect ratio	105
Don't assume pixels are square, or 1-to-1	105
Suggested approach	106
Applying user input in pixels	107
Test test test!	107
Parameters and floating point values	107
Table 28: PF_ColorParamSuite1	108
Table 29: PF_PointParamSuite1	108
Table 30: PF_AngleParamSuite1	108
Parameter supervision	108
Updating parameter UI	109
Updating parameter values	109
Parameter Utility Suite	110
Table 31: PF_ParamUtilsSuite3	110
Global, sequence, and frame data	114
Persistence	114
Validating Sequence Data	114
Flattened and unflattened sequence data	115
Resizing sequence data	115
Arbitrary data parameters	116
Table 32: Arbitrary data selectors	116
Implementing arbitrary data	117
Arbitrary data? Re-entrancy.	118
When NOT to access arbitrary parameters	118
Changes during dialogs	118
Useful utility functions	119
PF_EffectUISuite	119

Table 33: PF_EffectUISuite	119
PF_AppSuite	119
Table 34: PF_AppSuite5	120
Advanced AppSuite: you can <i>do</i> that?!	122
Table 35: AE_AdvAppSuite2	122
Formatting time	124
Table 36: PF_AdvTimeSuite2	124
Affecting the timeline	125
Table 37: PF_AdvItemSuite1	126
Accessing auxiliary channel data	127
Table 38: PF_ChannelSuite1	127
Motion blur	129
Working with paths	129
Accessing path data	129
Manipulating path data	129
Vertices	130
Table 39: PF_PathVertex	130
PF_PathDataSuite	130
Table 40: PF_PathDataSuite1	130
PF_PathQuerySuite	133
Table 41: PF_PathQuerySuite	133
Accessing camera and light information	134
Color space conversion	135
Table 42: Pixel Types for different color spaces	135
Table 43: color space conversion callbacks	135
Changing parameter orders, the nice way	136
Change defaults? Change IDs	137
Tips and tricks	137
Best practices	137
Responsiveness	137
Make your effect easy to find	138

Sampling pixels at (x,y)	138
Where's the center of a pixel?	138
Clean slate	139
Caching behavior	139
Global Performance Cache Consideratons	139
Some thoughts on time from a long-time developer	140
Rate x Time == PAIN	142
Testing	142

CHAPTER 4: SMARTFX143

The way things were	143
The way things are now	143
Content Bounds	144
How to Smartify	144
PF_Cmd_SMART_PRE_RENDER	144
Table 44: PF_PreRenderExtra	145
preserve_rgb_of_zero_alpha	148
rectangles	148
Table 45: PF_PreRenderOutput	148
The “size” of a layer	149
Flag on the play	150
PF_Cmd_SMART_RENDER	150
Table 46: PF_SmartRenderExtra	150
When to access layer parameters	151
Wait, Gimme That Layer Back!	152

CHAPTER 5: EFFECT UI & EVENTS153

Table 47: Events	153
PF_EventExtra	154
Table 48: PF_EventExtra	154

PF_Context	156
Table 49: PF_Context	156
Table 50: PF_EffectWindowInfo	156
PF_EventUnion	157
Click	157
Table 51: PF_DoClickEventInfo	157
Draw	157
Table 52: PF_DrawEventInfo	157
Keydown	158
Table 53: PF_KeyDownEvent	158
AdjustCursor	159
Table 54: PF_AdjustCursorEventInfo	159
Arbitrary Parameters Event	159
Table 55: PF_ArbParamsExtra	159
Custom UI and Drawbot	160
Make Your Custom UI Look Not So “Custom”	161
Redrawing	161
HiDPI and Retina Display Support	161
PF_EffectCustomUISuite	161
Table 56: PF_EffectCustomUISuite1	161
DRAWBOT_DrawbotSuite	162
Table 57: DRAWBOT_DrawbotSuite1	162
DRAWBOT_SupplierSuite	162
Table 58: DRAWBOT_SupplierSuite1	162
DRAWBOT_SurfaceSuite	164
Table 59: DRAWBOT_SurfaceSuite1	164
DRAWBOT_PathSuite	167
Table 60: DRAWBOT_PathSuite1	167
PF_EffectCustomUIOverlayThemeSuite	168
Table 61: PF_EffectCustomUIOverlayThemeSuite1	168

UI callbacks	169
Table 62: UI Callbacks	170
Tips and tricks	172
UI Performance	172
No more black	173
How deep are my pixels?	173
Arbitrary data	173
Custom UI implementation for color sampling, using keyframes	173
 CHAPTER 6: AUDIO	174
Global Outflags	174
Audio Data Structures	174
Table 63: Audio data structures	174
Audio-specific Float Slider Variables	175
Flags	175
Phase	175
Curve Tolerance	175
What's zero, really?	175
Accessing Audio Data	176
Extending Audio Clips	176
Audio Considerations	176
 CHAPTER 7: AEGPS	177
What's New?	177
What's New in CS6?	177
Overview	178
AEGP communication with After Effects	178
Different tasks, same API	178
Data Types	179
Table 64: AEGP API Data Types	179

Nasty, brutish, and short	181
Were you just going to <i>leave</i> that data <i>lying around</i> ?	181
Table 65: Data types requiring disposal	181
Implementation	182
Entry Point	182
The Hook-Up	183
Specialization	183
Example: adding a menu item	183
Private Data	183
Threading	184
AEGP Suites	184
Table 66: AEGP Suites	184
Fail gracefully	186
Handling Handles	186
Table 67: AEGP_MemorySuite1	187
Managing menu items	188
Table 68: AEGP_CommandSuite1	188
Registering with After Effects	191
Table 69: AEGP_RegisterSuite5	191
Manage Projects	193
Table 70: AEGP_ProjSuite6	193
Table 71: AEGP_TimeDisplay2	195
Control Items within projects	196
Table 72: AEGP_ItemSuite8	196
Managing selections	201
Table 73: AEGP_CollectionSuite2	202
Ownership of collection items	203
Manipulate Compositions	203
Table 74: AEGP_CompSuite10	203
Work With Footage	210
Table 75: AEGP_FootageSuite5	210

Table 76: AEGP_FootageInterp structure	217
Manage Layers	218
Table 77: AEGP_LayerSuite8	218
Layer creation notes	227
A note about layer offsets	228
Communication with a layer's effects	228
Table 78: AEGP_EffectSuite4	228
Exploiting effect UI behavior to look cool	232
StreamRefs and EffectRefs	232
Diving Into Streams!	233
Okay, what did I just get?	234
Layers	234
Masks	234
Effects	234
Stream Suite	235
Table 79: AEGP_StreamSuite4	235
Dynamic Streams	242
Table 80: AEGP_DynamicStreamSuite4	242
Working with keyframes	250
Table 81: AEGP_KeyframeSuite3	250
Adding multiple keyframes	255
Marker Streams	255
Table 82: AEGP_MarkerSuite2	255
Mask Management	258
Table 83: AEGP_MaskSuite6	258
Mask Outlines	261
Table 84: AEGP_MaskOutlineSuite3	261
Mask Feathering	263
Working with text layers	264
Table 85: AEGP_TextDocumentSuite1	264
Working with text outlines	265

Table 86: AEGP_TextLayerSuite1	265
Utility functions	266
Table 87: AEGP_UtilitySuite6	266
Persistent Data Suite	270
Table 88: AEGP_PersistentDataSuite4	271
Color Management	275
Table 89: AEGP_ColorSettingsSuite2	275
Render Suites	277
Table 90: AEGP_RenderOptionsSuite4	277
Table 91: AEGP_LayerRenderOptionsSuite1 (New in 13.0)	281
Table 92: AEGP_RenderSuite4	284
The AEGP_World as we know it	288
Table 93: AEGP_WorldSuite3	288
Track Mattes and Transform functions	291
Table 94: AEGP_CompositeSuite2	291
Work With Audio	293
Table 95: AEGP_SoundDataSuite1	293
Audio Settings	293
Render Queue Suite	294
Table 96: AEGP_RenderQueueSuite1	294
Render Queue Item Suite	295
Table 97: AEGP_RQItemSuite3	295
Render Queue Monitor Suite	297
Table 98: AEGP_RenderQueueMonitorSuite1	297
Output Module Suite	302
Table 99: AEGP_OutputModuleSuite4	302
Working with Effects	306
Table 100: AEGP_PFInterfaceSuite1	307
AEGP_GetEffectCameraMatrix notes	308
Do this many times	308
Table 101: AEGP_IterateSuite1	308

File Import Manager suite	309
Table 102: AEGP_FIMSuite3	309
Cheating: effect usage of AEGP suites	309
Depending on AEGP Queries	310
AEGP Details	310
Have a cookie	310
Modifying items in the render queue	310
Names and Solids	311
Reporting errors and problems	311
Transforms: what happens first?	311
Accessing pixels from effect layer parameters	311

CHAPTER 8: ARTISANS312

Interactive Artisans	312
Artisan Data Types	312
Table 103: Data types used in the Artisan API	312
Horz? Vert?	313
Implementation and Design	313
3D compositing, not modeling	313
Registering an Artisan	313
Table 104: Artisan Entry Points	314
The World Is Your Canvas	316
Table 105: AEGP_CanvasSuite8	317
Convert between different contexts	326
Table 106: AEGP_ArtisanUtilSuite1	326
Smile! Cameras	327
Table 107: AEGP_CameraSuite2	327
Notes regarding camera behavior	328
Orthographic camera matrix	328
Focus on Focal	328
Film size	328

Hit the lights!	329
Table 108: AEGP_LightSuite2	329
Notes on light behavior	329
How should I draw that?	329
Transform Conventions	330
Query transform functions	330
Table 109: AEGP_QueryXformSuite2	330
Interactive drawing functions	333
Table 110: PR_InteractiveDrawProcs	333
Notes on Query Time functions	333

CHAPTER 9: AEIOS334

AEIO, or AEGP?	334
AEIO for import, or MediaCore Importer?	334
How it Works	335
What would After Effects do?	335
Registering Your AEIO	335
InSpec, OutSpec	335
Calling sequence	336
Import	336
Export	337
AEIO_ModuleInfo	338
Table 111: AEIO_ModuleInfo	338
Behavior Flags	339
Table 112: AEIO_ModuleFlags	339
AEIO_ModuleFlags2	341
Table 113: AEIO_ModuleFlags2	341
New Kids on the Function Block	342
Table 114: AEIO_FunctionBlock4	342
What Goes In	354
Table 115: AEGP_IOInSuite5	354

What Goes Out	360
Table 116: AEGPIOOutSuite4	360
Implementation Details	364
Export Bit-Depth	364
User Data vs. Options	364
 CHAPTER 10: PREMIERE PRO	365
Plug-in installation	366
Plug-ins... Reloaded	366
Basic Host Differences	366
Time	366
Frame Dimensions	367
PF_InData	367
Parameter UI	367
Missing Suites	368
A Special Suite for AE effects Running in Premiere Pro	368
Multithreading	368
Bigger Differences	369
Pixel Formats	369
32-bit float support	370
PF_CHECKOUT_PARAM and Pixel Formats	370
Effects presets	370
Custom ECW UI over a Standard Data Type	371
Premiere Elements	371
Unsupported features	371
But...why'd you LOAD it, if you can't RUN it?!	372
Other Hosts?	372
Reality Sandwich	372
 Function and Suite Reference	373
 General Reference	376

1: 介绍

Welcome to the Adobe® After Effects® CC 2015 Software Development Kit! This is a living document, and is constantly being updated and edited. The latest public version of the SDK is available at: <http://www.adobe.com/devnet/aftereffects/>

While we've tried to organize this document in a logical order and provide plenty of cross references, your specific needs may vary. Searching through this document based on keywords will often lead you to your answer. If you need more information, your question may already be answered on the After Effects SDK forum:

http://forums.adobe.com/community/aftereffects_general_discussion/aftereffects_sdk.

Use the search box there, and post a new question if your question hasn't already been answered.

WHAT CAN I DO WITH THIS SDK?

This SDK describes the Application Programming Interface (API) that developers use to build plug-ins. These plug-ins can extend the capabilities of After Effects and other applications that support the After Effects API. Plug-ins may also be used to bridge the gap between After Effects and another application.

WHAT PLUG-INS CAN I BUILD WITH THIS SDK?

Effect plug-ins can be applied to video or audio in a composition, to process video and/or audio data. Some examples of built-in effects are Brightness and Contrast, Hue/Saturation, Gaussian Blur, and Warp Stabilizer. Effect plug-ins can provide a set of parameter controls for the user to fine-tune the effect. These parameter values can vary over time, and effects may use other layers and parameters at different times to calculate the output. Oftentimes, it is thought that plug-ins = effects. But effects are just one type of plug-in used by After Effects.

After Effects General Plug-ins (AEGPs) can read and modify nearly every element of After Effects projects and preferences. They can add menu items, 'hook' (register themselves to receive) and trigger After Effects' internal commands, and add new panels that dock and

resize within the After Effects UI. They can work with markers and keyframes, and manage the render queue. They can even run scripts. Some examples of built-in AEGPs are the AAF importer, and the SWF exporter. Automatic Duck Pro Import AE is another well-known AEGP.

After Effects Input/Output (AEIO) plug-ins provide support for new media file types. Unless you need a custom setup dialog to specify interpretation settings, the [Premiere Pro importer API](#) provides similar functionality, and is preferable in many cases. AEIOs use the AEGP API along with certain APIs specific to AEIOs. While After Effects still supports Photoshop format plug-ins and filters, as well as Foreign Project Format (FPF) plug-ins, these APIs have been long deprecated in favor of the AEIO API.

BlitHook plug-ins output video to external hardware for broadcast quality monitoring and playback to tape. The EMP sample project provides a starting point. In After Effects CC 2014 and later, [Mercury Transmit](#) is the recommended API.

Artisans provide rendered output of 3D layers, taking over 3D rendering from After Effects (which still handles all rendering of 2D layers). Artisans use the AEGP API along with certain APIs specific to Artisans.

Didn't see the type of integration you need described above? After Effects is very flexible, and there are several [other ways to integrate with After Effects](#).

WHERE DO PLUG-INS APPEAR IN AFTER EFFECTS?

Effects plug-ins appear in both the *Effect* menu and the Effects & Presets panel, in the effect category specified in their PiPL. Once they're applied, the effect's parameter controls (sliders, pop-ups, etc.) appear in the Effect Controls panel (ECP).

After Effects General Plug-ins (AEGPs) can add items to any After Effects menu, and additional panels listed in the Window menu. These menu items are indistinguishable from After Effects' own menu items.

[AEIOs](#) and Photoshop Format plug-ins can appear in the *File > Import* menu, or in the *Import File* dialog in the *Files of type* drop-down, depending on the type of importer. AEIOs and Format plug-ins can also appear as available output formats in the render queue.

BlitHook plug-ins are automatically loaded and used by AE, but do not appear in any menu or dialog. The plug-in may optionally provide a menu item that opens its own custom settings dialog. It would register and update the menu item using the AEGP API. It can be registered to be called by After Effects to update the menu with `AEGP_RegisterUpdateMenuHook()`, and it can dim/activate the menu item using `AEGP_EnableCommand()/DisableCommand()`.

Artisans appear in the *Rendering Plug-in* drop-down in the *Advanced* tab of the *Composition Settings* dialog.

HOW DOES AFTER EFFECTS INTERACT WITH PLUG-INS?

Plug-ins, written in C or C++, are bundle packages on Mac OS and DLLs on Windows. They must contain a Plug-in Property List ([PiPL](#)) resource on both platforms. The plug-ins must be located in one of a few specific folders in order to be loaded and used by After Effects.

For effects plug-ins, After Effects sends command selectors (and relevant information) to the plug-in [entry point function](#) designated in the effects' [PiPL](#) resource. Selectors are sent in response to actions the user takes—applying the effect, changing parameters, scrubbing through frames in the timeline, and rendering all prompt different sequences of selectors. After Effects creates multiple instances of effects, with settings and input data unique to each sequence. All instances share the same global data, and can share data between all frames within their sequence. After Effects doesn't process all image data as soon as the user applies an effect; it invokes effects only when their output is required.

After Effects General Plug-ins (AEGPs) have their entry point function called during application launch, and register for whatever messaging they need at that time. Further calls to the AEGP are initiated by user actions, as part of the plug-in's response to menu commands or UI events. Depending on their features, plug-ins may need to respond to OS-specific entry points as well, for UI work and thread management.

For BlitHook plug-ins, frames are pushed as they're displayed in the Composition panel. Users can initiate a RAM preview on an area of the timeline so that it is rendered to RAM, and then it all gets played out at full speed.

SDK CONTENTS

The SDK contains headers defining the After Effects APIs, sample projects demonstrating integration features, and this SDK Guide.

They are compiled with the SDK header files, which expose various After Effects functionality to be used by the plug-in.

OTHER INTEGRATION POSSIBILITIES

Although this SDK describes the majority of integration possibilities with After Effects, there are other possibilities not to be overlooked.

SCRIPTING

Scripting is a relatively nimble and lightweight means to perform automated tasks with After Effects. ScriptUI is one way you can provide UI integration with custom dialogs and panels (see [HTML5 panels](#) too). And scripting may be used in tandem with plug-in development, in the cases where a certain function is made available via scripting and not via the C APIs described in this document.

Scripting in After Effects is done using ExtendScript, based on JavaScript. After Effects includes the ExtendScript ToolKit, a convenient interface for creating and testing your own scripts. Scripts may be compiled into .jsxbin binary files, to protect intellectual property.

You may download the After Effects Scripting Guide, and find a link to the scripting forums, on the Adobe Developer Connection website at: <http://www.adobe.com/devnet/aftereffects/>

After Effects can be driven by executing scripts from the commandline. In your script, you can open the project and run script actions on it. So for example, you can execute the following statement to run a script from the command line directly:

```
AfterFX -s "app.quit()"
```

Or you can execute this statement to run a .jsx script that includes a quit at the end:

```
AfterFX -r path_to_jsx_script
```

On Windows, AfterFX.com is the way to get feedback to the console, because AfterFX.com is a command line application.

HTML5 PANELS

Starting in CC 2014 and later, After Effects supports HTML5 panels. They are accessed in After Effects from Window > Extensions > (your panel name). Panels can be resized and docked just like any other panel in After Effects. Panels are built using HTML5, After Effects Scripting, and JavaScript. You may download the After Effects Panel SDK from the Adobe Developer Connection website at: <http://www.adobe.com/devnet/aftereffects/>

AERENDER

Closely coupled with scripting is the command line interface offered by aerender. aerender is primarily suited to allow automated renders, but can be used to execute any sequence of scripting commands from the command line. An overview is available in the After Effects help documents here: http://help.adobe.com/en_US/aftereffects/cs/using/WS8A8CD670-4A72-4fb5-AE8E-CB9E232EC0B5a.html

PREMIERE PRO IMPORTERS

Premiere Pro importers provide support for importing media into applications across most applications in the Adobe Creative Cloud, including Premiere Pro, Media Encoder, Prelude, and Audition. Because of this broader compatibility, unless you need very specific integration with After Effects only available via the AEIO API in this SDK, we recommend developing a Premiere Pro importer. The Premiere Pro SDK is available at: <http://www.adobe.com/devnet/premiere/>

One advantage of MediaCore importer plug-ins over AEIOs is its priority system: The highest priority importer gets first crack at importing a file, and if the particular imported file isn't supported, the next-highest priority importer will then have the opportunity to try importing it, and so on.

MERCURY TRANSMIT

Mercury Transmit plug-ins are used for sending video to output hardware for broadcast-quality monitoring. Transmitters are support across most applications in the Adobe Creative Cloud, including Premiere Pro, After Effects (starting in CC 2014), Prelude, and SpeedGrade. The Mercury Transmit API is documented in the Premiere Pro SDK, available at: <http://www.adobe.com/devnet/premiere/>

SDK AUDIENCE

You must be a proficient C/C++ programmer to write After Effects plug-ins. While we'll help with issues specific to the After Effects API, we can't help you learn your IDE or basic programming concepts.

This SDK guide assumes you understand After Effects from a user's perspective, and basic video editing terminology. If you don't, get the [*Adobe After Effects Classroom in a Book*](#), or any of the other fine instructional books on the market. It will help you understand different

color spaces, time-variant parameters, pixel aspect ratio, 3:2 pull-down, alpha channels, and the other subtle After Effects nuances.

DEVELOPMENT REQUIREMENTS

The system requirements for After Effects are here:

<http://www.adobe.com/products/aftereffects/systemreqs/>

If you require support for obsolete versions of the application or API, use an old SDK (which we don't maintain or provide). Six months after the current version is released, we will no longer provide or support the previous version's SDK.

The SDK samples are created for XCode 5.0.2 on Mac OS 10.8 or 10.9, and Microsoft Visual Studio .NET 2010 SP 1 (version 10.0) on Windows 7 64. Yes, we're being pretty stringent about using the required IDE. No, it's never pleasant to move to a new compiler, but no, we're not going to continue to help with older build environments.

In order to use Visual Studio, you may need to adjust some installation settings to install the components for compiling 64-bit plug-ins. Visual Studio Express may be used, but will also require an additional installation to compile 64-bit plug-ins, as described here:

<http://msdn.microsoft.com/en-us/library/9yb4317s.aspx>

To compile using newer versions of XCode on newer versions of Mac OS, often all that is required is to update the Base SDK in the Build Settings.

WHAT'S NEW?

If this is your first time developing an After Effects plug-in, you can skip the What's New section and go directly to [How to Start Creating Plug-ins](#).

WHAT'S NEW IN CC 2015.0.1 (13.5.1)?

This release fixes some audio APIs that broke in 13.5 due to threading changes. In 13.5, when called on the UI thread, `AEGP_RenderNewItemSoundData()` would return `A_Err_GENERIC`. This restores the functionality when called on the UI thread.

To avoid a deadlock, in `PF_Cmd_UPDATE_PARAMS_UI` only, `AEGP_RenderNewItemSoundData()` will now return silence. This will no longer function as before in this context, but it will continue to work properly elsewhere

WHAT'S NEW IN CC 2015 (13.5):

● Separate UI and Render Threads

This release of After Effects includes major architectural changes to separate the UI (main) thread from the render thread. The render thread sends selectors such as `PF_Cmd_RENDER`, `PF_Cmd_SMART_PRERENDER`, and `PF_Cmd_SMART_RENDER` to effect plug-ins. The UI thread sends selectors such as `PF_Cmd_SEQUENCE_SETUP`, `PF_Cmd_USER_CHANGED_PARAM`, `PF_Cmd_DO_DIALOG`, and `PF_EVENT_DRAW`. `PF_Cmd_SEQUENCE_RESETUP` is sent on both render and UI threads.

These changes are to improve interactive performance and responsiveness. At the same time, the new design introduces some new requirements and may break assumptions that existing plug-ins relied on. Here are some of the major changes:

- 1) The project can no longer be modified by the render thread (and in fact the render thread now has its own local copy of the project)
- 2) Rendering cannot pass modified sequence data back to the UI thread for custom UI updates
- 3) In general the UI thread should no longer do time-consuming operations such as synchronously rendering frames

Is your plug-in affected? Test for these problems:

- 1) Render not updating after UI parameter change because it depends on `sequence_data`, which may not be currently copied to render
- 2) Render not updating during click/drag in the Composition Window (similar reasons)
- 3) Custom Effect UI not updating because it depends on `sequence_data` generated in render (which is no longer available to the UI because it is in a different project, the render project is immutable, and cache contains previously-rendered frames)
- 4) Errors telling you an operation on the render thread (or UI thread) is not expected

Generally, calculations that will persist or update the UI will now have to be pulled from the UI thread rather than pushed from the render thread. These cases can require use of new 13.5 APIs or different solutions than in past releases.

● The Need For More Efficient Sequence Data Handling

`PF_OutFlag2_SUPPORTS_GET_FLATTENED_SEQUENCE_DATA`
`PF_Cmd_GET_FLATTENED_SEQUENCE_DATA`

Up to version 13.2, serializing/flattening `sequence_data` always involved deallocating and reallocating any data structures. Starting in 13.5, as effect changes are made, serializing/

flattening happens even more often. Why? AE needs to serialize/flatten project changes to send from the UI thread to the render thread, to keep them both synchronized.

To make this process more efficient, starting in 13.5, AE can send `PF_Cmd_GET_FLATTENED_SEQUENCE_DATA` to request sequence data without requiring the existing data to be deallocated and reallocated. The main difference between this selector and `PF_Cmd_SEQUENCE_FLATTEN` is that a copy of the correct flattened state is returned without disposing the original structure(s) the effect is currently using. For a code example, refer to the PathMaster sample project.

This will eventually become required for plug-ins that are rebuilt to be thread-safe (see `PF_OutFlag2_AE13_5_THREADSafe` below). The venerable `PF_Cmd_SEQUENCE_FLATTEN` will eventually be unsupported in future versions.

- `PF_OutFlag_FORCE_RERENDER` Changes

This flag does not work as broadly as before, and we now discourage its usage. Instead we recommend triggering renders using one of the following: `GuidMixInPtr()` (described in the next section), `arb` data, or `PF_ChangeFlag_CHANGED_VALUE`. All of these work better with Undo. Once we have the full set of APIs in place needed to manage render state, we will be able to deprecate `FORCE_RERENDER`.

`FORCE_RERENDER` doesn't work in every situation it did before, because it needs to synchronize the UI copy of `sequence_data` with the render thread copy. `FORCE_RERENDER` works when set during `PF_Cmd_USER_CHANGED_PARAM`. It also works in `CLICK` and `DRAG` events, but only if `PF_Cmd_GET_FLATTENED_SEQUENCE_DATA` is implemented. This is required to prevent flattening and loss of UI state in the middle of mouse operations. Without `GET_FLATTENED`, the new `FORCE_RERENDER` behavior will NOT be turned on.

- GUIDs for Cached Frames

`PF_OutFlag2_I_MIX_GUID_DEPENDENCIES`
`GuidMixInPtr()`

Used by SmartFX only. Use this if custom UI or `PF_Cmd_DO_DIALOG` changes sequence data, or if the render result depends on anything else not factored in, and rerendering may be needed. During `PF_Cmd_SMART_PRERENDER`, the effect can call `GuidMixInPtr()` to mix any additional state that affects the render into our internal GUID for the cached frame. Using this GUID, AE can tell whether the frame already exists or if it needs to be rendered. See an example in SmartyPants sample project.

This is an improvement over the older mechanisms `PF_OutFlag_FORCE_RERENDER` and `PF_Cmd_DO_DIALOG`, which would remove the frame from the cache because the host didn't know what else the plug-in was factoring into the rendering. This can also be used rather than `PF_OutFlag2_OUTPUT_IS_WATERMARKED`.

- Request Frames Asynchronously Without Blocking the UI

```
PF_OutFlag2_CUSTOM_UI_ASYNC_MANAGER  
PF_GetContextAsyncManager()  
AEGP_CheckoutOrRender_ItemFrame_AsyncManager()  
AEGP_CheckoutOrRender_LayerFrame_AsyncManager()
```

For cases where such renders formerly were triggered by side-effect or cancelled implicitly (such as custom UI histogram drawing), and lifetime is less clear from inside the plug-in, use the new “Async Manager” which can handle multiple simultaneous async requests for effect Custom UI and will automatically support interactions with other AE UI behavior.

Note: Async retrieval of frames is preferred for handling passive drawing situations, but not when a user action will update the project state. If you are (1) responding to a specific user click, AND 2) you need to update the project as a result, the synchronous `AEGP_RenderAndCheckoutLayerFrame()` is recommended.

The new HistoGrid sample in the SDK shows how to do completely asynchronous custom UI DRAW event handling on the UI thread when 1 or more frame renders are needed. e.g. for calculating histograms that are shown in the effect pane. Please note there is still a known bug where drag-changing an upstream param may not refresh the histogram draw until the mouse hovers over it.

- Get Rendered Output of an Effect from its UI

Effects such as keyers or those that draw histograms of post-processed video can retrieve the needed `AEGP_LayerRenderOptionsSH` using the new function `AEGP_NewFromDownstreamOfEffect()` in `AEGP_LayerRenderOptionsSuite`. This function may only be called from the UI thread.

- AEGP Usage on Render Thread

We’ve tightened validation of when AEGP calls could be used dangerously (such as from the wrong thread or making a change to the project state in render). You may see new errors if code is hitting such cases. For example, making these calls on the render thread will result in an error:

```
suites.UtilitySuite5()->AEGP_StartUndoGroup()  
suites.StreamSuite2()->AEGP_GetStreamName()  
suites.StreamSuite2()->AEGP_SetExpressionState()  
suites.StreamSuite2()->AEGP_SetExpression()  
suites.StreamSuite2()->AEGP_GetNewLayerStream()  
suites.StreamSuite2()->AEGP_DisposeStream()  
suites.EffectSuite3()->AEGP_DisposeEffect()  
suites.UtilitySuite5()->AEGP_EndUndoGroup()
```

The solution is to move these calls to the UI thread. Selectors for passive UI updates (such as `PF_EVENT_DRAW`) are not a place to make changes to project state.

Another example of more strict requirements is `AEGP_RegisterWithAEGP()`. The documentation has always noted that this function must be called on `PF_Cmd_GLOBAL_SETUP`. However in previous versions, plug-ins were able to call this function at other times without running into trouble. Not anymore in 13.5! Calling this function at other times can cause crashes!

- `PF_Cmd_SEQUENCE_RESETUP` Called on UI or Render Thread?

There is now a `PF_InFlag_PROJECT_IS_RENDER_ONLY` flag that is only valid in `PF_Cmd_SEQUENCE_RESETUP` that will tell you if the effect instance is for render-only purposes. If so, the project should be treated as completely read-only, and you will not be receiving UI related selectors on that effect instance. This can be used to optimize away any UI-only initialization that render does not need. If this flag is false, you should setup UI as normal. This should not be used to avoid reporting errors in render. Errors in render should be reported as usual via existing SDK mechanisms.

- Changes to Avoid Deadlocks

During development, it was noticed that deadlocks could occur in specific call usage. Seatbelts have been introduced to avoid this. The cases occur in `PF_Cmd_UPDATE_PARAMS_UI` when using particular calls because of deprecated synchronous behavior in these calls when used in the UI:

In `PF_Cmd_UPDATE_PARAMS_UI` only, `PF_PARAM_CHECKOUT()` for layer parameters will behave as before except that it will return a black frame of the same size, etc., rather than actual rendered pixels. Code that used this for enable/disable detection of parameters should still work as before. Code that used this for getting analysis frames, etc. outside of `PF_Cmd_UPDATE_PARAMS_UI` will work as before.

In `PF_Cmd_UPDATE_PARAMS_UI` only, `PF_GetCurrentState()` will now return a random GUID. This will no longer function as before in this context, but it will continue to work properly elsewhere.

The above uses should be rare, but if this affects you please contact us about workarounds.

- Deprecated

`AEGP_RenderAndCheckoutFrame()` (on the UI Thread). This call should generally not be used on the UI thread since synchronous renders block interactivity.

Use in the render thread is fine. The one case where this may still be useful on the UI thread is a case like a UI button that requires a frame to calculate a parameter which then updates the AE project.

For example, an “Auto Color” button that takes a frame and then adjusts effect params as a result.

A beta of a progress dialog for this blocking operation if it is slow has been implemented, but using this call on the UI thread should be limited to this special cases. The dialog design is not final.

- Flag for Thread-Safe Effects

`PF_OutFlag2_AE13_5_THREADSafe`

Plug-ins updated for threading should use this flag to tell AE that the plug-in is expected to be UI thread <> Render thread safe.

This flag tells AE that different threads on different AE project copies can be in the effect at the same time but not accessing the same instance. While multiple render threads are not yet in use, this will be useful in future releases.

- Support for Effect Version greater than 7 (new max is MAJOR version 127)

Effects greater than version 7 will now report properly in 13.5 if built with the current SDK headers. It is possible to use these recompiled effects in AE versions older than 13.5, but internally the version number will wrap modulo 8 (e.g. AE will internally see effect version 8 as version 0).

This can affect the version shown in error dialog display by older AE and affect usage reporting.

Since many older plug-ins were made unloadable in AE with the shift to 64-bit, it should be unlikely this wrapping would cause ambiguity with actual plug-ins in current use (unless these plug-ins have been rapidly increasing version number over the last few years).

However, building with an older SDK and using an 8 or higher version will result in the plug-in reporting an incorrect version to AE, which will then cause mismatch with the PiPL version check for the effect which will have the higher bits set. This is not supported.

If built with an older SDK, you will need to keep the effect version at 7 or below. Increase in version max has been accomplished by adding 4 new higher significant bits to the version that only AE 13.5 and above “sees”. These new high version bits are not contiguous with the original, preexisting MAJOR version bits -- just ignore the intermediate bits. The new version layout looks like this in hexadecimal or binary.


```

0x 3C38 0000
    ^^ original MAJOR version bits as a hex mask 0-7
    ^^ new HIGH bits extending the original MAJOR version bits 8-127

0b 0011 1100 0011 1000 0000 0000 0000 0000
    ^^ ^ original MAJOR version bits as a hex mask 0-7
    ^^ ^^ ignore / do not use
    ^^ ^^ new HIGH bits extend the original MAJOR version bits 8-127.

```

These bits are ignored in AE versions older than 13.5.

● New Installer Hints for MacOS

Developers can find paths to the default location of plug-ins, scripts, and presets on Mac OS X in a new plist file (same as the paths in the Windows registry): `/Library/Preferences/com.Adobe.After Effects.paths.plist`

You can use the values in this plist to direct where your installers or scripts write files, in the same way that you would use the paths keys in the registry on Windows:
`HKEY_LOCAL_MACHINE\SOFTWARE\Adobe\After Effects\13.5`

● Work In Progress

```

AEGP_RenderAndCheckoutLayerFrame_Async( )
AEGP_CancelAsyncRequest( )

```

This APIs are in progress, and should not be used yet.

WHAT'S NEW IN CC 2014.1 (13.1)?

```
PF_CreateNewAppProgressDialog()
```

It won't open the dialog unless it detects a slow render. (2 seconds timeout).

WHAT'S NEW IN CC 2014 (13.0)?

Starting in CC 2014, After Effects will now honor a change to a custom UI height made using [PF_UpdateParamUI](#).

[AEGP Effect Suite](#) is now at version 4, adding new functions to work with effect masks.

[AEGP_RenderSuite](#) is now at version 4, adding a new function [AEGP_RenderAndCheckoutLayerFrame](#), which allows frame checkout of the current layer with effects applied at non-render time. This is useful for an operation that requires the frame, for example, when a button is clicked and it is acceptable to wait for a moment while it

is rendering. Note: Since it is not asynchronous, it will not solve the general problem where custom UI needs to draw based on the frame. The layer render options are specified using the new [AEGP_LayerRenderOptionsSuite](#).

[Mercury Transmit](#) plug-ins and [HTML5 Panels](#) are now supported.

WHAT'S NEW IN CC (12.0)?

Effect names can now be up to 47 characters long, up from 31 characters previously.

We added the [PF_AngleParamSuite](#), providing a way to get floating point values for angle parameters. [PF App Suite](#) version 5 adds [PF_AppGetLanguage](#) to query the current language so that a plug-in can use the correct language string, as well as several new `PF_App_ColorType` enum values for new elements whose colors can be queried.

[AEGP Persistent Data Suite](#) is now at version 4, adding a new parameter to `AEGP_GetApplicationBlob` to choose between retrieving several different application blobs. There are also new functions to get/set time and ARGB values.

[AEGP_CompSuite](#) is now at version 10, adding new functions to check/modify whether layer names or source names are shown, and whether the blend modes column is shown or not. Also added are new functions to get and set the Motion Blur Adaptive Sample Limit.

[AEGP_LayerSuite](#) is now at version 8, adding new functions to set/get the layer sampling quality. `AEGP_CanvasSuite` is also now at version 8. The new function [AEGP_MapCompToLayerTime](#) handles time remapping with collapsed or nested comps, unlike `AEGP_ConvertCompToLayerTime`.

`AEGP_UtilitySuite` is now at version 6, adding a new Unicode-aware function: [AEGP_ReportInfoUnicode](#). Another new function, [AEGP_GetPluginPaths](#), provides some useful paths related to the plug-in and the After Effects executable itself.

The behavior for [AEGP_NewPlaceholderFootageWithPath](#) has been updated, so that the `file_type` should now be properly set, otherwise a warning will appear. [AEGP_InsertMenuCommand](#) can now insert menu items in the File>New submenu.

[AEGP_IOInSuite](#) is now at version 5, adding new functions to get/set/clear the native start time, and to get/set the drop-frame setting of footage.

WHAT'S NEW IN CS6.0.1 (11.0.1)?

New in 11.0.1, the AE effect API version has been incremented to 13.3. This allows effects to distinguish between 11.0 and 11.0.1. There is a bug in 11.0 with the Global Performance

Cache, when a SmartFX effect uses both [PF_OutFlag2_AUTOMATIC_WIDE_TIME_INPUT](#) & [PF_OutFlag_NON_PARAM_VARY](#). Calling [checkout_layer](#) during `PF_Cmd_SMART_PRE_RENDER` returns empty rects in `PF_CheckoutResult`. The workaround is to simply make the call again. This workaround is no longer needed in 11.0.1.

WHAT'S NEW IN CS6 (11.0)?

We've made several refinements for better parameter UI handling. [PF_PUI_INVISIBLE](#) parameter UI flag is now supported in After Effects, which is useful if your plug-in needs hidden parameters that affect rendering. Now when a plug-in disables a parameter using [PF_UpdateParamUI](#), we now save that state in the UI flags so that the plug-in can check the flag in the future to see if it is disabled. A new flag, [PF_ParamFlag_SKIP_REVEAL_WHEN_UNHIDDEN](#), allows a parameter to be unhidden without twirling open any parents and without scrolling the parameter into view in the Effect Controls panel and the Timeline panel.

Effects that render a watermark over the output when the plug-in is in trial mode can now tell After Effects whether watermark rendering mode is on or off, using the new [PF_OutFlag2_OUTPUT_IS_WATERMARKED](#).

The new Global Performance Cache means you must tell After Effects to discard old cached frames [when changing your effect's rendering](#).

We've removed `PF_HasParamChanged` and `PF_HaveInputsChangedOverTimeSpan`, providing [PF_AreStatesIdentical](#) instead.

Effects that provide custom UI can now receive [PF_Event_MOUSE_EXITED](#), to gain notification that the mouse exited the layer or comp panel. [PF_ParamUtilsSuite](#) is now at version 3.

[PF_GET_PLATFORM_DATA](#) now has new selectors for getting the wide character path of the executable and resource file: `PF_PlatData_EXE_FILE_PATH_W` and `PF_PlatData_RES_FILE_PATH_W`. The previous non-wide selectors are now deprecated.

3D is a major theme of AE CS6. A new `AEGP_LayerFlag_ENVIRONMENT_LAYER` has been added. Many new [layer streams](#) were added. Additionally, `AEGP_LayerStream_SPECULAR_COEFF` was renamed to `AEGP_LayerStream_SPECULAR_INTENSITY`, `AEGP_LayerStream_SHININESS_COEFF` was renamed to `AEGP_LayerStream_SPECULAR_SHININESS`, and `AEGP_LayerStream_METAL_COEFF` was renamed to just `AEGP_LayerStream_METAL`.

A new suite, [AEGP_RenderQueueMonitorSuite](#), provides all the info a render queue manager needs to figure out what is happening at any point in a render.

[AEGP Mask Suite](#) is now at version 6, and provides functions to get and set the mask feather falloff type. [AEGP Mask Outline Suite](#) is now at version 3, and provides access to get and set mask outline feather information.

Effects that depend on masks now have a new flag available, [PF_OutFlag2_DEPENDS_ON_UNREFERENCED_MASKS](#).

[AEGP Comp Suite](#) is now at version 9. `AEGP_CreateTextLayerInComp` and `AEGP_CreateBoxTextLayerInComp` now have a new parameter, `select_new_layerB`.

[AEGP Render Suite](#) is now at version 3, adding a new function to get the GUID for a render receipt.

Finally, we have added two new read-only [Dynamic Stream](#) flags: `AEGP_DynStreamFlag_SHOWN_WHEN_EMPTY` and `AEGP_DynStreamFlag_SKIP_REVEAL_WHEN_UNHIDDEN`.

For effects running in Premiere Pro CS6, we have added the ability to get 32-bit float and YUV frames from [PF_CHECKOUT_PARAM](#).

...AND WHAT WAS NEW BEFORE CS6?

For history this far back, see obsolete copies of the SDK (which we don't provide; if someone wants you to develop for antique software, they'd best provide the SDK).

HOW TO START CREATING PLUG-INS

PLAY!

Before you write a line of code, spend some significant time playing with After Effects, and with the [sample projects](#). [Build the plug-ins](#) into the right folder. Set lots of breakpoints, read the amusing and informative comments.

PLAN!

Be clear on what your plug-in will attempt to do.

HACK!

After experimenting with the samples, find one that does something *like* what you want to do. The temptation to start from scratch may be strong; fight it! For effects, use the Skeleton template project. Avoid the headache of reconstructing projects (including the troublesome custom build steps for Windows PiPL resource generation) by grafting your code into an existing project.

STEAL!

To make the Skeleton sample your own, copy the entire `\Skeleton` directory, renaming it to (for example) `\WhizBang`. Using your text editor of choice, search `\WhizBang*.*` (yes, that includes .NET and XCode project files) for occurrences of `Skeleton` and `SKELETON`, and replace them with `WhizBang` and `WHIZBANG`.

You now have a compiling and running plug-in that responds to common commands, handles 8 and 16-bpc color, uses our `AEGP_SuiteHandler` utility code, and responds to 3D light and camera information. There, was that so hard?

AEGP developers will do well to start with `Projector` (for After Effects project creation support), `Easy Cheese` for a keyframe assistant, `IO` for media file format support, and `Persisto` for a simple menu command and working with preferences.

TEST!

If only for testing convenience, you should have a project saved with your effect applied, and all its parameters keyframed to strange values. Between these projects which stress your plug-in, and the tools provided by your development environment, you're well on your way to shipping some tested code.

BLAME!

If you run into behavior that seems wrong, see if you can reproduce the behavior using one of the unmodified sample projects. This can save you a lot of time, if you can determine whether the bug behavior was introduced by your modifications, or was already there to begin with.

DEVELOPERS MATTER

Third party developers drive API and SDK improvement and expansion. Your products enable After Effects to do things we'd never considered. Your efforts make After Effects better; keep it up!

We work hard on the SDK, and welcome your comments and feedback. Almost every change we make to the API is suggested by developers like you. [Talk to us.](#)

SAMPLE PROJECTS

There is at least one sample of every type of plug-in supported by the current API, as well as projects to illustrate particular concepts.

In the sample projects, we've kept the code as simple as possible. A showy implementation might get us good grades in a programming class, but won't help you understand how to use API features.

After the break, we explain how to build the sample projects, so keep reading below!

TABLE 1: SAMPLE PROJECT DESCRIPTIONS

Project	Description
AEGPs	AEGPs hook directly into After Effects' menus and other areas in the UI. See below for specifics on where the AEGP appears in the UI.
Artie	Artie the Artisan takes over rendering of all 3D layers in a given composition. This is the same API used by our internal 3D renderers; it is very complex, and exposes a great deal of tacit information about the After Effects rendering pipeline. Unless you have a compelling reason to replace the way After Effects handles 3D rendering, you need never work with this sample. Artisans appear in Composition > Composition Settings, in the Advanced tab, in the Rendering Plug-in drop-down.
Easy Cheese	A keyframer (which shows up on the Animation > Keyframe Assistant submenu), Easy Cheese shows how to manipulate various characteristics of keyframes (in a way that, uncannily, resembles our shipping plug-in, Easy Ease...)
FBIO	Exercises the After Effects Input/Output (AEIO) API. Similar to the IO sample, but supports the frame-based .ffk file format. Note that we now recommend developing a Premiere Pro importer instead.
Grabba	Gets frames (formatted as the plug-in requests) from any composition in the project.
IO	Exercises the After Effects Input/Output (AEIO) API. Supports the fictitious .fak file format, and handles all requests from After Effects for retrieving data from or outputting to such files. Note that we now recommend developing a Premiere Pro importer instead.
Mangler	Mangler is a keyframer demonstrating the use of an ADM palette, just like our own.

TABLE 1: SAMPLE PROJECT DESCRIPTIONS

Project	Description
Panelator	Creates a panel that can be docked along with the rest of the standard panels. Note: It is far more work to create a panel this way than using the HTML5 Panel SDK. We recommend starting with that SDK instead.
Persisto	Shows how to read and write information from the After Effects preferences file.
ProjDumper	Creates a text file representing every element in an After Effects project.
Projector	Imports the (fictitious) .sdk file format, and creates a project using AEGP API calls. Whenever you're wondering how to get or set some characteristic of a project element, look here first. Note: There are some hardcoded paths in Projector.h. If you don't set these to refer to actual media on disk, you WILL get errors while running this plug-in. Don't blame us; change them!
QueueBert	Pronounced "Cue-BARE!", QueueBert manipulates all aspects of render queue items and the output modules associated with them.
Streamie	Manipulates streams, both dynamic and fixed.
Sweetie	Sweetie uses the PICA (or "Suite Pea") API to provide a function Suite, for use by other plug-ins. If you're writing multiple plug-ins that rely on the same image processing library, you could provide the library functionality using such a suite.
Text Twiddler	Manipulates text layers and their contents.
Effects	All effects appear in the Effects & Presets panel, and in the Effect menu.
Checkout	Checks out (of After Effects' frame cache) a frame of input from another layer, at a specified time. This is an important concept for all effects with layer parameters. Premiere Pro compatible.
Convolutrix	Exercises our image convolution callbacks. Premiere Pro compatible.
Gamma Table	Shows how to manage sequence data, and uses our iteration callbacks. For nostalgia's sake, we're leaving this one sample in C; it's also compatible with many third-party plug-in hosts, due to its reliance on version 3.x API features.
Paramarama	Exercises wayward param types not used in other sample. Premiere Pro compatible.
PathMaster	Shows how to access paths from within an effect.
Portable	Shows how to detect and respond to several different plug-in hosts. Premiere Pro compatible.
Resizer	Resizer resizes (surprise!) the output buffer. This is useful for effects like glows and drop shadows, which would be truncated at the layer's edges if they didn't expand the output buffer. Premiere Pro compatible.
SDK Backwards	Reverses a layer's audio, and mixes it with a keyframe-able sine wave.
SDK Noise	Premiere Pro compatible, demonstrates 32-bit and YUV rendering in Premiere Pro.

TABLE 1: SAMPLE PROJECT DESCRIPTIONS

Project	Description
Shifter	Shifts an image in the output buffer, and exercises our transform_world and subpixel sampling functions.
SmartyPants	Demonstrates the SmartFX API, required for support of floating point pixels.
Transformer	Exercises our image transformation callbacks.
Effect Template	
Skeleton	Skeleton is the starting point for developing effects. Premiere Pro compatible.
Effects with Custom UI	
CCU	Implements a custom user interface in the composition and layer windows, supporting pixel aspect ratio and downsample ratios. Premiere Pro compatible.
ColorGrid	Shows how to use arbitrary data type parameters. Also has a nice custom UI. Premiere Pro compatible.
Custom ECW UI	Implements a very boring custom user interface in the effect controls window, and shows how to respond to numerous UI events.
Histogrid	New for CC 2015 (13.5). An example of how custom UI can access asynchronously-rendered upstream frames for lightweight processing in CC 2015 and later. This effect calculates a sampled 10x10 color grid from the upstream frame, and displays a preview of that color grid. In render, a higher-quality grid is calculated and used to modify the output image, creating a blend of a color grid with the original image.
Supervisor	Shows how to control parameters (both values and UI) based on the value of other parameters. Premiere Pro compatible.
BlitHook	
EMP	External Monitor Preview. Use this as a starting point for adding support to output video from the composition panel to video hardware.

BUILDING THE SAMPLE PROJECTS

We've combined the sample projects into a single master project, stored in the Examples folder of the SDK. For Mac OS, it is `BuildAll.xcodeproj`; for Windows, it is `BuildAll.sln`.

In your IDE, you'll need to change the output folder of your project to build into After Effects' plug-in folder. For development, we recommend using the following path for Mac OS:

`/Library/Application Support/Adobe/Common/Plug-ins/[version]/MediaCore/`
Version is locked at 7.0 for all CC versions, or CSx for earlier versions.

for example: /Library/Application Support/Adobe/Common/Plug-ins/7.0/MediaCore/
or: /Library/Application Support/Adobe/Common/Plug-ins/CS6/MediaCore/

and the following path for Windows:

[Program Files]\Adobe\Common\Plug-ins\[version]\MediaCore\
for example: C:\Program Files\Adobe\Common\Plug-ins\7.0\MediaCore\
or: C:\Program Files\Adobe\Common\Plug-ins\CS6\MediaCore\

Note that this Windows path is only recommended for development purposes. Windows installers should follow the guidelines [here](#).

In Xcode, you can set this path once for all projects in the Xcode Preferences > Locations > Derived Data > Advanced. Under *Build Location* choose *Custom*, and fill in the path.

In Visual Studio, for convenience, we have specified the output path for all sample projects using the environment variable `AE_PLUGIN_BUILD_DIR`. You'll need to set this as a user environment variable for your system. On Windows 7, right-click *My Computer* > *Properties* > and in the left sidebar choose *Advanced System Settings*. In the new dialog, hit the *Environment Variables* button. In the User variables area, create a New variable named `AE_PLUGIN_BUILD_DIR`, and with the path described above. Log out of Windows and log back in so that the variable will be set.

Alternatively, you can set output path for each project individually in Visual Studio by right-clicking a project in the Solution Explorer, choosing *Properties*, and then in *Configuration Properties* > *Linker* > *General*, set the *Output File*.

DEBUGGING PLUG-INS

The best way to learn the interaction(s) between After Effects and plug-ins is running the samples in your debugger. Spending some quality time in your compiler's debugger, and a sample project that closely resembles your plug-in, can really pay off.

Specify After Effects as the application to run during debug sessions.

On Windows, in the Visual Studio solution, in the Solution Explorer panel, right-click on the project, and choose *Properties*. In *Configuration Properties* > *Debugging* > *Command*, provide the path to the After Effects executable file.

For Mac OS, in the XCode project, in the Groups and Files panel, in the Executables section, create a New Custom Executable. Set the Executable Path to the After Effects executable file.

DELETING PREFERENCES

During the course of developing a plug-in, your plug-in may pass settings information to After Effects, which is then stored in its preferences file. You may delete the preferences and restart After Effects with a clean slate by holding down Ctrl-Alt-Shift / Cmd-Opt-Shift during launch.

On Windows, the preferences are stored here:

[user folder]\AppData\Roaming\Adobe\After Effects\[version]\Adobe After Effects [version]-x64 Prefs.txt

On Mac OS, they are stored here:

~/Library/Preferences/Adobe/After Effects/[version]/Adobe After Effects [version]-x64 Prefs

COMPATIBILITY ACROSS MULTIPLE VERSIONS?

Generally, you should compile your plug-ins with the latest After Effects SDK headers. This makes the latest suites and API functionality available to your plug-ins. When a new version of After Effects is released, you generally will not need to provide a new version unless you wish to take advantage of new functionality exposed through the new SDK. However, you should always test your plug-in in new versions of After Effects before claiming compatibility with new versions.

You should test your plug-in thoroughly in each version of After Effects supported by your plug-in. If you need to add a conditional block of code to be run only in specific versions of After Effects, you can always check the API version in [PF_InData.version](#) for effects, or in the major and minor_versionL passed into your AEGP in the [EntryPointFunc\(\)](#).

For even more precise version checking, a plug-in can run a script using [AEGP_ExecuteScript](#), querying one of the following attributes:

app.version - e.g. 11.0.1x12

app.buildNumber - e.g. 12.

TABLE 2: API VERSIONS

Release	Effect API Version	AEGP API Version
CC 2015 (13.5, 13.5.1)	13.9	113.5
CC 2014 (13.0-13.2)	13.7	113
CC (12.2)	13.6	112.2
CC (12.1)	13.5	112.1

TABLE 2: API VERSIONS

Release	Effect API Version	AEGP API Version
CC (12.0)	13.4	112.0
CS6.0.1 (11.0.1)	13.3	111.0
CS6 (11.0)	13.2	111.0
CS5.5 (10.5)	13.1	17.0
CS5 (10.0)	13.0	17.0
CS4 (9.0)	12.14	16.24
CS3 (8.0)	12.13	16.24
7.0	12.12	
6.5, 6.0	12.10 (Check for the presence of updated AEGP suites, should you need to differentiate between 6.0 and 6.5.)	
5.0	12.5	
4.1	12.2	
3.1	11.6	

THIRD-PARTY PLUG-IN HOSTS?

Some developers are wary of using each After Effects release's new API features, to maintain compatibility with hosts with partial implementations. You can distinguish between host applications by checking `PF_InData>appl_id`. After Effects uses the `appl_id` 'FXTC'. Premiere Pro uses 'PrMr'. As of this writing, no third party hosts support SmartFX, or our AEGP functions. Also, see the chapter on compatibility with [Premiere Pro and other hosts](#).

PIPL 资源

Originating in Adobe Photoshop over a decade ago, Plug-In Property Lists, or PiPLs, are resources which provide basic information about a plug-in's behavior, without executing the plug-in. PiPLs have been largely supplanted within After Effects by [PF_Cmd_GLOBAL_SETUP](#) and dynamic outflags. However, for archaeological reasons, the behaviors indicated during `PF_Cmd_GLOBAL_SETUP` must agree with those in the PiPL.

A PiPL specifies the entry point of a plug-in, the display name, as well as the plug-in's match name. The match name is a unique, constant identifier, unlike a plug-in's display name, which may be changed dynamically. Starting in CC, display names can be up to 47 characters long. Previously, they were limited to 31 characters.

In the interest of cross-platform compatibility, use a single .r file for both Mac OS and Windows versions of your plug-in, like the samples do. PiPL properties must always be in Mac OS-specific byte order. On Windows, PiPLs are compiled by processing a .r file through `pipltool.exe`, which converts the .r file into a binary .rc file. The Windows sample projects all contain custom build steps which generate a .rc file, using a cross-platform .r file and our `cnvtpipl.exe` command line utility. Base your development on an existing sample plug-in and the build step will be correctly implemented.

ENTRY POINT

Your plug-in's entry point is exported through the PiPL on Windows and Mac OS. If the plug-in supports multiple platforms (e.g. Windows and Intel Macs), then multiple entry points must be defined in the PiPL. There is no need for a Windows .def file or manual exports, unless you're also designating some other OS-specific entry point. The macros defined in `entry.h` (in the `\SDK\Examples\Headers` directory) take care of exporting each sample's entry point function. XCode seems overly concerned about the prospect of a `main()` function returning a long; all the sample projects' entry point functions have been changed to the seemingly innocuous `EntryPointFunc()`.

PIPL RESOURCES AND MICROSOFT VISUAL STUDIO

To use resources from Microsoft Visual Studio .NET with `pipltool`-generated resources, `#include` the output of the custom build steps into the Microsoft-generated .rc file.

```
// in file WhizBang.rc, generated by .NET.  
#include "WhizBang_PiPL_temp.rc" // pippltool.exe's output
```

If modifying a sample plug-in, change the name of the file generated by `pipltool.exe` to something like `WhizBang_PiPL_temp.rc`, or it will overwrite the Microsoft resources each time you build; not good.

MULTIPLE PIPLS

It is possible, but not recommended, to include multiple plug-ins (both AEGPs and effects) in the same file, using multiple PiPLs. If there are PiPLs for both AEGPs and effects in the same file, the AEGPs must come first!

No other hosts (not even Premiere Pro) support multiple PiPLs pointing to multiple effects within the same .dll or code fragment. Also, if you need to update one plug-in, do you really want to ship a new build of all your plug-ins? We recommend one PiPL, and one plug-in, per code fragment.

SUPER SECRET PIPL BIT

For those of you who use C++ and simply *must* keep your plug-ins loaded all the time (to avoid having your v-tables trashed, among other hazards), set the PiPL's `AE_Reserved_Info` member to 8. Over the years we've been quite stringent, insisting that plug-ins be good memory citizens and respond gracefully to getting unloaded. We know there are cases in which being unloaded with no warning can really ruin a plug-in's day (and v-tables), and so have provided this work-around. Be nice, perform scrupulous memory management, and only use your powers for good.

WHY DO I NEED TO KNOW ALL THIS?

You don't; After Effects does. If you follow our advice and base your projects on the SDK samples, you can simply change the .r file containing your PiPL definition(s), and your plug-in's resources will be automatically updated the next time you build. Feel the love. Or, if you ever tinker with the custom build steps, feel the pain.

EXCEPTIONS

Handle all exceptions generated by your plug-in's code, *within* your plug-in. Pass those which didn't originate in your plug-in's code to After Effects. After Effects' APIs are designed for plug-ins written in C, and don't expect exceptions. After Effects will crash immediately if one is thrown from within a plug-in. The effect samples use a firewall around the switch statement in the `main()` function, and the AEGPs wrap their function hooks in try/catch blocks.

WHERE INSTALLERS SHOULD PUT PLUG-INS

Installing your plug-ins in the common location will allow them to be loaded by Premiere Pro, if installed.

On Windows, the common plug-ins folder can be found (as an explicit path) in the following registry entry:

```
HKLM\SOFTWARE\Adobe\After Effects\[version]\CommonPluginInstallPath
```

On Mac, the common plug-ins folder is at:

```
/Library/Application Support/Adobe/Common/Plug-ins/[version]/MediaCore
```

Version is locked at 7.0 for all CC versions, or CSx for earlier versions.

for example: /Library/Application Support/Adobe/Common/Plug-ins/7.0/MediaCore/

Do not use Mac OS aliases or Windows shortcuts, as these are not traversed by Premiere Pro.

DO I HAVE TO INSTALL THE PLUG-INS TO THE COMMON FOLDER?

You may have good reason to install your plug-in for only After Effects, for example, if your plug-in depends on suites and functionality not available in Premiere Pro. We strongly recommend that you use the common folder whenever possible, but for certain cases, the AE-specific plug-in folder is still available.

On Windows, the app-specific plug-ins folder can be found (as an explicit path) in the following registry entry:

```
\\HKEY_LOCAL_MACHINE\SOFTWARE\Adobe\After Effects\[version]\PluginInstallPath
```

On Mac OS, the app-specific plug-ins folder is at:

```
/Applications/Adobe After Effects [version]/Plug-ins/
```

When launched, After Effects recursively descends 10 levels deep into subdirectories of its path. Mac OS aliases are traversed, but Windows shortcuts are not. Directories terminated by parentheses or preceded by the symbols `~` (Mac OS) or `~` (Windows) are not scanned.

Try as you might to build a fence between AE and Premiere Pro, users will still find ways to get across using our lovely integration goodness - Your effects will still be available to Premiere Pro users who create a dynamically linked AE composition with your effect, and put it in a Premiere Pro sequence.

LOCALIZATION

Starting in CC, [PF App Suite](#) adds [PF_AppGetLanguage\(\)](#) to query the current language so that a plug-in can use the correct language string.

When passing strings to AE, some parts of the API accept Unicode. In other areas, for example when specifying effect parameter names during `PF_Cmd_PARAMS_SETUP`, you'll need to pass the names in a char string. For these non-Unicode strings, AE interprets strings as being multi-byte encoded using the application's current locale. To build these strings, on Windows you can use the [WideCharToMultiByte\(\)](#) function, specifying `CP_OEMCP` as the first argument. On Mac OS, use the encoding returned by `GetApplicationTextEncoding()`.

Testing with different languages in AE doesn't require an OS reinstallation, but it does require a reinstallation of AE:

For Win, change the system locale to the targeted language (control panel > region and language > administrative tab > change system locale), restart machine, and then install AE in the according language.

For Mac, set targeted language to the primary language in the preferred language list, and then install AE in the according language.

NEXT STEPS

You now have an understanding of what plug-ins are, what they can do, and how After Effects communicates with them. We will cover the basics of effects plug-ins in the next chapter.

2 : EFFECT BASICS

This chapter will provide all the information you need to know to understand how a basic effect plug-in works. These details are fundamental to every effect plug-in. By the time you finish this chapter, you'll be ready for the fun stuff; modifying pixels!

ENTRY POINT

All communication between After Effects and an effect plug-in is initiated by After Effects, and it all happens by the host (After Effects) calling a single entry point function. For all effect plug-ins, the entry point function must have the following signature:

```
PF_Err main (
    PF_Cmd      cmd,
    PF_InData    *in_data,
    PF_OutData    *out_data,
    PF_ParamDef    *params[],
    PF_LayerDef    *output,
    void          *extra)
```

The name of the entry point function above is “main”, but it can be whatever is specified in the [PiPL resource](#).

Before each call to the entry point function, After Effects updates [PF_InData](#) and the plug-in's parameter array `PF_ParamDef[]` (except as noted). After the plug-in returns from its call, After Effects checks [PF_OutData](#) for changes and, when appropriate, uses the `PF_LayerDef` the effect has rendered.

TABLE 3: ENTRY POINT FUNCTION PARAMETERS

Argument	Purpose
cmd	After Effects sets the command selector to tell the plug-in what to do.
in_data	Information about the application's state and the data the plug-in is being told to act upon. Pointers to numerous interface and image manipulation functions are also provided.

TABLE 3: ENTRY POINT FUNCTION PARAMETERS

Argument	Purpose
out_data	Pass back information to After Effects by setting fields within <code>out_data</code> .
params	An array of the plug-in's parameters at the time provided in <code>in_data>current_time</code> . <code>params[0]</code> is the input image (a PF_EffectWorld) to which the effect should be applied. These values are only valid during certain selectors (this is noted in the selector descriptions). Parameters are discussed at length here .
output	The output image, to be rendered by the effect plug-in and passed back to After Effects. Only valid during certain selectors.
extra	The <code>extra</code> parameter varies with the command sent or (in the case of PF_Cmd_EVENT) the event type . Used primarily for event management and parameter supervision .

COMMAND SELECTORS

Commands are, simply, what After Effects wants your effect to do. Responses to some selectors are required; most are optional, though recall that we did add them for a *reason*...

With each command selector sent, effects receive information from After Effects in [PF_InData](#), input and parameter values in `PF_ParamDef[]` (an array of parameter descriptions including the input layer), and access to callbacks and function suites. They send information back to After Effects in [PF_OutData](#), and (when appropriate) render output to a `PF_LayerDef`, also called a [PF_EffectWorld](#). During events, they receive event-specific information in [extra](#).

CALLING SEQUENCE

Only the first few command selectors are predictable; the rest of the calling sequence is dictated by user action.

When first applied, a plug-in receives [PF_Cmd_GLOBAL_SETUP](#), then [PF_Cmd_PARAM_SETUP](#). Each time the user adds the effect to a layer, [PF_Cmd_SEQUENCE_SETUP](#) is sent.

For each frame rendered by a basic non-SmartFX effect, After Effects sends [PF_Cmd_FRAME_SETUP](#), then [PF_Cmd_RENDER](#), then [PF_Cmd_FRAME_SETDOWN](#). All effect plug-ins must respond to [PF_Cmd_RENDER](#).

For SmartFX, [PF_Cmd SMART PRE RENDER](#) may be sent any number of times, before a single [PF_Cmd SMART RENDER](#) is sent.

[PF_Cmd SEQUENCE SETDOWN](#) is sent on exit, when the user removes an effect or closes the project. [PF_Cmd SEQUENCE RESETUP](#) is sent when a project is loaded or when the layer to which it's applied changes. [PF_Cmd SEQUENCE FLATTEN](#) is sent when the After Effects project is written out to disk.

[PF_Cmd ABOUT](#) is sent when the user chooses *About...* from the Effect Controls Window (ECW).

[PF_Cmd GLOBAL SETDOWN](#) is sent when After Effects closes, or when the last instance of the effect is removed. Do not rely on this message to determine when your plug-in is being removed from memory; use OS-specific entry points.

TABLE 4: COMMAND SELECTORS

Selector	Response
Global Selectors	
All plug-ins must respond to these selectors.	
PF_Cmd_ABOUT	Display a dialog describing the plug-in. Populate <code>out_data>return_msg</code> and After Effects will display it in a simple modal dialog. Include your plug-in's version information in the dialog. On Mac OS, the current resource file will be set to your effects module during this selector.
PF_Cmd_GLOBAL_SETUP	Set any required flags and <code>PF_OutData</code> fields (including <code>out_data>my_version</code>) to describe your plug-in's behavior.
PF_Cmd_GLOBAL_SETDOWN	Free all global data (only required if you allocated some).
PF_Cmd_PARAM_SETUP	Describe your parameters and register them using PF_ADD_PARAM . Also, register custom user interface elements. Set <code>PF_OutData>num_params</code> to match your parameter count.
Sequence Selectors	
These control sequence data handling.	
PF_Cmd_SEQUENCE_SETUP	Allocate and initialize any sequence-specific data. Sent when the effect is first applied. PF_InData is initialized at this time.

TABLE 4: COMMAND SELECTORS

Selector	Response
PF_Cmd_SEQUENCE_RESETUP	Re-create (usually unflatten) sequence data. Sent after sequence data is read from disk, during pre-composition, or when the effect is copied; After Effects flattens sequence data before duplication. During duplication, PF_Cmd_SEQUENCE_RESETUP is sent for both the old and new sequences. Don't expect a PF_Cmd_SEQUENCE_FLATTEN between PF_Cmd_SEQUENCE_RESETUPs.
PF_Cmd_SEQUENCE_FLATTEN	<p>Sent when saving and when duplicating the sequence. Flatten sequence data containing pointers or handles so it can be written to disk. This will be saved with the project file. Free the unflat data and set the <code>out_data>sequence_data</code> to point to the new flattened data. Flat data must be correctly byte-ordered for file storage.</p> <p>As of 6.0, if an effect's sequence data has recently been flattened, the effect may be deleted without receiving an additional PF_Cmd_SEQUENCE_SETDOWN. In this case, After Effects will dispose of your flat sequence data.</p>
PF_Cmd_SEQUENCE_SETDOWN	Free all sequence data.
Frame Selectors Passed for each frame (or set of audio samples) to be rendered by your plug-in.	
PF_Cmd_FRAME_SETUP	<p>Allocate any frame-specific data. This is sent immediately before each frame is rendered, to allow for frame-specific setup data. If your effect changes the size of its output buffer, specify the new output height, width, and relative origin. All parameters except the input layer are valid.</p> <p>If you set <code>width</code> and <code>height</code> to 0, After Effects ignores your response to the following PF_Cmd_RENDER.</p> <p>NOTE: If PF_Outflag_I_EXPAND_BUFFER is set, you will receive this selector (and PF_Cmd_FRAME_SETDOWN) twice, once without PF_Cmd_RENDER between them. This is so we know whether or not the given layer will be visible.</p> <p>Frame data dates from the days when machines might have 8MB of RAM. Given the calling sequence (above), it's much more efficient to just allocate during PF_Cmd_RENDER.</p>

TABLE 4: COMMAND SELECTORS

Selector	Response
PF_Cmd_RENDER	<p>Render the effect into the <code>output</code>, based on the input frame and any parameters. This render call can only support 8-bit or 16-bit per channel rendering. 32-bit per channel rendering must be handled in <code>PF_Cmd_SMART_RENDER</code>.</p> <p>All fields in <code>PF_InData</code> are valid. If your response to this selector is interrupted (your calls to <code>PF_ABORT</code> or <code>PF_PROGRESS</code> returns an error code), your results will not be used. You cannot delete <code>frame_data</code> during this selector; you must wait until <code>PF_Cmd_FRAME_SETDOWN</code>.</p>
PF_Cmd_FRAME_SETDOWN	Free any frame data allocated during <code>PF_Cmd_FRAME_SETUP</code> .
PF_Cmd_AUDIO_SETUP	Sent before every audio render. Request a time span of input audio. Allocate and initialize any sequence-specific data. If your effect requires input from a time span other than the output time span, update the <code>startsample</code> and <code>endsample</code> field in <code>PF_OutData</code> .
PF_Cmd_AUDIO_RENDER	Populate PF_OutData.dest_snd with effect-ed audio. All fields in <code>PF_InData</code> are valid. If your response to this selector is interrupted (your calls to PF_ABORT or PF_PROGRESS returns an error code), your results will not be used.
PF_Cmd_AUDIO_SETDOWN	Free memory allocated during <code>PF_Cmd_AUDIO_SETUP</code> .
PF_Cmd_SMART_PRE_RENDER	SmartFX only. Identify the area(s) of input the effect will need to produce its output, based on whatever criteria the effect implements.
PF_Cmd_SMART_RENDER	SmartFX only. Perform rendering and provide output for the area(s) the effect was asked to render.
Messaging The communication channel between After Effects and your plug-in.	
PF_Cmd_EVENT	This selector makes use of the <code>extra</code> parameter; the type of event to be handled is indicated by the <code>e_type</code> field, a member of the structure pointed to by <code>extra</code> . See Effect UI & Events .

TABLE 4: COMMAND SELECTORS

Selector	Response
PF_Cmd_USER_CHANGED_PARAM	<p>The user changed a parameter value. You will receive this command only if you've set the PF_ParamFlag_SUPERVISE flag. You modify the parameter to control values, or make one parameter's value affect others. A parameter can be modified by different actions.</p> <p><code>in_data.current_time</code> is set to the time of the frame that the user is looking at in the UI (internally, the current time of the comp converted into layer time) while they are changing the param that triggered the PF_Cmd_USER_CHANGED_PARAM. It's also the time of a keyframe that is added automatically (if there isn't one already, and the stopwatch is enabled).</p> <p>This is usually the same as the value passed for the PF_Cmd_RENDER that follows immediately after (unless caps lock is down), but not necessarily – there could be other comp windows open that cause a render at a different time in response to the changed param.</p>
PF_Cmd_UPDATE_PARAMS_UI	<p>The effect controls palette (ECP) needs to be updated. This might occur after opening the ECP or moving to a new time within the composition. You can modify parameter characteristics (enabling or disabling them, for example) by calling PF_UpdateParamUI().</p> <p>Only cosmetic changes may be made in response to this command. Don't change parameter values while responding to PF_Cmd_UPDATE_PARAMS_UI; do so during PF_Cmd_USER_CHANGED_PARAM instead.</p> <p>This command will only be sent regularly if PF_OutFlag_SEND_UPDATE_PARAMS_UI was set in the PiPL, and during PF_Cmd_GLOBAL_SETUP.</p> <p>NOTE: Never check out parameters during this selector. Recursive badness is almost guaranteed to result.</p>
PF_Cmd_DO_DIALOG	<p>Display an options dialog. this is sent when the Options button is clicked (or a menu command has been selected). This selector will only be sent if the effect has previously indicated that it has a dialog (by setting the global PF_OutFlag_I_DO_DIALOG flag in response to PF_Cmd_GLOBAL_SETUP). in version 3.x, the <code>params</code> passed with PF_Cmd_DO_DIALOG were invalid. This is no longer the case; plug-ins can access non-layer parameters, check out parameters at other times, and perform UI updates during PF_Cmd_DO_DIALOG . They still may not change the parameter's values.</p>

TABLE 4: COMMAND SELECTORS

Selector	Response
PF_Cmd_ARBITRARY_CALLBACK	Manage your arbitrary data type. You'll only receive this if you've registered a custom data type parameter. The <code>extra</code> parameter indicates which handler function is being called. Custom data types are discussed further in Implementation .
PF_Cmd_GET_EXTERNAL_DEPENDENCIES	<p>Only sent if PF_OutFlag_I_HAVE_EXTERNAL_DEPENDENCIES was set during PF_Cmd_GLOBAL_SETUP.</p> <p>Populate a string handle (in the <code>PF_ExtDependenciesExtra</code> pointed to by <code>extra</code>) with a description of your plug-in's dependencies, making sure to allocate space for the terminating NULL character. Return just a NULL pointer for the string handle if there are no dependencies to report.</p> <p>If the check type is <code>PF_DepCheckType_ALL_DEPENDENCIES</code>, report everything that might be required for your plug-in to render. Report only missing items (or a null string if nothing's missing) if the check type is <code>PF_DepCheckType_MISSING_DEPENDENCIES</code>.</p>

TABLE 4: COMMAND SELECTORS

Selector	Response
PF_Cmd_COMPLETELY_GENERAL	Respond to an AEGP. The extra parameter points to whatever parameter the AEGP sent. AEGPs can only communicate with effects which respond to this selector.
PF_Cmd_QUERY_DYNAMIC_FLAGS	<p>New in 5.0. Sent only to plug-ins which have specified PF_OutFlag2_SUPPORTS_QUERY_DYNAMIC_FLAGS in PF_OutFlags2, in their PiPL and during PF_Cmd_GLOBAL_SETUP. With all of the dynamic flags, if you will ever change them during this command, you must have set the flag on during PF_Cmd_GLOBAL_SETUP.</p> <p>This selector will be sent at arbitrary times. In response, the effect should access its (non-layer) parameters, and decide whether any of the flags that support PF_Cmd_QUERY_DYNAMIC_FLAGS should be set, such as:</p> <p>PF_OutFlag_WIDE_TIME_INPUT PF_OutFlag_NON_PARAM_VARY PF_OutFlag_PIX_INDEPENDENT PF_OutFlag_I_USE_SHUTTER_ANGLE PF_OutFlag2_I_USE_3D_CAMERA PF_OutFlag2_I_USE_3D_LIGHTS PF_OutFlag2_DOESNT_NEED_EMPTY_PIXELS PF_OutFlag2_REVEALS_ZERO_ALPHA PF_OutFlag2_DEPENDS_ON_UNREFERENCED_MASKS PF_OutFlag2_OUTPUT_IS_WATERMARKED</p> <p>After Effects uses this information for caching and optimization purposes, so try to respond as quickly as possible.</p>

WHAT'S THE DIFFERENCE?

There is a subtle difference between [PF_Cmd_USER_CHANGED_PARAM](#) and [PF_Cmd_UPDATE_PARAMS_UI](#). Effects need to distinguish between the user actually changing a parameter value (PF_Cmd_USER_CHANGED_PARAM), and just scrubbing around the timeline (PF_Cmd_UPDATE_PARAMS_UI, which is also sent when the plug-in is first loaded).

PF_INDATA

After Effects communicates system, project, layer and audio information using PF_InData. This structure is updated before each command selector is sent to a plug-in. Fields valid only during specific [PF_Cmds](#) are noted. Also, don't worry; although PF_InData is dauntingly large, you need not memorize each member's purpose; you'll use some of the fields some of the time.

TABLE 5: PF_INDATA

Name	Description
inter	Callbacks used for user interaction, adding parameters, checking whether the user has interrupted the effect, displaying a progress bar, and obtaining source frames and parameter values at times other than the current time being rendered. This very useful function suite is described in Interaction Callback Functions .
utils	Graphical and mathematical callbacks. This pointer is defined at all times.
effect_ref	Opaque data that must be passed to most of the various callback routines. After Effects uses this to identify your plug-in.
quality	The current quality setting, either PF_Quality_HI or PF_Quality_LO. Effects should perform faster in LO, and more accurately in HI. The graphics utility callbacks perform differently between LO and HI quality; so should your effect! This field is defined during all frame and sequence selectors.
version	Effects specification version, Indicate the version you need to run successfully during PF_Cmd_GLOBAL_SETUP.
serial_num	The serial number of the invoking application.
appl_id	The identifier of the invoking application. If your plug-in is running in After Effects, appl_id contains the application creator code 'FXTC'. If it is running in Premiere Pro , it will be 'PrMr'. Use this to test whether your plug-in, licensed for use with one application, is being used with another.
num_params	Input parameter count.
what_cpu	Under Mac OS this contains the Gestalt value for CPU type (see Inside Macintosh, volume 6). Undefined on Windows.
what_fpu	Under Mac OS this contains the Gestalt value for FPU type. Undefined on Windows.

TABLE 5: PF_INDATA

Name	Description
current_time	<p>The time of the current frame being rendered, valid during PF_Cmd_RENDER. This is the current time in the layer, not in any composition. If a layer starts at other than time 0 or is time-stretched, layer time and composition time are distinct.</p> <p>The current frame number is <code>current_time</code> divided by <code>time_step</code>. The current time in seconds is <code>current_time</code> divided by <code>time_scale</code>.</p> <p>To handle time stretching, composition frame rate changes, and time remapping, After Effects may ask effects to render at non-integral times (between two frames). Be prepared for this; don't assume that you'll only be asked for frames on frame boundaries. NOTE: As of CS3 (8.0), effects may be asked to render at negative current times. Deal!</p>
time_step	<p>The duration of the current source frame being rendered. In several situations with nested compositions, this source frame duration may be different than the time span between frames in the layer (<code>local_time_step</code>). This value can be converted to seconds by dividing by <code>time_scale</code>.</p> <p>When calculating other source frame times, such as for PF_CHECKOUT_PARAM, use this value rather than <code>local_time_step</code>.</p> <p>Can be negative if the layer is time-reversed. Can vary from one frame to the next if time remapping is applied on a nested composition.</p> <p>Can differ from <code>local_time_step</code> when source material is stretched or remapped in a nested composition. For example, this could occur when an inner composition is nested within an outer composition with a different frame rate, or time remapping is applied to the outer composition.</p> <p>This value will be 0 during PF_Cmd_SEQUENCE_SETUP if it is not constant for all frames. It will be set correctly during <code>PF_Cmd_FRAME_SETUP</code> and <code>PF_Cmd_FRAME_SETDOWN</code> selectors. WARNING: This can be zero, so check it before you divide.</p>
total_time	<p>Duration of the layer. If the layer is time-stretched longer than 100%, the value will be adjusted accordingly; but if the layer is time-stretched shorter, the value will not be affected. If time remapping is enabled, this value will be the duration of the composition. This value can be converted to seconds by dividing by <code>time_scale</code>.</p>
local_time_step	<p>Time difference between frames in the layer. Affected by any time stretch applied to a layer. Can be negative if the layer is time-reversed. Unlike <code>time_step</code>, this value is constant from one frame to the next. This value can be converted to seconds by dividing by <code>time_scale</code>.</p> <p>For a step value that is constant over the entire frame range of the layer, use <code>local_time_step</code>, which is based on the composition's framerate and layer stretch.</p>

TABLE 5: PF_INDATA

Name	Description
time_scale	The units per second that current_time, time_step, local_time_step and total_time are in. If time_scale is 30, then the units of current_time, time_step, local_time_step and total_time are in 30ths of a second. The time_step might then be 3, indicating that the sequence is actually being rendered at 10 frames per second. total_time might be 105, indicating that the sequence is 3.5 seconds long.
field	Valid only if PF_OutFlag_PIX_INDEPENDENT was set during PF_Cmd_GLOBAL_SETUP . Check this field to see if you can process just the upper or lower field.
shutter_angle	Motion blur shutter angle. Values range from 0 to 1, which represents 360 degrees. Will be zero unless motion blur is enabled and checked for the target layer. shutter_angle == 180 means the time interval between current_time and current_time + 1/2 time_step. Valid only if PF_OutFlag_I_USE_SHUTTER_ANGLE was set during PF_Cmd_GLOBAL_SETUP . See the section on Motion Blur for details on how to implement motion blur in your effect.
width	Dimensions of the source layer, which are not necessarily the same as the width and height fields in the input image parameter. Buffer resizing effects can cause this difference. Not affected by downsampling.
height	
extent_hint	The intersection of the visible portions of the input and output layers; encloses the composition rectangle transformed into layer coordinates. Iterating over only this rectangle of pixels can speed your effect dramatically. See notes later in this chapter regarding proper usage.
output_origin_x	The origin of the output buffer in the input buffer. Non-zero only when the effect changes the origin.
output_origin_y	
downsample_x	Point control parameters and layer parameter dimensions are automatically adjusted to compensate for a user telling After Effects to render only every nth pixel. Effects need the downsampling factors to interpret scalar parameters representing pixel distances in the image (like sliders). For example, a blur of 4 pixels should be interpreted as a blur of 2 pixels if the downsample factor is 1/2 in each direction (downsample factors are represented as ratios.) Valid only during PF_Cmd_SEQUENCE_SETUP , PF_Cmd_SEQUENCE_RESETUP , PF_Cmd_FRAME_SETUP and PF_Cmd_FRAME_RENDER .
downsample_y	
pixel_aspect_ratio	Pixel aspect ratio (width over height).
in_flags	Unused.

TABLE 5: PF_INDATA

Name	Description
global_data	Data stored by your plug-in during other selectors. Locked and unlocked by After Effects before and after calling the plug-in.
sequence_data	
frame_data	
start_sampL	Starting sample number, relative to the start of the audio layer.
dur_sampL	Duration of audio, expressed as the number of samples. Audio-specific.
total_sampL	Samples in the audio layer; equivalent to total_time expressed in samples.
src_snd	PF_SoundWorld describing the input sound. Audio-specific.
pica_basicP	Pointer to the PICA Basic suite, used to acquire other suites.
pre_effect_source_origin_x	Origin of the source image in the input buffer. Valid only when sent with a frame selector. Non-zero only if one or more effects that preceded this effect on the same layer resized the output buffer and moved the origin. Check for both the resize and the new origin to determine output area. This is useful for effects which have implicit spatial operations (other than point controls), like flipping a file around an image's center. NOTE: Checked-out point parameters are adjusted for the pre-effect origin at the current time, not the time being checked out.
pre_effect_source_origin_y	
shutter_phase	Offset from frame time to shutter open time as a percentage of a frame duration.

EXTENT_HINT USAGE

(Note: hint rectangles are much more effective...and complicated...for [SmartFX](#).)

Use extent_hint to process only those pixels for which output is required; this is one of the simplest optimizations you can make. Tell After Effects you use in_data>extent_hint by setting PF_OutFlag_USE_OUTPUT_EXTENT in PF_OutData during PF_Cmd GLOBAL SETUP (and in your PiPL).

Disable caching from the preferences menu before testing extent_hint code, so After Effects renders your effect whenever anything in your composition changes. Otherwise, the caching mechanism would obscure your plug-in's (possibly incorrect) output.

Move the layer within the composition so it's cropped. The output>extent_hint is the portion of the layer which is visible in the composition. Add a mask to your layer and move it around. This changes the extent_hint, which encloses all of the non-zero alpha areas of the image. The in_data>extent_hint is the intersection of these two rectangles (the composition and the mask), and changes whenever they do.

Extent rectangles are computed in the coordinate space of the original input layer, before resizing and origin shifting, to simplify rectangle intersection between the input and output extents for effects which set [PF_OutFlag_PIX_INDEPENDENT](#). To get the output extent in the coordinate system of the output buffer, offset the `extent_hint` by the `PF_InData>output_origin_x` and `y` fields.

Account for downsampling when computing output size; users must be able to render at full resolution. If the output buffer exceeds 30,000 by 30,000, clamp it to that size, and consider displaying an alert dialog.

Once your code behaves correctly, enable the cache and see how frequently the effect needs to re-render. Consider a drop shadow; users frequently apply a static drop shadow to a still image. The `output>extent_hint` is ignored, so the cache is used more often.

For buffer-expanding effects, intersect the `output>extent_hint` with your plug-in's transformed bounds and sets the size accordingly during [PF_Cmd_FRAME_SETUP](#).

NOW WITH 20% MORE PIXELS!

As of 6.0, the `extent_hints` passed are 20% larger than the layer itself, to help with our predictive rendering decisions. Numerous effects expand the buffer “just a touch”, and After Effects often uses the hint rectangles later.

POINT CONTROLS AND BUFFER EXPANSION

Effects which expand the output buffer position the original layer's upper left corner by setting `output_origin_x/y` in `PF_InData` during [PF_Cmd_FRAME_SETUP](#). This shift is reported to subsequent effects in the `pre_effect_source_origin_x/y`. Point parameters are adjusted for this shift automatically.

Apply a buffer expander such as Gaussian Blur or the Resizer SDK sample, *before* your effect, and use a large resize value. If your effect is not handling `pre_effect_source_origin_x/y` correctly, turning the blur on and off will shift the position of the output.

All point parameter values (at any time) have shift values described by `pre_effect_source_origin_x/y`. For most effects this works transparently. However, if a buffer expansion changes over time (as with an animated blur amount), the origin shift will move non-animated points. Consider this when designing effects which cache point parameter values between frames.

PF_OUTDATA

Communicate changes made by your plug-in to After Effects using `PF_OutData`. Valid times for altering these fields are noted.

TABLE 6: PF_OUTDATA

Field	Description
<code>my_version</code>	Set this flag (using the <code>PF_VERSION</code> macro) to the version of your plug-in code. After Effects uses this data to decide which of duplicate effects to load.
<code>name</code>	Unused.
<code>global_data</code>	Handle which will be returned to you in PF_InData with every call. Use After Effects' memory allocation functions.
<code>num_params</code>	After Effects checks this field against the number of calls made to PF_ADD_PARAM , as well as the implicit input layer.
<code>sequence_data</code>	Allocatable upon receiving PF_Cmd_SEQUENCE_SETUP , this handle will be passed back to you in PF_InData during all subsequent calls.
<code>flat_sdata_size</code>	Unused (After Effects knows the size, because you used its allocation functions to get the memory in the first place).
<code>frame_data</code>	Handle you (might have) allocated during PF_Cmd_FRAME_SETUP . This is never written to disk; it was used to pass information from your PF_Cmd_FRAME_SETUP response to your PF_Cmd_RENDER or PF_Cmd_FRAME_SETDOWN (which you must do if you resize the output buffer). Otherwise, this memory is rarely used.
<code>width, height, origin</code>	Set during PF_Cmd_FRAME_SETUP if the output image size differs from the input. <code>width</code> and <code>height</code> are the size of the output buffer, and <code>origin</code> is the point the input should map to in the output. To create a 5-pixel drop shadow up and left, set <code>origin</code> to (5, 5).
out_flags	Send messages to After Effects. OR together multiple values.
<code>return_msg</code>	After Effects displays any C string you put here (checked and cleared after every command selector).
<code>start_sampL</code>	Used only for audio commands
<code>dur_sampL</code>	
<code>dest_snd</code>	
out_flags2	Send messages to After Effects. OR together multiple values.

PF_OUTFLAGS

These flags communicate capability and status information to After Effects. In previous versions they were also used to send rudimentary messages, e.g. refresh the UI, send an error message. These capabilities have been supplanted by function suites, and all new messaging functions will come in that format. However, capability flags are still contained in the [PiPL](#). Update both the PiPL and your source code when you make a change. Many of these flags can be changed during an After Effects session.

TABLE 7: PF_OUTFLAGS

Flag	Indicates
PF_OutFlag_KEEP_RESOURCE_OPEN	The plug-in's resources must be available during all commands. During PF_Cmd_GLOBAL_SETUP , the plug-in's resources are always open, but unavailable at all other times (except during PF_Cmd_ABOUT and PF_Cmd_DO_DIALOG), unless this flag has been set. Set if you need access to resources at any time other than during PF_Cmd_GLOBAL_SETUP . NOTE: We recommend the plug-in load and store the necessary resources in global data, rather than keeping the file's resources open.
PF_OutFlag_WIDE_TIME_INPUT	<p>The effect checks out a parameter at a time other than current_time. If you use a parameter (including layer parameters) from another time, set this flag. Otherwise, After Effects won't correctly invalidate cached frames used by your effect. Set during PF_Cmd_GLOBAL_SETUP.</p> <p>If you set this flag, we strongly recommend you also set PF_OutFlag2_AUTOMATIC_WIDE_TIME_INPUT for better performance.</p>
PF_OutFlag_NON_PARAM_VARY	<p>With this flag set, After Effects will not cache output when the effect is applied to a still. Otherwise, After Effects will cache your output to be used to render other frames, if possible.</p> <p>Set this flag if output varies based on something besides a parameter value. If the effect produces changing frames when applied to a still image and all parameters are constant, that's a sure sign that this bit should be set (e.g. Wave Warp). Particle effects, for example, will need this.</p> <p>Set during PF_Cmd_GLOBAL_SETUP. Can be overridden dynamically if needed during PF_Cmd_QUERY_DYNAMIC_FLAGS. Turn this off whenever possible to improve performance.</p>
PF_OutFlag_RESERVED6	Unused. Formerly PF_OutFlag_SEND_PARAMS_UPDATE. Replaced by PF_OutFlag_REFRESH_UI .

TABLE 7: PF_OUTFLAGS

Flag	Indicates
PF_OutFlag_SEQUENCE_DATA_NEEDS_FLATTENING	Both After Effects and Premiere Pro assume this flag is set. Flattening is necessary when sequence data contains referencing items (pointers, handles), which must be flattened for storage and unflattened for use. See PF_Cmd_SEQUENCE_RESETUP .
PF_OutFlag_I_DO_DIALOG	Effect displays a dialog in response to PF_Cmd_DO_DIALOG . Set during PF_Cmd_GLOBAL_SETUP , checked during PF_Cmd_SEQUENCE_SETUP . Note: the effect's response to PF_OutFlag_I_DO_DIALOG is not undoable. You can use arbitrary data with a custom UI, should such changes become necessary.
PF_OutFlag_USE_OUTPUT_EXTENT	Effect honors the output extent_rect . Set during PF_Cmd_GLOBAL_SETUP . See details at the end of the chapter for proper usage. Note: Obsolete for SmartFX.
PF_OutFlag_SEND_DO_DIALOG	Effect must show dialog to function (added for compatibility with Photoshop plug-ins). After Effects sends PF_Cmd_DO_DIALOG after PF_Cmd_SEQUENCE_SETUP . Set during PF_Cmd_SEQUENCE_RESETUP , not during PF_Cmd_GLOBAL_SETUP .
PF_OutFlag_DISPLAY_ERROR_MESSAGE	Display the contents of return_msg in an error dialog. Whenever return_msg is non-NULL, After Effects displays the contents in a dialog, which will be an error dialog if this flag is set. Set after any command, and can be used during debugging. This is also a good way to implement nag messages for tryout versions.
PF_OutFlag_I_EXPAND_BUFFER	Effect expands the output buffer. Set during PF_Cmd_GLOBAL_SETUP . Set this flag and PF_OutFlag_USE_OUTPUT_EXTENT to use the intersection of the output extent_rect and your new buffer size during PF_Cmd_FRAME_SETUP . Use pre_effect_source_origin fields to detect other transformations. Note: Only set this flag if you need to; it drastically reduces caching efficiency. Note: Obsolete for SmartFX.

TABLE 7: PF_OUTFLAGS

Flag	Indicates
PF_OutFlag_PIX_INDEPENDENT	<p>A given pixel is independent of the pixels around it. Set during PF_Cmd_GLOBAL_SETUP or PF_Cmd_QUERY_DYNAMIC_FLAGS. As an example, color correction effects are typically pixel independent, distortions are not.</p> <p>NOTE: If your effect doesn't use the color values of one pixel to affect those of adjacent pixels, set this outflag! It can provide dramatic performance improvements.</p>
PF_OutFlag_I_WRITE_INPUT_BUFFER	The effect writes into the input buffer. This is of limited use; while saving an allocation, it invalidates some pipeline caching. Set during PF_Cmd_GLOBAL_SETUP .
PF_OutFlag_I_SHRINK_BUFFER	<p>The effect shrinks its buffer based on the extent_rect in order to be more memory efficient. Set during PF_Cmd_GLOBAL_SETUP whenever possible.</p> <p>Note: Obsolete for SmartFX.</p>
PF_OutFlag_WORKS_IN_PLACE	Unused.
PF_OutFlag_SQUARE_PIX_ONLY	Unused.
PF_OutFlag_CUSTOM_UI	The effect has a custom user interface and requires PF_Cmd_EVENT messages. Set during PF_Cmd_GLOBAL_SETUP .
PF_OutFlag_RESERVED5	Unused.
PF_OutFlag_REFRESH_UI	Refresh the entire effect controls, composition, and layer windows. Set during PF_Cmd_EVENT , PF_Cmd_RENDER , and PF_Cmd_DO_DIALOG . If refreshing custom UI during PF_Cmd_EVENT, we recommend using the new redraw mechanism with finer granularity.
PF_OutFlag_NOP_RENDER	Set this flag during PF_Cmd_FRAME_SETUP to invalidate the current render.
PF_OutFlag_I_USE_SHUTTER_ANGLE	Indicates rendered images depend upon the value of shutter_angle .
PF_OutFlag_I_USE_AUDIO	Effect's parameters depend on audio data, obtained using PF_CHECKOUT_LAYER_AUDIO .
PF_OutFlag_I_AM_OBSOLETE	Effect is available for use when working with an old project in which it was originally applied, but doesn't appear in the effect menu.

TABLE 7: PF_OUTFLAGS

Flag	Indicates
PF_OutFlag_FORCE_RERENDER	Effect made a change that requires a re-render. PF_ChangeFlag_CHANGED_VALUE also forces a re-render.
PF_OutFlag_PiPL_OVERRIDES_OUTDATA_OUTFLAGS	After Effects will use PiPL outflags, and ignore those set during PF_Cmd_GLOBAL_SETUP .
PF_OutFlag_I_HAVE_EXTERNAL_DEPENDENCIES	Effect depends on an external file (or external font). If set, After Effects sends PF_Cmd_GET_EXTERNAL_DEPENDENCIES .
PF_OutFlag_DEEP_COLOR_AWARE	The effect handles 16-bpc color.
PF_OutFlag_SEND_UPDATE_PARAMS_UI	Set this flag during PF_Cmd_GLOBAL_SETUP to receive PF_Cmd_UPDATE_PARAMS_UI .
PF_OutFlag_AUDIO_FLOAT_ONLY	Effect requires audio data in PF_SIGNED_FLOAT format. After Effects will perform any required format conversion. You must also set either PF_OutFlag_AUDIO_EFFECT_TOO or PF_OutFlag_AUDIO_EFFECT_ONLY .
PF_OutFlag_AUDIO_IIR	Set during PF_Cmd_GLOBAL_SETUP if the (audio) effect is an Infinite Impulse Response filter. This is true if output at a given time depends on output from previous times. When an IIR filter receives PF_Cmd_AUDIO_RENDER , the input audio time span is the same as the output audio time span (when they intersect with the output time span requested in PF_Cmd_AUDIO_SETUP). In response to PF_Cmd_AUDIO_SETUP , the filter can request audio from earlier times (as for delay effects). The filter can access parameters from that earlier time, and should cache them (along with interim audio) in sequence data. If the audio generated does not correspond to the requested output audio's time, the output audio duration should be set to zero. The filter can update its delay line using the parameters and the input audio. Having cached its delay line, request more input audio during PF_Cmd_AUDIO_SETUP based on the last cached delay line. Use PF_HasParamChanged to determine whether or not your cache is valid.
PF_OutFlag_I_SYNTHESIZE_AUDIO	Set during PF_Cmd_GLOBAL_SETUP time if the effect generates audio, even when passed silence. You must also set either PF_OutFlag_AUDIO_EFFECT_TOO or PF_OutFlag_AUDIO_EFFECT_ONLY .
PF_OutFlag_AUDIO_EFFECT_TOO	Set during PF_Cmd_GLOBAL_SETUP if the effect alters audio.

TABLE 7: PF_OUTFLAGS

Flag	Indicates
PF_OutFlag_AUDIO_EFFECT_ONLY	Set during PF_Cmd_GLOBAL_SETUP if the effect alters only audio output.

PF_OUTFLAGS2

We added a second set of outflags in After Effects 5.0; partly for room to expand in the future, and partly to break ourselves of the bad habit of repurposing existing flags. As with PF_OutFlags, many of these flags can be changed during an After Effects session. And don't forget to update both the [PiPL](#) and your source code when you make a change.

TABLE 8: PF_OUTFLAGS2

Flag	Indicates
PF_OutFlag2_NONE	Nothing.
PF_OutFlag2_SUPPORTS_QUERY_DYNAMIC_FLAGS	The effect responds to PF_Cmd_QUERY_DYNAMIC_FLAGS . Must be set in the PiPL and during PF_Cmd_GLOBAL_SETUP .
PF_OutFlag2_I_USE_3D_CAMERA	The effect accesses 3D camera information.
PF_OutFlag2_I_USE_3D_LIGHTS	The effect accesses 3D lighting information.
PF_OutFlag2_PARAM_GROUP_START_COLLAPSED_FLAG	This flag in itself doesn't control the state of the param group twirlies. The initial collapse state of each individual parameter group is set during PF_Cmd_PARAM_SETUP by setting the PF_ParamFlag_START_COLLAPSED flag in PF_ParamFlags . But those individual settings will not be honored unless the effect sets this bit. Otherwise, all parameter groups will be collapsed by default. Remember to set this flag in both the PiPL and here during PF_Cmd_GLOBAL_SETUP .
PF_OutFlag2_I_AM_THREADSAFE	Currently this does nothing. If this sounds interesting to you, you may be interested in PF_OutFlag2_PPRO_DO_NOT_CLONE_SEQUENCE_DATA_FOR_RENDER , described below.
PF_OutFlag2_CAN_COMBINE_WITH_DESTINATION	Originally added for Premiere usage, but no longer used.

TABLE 8: PF_OUTFLAGS2

Flag	Indicates
PF_OutFlag2_DOESNT_NEED_EMPTY_PIXELS	<p>Added for render optimizations; shrinks the input buffer passed to the effect to exclude any empty pixels (where empty means "zero alpha" unless PF_OutFlag2_REVEALS_ZERO_ALPHA is set, in which case RGB must be zero as well).</p> <p>Set during PF_Cmd_GLOBAL_SETUP or PF_Cmd_QUERY_DYNAMIC_FLAGS. The origin of the trimmed buffer can be found in in_data>pre_effect_source_origin. Effects with both this flag and PF_OutFlag_I_EXPAND_BUFFER set may get called with a null input buffer if their input is completely empty, and must be able to handle this case without crashing.</p> <p>Note: this flag can cause the size of the output buffer to change.</p> <p>Note: Obsolete for SmartFX.</p>
PF_OutFlag2_REVEALS_ZERO_ALPHA	<p>This is the one flag implementors need to pay most attention to since it represents a change in the default behavior. Set this flag if the effect can take pixels with zero alpha and reveal the RGB data in them (like our Set Channels effect). This tells After Effects not to trim such pixels when determining the input for the effect. This flag can be changed during PF_Cmd_QUERY_DYNAMIC_FLAGS. Note that, while this flag can cause changes to the size of the extent_hint, it will not change the image buffer size.</p> <p>As of 6.0, pixels outside the mask's bounding box are zeroed. If your effect can reveal such pixels, tell AE not to throw away these RGB values by setting this flag. If your effect does not always reveal such pixels, set this bit dynamically.</p> <p>To see if your effect needs this bit set, apply a mask significantly smaller than the layer to a solid, then apply the effect and set it to its alpha-modifying state. If the rectangular bounding box of the mask becomes visible, this bit needs to be set.</p>
PF_OutFlag2_PRESERVES_FULLY_OPAQUE_PIXELS	Preserve those pixels!
PF_OutFlag2_SUPPORTS_SMART_RENDER	The effect uses the SmartFX API.
PF_OutFlag2_FLOAT_COLOR_AWARE	<p>The effect supports 32-bpc floating point color representation.</p> <p>NOTE: PF_OutFlag2_SUPPORTS_SMART_RENDER must also be set.</p>

TABLE 8: PF_OUTFLAGS2

Flag	Indicates
PF_OutFlag2_I_USE_COLORSPACE_ENUMERATION	This is for effects which optimized for different color spaces in Premiere Pro. See the Premiere Pro SDK for more details.
PF_OutFlag2_I_AM_DEPRECATED	Setting this during PF_Cmd GLOBAL SETUP puts the effect in the localized “Obsolete” folder in the Effects panel. Compare to PF_OutFlag_I_AM_OBSOLETE .
PF_OutFlag2_PPRO_DO_NOT_CLONE_SEQUENCE_DATA_FOR_RENDER	Supported in Premiere Pro, and not in After Effects. This affects how Premiere Pro drives the plug-in using multithreading .
PF_OutFlag2_AUTOMATIC_WIDE_TIME_INPUT	<p>Set during PF_Cmd GLOBAL SETUP. Requires setting of PF_OutFlag_WIDE_TIME_INPUT (which allows you to support old hosts), but effectively overrides that flag.</p> <p>When set, all parameter checkouts are tracked so over-time dependencies are known by the host, and much more efficient. For example, if you set only the old PF_OutFlag_WIDE_TIME_INPUT, anytime anything changes at any time upstream from your effect, you will be called to re-render. With this flag set, if a given frame 17 has checked out things from times 0-17, AE will know that any changes at frames 18+ will not affect that cached frame.</p> <p>Note that if you use this new flag, you must not cache any time-dependent data in your sequence data (or anywhere else), unless you also validate that cache using PF_GetCurrentState() / PF_AreStatesIdentical() before using the time-dependent data.</p> <p>This only works for SmartFX (those that set PF_OutFlag2_SUPPORTS_SMART_RENDER). If you haven't set that, After Effects will silently treat this as PF_OutFlag_WIDE_TIME_INPUT instead.</p>
PF_OutFlag2_I_USE_COMP_TIMECODE	Set during PF_Cmd GLOBAL SETUP . This lets AE know it should rerender an effect if the composition start time and/or drop-frame setting has been modified.

TABLE 8: PF_OUTFLAGS2

Flag	Indicates
PF_OutFlag2_DEPENDS_ON _UNREFERENCED_MASKS	New in CS6. Set this if you are going to look at paths that aren't directly referenced by a path param, e.g. if you are going to draw a stroke on all masks. This is needed so After Effects knows to invalidate your output when a mask is modified that doesn't appear to be referenced by your effect. Set during PF_Cmd GLOBAL SETUP or PF_Cmd QUERY DYNAMIC FLAGS .
PF_OutFlag2_OUTPUT_IS_ WATERMARKED	<p>New in CS6. Set this during PF_Cmd GLOBAL SETUP if your output is going to be watermarked in some way that makes it unsuitable for final use, probably because the user is using an unlicensed demo version. It is ok to change this state during the course of app session during PF_Cmd QUERY DYNAMIC FLAGS, if e.g. a floating license status changes.</p> <p>Plug-in authors that actually do have this state changing asynchronously must be careful to have the next render match the last state returned from PF_Cmd QUERY DYNAMIC FLAGS otherwise race conditions could cause incorrect frames to be cached. (This is a non-issue if you only change this in response to DO_DIALOG.)</p>

PARAMETERS

Parameters are streams of values that vary with time; the source image, sliders, angles, points, colors, paths, and any arbitrary data types the user can manipulate. They are passed to the plug-in as an array of PF_ParamDefs, though the values in the array are only valid during certain selectors.

One of the best aspects of the After Effects effect API is the parameter interpolation and management. How much does the shutter angle change during one-fourth of a 29.97 fps frame? Not your problem; leave it to After Effects.

Describe your plug-in's parameters during [PF_Cmd PARAMS SETUP](#), using [PF_ADD_PARAM\(\)](#). You may have up to (approximately) 38 kajillion parameters, or as many as your users are willing to sift through before demanding a refund. Choose wisely.

Avoid countless problems by clearing PF_ParamDefs with AEFX_CLR_STRUCT (defined in AE_Macros.h) before registering them.

TABLE 9: PARAMETER TYPES

Parameter Type	Parameter Type, PF_ParamDefUnion Member, Param Value Data Type	Description
PF_Param_LAYER	PF_LayerDef ld A_long	<p>Image and audio layers in the composition. All effects automatically have at least 1 layer parameter, param[0], the layer to which they are applied.</p> <p>When used as effect parameters, these appear as a pull-down menu with which the user selects a layer within the current composition. The pull-down menu contents are generated by After Effects.</p> <p>NOTE: This is a reference to a layer which contains pixels and audio samples, not actual pixels and audio samples.</p>
PF_Param_SLIDER	PF_SliderDef sd long	No longer used.
PF_Param_FIX_SLIDER	PF_FixedSliderDef fd PF_Fixed	<p>Deprecated. For many years, we promoted fixed sliders. We now recommend PF_Param_FLOAT_SLIDERS. The additional precision helps in many situations, and isn't as expensive as it once was. Plus, we're just tired of low byte / high byte silliness.</p> <p>FIX_SLIDERS provide higher precision than PF_Param_SLIDER. Specify the UI decimal places independently. Ignore the low word of the PF_Fixed to get integral results.</p>
PF_Param_FLOAT_SLIDER	PF_FloatSliderDef fs_d PF_FPLong	<p>Sliders represent numerical values. FLOAT_SLIDERS contain values for phase, precision, and curve tolerance for use by audio filters. Specify a minimum and maximum value, and the user can move a slider or types a number to specify the setting.</p> <p>PF_Param_FLOAT_SLIDERS also respond to slider flags discussed in Audio Filters.</p>

TABLE 9: PARAMETER TYPES

Parameter Type	Parameter Type, PF_ParamDefUnion Member, Param Value Data Type	Description
PF_Param_ANGLE	PF_AngleDef ad PF_Fixed	Angles in (fixed point) degrees, accurate to small fractions of a degree. Users can specify multiple revolutions, resulting in values greater than 360.
PF_Param_CHECKBOX	PF_CheckBoxDef bd PF_Boolean	PF_ParamFlag_CANNOT_INTERP is forced on for all checkboxes.
PF_Param_COLOR	PF_ColorDef cd PF_Pixel	RGB value (alpha is not used) that the user can choose either with the standard color picker or with an eye dropper tool. For floating point accuracy, use the PF Color Param Suite to retrieve the values.
PF_Param_POINT	PF_PointDef td PF_Fixed	<p>A two-dimensional point. The point provides x and y values in destination layer space. New in CS5.5, for floating point accuracy, use the PF Point Param Suite to retrieve the values.</p> <p>Dusty history lesson to follow: Prior to API specification version 12.1 (After Effects 4.0), the default value for the point was between 0 and 100 in fixed point with the radix point at bit 16 (i.e. standard fixed point). Specifying (50,50) in fixed point yields the center of the image. The value you are returned for a point control is in absolute pixels with some number of bits of fixed point accuracy. Thus, if you gave (50,50) as the default position and the user applied the effect to a 640 by 480 layer, the default value you would be sent would be (320, 240) in Fixed point. Plug-ins which specify API versions before 12.1 will still get the old behavior.</p>
PF_Param_POPUP	PF_PopupDef pd A_long	<p>List of choices. Build a string in namesptr containing a list of (read-only) pop-up entries ("Entry1 Entry2 Entry3"). After Effects copies the data and creates a pop-up menu. These entries cannot be modified once the parameter is added.</p> <p>An entry of "(-" will result in a separator being drawn between previous and subsequent entries.</p>

TABLE 9: PARAMETER TYPES

Parameter Type	Parameter Type, PF_ParamDefUnion Member, Param Value Data Type	Description
PF_Param_ARBITRARY_DATA	PF_ArbitraryDef arb_d ???	<p>Custom data type. An arbitrary parameter contains an ID (you can use more than one custom data type in a given effect), a default value (so After Effects knows what your data type should start as), and a handle to your actual parameter.</p> <p>In AE, must specify either PF_PUI_TOPIC/ PF_PUI_CONTROL or PF_PUI_NO_ECW. In PPro 8.0 and later, it's okay to set none of those flags, which allows you to see the parameter's keyframe track on the right side of Effect Controls without creating a custom control.</p>
PF_Param_PATH	PF_PathDef path_d PF_PathID	<p>Path parameters are references to masks applied to the same layer as the effect. Path parameter data cannot be accessed directly; use PF_PathQuerySuite and PF_PathDataSuite to manage and inquire about paths.</p> <p>PF_PathDef.path_id contains the index of the mask selected by the user. A corresponding AEGP_MaskRefH can be obtained using AEGP_GetLayerMaskByIndex.</p>
PF_Param_GROUP_START	(none)	<p>Parameter groups (topics) organize parameters into sets. Each group receives its own twirly and will be indented in the ECP relative to the neighboring parameters or groups. One group can be nested within another. Each twirly can be spun open or closed by the user, or programmatically by the effect. The effect may choose to have certain groups initialized with the twirly spun open, and others with the twirly spun closed.</p>
PF_Param_GROUP_END	(none)	

TABLE 9: PARAMETER TYPES

Parameter Type	Parameter Type, PF_ParamDefUnion Member, Param Value Data Type	Description
PF_Param_BUTTON	PF_Button button_d (no value)	New in CS5.5 to After Effects. A simple push button. Use parameter supervision to detect when the button is pressed.
PF_Param_POINT_3D	PF_Point3D point3d_d PF_FpLong (3)	New in CS5.5. Unsupported in Premiere Pro. A three-dimensional point.

SLIDER RANGE ISSUES?

If your slider seems disabled but not grayed out, check the `valid_min`, `slider_min`, `valid_max` and `slider_max` fields. Is the param a [PF_Param_FIX_SLIDER](#)? If so, did you convert your mins and maxs to reasonable fixed values? If you're using the macros provided in `AE_Macros.h`, they're expecting to receive ints; passing fixed point values won't work.

POINT PARAMETER ORIGIN

After Effects modifies any point parameter to account for origin offset, introduced by “upstream” effects that modify the output dimensions. Even if the ECP UI indicates the value of the point parameter is (0,0), the offset has already been factored in.

PF_PARAMDEF

After Effects passes effects an array of `PF_ParamDefs` with each selector, describing the plug-in's parameters at the current time. The values in the `params` array are only valid during some selectors (this is noted in the [selector descriptions](#)).

PARAM ZERO

The first parameter, `params[0]`, is the input image (a [PF_EffectWorld](#)) to which the effect should be applied.

THE REST OF THE PARAMETERS

All parameter types are represented by a `PF_ParamDef`. Unions are used, so that only the pertinent parts of the `PF_ParamDef` need be (or should be) populated.

TABLE 10: PF_PARAMDEF

Data Type	Name	Description
<code>A_long</code>	<code>id</code>	The ID of this parameter. You can re-order parameters in future versions of your plug-in and not cause users to re-apply your effect, if you maintain the parameter's ID across versions.
<code>PF_ChangeFlags</code>	<code>change_flags</code>	Set if you've changed a parameter value. Only valid during drag (not click!) events, PF_Cmd_USER_CHANGED_PARAM or PF_Cmd_UPDATE_PARAMS_UI .
PF_ParamUIFlags	<code>ui_flags</code>	Specify a parameter's UI behavior before adding; only <code>PF_PUI_DISABLED</code> may be set during event handling.
<code>A_short</code>	<code>ui_width</code>	Width and height of the parameter's user interface (for non-standard parameters only).
<code>A_short</code>	<code>ui_height</code>	
PF_ParamType	<code>param_type</code>	Type of parameter.
<code>A_char[32]</code>	<code>name</code>	Name of parameter. Can be changed during event handling. Yes, longer parameter names have been requested since After Effects 1.0. Think of adequately describing your world-altering effect in 31 mere characters as a language challenge, like haiku.
PF_ParamFlags	<code>flags</code>	Specify a parameter's UI behavior before adding; only <code>PF_ParamFlag_COLLAPSE_TWIRLY</code> may be set during event handling.
<code>PF_ParamDefUnion</code>	<code>u</code>	A union of all possible parameter types . Only the type specified by <code>param_type</code> contains meaningful data.

PARAMETER UI FLAGS

Control a parameter's user interface with these flags. Don't confuse UI flags with behavior flags; they reside in different fields within your parameter's definition, and will cause unpredictable behavior if misapplied.

TABLE 11: PARAMETER UI FLAGS

Flag	Description
PF_PUI_TOPIC	<p>Set this flag if you handle PF_Cmd_EVENTS for the "topic" of the parameter. The "topic" is the portion of the param UI in the Effect Controls Window (ECW) that is still visible when the twirly-arrow is twirled up for that param.</p> <p>If you set this flag, you must also set PF_OutFlag_CUSTOM_UI at PF_Cmd_GLOBAL_SETUP time.</p>
PF_PUI_CONTROL	<p>Set this flag if you handle PF_Cmd_EVENTS for the control area (area that becomes invisible when you twirl up a parameter's spinner) in the ECP. If you set this flag, you must also set PF_OutFlag_CUSTOM_UI at PF_Cmd_GLOBAL_SETUP time. See Events for more details.</p>
PF_PUI_STD_CONTROL_ONLY	<p>Set this flag if you want the standard control only -- No data stream will be associated with this parameter, and thus no keyframes will be available in the Timeline panel.</p> <p>You might want to do this to control something in your sequence data with a standard control. Or in your arb data, or custom UI in the comp window, or to group-set multiple other controls.</p> <p>This flag cannot be used with PF_Param_CUSTOM, PF_Param_NO_DATA, PF_Param_LAYER, PF_Param_ARBITRARY_DATA, PF_Param_PATH.</p> <p>If you set this flag, you must also set PF_ParamFlag_SUPERVISE (otherwise you would never find out about value changes, and the setting would never be used for anything). This flag does not require that the PF_OutFlag_CUSTOM_UI flag be set.</p> <p>If you want a standard control for PF_Param_ARBITRARY_DATA, just add one (or more) using PF_PUI_STD_CONTROL_ONLY with the supported param types, and then when handling PF_Cmd_USER_CHANGED_PARAM you can modify your arb data.</p>

TABLE 11: PARAMETER UI FLAGS

Flag	Description
PF_PUI_NO_ECW_UI	Set this flag if you want no UI to appear in the Effect Controls Window. Presumably, you are setting the value of the parameter through some other method (e.g. custom UI in the comp window, or while handling <code>PF_Cmd_USER_CHANGED_PARAM</code> for a different param with <code>PF_ParamFlag_SUPERVISE</code> set). In AE, this doesn't affect keyframe visibility in the timeline. In PPro it does remove the entire row, so you won't see keyframes.
PF_PUI_ECW_SEPARATOR	Not used in After Effects, but used in Premiere. Set this flag if you'd like a thick line above this parameter in the effect control window. This is provided so that parameters can be grouped visually, if needed (without adding groups). This flag can be changed at runtime through the <code>PF_UpdateParamUI()</code> method.
PF_PUI_DISABLED	Disables (grays out) the parameter, usually in response to PF_Cmd_USER_CHANGED_PARAM .
PF_PUI_DONT_ERASE_TOPIC	After Effects won't erase parameter's topic.
PF_PUI_DONT_ERASE_CONTROL	After Effects won't erase parameter's control.
PF_PUI_RADIO_BUTTON	Not used in After Effects, but used in Premiere. Display parameter as a radio-button group. Only valid for <code>PF_Param_POPUP</code> .
PF_PUI_INVISIBLE	<p>First supported in Premiere, and now supported in After Effects CS6 and later. This hides the parameter UI in both the Effect Controls and Timeline.</p> <p>Premiere only: The flag is dynamic and parameter visibility can be toggled during the PF_UpdateParamUI callback.</p>

In addition to these flags, an effect parameter may be hidden or shown by using [AEGP_GetDynamicStreamFlags](#).

PARAMETER FLAGS

Behavior flags and UI flags describe different qualities of a parameter. Set them *before* adding the parameter during [PF_Cmd PARAM SETUP](#). Flags which may be set during events are noted.

TABLE 12: PARAMETER FLAGS

Flag	Meaning
PF_ParamFlag_CANNOT_TIME_VARY	Parameter does not vary with time; no keyframe control will be provided in the Timeline panel.
PF_ParamFlag_CANNOT_INTERP	Values are not algebraically interpolated. You can still use discontinuous (hold) interpolation. Useful for parameters which are either on or off. Accelerates rendering.
PF_ParamFlag_COLLAPSE_TWIRLY	Set this flag during PF_Cmd USER CHANGED PARAM . This bit can now be set & cleared when handling PF_Cmd UPDATE PARAMS_UI and PF_Cmd USER CHANGED PARAM messages, so as to twirl your parameters and groups up and down at will.
PF_ParamFlag_SUPERVISE	Set to receive PF_Cmd USER CHANGED PARAM messages for this parameter. See Parameter Supervision for more information.
PF_ParamFlag_START_COLLAPSED	Controls the twirl-state of a topic spinner. Can be changed during parameter supervision, not just during PF_Cmd PARAM SETUP . This flag will not be honored unless PF_OutFlag2_PARAM_GROUP_START_COLLAPSED is set.
PF_ParamFlag_USE_VALUE_FOR_OLD_PROJECTS	This only affects the loading of projects saved with an older version of the effect which lacks parameters added later. When set, the <code>PF_ParamDef.value</code> field set in PF_ADD_PARAM() will be used to initialize the missing parameter, but the <code>dephault</code> field will still be used for initial value of the parameter when the effect is newly applied or reset. This is useful for when you want a parameter to default to one value but need it set to something else to preserve rendering behavior for older projects.
PF_ParamFlag_LAYER_PARAM_IS_TRACKMATTE	Premiere Pro only: Only valid for layer parameters. Indicates that a layer param is used as a track-matte with applied filters. Ignored in After Effects.

TABLE 12: PARAMETER FLAGS

Flag	Meaning
PF_ParamFlag_EXCLUDE_FROM_HAVE_INPUTS_CHANGED	Only relevant if the effect sets PF_OutFlag2_AUTOMATIC_WIDE_TIME_INPUT and will call PF_AreStatesIdentical or PF_HaveInputsChangedOverTimeSpan
PF_ParamFlag_SKIP_REVEAL_WHEN_UNHIDDEN	<p>New in CS6. If this parameter is unhidden, then this flag tells After Effects to not twirl open any parents and to not scroll the parameter into view in the Effect Controls panel and the Timeline panel.</p> <p>After Effects uses this behavior internally when paint strokes are made, so as not to distract the user by revealing the parameter. However, in another case, when turning on Time Remapping, that parameter is revealed. So we provide you the same control over parameters in your own effects.</p>

PF_VALUEDISPLAYFLAGS

Within PF_ParamDefUnion, PF_FloatSliderDef and PF_FixedSliderDef both have a member variable, PF_ValueDisplayFlags, which allows them to respond to the user's pixel value display preference (which they set in the info palette). If this is set, the parameter's value will be displayed as 0-1, 0-255, 0-32768, or 0.0 to 1.0, depending on the preference. You can also set the first bit (PF_ValueDisplayFlag_PERCENT) to append a percent sign to the parameter's displayed value.

We know you'd never do anything like this, but if you create a parameter which displays as a percentage, don't confuse the user by allowing any range other than 0 to 100. Please. Percent means 'out of one hundred'.

PF_EFFECTWORLD / PF_LAYERDEF

After Effects represents images using PF_EffectWorlds, also called PF_LayerDefs.

TABLE 13: PF_EFFECTWORLD STRUCTURE

Item	Description
world_flags	Currently, the only flags are: PF_WorldFlag_DEEP - set if the world is 16-bpc PF_WorldFlag_WRITEABLE - indicates that you are allowed to alter the image data of the world. Normally effects cannot alter input image data; only output.
data	Pointer to image data, stored as a PF_PixelPtr. Do not access directly; use the accessor macros . Image data in After Effects is always organized in sequential words each containing Alpha, Red, Green, Blue from the low byte to the high byte.
rowbytes	The length, in bytes, of each row in the image's block of pixels. The block of pixels contains height lines each with width pixels followed by some bytes of padding. The width pixels (times four, because each pixel is four bytes long) plus optional extra padding adds up to rowbytes bytes. Use this value to traverse the image data. Platform-specific padding at the end of rows makes it unwise to traverse the entire buffer. Instead, find the beginning of each row using height and rowbytes. NOTE: This value does not vary based on whether field rendering is active. NOTE: Input and output worlds with the same dimensions can use different rowbytes values.
width	Width and height of the pixel buffer.
height	
extent_hint	The smallest rectangle encompassing all opaque (non-zero alpha) pixels in the layer. This defines the area which needs to be output. If your plug-in varies with extent (like a diffusion dither), ignore this and render the full frame each time.

TABLE 13: PF_EFFECTWORLD STRUCTURE

Item	Description
<code>pix_aspect_ratio</code>	The pixel aspect ratio expressed as a <code>PF_Rational</code> . NOTE: Effects can use this value for checked out layers, but must use <code>PF_InData.pixel_aspect_ratio</code> for the layer to which they're applied. Sorry.
<code>platform_ref</code>	No longer used in CS5. Platform-specific reference information. On Windows, this contains an opaque value. Under Mac OS, <code>PF_GET_PLATFORM_REFS</code> provides a <code>CGrafPtr</code> and a <code>GDeviceHandle</code> from a <code>PF_EffectWorld</code> . NOTE: You cannot acquire a <code>platform_ref</code> during PF_Cmd GLOBAL SETUP as there isn't any output context yet. Patience, my pet.

ROWBYTES IN PF_EFFECTWORLDS

Don't assume that you can get to the next scanline of a [PF_EffectWorld](#) using `(width * sizeof(current_pixel_type)) + 4`, or whatever; use the `PF_EffectWorld`'s [rowbytes](#) instead. Never write outside the indicated region of a `PF_EffectWorld`; this can corrupt cached image buffers that don't belong to you.

To test whether your effects are honoring the `PF_EffectWorld>rowbytes`, apply the Grow Bounds effect *after* your effect. The output buffer will have larger rowbytes than the input (though it will still have the same logical size).

BYTE ALIGNMENT

The pixels in a [PF_EffectWorld](#) are not guaranteed to be 16-byte-aligned. An effect may get a subregion of a larger `PF_EffectWorld`. Users of Apple's sample code for pixel processing optimization, you have been warned.

DEEPER COLOR

Beyond 8-bit per channel color, After Effects supports 16 bit and 32-bit float per-channel color. Effects will never receive input and output worlds with differing bit depths, nor will they receive worlds with higher bit depth than they have claimed to be able to handle.

ACCESSOR MACROS FOR OPAQUE (DATA TYPE) PIXELS

Use the following macros to access the data within (opaque) `PF_PixelPtrs`. It is, emphatically, *not* safe to simply cast pointers of one type into another! To make it work at all requires a cast, and there's nothing that prevents you from casting it incorrectly. We may change its implementation at a later date (at which time you'll thank us for forcing this level of abstraction).

TABLE 14: PF_PIXELPTR ACCESSOR MACROS

Macro	Purpose
<code>PF_GET_PIXEL_DATA16</code>	Obtain a pointer to a 16-bpc pixel within the specified world. The returned pixel pointer will be NULL if the world is not 16-bpc. The second parameter is optional; if it is not NULL, the returned pixel will be an interpretation of the values in the passed-in pixel, as if it were in the specified <code>PF_EffectWorld</code> . <pre>PF_GET_PIXEL_DATA16 (PF_EffectWorld *wP, PF_PixelPtr pP0, PF_Pixel16 **outPP);</pre>
<code>PF_GET_PIXEL_DATA8</code>	Obtain a pointer to a 8-bpc pixel within the specified world. The returned pixel pointer will be NULL if the world is not 8-bpc. The second parameter is optional; if it is not NULL, the returned pixel will be an interpretation of the values in the passed-in pixel, as if it were in the specified <code>PF_EffectWorld</code> . <pre>PF_GET_PIXEL_DATA8 (PF_EffectWorld *wP, PF_PixelPtr pP0, PF_Pixel8 **outPP);</pre>

Think of [PF_GET_PIXEL_DATA16](#) and [PF_GET_PIXEL_DATA8](#) as safe (ahem) casting routines. The code required is actually very simple to get a `PF_Pixel16*` out of the `PF_EffectWorld` output:

```
{
    PF_Pixel16    *deep_pixelP = NULL;
    PF_Err        err = PF_Err_NONE;
    err = PF_GET_PIXEL_DATA16(output, NULL, &deep_pixelP);
}
```

This returns `deep_pixelP` as NULL if the world does not have deep pixels. The second parameter is not used very often and should be passed as NULL; pass a `PF_PixelPtr` that is *not* contained in a `PF_EffectWorld` to coerce it to the depth of that `PF_EffectWorld`).

ERRORS

Always, always, *always* (always!) return a `PF_Err` from `main()`. Plug-ins must pass all errors back to After Effects. It is vitally important that you pass any errors (returned to you by callbacks and PICA suites) to After Effects, unless you've handled them. Be vigilant about returning the right error code, and disposing of any memory you've allocated. Really. We're serious.

TABLE 15: ERROR CODES

Error	Meaning
<code>PF_Err_NONE</code>	Success.
<code>PF_Err_OUT_OF_MEMORY</code>	Memory allocation failed. Note that RAM preview will cause this condition, so After Effects will be expecting to receive this error from your plug-in.
<code>PF_Err_INTERNAL_STRUCT_DAMAGED</code>	Problems using a data structure.
<code>PF_Err_INVALID_INDEX</code>	Problems finding/using array member.
<code>PF_Err_UNRECOGNIZED_PARAM_TYPE</code>	Problem with parameter data.
<code>PF_Err_INVALID_CALLBACK</code>	Problems accessing function through pointer.
<code>PF_Err_BAD_CALLBACK_PARAM</code>	Problems using a parameter passed to a callback.
<code>PF_Interrupt_CANCEL</code>	User cancelled rendering.
<code>PF_Err_CANNOT_PARSE_KEYFRAME_TEXT</code>	Return this from <code>PF_Arbitrary_SCAN_FUNC</code> when problems occur parsing the clipboard into keyframe data.

ERROR REPORTING POLICY

After Effects has a consistent policy for error handling; follow it.

If you encounter an error in your plug-in's code, report it to the user immediately, before returning from your plug-in to After Effects. After Effects considers errors from the operating system, encountered during your plug-in's execution, to be yours. If you get an error code back from one of our callback functions, pass it back to After Effects; we've already reported it. Out-of-memory errors are never reported by After Effects. Error reporting is always suppressed during RAM preview, and when After Effects is running in `nonui` mode.

To report an error from within a plug-in, set `PF_OutFlag_DISPLAY_ERROR_MESSAGE`, and describe the error in `PF_OutData>return_msg`. Doing so will enter your error into the render log, and prevent system hangs in renders driven by a render engine or scripting.

DIG IN!

Now you have a basic understanding of effect plug-ins, and are ready to start experimenting with some real code. Go ahead and get started!

After getting the basics of your plug-in setup, you may have some questions about reusable code, advanced functionality, and how to optimize your code to make it faster. To this end, After Effects exposes a tremendous amount of its internal functionality via function suites. By relying on After Effects code for utility functions, you should be able to get your image processing algorithms implemented quickly. This will be discussed in the next chapter.

3 : EFFECT DETAILS

Now that we've covered the basics of effect plug-ins, we'll cover some of the finer points to polish off your effect. Not every section will be relevant to every plug-in, so feel free to use the PDF document bookmarks to skip to the sections pertinent to your current project.

FREE CODE == GOOD

After Effects provides effect plug-ins with as much information and supporting code as possible. Use our function suites and callbacks to obtain the value of parameters (including source footage) at different times. Use our memory allocation suite to avoid competing with the host for resources. Use our image processing suites to copy, fill, blend and convolve images, and convert between color spaces. Obtain information about the masks applied to a layer. ANSI emulation and math utility suites are also provided, as well as information about the application, user, serial number, and current drawing context.

Previous versions of After Effects have provided functions for many common tasks. As we moved to support deeper color, these were moved to function suites. Use the newer function suites whenever possible; things will just be better.

Using our function suites keeps your plug-in compact; you write and test less code. The functions are tested, optimized, and used by our own plug-ins. The functions are distributed to multiple processors and take advantage of available hardware acceleration.

No, really, use the provided functions. Seriously.

ACCESSING THE AFTER EFFECTS FUNCTION SUITES

If you are writing C++ code, accessing functions in our PICA function suites is a breeze, using the `AEGP_SuiteHandler`, which automatically acquires the suite when needed, and disposes of it when done. Just instantiate the handler like so:

```
AEGP_SuiteHandler suites(in_data->pica_basicP);
```

After that, you may make calls to any function in any suite, like so:

```
PF_Handle infoH = suites.HandleSuite1()->host_new_handle(sizeof(MyStruct));
```

If you must use C code, then acquire and release the suites manually using the `PF_Suite_Helper` utility files, as demonstrated in the Checkout sample project.

Behind the scenes, these both of these methods acquire PICA function suites using `AcquireSuite`, a member function of the `SPBasicSuite` pointed to in [PF_InData](#).

SUITE VERSIONS

`WhizBangSuite1` may provide a `FooBar()` function which takes two arguments, and `WhizBangSuite2>FooBar()` may take three. Though each new version of a suite supercedes the old one, feel free to acquire multiple versions of the same suite; we never remove or alter previously shipped suites.

When unsure of the capabilities of the plug-in host (no third party host besides Premiere supports PICA), attempt to acquire the latest version, and “fall back” to previous versions. If functionality you require isn’t available, warn the user, and return an error (or fall back on other behavior when running in more “primitive” plug-in hosts). Note that support for these suites in other hosts of After Effects plug-ins is a maze of twisty caves and passages, all alike.

THREADING

Unless documented otherwise, assume that any function provided by our suites is not thread-safe. For example, only your plug-in’s main thread should do anything that modifies the user interface.

MEMORY ALLOCATION

Use After Effects for any memory allocations of significant size. For small allocations, you can use `new` and `delete`, but this is the exception, not the rule. In low-memory conditions (such as during RAM preview), it’s very important that plug-ins deal gracefully with out-of-memory conditions, and not compete with After Effects for OS memory. By using our memory allocation functions, After Effects can know when to free cached images, to avoid memory swapping. Failing to use our functions for sizable allocations can cause lock-ups, crashes, and tech support calls. Don’t do that.

If you're wrapping existing C++ classes, create a base class that implements new and delete for that class and derive from it. To overload the STL, we don't recommend you overload global new and delete. Instead provide an allocator as part of the template definition.

Handles passed to you by After Effects are locked for you before you're called, and unlocked once you return.

TABLE 16: PF_HANDLESUITE1

Function	Purpose
host_new_handle	Allocates a new handle. Replaces PF_NEW_HANDLE. PF_Handle (*host_new_handle)(A_HandleSize size);
host_lock_handle	Locks a handle. Replaces PF_LOCK_HANDLE. void* (*host_lock_handle)(PF_Handle pf_handle);
host_unlock_handle	Unlocks a handle. Replaces PF_UNLOCK_HANDLE. void (*host_unlock_handle)(PF_Handle pf_handle);
host_dispose_handle	Frees a handle. Replaces PF_DISPOSE_HANDLE. void (*host_dispose_handle)(PF_Handle pf_handle);
host_get_handle_size	Returns the size, in bytes, of the reallocatable block whose handle is passed in. Replaces PF_GET_HANDLE_SIZE. A_HandleSize (*host_get_handle_size)(PF_Handle pf_handle);
host_resize_handle	Resizes a handle. Replaces PF_RESIZE_HANDLE. PF_Err (*host_resize_handle)(A_HandleSize new_sizeL, PF_Handle *handlePH);

IMAGE BUFFER MANAGEMENT FUNCTIONS

Use these functions to create and destroy [PF_EffectWorld](#)s, and to find out their bit-depth.

TABLE 17: PF_WORLD SUITE 2

Function	Description
PF_NewWorld	<p>Creates a new PF_EffectWorld.</p> <pre>PF_Err PF_NewWorld(PF_ProgPtr effect_ref, A_long widthL, A_long heightL, PF_Boolean clear_pxB, PF_PixelFormat pixel_format, PF_EffectWorld *worldP);</pre>
PF_DisposeWorld	<p>Disposes of a PF_EffectWorld.</p> <pre>PF_Err PF_DisposeWorld(PF_ProgPtr effect_ref, PF_EffectWorld *worldP);</pre>
PF_GetPixelFormat	<p>Get the pixel format for a given PF_EffectWorld.</p> <pre>PF_Err PF_GetPixelFormat(const PF_EffectWorld *worldP, PF_PixelFormat *pixel_formatP);</pre> <p>pixel_formatP can be:</p> <ul style="list-style-type: none">PF_PixelFormat_ARGB32 - standard 8-bit RGBPF_PixelFormat_ARGB64 - 16-bit RGBPF_PixelFormat_ARGB128 - 32-bit floating point RGB

ITERATION SUITES

Effects often iterate over all pixels in an image, filtering each one. By taking advantage of After Effects' iteration suites, you make it possible for After Effects to sub-allocate your task to as many processors are present, taking advantage of hardware-specific acceleration. After Effects will also manage progress reporting and user cancellation automatically. Use these

suites! Make sure the pixel processing functions you pass to these iterator callbacks are re-entrant.

TABLE 18: PF_ITERATE8SUITE1, PF_ITERATE16SUITE1, PF_ITERATEFLOATSUITE1

Function	Purpose
iterate	<p>Iterates across pixels from a source image, alters them, and populates a destination image.</p> <p>You may specify a rectangular region of pixels across which to iterate; if you don't, After Effects will iterate over every overlapping pixel. You give a refcon, and the function is invoked with that refcon, plus the x and y coordinates of the current pixel, plus pointers to that pixel in the source and destination images. If you pass a NULL source, it will iterate over the dst. This function is quality independent.</p> <p>Don't depend upon the pixels being traversed in any particular order. The image may be subset to different CPUs, so consider all the parameters (except dst) to be read-only while After Effects is processing. This callback automatically includes progress and abort checking, so don't do so in your pixel function.</p> <pre>iterate(PF_InData *in_data, A_long progress_base, A_long progress_final, PF_EffectWorld *src, const PF_Rect *area, void *refcon, PF_Err (*pix_fn)(void *refcon, A_long x, A_long y, PF_Pixel *in, PF_Pixel *out), PF_EffectWorld *dst);</pre>

**TABLE 18: PF_ITERATE8SUITE1, PF_ITERATE16SUITE1,
PF_ITERATEFLOATSUITE1**

Function	Purpose
iterate_origin	<p>Lets you specify an offset from the input into the output. For example, if your output buffer is smaller than your input buffer, pass (in_data>output_origin_x, in_data>output_origin_y) as the origin, and NULL for area, and this function will offset the src pixel pointer appropriately for your pixel function.</p> <pre> iterate_origin(PF_InData *in_data, A_long progress_base, A_long progress_final, PF_EffectWorld *src, const PF_Rect *area, const PF_Point *origin, void *refcon, PF_Err (*pix_fn)(void *refcon, A_long x, A_long y, PF_Pixel *in, PF_Pixel *out), PF_EffectWorld *dst); </pre>
iterate_lut	<p>PF_Iterate8Suite only. Allows a Look-Up Table (LUT) to be passed for iteration; you can pass the same or different LUTs for each color channel. If no LUT is passed, an identity LUT is used.</p> <pre> iterate_lut(PF_InData *in_data, A_long prog_base, A_long prog_final, PF_EffectWorld *src, const PF_Rect *area, A_u_char *a_lut0, A_u_char *r_lut0, A_u_char *g_lut0, A_u_char *b_lut0, PF_EffectWorld *dst); </pre>

TABLE 18: PF_ITERATE8SUITE1, PF_ITERATE16SUITE1, PF_ITERATEFLOATSUITE1

Function	Purpose
iterate_origin_non_clip_src	<p>Allows for iteration across pixels outside the intersection of the source and destination layers. For these pixels, you will be passed a PF_Pixel with values {0,0,0,0}.</p> <pre>iterate_origin_non_clip_src(PF_InData *in_data, A_long progress_base, A_long progress_final, PF_EffectWorld *src, const PF_Rect *area, const PF_Point *origin, void *refcon, PF_Err (*pix_fn)(void *refcon, A_long x, A_long y, PF_Pixel *in, PF_Pixel *out), PF_EffectWorld *dst);</pre>
iterate_generic	<p>PF_Iterate8Suite only. If you want to do something once per available CPU, this is the function to use (pass PF_Iterations_ONCE_PER_PROCESSOR for iterationsL). Only call abort and progress functions from thread index 0.</p> <p>Note: You can iterate over more than pixels. Internally, we use it for row-based image processing, and for once-per-entity updates of complex sequence data.</p> <pre>iterate_generic(A_long iterationsL, void *refconPV, PF_Err (*fn_func)(void *refconPV, A_long thread_idxL, A_long i, A_long itrL);</pre>

GRAPHICS UTILITY SUITES

After Effects exposes its internal transform and graphic utility routines through the following function suites.

TRANSFORM WORLDS

These functions combine `PF_EffectWorld`s in interesting ways. When you use these, you're using the same code After Effects does internally.

TABLE 19: PF_WORLDTRANSFORMSUITE1

Function	Purpose
<code>composite_rect</code>	<p>Composite a rectangle from one <code>PF_EffectWorld</code> into another, using one of After Effects' transfer modes.</p> <pre>PF_Err composite_rect (PF_ProgPtr effect_ref, PF_Rect *src_rect, A_long src_opacity, PF_EffectWorld *src_world, A_long dst_x, A_long dst_y, PF_Field field_rdr, PF_XferMode xfer_mode, PF_EffectWorld *dst);</pre> <p><code>field_rdr</code> can be upper, lower or both.</p> <p><code>xfer_mode</code> is one of the following:</p> <pre>PF_Xfer_COPY PF_Xfer_BEHIND PF_Xfer_IN_FRONT</pre>
<code>blend</code>	<p>Blends two images, alpha-weighted. Does not deal with different-sized sources, though the destination may be either <code>PF_EffectWorld</code>.</p> <pre>PF_Err blend (PF_ProgPtr effect_ref, const PF_EffectWorld *src1, const PF_EffectWorld *src2, PF_Fixed ratio, PF_EffectWorld *dst);</pre>

TABLE 19: PF_WORLDTRANSFORMSUITE1

Function	Purpose
convolve	<p>Convolve an image with an arbitrary size kernel on each of the a, r, g, and b channels separately. You can specify a rectangle to convolve (for instance, the extent_hint), or pass 0 to convolve the entire image. Do not use if the source is the destination. Describe the convolution using kernel flags.</p> <pre>PF_Err convolve(PF_EffectWorld *src, const PF_Rect *area, PF_KernelFlags flags, A_long kernel_size, void *a_kernel, void *r_kernel, void *g_kernel, void *b_kernel, PF_EffectWorld *dst);</pre>
copy	<p>Copies a region from one PF_EffectWorld to another, preserving alpha (unlike the Mac OS CopyBits).</p> <pre>PF_Err copy (PF_EffectWorld *src, PF_EffectWorld *dst, PF_Rect *src_r, PF_Rect *dst_r);</pre>
copy_hq	A higher fidelity version of the above (using the same parameters).

TABLE 19: PF_WORLDTRANSFORMSUITE1

Function	Purpose
transfer_rect	<p>Blends using a transfer mode, with an optional mask.</p> <pre>PF_Err transfer_rect (PF_ProgPtr effect_ref, PF_Quality quality, PF_ModeFlags m_flags, PF_Field field, const PF_Rect *src_rec, const PF_EffectWorld *src_world, const PF_CompositeMode *comp_mode, const PF_MaskWorld *mask_world0, A_long dest_x, A_long dest_y, PF_EffectWorld *dst_world);</pre>
transform_world	<p>Given a PF_EffectWorld and a matrix (or array of matrices), transforms and blends using an After Effects transfer mode, with an optional mask. The matrices pointer points to a matrix array used for motion-blur.</p> <p>When is a transform not a transform? A Z-scale transform is not a transform, unless the transformed layer is a parent of other layers that do not all lie in the z=0 plane.</p> <pre>PF_Err transform_world (PF_InData *in_data, PF_Quality quality, PF_ModeFlags m_flags, PF_Field field, const PF_EffectWorld *src_world, const PF_CompositeMode *comp_mode, const PF_MaskWorld *mask_world0, const PF_FloatMatrix *matrices, A_long num_matrices, Boolean src2dst_matrix, const PF_Rect *dest_rect, PF_EffectWorld *dst_world);</pre>

KERNEL FLAGS

Functions such as [convolve](#) or gaussian kernel work with kernels, or matrices of filter weight values. These matrices can be in any format. The kernel flags describe how the matrices should be created and used. OR together any flags you need. The flags relevant to given

routines are documented along with the routine prototype. The first entry in the left column is always the default and has value 0.

TABLE 20: KERNEL FLAGS

Kernel Flags	Indicates
PF_KernelFlag_2D PF_KernelFlag_1D	Specifies a one or two dimensional kernel.
PF_KernelFlag_UNNORMALIZED PF_KernelFlag_NORMALIZED	NORMALIZED equalizes the kernel; the volume under the kernel surface is the same as the volume under the covered area of pixels.
PF_KernelFlag_CLAMP PF_KernelFlag_NO_CLAMP	CLAMP restricts values to the valid range for their data type.
PF_KernelFlag_USE_LONG PF_KernelFlag_USE_CHAR PF_KernelFlag_USE_FIXED PF_KernelFlag_USE_UNDEFINED	USE_LONG defines the kernel as an array of longs valued from 0 to 255. USE_CHAR defines the kernel as an array of unsigned chars from 0 to 255. USE_FIXED defines the kernel as an array of fixeds from 0 to 1. USE_LONG is the only implemented flag.
PF_KernelFlag_HORIZONTAL PF_KernelFlag_VERTICAL	Specifies the direction of the convolution.
PF_KernelFlag_TRANSPARENT_BORDERS PF_KernelFlag_REPLICATE_BORDERS	Use REPLICATE_BORDERS to replicate border pixels when sampling off the edge, use TRANSPARENT_BORDERS to treat pixels off the edge as alpha zero (black). REPLICATE_BORDERS is not implemented and will be ignored.
PF_KernelFlag_STRAIGHT_CONVOLVE PF_KernelFlag_ALPHA_WEIGHT_CONVOLVE	Use STRAIGHT_CONVOLVE to indicate straight convolution, use ALPHA_WEIGHT_CONVOLVE to tell the convolution code to alpha-weight the contributions of pixels to the resulting convolved output. ALPHA_WEIGHT_CONVOLVE is not implemented and will be ignored.

FILL ‘EM UP!

The FillMatteSuite can be used to fill a PF_EffectWorld, either with a specific color or premultiplied with an alpha value.

TABLE 21: PF_FILLMATTESUITE2

Function	Purpose
fill	Fills a rect with a color (or, if the color pointer is null, fills with black and alpha zero). If the rect is null, it fills the entire image. <pre>PF_Err fill (PF_ProgPtr effect_ref, const PF_Pixel *color, const PF_Rect *dst_rect, PF_EffectWorld *world);</pre>
fill16	Same as fill, but takes a pointer to a PF_Pixel16 color.
fill_float	Takes a pointer to a PF_PixelFloat color.
premultiply	Converts to (and from) r, g, and b color values pre-multiplied with black to represent the alpha channel. Quality independent. forward is used as a boolean; true means convert non-premultiplied to pre-multiplied, false mean un-pre-multiply. <pre>PF_Err premultiply (A_long forward, PF_EffectWorld *dst);</pre>
premultiply_color	Converts to (and from) having r, g, and b color values premultiplied with any color to represent the alpha channel. <pre>PF_Err premultiply_color (PF_ProgPtr effect_ref, PF_EffectWorld *src, PF_Pixel *color, A_long forward, PF_EffectWorld *dst);</pre>
premultiply_color16	Same as above, but takes a pointer to a PF_Pixel16 color.
premultiply_color_float	Takes a pointer to a PF_PixelFloat color.

SAMPLING IMAGES

Note: areas outside the bounds of the image being sampled are treated as zero alpha. For convenience, the functions from PF_Sampling8Suite1, PF_Sampling16Suite1, and PF_SamplingFloatSuite1 are all listed in this table.

TABLE 22: PF_SAMPLINGSUITE FUNCTIONS (MULTIPLE SUITES)

Function	Purpose
nn_sample	Performs nearest neighbor sampling. <pre>PF_Err nn_sample (PF_ProgPtr effect_ref, PF_Fixed x, PF_Fixed y, const PF_SampPB *params, PF_Pixel *dst_pixel);</pre>
nn_sample16	Same as above, but takes a pointer to a PF_Pixel16 dst_pixel.
nn_sample_float	Takes a pointer to a PF_PixelFloat dst_pixel.
subpixel_sample	Queries the appropriate alpha-weighted interpolation of colors at a non-integral point in a source image, in high quality. Nearest neighbor sampling is used in low quality. Because the sampling routine, if used, will typically be called many times, it is convenient to copy the function pointer out to the callbacks structure and into a register or onto the stack to speed up your inner loop. See the sample code for an example. NOTE: The sampling assumes that 0,0 is the center of the top left pixel. <pre>PF_Err subpixel_sample (PF_ProgPtr effect_ref, PF_Fixed x, PF_Fixed y, const PF_SampPB *params, PF_Pixel *dst_pixel);</pre>
subpixel_sample16	Same as above, but takes a pointer to a PF_Pixel16* dst_pixel.
subpixel_sample_float	Takes a pointer to a PF_PixelFloat* dst_pixel.

TABLE 22: PF_SAMPLINGSUITE FUNCTIONS (MULTIPLE SUITES)

Function	Purpose
area_sample	<p>Use this to calculate the appropriate alpha weighted average of an axis-aligned non-integral rectangle of color in a source image, in high quality. Nearest neighbor sampling is used in low quality. Because of overflow issues, this can only average a maximum of a 256 x 256 pixel area (i.e. x and y radius < 128 pixels). NOTE: the sampling radius must be at least one in both x and y.</p> <pre>PF_Err area_sample (PF_ProgPtr effect_ref, PF_Fixed x, PF_Fixed y, const PF_SampPB *params, PF_Pixel *dst_pixel);</pre> <p>NOTE: Areas outside the boundaries of the layer are considered the same as zero alpha, for sampling purposes.</p>
area_sample16	Same as above, but takes a PF_Pixel16* dst_pixel.

TABLE 23: PF_BATCHSAMPLINGSUITE1

Function	Purpose
begin_sampling	<p>Your effect is going to perform some batch sampling; After Effects will perform setup tasks to optimize your sampling.</p> <pre>PF_Err (*begin_sampling)(PF_ProgPtr effect_ref, PF_Quality qual, PF_ModeFlags mf, PF_SampPB *params);</pre>
end_sampling	<p>Tells After Effects you're done sampling.</p> <pre>PF_Err (*end_sampling)(PF_ProgPtr effect_ref, PF_Quality qual, PF_ModeFlags mf, PF_SampPB *params);</pre>

TABLE 23: PF_BATCHSAMPLINGSUITE1

Function	Purpose
get_batch_func	Obtains a pointer to After Effects' batch sampling function (highly optimized). <pre>PF_Err (*get_batch_func)(PF_ProgPtr effect_ref, PF_Quality quality, PF_ModeFlags mode_flags, const PF_SampPB *params, PF_BatchSampleFunc *batch);</pre>
get_batch_func16	Obtains a pointer to After Effects' 16-bpc batch sampling function (also highly optimized). <pre>PF_Err (*get_batch_func16)(PF_ProgPtr effect_ref, PF_Quality quality, PF_ModeFlags mode_flags, const PF_SampPB *params, PF_BatchSample16Func *batch);</pre>

DO THE MATH FOR ME

Along with the variety of graphics utilities, we also provide a block of ANSI standard routines so that plug-ins will not need to include other libraries to use standard functions. We give function pointers to a large number of math functions (trig functions, square root, logs, etc.).

Using our suite functions provides for some (application level) error handling, and prevents problems with including different versions of multiple “standard” libraries.

All functions return a double. All angles are expressed in radians, use PF_RAD_PER_DEGREE (a constant from AE_EffectCB.h) to convert from degrees to radians if necessary.

TABLE 24: PF_ANSICALLBACKSSUITE1

Function	Purpose
acos	Returns the arc cosine of x. Replaces PF_ACOS.
asin	Returns the arc sine of x. Replaces PF_ASIN.
atan	Returns the arc tangent of x. Replaces PF_ATAN.
atan2	Returns atan(y/x). Replaces PF_ATAN2.
ceil	Returns the next integer above x. Replaces PF_CEIL.

TABLE 24: PF_ANSICALLBACKSSUITE1

Function	Purpose
cos	Returns the cosine of x. Replaces PF_COS.
exp	Returns e to the power of x. Replaces PF_EXP.
fabs	Returns the absolute value of x. Replaces PF_FABS.
floor	Returns the closest integer below x. Replaces PF_FLOOR.
fmod	Returns x modulus y. Replaces PF_FMOD.
hypot	Returns the hypotenuse of x and y, which is $\sqrt{x^2 + y^2}$. Replaces PF_HYPOT.
log	Returns the natural log (ln) of x. Replaces PF_LOG.
log10	Returns the log (base 10) of x. Replaces PF_LOG10.
pow	Returns x to the power of y. Replaces PF_POW.
sin	Returns the sine of x. Replaces PF_SIN.
sqrt	Returns the square root of x. Replaces PF_SQRT.
tan	Returns the tangent of x. Replaces PF_TAN.
<i>(while not strictly math functions, these emulate ANSI functionality)</i>	
sprintf	Emulates the C sprintf function. Replaces PF_SPRINTF.
strcpy	Emulates the C strcpy function. Replaces PF_STRCPY.

INTERACTION CALLBACK FUNCTIONS

While the un-macro'd function pointers are provided in [PF_InData](#), use the provided macros to access them. See how stringent we are about deprecating macro usage? Let's let this be our little secret.

TABLE 25: INTERACTION CALLBACKS

Function	Purpose
PF_ADD_PARAM	<p>Enumerate your plug-in's parameters to After Effects during PF_Cmd PARAM SETUP, using multiple calls to this function.</p> <p>Note: Failing to completely clear out a PF_ParamDef prior to PF_ADD_PARAM() can cause many problems. Always use AEFX_CLR_STRUCT before adding parameters.</p> <pre>PF_Err PF_ADD_PARAM (PF_InData *in_data, PF_ParamIndex index, PF_ParamDefPtr def);</pre> <p>We provide convenience macros for specific parameter types, in Utils/Param_Utils.h:</p> <pre>PF_ADD_COLOR, PF_ADD_ARBITRARY, PF_ADD_SLIDER, PF_ADD_FIXED, PF_ADD_FLOAT_SLIDERX, PF_ADD_CHECKBOXX, PF_ADD_BUTTON, PF_ADD_ANGLE, PF_ADD_NULL, PF_ADD_LAYER, PF_ADD_255_SLIDER, PF_ADD_PERCENT, PF_ADD_POINT, PF_ADD_POINT_3D, PF_ADD_TOPICKX, PF_END_TOPIC, PF_ADD_POPUPX, PF_ADD_FLOAT_SLIDERX_DISABLED</pre>
PF_ABORT	<p>Returns non-zero if the user has cancelled; return that value to After Effects. Wrap your render routine in a "while abort has not been requested" while loop.</p> <pre>PF_Err PF_ABORT (PF_InData *in_data);</pre>

TABLE 25: INTERACTION CALLBACKS

Function	Purpose
PF_PROGRESS	<p>Displays a progress bar during processing; <code>current</code> and <code>total</code> describe the percentage complete. Returns non-zero if you should suspend or abort your current processing; return that value to After Effects. Call once per scanline, unless your effect is very slow. If <code>total</code> is 0, <code>PF_ABORT</code> is used instead (presenting the user with different choices).</p> <pre>PF_Err PF_PROGRESS (PF_InData *in_data, A_long current, A_long total);</pre>
PF_CHECKOUT_PARAM	<p>Obtains parameter values, or the source video layer, at a specified time. After Effects makes caching decisions based on the checkout state of parameters.</p> <p>Allocate a new PF_ParamDef to hold the result; those passed to the plugin are read-only. If you check out a layer parameter that's set to <none>, the layer returned will be filled with zeros. Masks are not included with checked-out layers.</p> <p>Do not check out layer parameters during UI event handling.</p> <pre>PF_Err PF_CHECKOUT_PARAM (PF_InData *in_data, PF_ParamIndex index, A_long what_time, A_long step, A_long time_scale, PF_ParamDef *param);</pre> <p>If checking out the source layer, a deinterlaced frame will be returned. If you ask for the time that references the upper field, you will receive back the upper field with a filter used to generate the extra scanlines. For example, assuming line 0 and 2 are upper fields, and line 1 is a lower field, if you check out the upper fields, line 0 and 2 will be passed back directly from the source footage, and line 1 will be calculated by averaging lines 0 and 2. If you want to reassemble a full resolution source frame with both fields present, you can call <code>PF_CHECKOUT_PARAM</code> twice to get both fields, and reinterlace the footage.</p> <p>What happens when checking out a layer at a time that is not frame-aligned? All items have essentially infinite time resolution, so when asking for a time at any value, AE renders the item at that time. For a composition, that involves interpolating all of the keyframes values to the subframe time. For footage, AE returns a full image that corresponds to the time asked, which is the nearest-to-left frame. If the user has frame-blending on that layer, an interpolated frame is generated.</p>

TABLE 25: INTERACTION CALLBACKS

Function	Purpose
PF_CHECKIN_PARAM	<p>Balance every PF_CHECKOUT_PARAM, with a PF_CHECKIN_PARAM. Not doing so causes dismal performance and leaks memory. Once checked in, the fields in the PF_ParamDef will no longer be valid.</p> <pre>PF_Err PF_CHECKIN_PARAM (PF_InData *in_data, PF_ParamDef *param);</pre>
PF_REGISTER_UI	<p>Register a custom user interface element. See Events.</p> <pre>PF_Err PF_REGISTER_UI (PF_InData *in_data, PF_CustomUIInfo *cust_info);</pre>
PF_CHECKOUT_LAYER_AUDIO	<p>Given an index, start_time, duration, time_scale, rate, bytes_per_sample, num_channels, and fmt_signed, After Effects will return a corresponding PF_LayerAudio. After Effects will perform any necessary resampling.</p> <pre>PF_Err PF_CHECKOUT_LAYER_AUDIO (PF_InData *in_data, PF_ParamIndex index, A_long start_time, A_long duration, A_u_long time_scale, PF_UFixed rate, A_long bytes_per_sample, A_long num_channels, A_long fmt_signed, PF_LayerAudio *audio);</pre>

TABLE 25: INTERACTION CALLBACKS

Function	Purpose
PF_CHECKIN_LAYER_AUDIO	<p>Balance all calls to PF_CHECKOUT_LAYER_AUDIO, regardless of error conditions, with matching calls to PF_CHECKIN_LAYER_AUDIO.</p> <pre>PF_Err PF_CHECKIN_LAYER_AUDIO (PF_InData *in_data, PF_LayerAudio audio);</pre>
PF_GET_AUDIO_DATA	<p>Returns information about the PF_LayerAudio.</p> <p>All the parameters after <code>audio</code> are optional; pass 0 for any value in which you aren't interested. <code>rate0</code> is unsigned, and <code>fmt_signed0</code> should be non-zero for signed, zero for unsigned. This callback is for visual effects that read audio information. To <i>alter</i> audio, write an audio filter.</p> <pre>PF_Err PF_GET_AUDIO_DATA (PF_InData *in_data, PF_LayerAudio audio, PF_SndSamplePtr *data0, A_long *num_samples0, PF_UFixed *rate0, A_long *bytes_per_sample0, A_long *num_channels0, A_long *fmt_signed0);</pre>

PARAMETER CHECKOUT VS. PARAM ZERO

Effects are applied to an image in order from 0 to `n` within the Effect Control (and Composition) panel. The output from `effect[n-1]` is the input ([param\[0\]](#)) of `effect[n]`. On the other hand, when a normal effect checks out a layer using [PF_CHECKOUT_PARAM](#), it receives the raw (un-effected) source layer, regardless of its order. However, when a [SmartFX](#) effect checks out its input parameter (`params[0]`), previous effects *are* applied.

PARAMETER CHECKOUT BEHAVIOR

Regardless of whether the layer in and out point have been trimmed, you will get valid frames from the start of the source footage to the end, and then transparent before and after that.

Layer params with a lower frame rate than the composition in which they're checked out are only refreshed as often as necessitated by the lower frame rate. A 10fps layer checked out in a 30fps composition will only need to be refreshed every third frame. if your effect wants to change it's output every frame despite the static input layer, you'd need to set [PF_Outflag_NON_PARAM_VARY](#).

When an effect checks out a continuously-rasterized Adobe Illustrator layer, After Effects renders the Illustrator layer with geometrics applied, in a composition-sized buffer.

PARAMETER CHECKOUT AND RE-ENTRANCY

Plug-ins that check out layers at different times can generate re-entrant behavior. Consider an instance where the Checkout sample plug-in is applied to a layer in composition B, and B is pre-composed into composition A where Checkout is applied to it as well. When composition A is rendered, Checkout[A] will be sent *PF_Cmd_RENDER*, during which it checks out a layer (composition B) from a time other than the current time. In order to provide that checked-out layer, After Effects sends *PF_Cmd_RENDER* to Checkout[B]. Presto, recursion!

If you're going to check out parameters, your effects must handle re-entrant render requests appropriately. Don't use globals, or read or write static variables...but you weren't going to anyway, right?

PROGRESS DURING ITERATION

After Effects strives to be as responsive as possible to user interaction, even while rendering. Do the same through appropriate use of *PF_ITERATE()*. For example, perhaps you're using a *PF_ITERATE*'d function three times during your response to [*PF_Cmd_RENDER*](#). In this case, you'd start off with:

```
lines_per_iterateL = in_data>extent_hint.top -  
in_data>extent_hint.bottom;
```

```
total_linesL = 3 * lines_per_iterateL;  
lines_so_farL = 0;
```

After each iteration, you'd add the already-completed lines to the current position.

```
suites.iterate8suite(>iterate(  lines_so_farL,  
                                total_linesL,  
                                input_worldP,  
                                &output>extent_hint,  
                                refcon,  
                                WhizBangPreProcessFun,  
                                output_worldP);
```

```
lines_so_farL += lines_per_iterateL;
```

```
ERR(PF_PROGRESS(lines_so_farL, total_linesL));
```



```

suites.iterate8suite(>iterate(  lines_so_farL,
                                total_linesL,
                                input_worldP,
                                &output>extent_hint,
                                refcon,
                                WhizBangRenderFunc,
                                output_worldP);

lines_so_far += lines_per_iterateL;

ERR(PF_PROGRESS(lines_so_farL, total_linesL));

suites.iterate8suite(>iterate(  lines_so_farL,
                                total_linesL,
                                input_worldP,
                                &output>extent_hint,
                                refcon,
                                WhizBangPostProcessFunc,
                                output_worldP);

ERR(PF_PROGRESS(lines_so_farL, total_linesL));

```

PIXEL ASPECT RATIO

Effects must respond correctly to footage with non-square pixels, and non-uniform downsampling factors. Even different layer parameters can have different pixel aspect ratios! Doing so isn't difficult once you understand the concepts involved.

Simple effects needn't do any work to match up [point parameters](#) to the actual pixels in the output. Point parameters are given to the effect scaled for downsample factor and pixel aspect ratio; they are in the coordinate system of the input buffer. This provides an implicit "pixel coordinate system." This coordinate system is handy and easy to understand. But effects that use absolute pixel measurements or geometry must take a deeper look at the relationship between the input buffer and the final rendered image.

DON'T ASSUME PIXELS ARE SQUARE, OR 1-TO-1

First, it is not necessarily a square coordinate system, due to both pixel aspect ratio and non-uniform downsample factor. The final rendered image can be stretched or squashed horizontally, relative to the pixels your effect processes. Circles will appear as ellipses, squares as rectangles. The distance between two points varies based on their angle in this coordinate system; anything rotated in this system is skewed, in the final output.

Second, even if it is a square coordinate system, it's not necessarily the same size as the final output. This means that any slider which defines a size in pixels will be a problem when the image is rendered downsampled; the width of anti-aliasing filters changes based on downsample factor.

Sometimes these issues aren't a problem. Any effect that colors pixels based solely on a linear function of the x and y coordinates need not bother with pixel aspect ratio and downsample factor at all. Staying in the input coordinate space is an option, though you must account for pixel aspect ratio and downsample factor elsewhere.

Suppose you're writing a particle system effect that sprays textured sprites from a source position defined by an effect control point. Using pixel coordinates to represent the particle positions seems fine (as long as the particles don't have to rotate around a point), but when you go to actually *render* the particle textures, you'll have to scale them by pixel aspect ratio and downsample factor.

If an effect already has coordinate transformation machinery in its pipeline, there's an alternative that's often simpler. Many algorithms require some sort of coordinate transformation; using matrices to set up a transformation, for example. But there are other easily adaptable algorithms, for example a texture generation effect that computes the value of each pixel based solely on its position. In this case, the code must take the raw pixel position and account for pixel aspect ratio and downsample factor.

SUGGESTED APPROACH

The simplest way to get all of this right is to work entirely in full resolution square coordinates, then scale by downsample factor and pixel aspect ratio as a final output transformation. Since point parameters are always reported in input buffer coordinates, convert them to full-resolution square coordinates before use. With this approach you don't need to worry about sliders which define a size in pixels; just interpret them as defining size in full-resolution vertical pixels.

1) When getting your point parameters, go immediately to floating point and a full resolution square pixel system, like this:

```
x *= in_data>pixel_aspect_ratio.num /  
(float)in_data>pixel_aspect_ratio.den;  
  
x *= in_data>downsample_x.den /  
(float)in_data>downsample_x.num;  
  
y *= in_data>downsample_y.den /  
(float)in_data>downsample_y.num;
```

2) Perform all setup (define transformation matrices, generate coordinates for later scan conversion, compute values based on the distance between points, rotating things, et cetera) in this coordinate space. Note that you're not actually dealing with pixels in this stage; you're just manipulating coordinates or coordinate transformations.

3) To go back to a coordinate system that corresponds directly to the pixels of the output buffer, undo the transformations from step one. Do this as late as possible, so as little code as possible needs to deal with this non-square space. If you're using matrices, this would be a final output transformation. For an effect which renders something based on the coordinate of each pixel, iterate over the output pixels and convert pixel coordinates to square coordinates before doing any processing for that pixel.

This may seem like extra work, but most reasonably complex effects like this have a coordinate transformation step anyway; and if they don't, they still need one to handle pixel aspect ratio and downsample factor correctly.

APPLYING USER INPUT IN PIXELS

After Effects does all of its stretching horizontally so as to not to introduce unnecessary field interpolations; when pixels are used as a unit, we think of them as vertical pixels.

TEST TEST TEST!

Test at 1/2, 1/4, and custom resolutions and compare the output. Use an anamorphic (2:1) pixel aspect ratio composition to track down bugs in pixel aspect ratio handling (it really makes them obvious), and be sure to test with different horizontal and vertical downsample factors.

Some developers have reported problems with the downsample factors provided by some "After Effects compatible" plug-in hosts being zero. Check for zero before dividing.

PARAMETERS AND FLOATING POINT VALUES

We have something to admit to you; for years, even though we've given you 8 bit color values, we've internally used floating point representations behind your back. That's right, even with over-bright colors, we'd only ever tell you '255, 255, 255'. Yeah, right. Well, we can't live the lie any longer! Given a color parameter (passed to you by After Effects in your

effect's parameter array), this function returns a floating point representation, including any high dynamic range component.

TABLE 26: PF_COLORPARAMSUITE1

Function	Purpose
PF_GetFloatingPointColorFromColorDef	<pre>PF_Err PF_GetFloatingPointColorFromColorDef(PF_ProgPtr effect_ref, const PF_ParamDef *color_defP, PF_PixelFloat *fp_colorP);</pre>

We also provide a way to get floating point values for point parameters.

TABLE 27: PF_POINTPARAMSUITE1

Function	Purpose
PF_GetFloatingPointValueFromPointDef	<pre>PF_Err PF_GetFloatingPointValueFromPointDef(PF_ProgPtr effect_ref, const PF_ParamDef *point_defP, A_FloatPoint *fp_pointP);</pre>

New in CS6.0.2, we now provide a way to get floating point values for angle parameters.

TABLE 28: PF_ANGLEPARAMSUITE1

Function	Purpose
PF_GetFloatingPointValueFromAngleDef	<pre>PF_Err PF_GetFloatingPointValueFromAngleDef(PF_ProgPtr effect_ref, const PF_ParamDef *angle_defP, A_FloatLong *fp_valueP);</pre>

PARAMETER SUPERVISION

Supervision means dynamically changing the values of some parameters based on the values of others. To supervise a parameter, set [PF_ParamFlag_SUPERVISE](#) before adding it during `PF_Cmd_PARAMS_SETUP`. Whenever it is changed, you will receive [PF_Cmd_USER_CHANGED_PARAM](#). The index (into the plug-in's parameter array) of the changed parameter is sent in the `PF_UserChangedParamExtra` ([extra](#)) param. During `PF_Cmd_USER_CHANGED_PARAM`, you may change the values *and* appearance of any of your parameters.

UPDATING PARAMETER UI

If you set `PF_ParamFlag_SUPERVISE` on any parameter, After Effects will send you `PF_Cmd_UPDATE_PARAMS_UI`, just as if you had set `PF_OutFlag_SEND_UPDATE_PARAMS_UI`.

During `PF_Cmd_UPDATE_PARAMS_UI`, you may only change the appearance and enable state of parameters. Use [PF_UpdateParamUI\(\)](#) from [PF_ParamUtilsSuite](#) to update the UI, passing it a *copy* of the parameter you wish to modify. Do *not* attempt to modify the original. It is not necessary to set `PF_OutFlag_REFRESH_UI`; `PF_UpdateParamUI()` handles that for you. Note also that this is the only way to update the UI of `PF_PUI_STD_CONTROL_ONLY` parameters.

UPDATING PARAMETER VALUES

A parameter's value (not just UI) can be modified during [PF_Cmd_USER_CHANGED_PARAM](#) and during [PF_Cmd_EVENT](#) (`PF_Event_DO_CLICK`, `PF_Event_DRAG`, & `PF_Event_KEYDOWN`). After Effects will not honor changes made at other times.

When changing parameter *values* (and not just the UI), modify the original parameter, and set `PF_Paramdef.uu.change_flags` to `PF_ChangeFlag_CHANGED_VALUE`. This change will be also update the UI, and will be undoable by the user. Note that `PF_ChangeFlag_CHANGED_VALUE` isn't supported for layer parameters.

PARAMETER UTILITY SUITE

This suite is provided to give effect plug-ins some access to their parameter streams, without requiring AEGP suite usage. At least some of these functions are provided by several third-party hosts. These functions are especially handy for effects with supervised parameters.

TABLE 29: PF_PARAMUTILSSUITE3

Function	Purpose
PF_UpdateParamUI	<pre>PF_UpdateParamUI(PF_ProgPtr effect_ref, PF_ParamIndex param_index, const PF_ParamDef *defP);</pre> <p>Force After Effects to refresh the parameter's UI, in the effect controls palette.</p> <p>Starting in CC 2014, After Effects will now honor a change to a custom UI height. Simply change the <code>ui_height</code> of your custom UI <code>PF_ParamDef</code> and then call <code>PF_UpdateParamUI</code>. The effect's custom UI height will be updated in the Effect Control Window.</p> <p>Starting in CS6, when a plug-in disables a parameter, we now save that state in the UI flags so that the plug-in can check that flag in the future to see if it is disabled.</p> <p>NOTE: Never pass <code>param[0]</code> to this function.</p>

TABLE 29: PF_PARAMUTILSSUITE3

Function	Purpose
PF_GetCurrentState	<pre>PF_GetCurrentState(PF_ProgPtr effect_ref, PF_ParamIndex param_index, const A_Time *startPT0, const A_Time *durationPT0, PF_State *stateP);</pre> <p>This API, combined with PF_AreStatesIdentical below, lets you determine if a set of inputs (either layers, other properties, or both) are different between when you first called PF_GetCurrentState and a current call, so it can be used for caching. You can specify a range of time to consider or all of time.</p> <p>Updated in CS6 to add param_index, startPT0, and durationPT0. Pre-defined constants for param_index are as follows:</p> <p>PF_ParamIndex_CHECK_ALL - check every parameter, including every layer referred to by a layer parameter.</p> <p>PF_ParamIndex_CHECK_ALL_EXCEPT_LAYER_PARAMS - omit all layers. Pass a specific layer parameter index to include that as the only layer parameter tested.</p> <p>PF_ParamIndex_CHECK_ALL_HONOR_EXCLUDE - Similar to CHECK_ALL, but honor</p> <p>PF_ParamFlag_EXCLUDE_FROM_HAVE_INPUTS_CHANGED.</p> <p>Passing in NULL for both start and duration indicates all time. For effects that do simulation across time and therefore set PF_OutFlag2_AUTOMATIC_WIDE_TIME_INPUT, when you ask about a time range, it will be expanded to include any times needed to produce that range.</p> <p>Populates a PF_State, an opaque data type used as a receipt for the current state of the effect's parameters (the PF_State is used in our internal frame caching database).</p>
PF_AreStatesIdentical	<pre>PF_AreStatesIdentical(PF_ProgPtr effect_ref, const PF_State *state1P, const PF_State *state2P, A_Boolean *samePB);</pre> <p>New in CS6. Compare two different states, retrieved using PF_GetCurrentState, above.</p>

TABLE 29: PF_PARAMUTILSSUITE3

Function	Purpose
PF_HasParamChanged	<p>No longer supported in PFParamUtilsSuite3.</p> <pre>PF_HasParamChanged (PF_ProgPtr effect_ref , const PF_State *stateP, PF_ParamIndex param_index, PF_Boolean *changedPB) ;</pre> <p>Given a PF_State, passes back true if any of the tested parameters differ from the saved state. Contrary to the name, the call does not provide a way to test a single parameter. At a minimum, all non-layer parameters will be tested. For finer granularity to test a specific set of parameters, use PF_HaveInputsChangedOverTimeSpan below instead.</p> <p>Pre-defined constants for param_index are as follows:</p> <p>PF_ParamIndex_CHECK_ALL - check every parameter, including every layer referred to by a layer parameter.</p> <p>PF_ParamIndex_CHECK_ALL_EXCEPT_LAYER_PARAMS - omit all layers. Pass a specific layer parameter index to include that as the only layer parameter tested.</p>
PF_HaveInputsChangedOverTimeSpan	<p>No longer supported in PFParamUtilsSuite3. Use PF_AreStatesIdentical() instead.</p>
PF_IsIdenticalCheckout	<pre>PF_IsIdenticalCheckout (PF_ProgPtr effect_ref , PF_ParamIndex param_index, A_long what_time1, A_long time_step1, A_u_long time_scale1, A_long what_time2, A_long time_step2, A_u_long time_scale2, PF_Boolean *identicalPB) ;</pre> <p>Returns TRUE if a parameter's value is the same at the two passed times. Note: the times need not be contiguous; there could be different intervening values.</p>

TABLE 29: PF_PARAMUTILSSUITE3

Function	Purpose
PF_FindKeyframeTime	<pre>PF_FindKeyframeTime(PF_ProgPtr effect_ref, PF_ParamIndex param_index, A_long what_time, A_u_long time_scale, PF_TimeDir time_dir, PF_Boolean *foundPB, PF_KeyIndex *key_indexP0, A_long *key_timeP0, A_u_long *key_timescaleP0);</pre> <p>Searches (in the specified direction) for the next keyframe in the parameter's stream. The last three parameters are optional.</p>
PF_GetKeyframeCount	<pre>PF_GetKeyframeCount(PF_ProgPtr effect_ref, PF_ParamIndex param_index, PF_KeyIndex *key_countP);</pre> <p>Returns the number of keyframes in the parameter's stream.</p>
PF_CheckoutKeyframe	<pre>PF_CheckoutKeyframe(PF_ProgPtr effect_ref, PF_ParamIndex param_index, PF_KeyIndex key_index, A_long *key_timeP0, A_u_long *key_timescaleP0, PF_ParamDef *paramP0);</pre> <p>Checks a keyframe for the specified parameter out of our keyframe database. <code>param_index</code> is zero-based. You can request time, timescale, or neither; useful if you're performing your own motion blur.</p>
PF_CheckinKeyframe	<pre>PF_CheckinKeyframe(PF_ProgPtr effect_ref, PF_ParamDef *paramP);</pre> <p>All calls to <code>PF_CheckoutKeyframe</code> must be balanced with this check-in, or pain will ensue.</p>
PF_KeyIndexToTime	<pre>PF_KeyIndexToTime(PF_ProgPtr effect_ref, PF_ParamIndex param_index, PF_KeyIndex key_indexP, A_long *key_timeP, A_u_long *key_timescaleP);</pre> <p>Returns the time (and timescale) of the specified keyframe.</p>

GLOBAL, SEQUENCE, AND FRAME DATA

After Effects allows plug-ins to store data at three scopes; global, sequence, and frame. Consider carefully where you store information; choosing poorly can impact performance, or make your plug-in confusing to the user.

Use global data for information common to all instances of the effect: static variables and data, bitmaps, pointers to other DLLs or external applications.

Store anything specific to this instance of your plug-in (UI settings, text strings, and any custom data not stored in parameters) in sequence data, Use After Effects' memory allocation functions.

Frame data is used for information specific to rendering a given frame. This has fallen into disuse, as most machines are capable of loading an entire frame into memory at a time. Of course, your IMAX-generating users will still appreciate any optimizations you can make.

PERSISTENCE

After Effects saves sequence data in the project file, but not global or frame data. Pointers within sequence data which point to external data are, in all likelihood, invalid upon re-opening the project, and must be re-connected. We call this process “flattening” and “un-flattening” the sequence data.

VALIDATING SEQUENCE DATA

Careful sequence data validation is important for effects that do simulation across time, where frame N is dependent on frame N-1, and you use a cache of calculated data in your sequence data. If a parameter is changed, certain calculated data may no longer be valid, but it would also be wasteful to blindly recalculate everything after every change.

When asked to render frame N, assuming you have your cached data calculated up to frame N-1, call [`PF_GetCurrentState\(\)`](#) / [`PF_AreStatesIdentical\(\)`](#) to see if the cache of calculated data is still valid given the current parameter settings. The state of all parameters (except those with [`PF_ParamFlag_EXCLUDE_FROM_HAVE_INPUTS_CHANGED`](#) set), including layer parameters (including [`param\[0\]`](#)) are checked over the passed time span. This is done efficiently, as the change tracking is done with timestamps.

If the inputs have not changed, you can safely use your cache, AND the internal caching system will assume that you have a temporal dependency on the passed range. So if something changes upstream, the host's caches will be properly invalidated automatically.

To test that it is working, apply your effect with one parameter keyframed on every frame. RAM Preview to fill the cache, then change one of the keyframes. The related frame and all dependent frames (e.g. later frames, in the case of a simulation) should lose their cache marks and require re-rendering. Similarly, upstream changes to sources of layer parameters should cause time-selective invalidation of the cache.

FLATTENED AND UNFLATTENED SEQUENCE DATA

If your sequence data references external memory (in pointers or handles), you must flatten and unflatten your data for disk-safe storage. This is analogous to creating your own miniature file format.

Upon receiving [*PF_Cmd_SEQUENCE_FLATTEN*](#), put data referenced by pointers into one contiguous block from which you can later recover the old structure. If your sequence data contains a pointer to a long, allocate 4 bytes in which to store the flattened data. You must handle platform-specific byte ordering.

Remember, your users (the ones who bought two copies of your plug-in, anyway) may want the same project to work on Mac OS and Windows. After Effects sends [*PF_Cmd_SEQUENCE_RESETUP*](#) when the data is reloaded, for either flat or unflat data. Use a flag at a common offset within both structures to indicate the data's state.

```
typedef struct {
    A_char*      messageZ;
    PF_FpLong    big_numF;
    void*        temp_storage;
} non_flat_data;

typedef struct {
    char          message[256];
    PF_FpLong     big_numF;
    A_Boolean     big_endianB;
} flat_data;
```

RESIZING SEQUENCE DATA

During [*PF_Cmd_SEQUENCE_SETUP*](#), allocate a handle for data specific to this instance of your effect. you may modify the contents, but not the size, of the sequence data during any selector. You may resize the sequence data handle only during the following selectors:

```
PF_Cmd_AUDIO_SETUP
PF_Cmd_AUDIO_SETDOWN
PF_Cmd_FRAME_SETUP
PF_Cmd_FRAME_SETDOWN
PF_Cmd_AUDIO_RENDER
PF_Cmd_RENDER
```

PF_Cmd_SEQUENCE_SETUP (duh)
PF_Cmd_SEQUENCE_SETDOWN
PF_Cmd_SEQUENCE_FLATTEN
PF_Cmd_SEQUENCE_RESETUP
PF_Cmd_DO_DIALOG

ARBITRARY DATA PARAMETERS

Some values are not adequately represented by After Effects existing parameter types. You can create and register any data for interpolation by After Effects, by creating parameters of arbitrary data type, or “arb data”. You can rely on our interpolation engine and parameter management, without having to force your data into a pre-defined parameter type.

We’ve created a new messaging structure for custom data types, which are easily conceptualized as member (and friend) functions of a C++ class. You must respond to all selectors detailed here if you use arb data.

These functions deal with custom data structure management. Your arb data will be unloaded and reloaded at the user’s whim; provide disk-safe flatten and unflatten functions.

TABLE 30: ARBITRARY DATA SELECTORS

Selector	Response
<i>PF_Arbitrary_NEW_FUNC</i>	Allocate, populate, and return a handle to a new instance of your arb data.
<i>PF_Arbitrary_DISPOSE_FUNC</i>	Free and destroy an instance of your arbitrary data type.
<i>PF_Arbitrary_COPY_FUNC</i>	Make a copy of an existing instance. You will be passed two handles, but only the source handle contains a valid instance. You must create a new instance, copy the values from the source, and put it in the destination handle. If you are passed a NULL handle, create a default instance of your arb data.
<i>PF_Arbitrary_FLAT_SIZE_FUNC</i>	You’ll be passed a handle to an instance of your data type, and a variable in which you return the size of a flattened version of that instance.
<i>PF_Arbitrary_FLATTEN_FUNC</i>	Flatten the instance you’re passed, and place it in the supplied buffer. The buffer will be the size you reported in response to <i>PF_Arbitrary_FLAT_SIZE_FUNC</i> .
<i>PF_Arbitrary_UNFLATTEN_FUNC</i>	Unpack the buffer into an instance of your arbitrary data type, and put in the handle which you’ve been passed.

TABLE 30: ARBITRARY DATA SELECTORS

Selector	Response
<i>PF_Arbitrary_INTERP_FUNC</i>	<p>Your interpolation function is passed three handles to instances of your arbitrary data type; one containing initial values (0), one final values (1), and a third to hold your interpolated data (somewhere between 0 and 1). You are also passed a <code>float</code> indicating where, between 0 and 1, your interpreted value should be.</p> <p>Allocate an instance and fill it with interpolated data. Then put the interpolated instance into the handle you've been passed. The velocity curves have already been accounted for when the normalized time value was calculated.</p> <p>NOTE: Never check out parameters if the in_data>effect_ref is NULL.</p>
<i>PF_Arbitrary_COMPARE_FUNC</i>	<p>You are passed two instances of your arbitrary data, and a pointer to a comparison result. Populate the result with one of the values for <code>PF_ArbCompareResult</code> (see <code>AE_Effect.h</code>) to indicate whether the first was equal to, less than, more than, or simply not equal to the second.</p>
<i>PF_Arbitrary_PRINT_SIZE_FUNC</i>	<p>Indicate the buffer size you require for printing your parameter's current values by setting <code>print_sizePLu</code> (member of <code>print_size_func_params</code>, part of the <code>PF_ArbParamsExtra</code> structure).</p>
<i>PF_Arbitrary_PRINT_FUNC</i>	<p>Format your arbitrary data for text-based export, and copy the result to the buffer. This can be as elaborate as you would like. Your plug-in should emulate the cut-and-paste behavior for pasting text representations of parameter settings (into a Microsoft Excel spreadsheet, for example) displayed by the plug-ins shipped with After Effects. You have a great deal of flexibility in how you format your output.</p>
<i>PF_Arbitrary_SCAN_FUNC</i>	<p>Given a buffer of text data (often from the system clipboard), parse it into your arbitrary data format.</p>

IMPLEMENTING ARBITRARY DATA

In addition to the normal command and event selector, arb data requires another set of host interaction. This is transparent for other parameter types, as After Effects manages their representing data. Writing an arb data plug-in will give you insight into the vast amount of parameter management After Effects performs, and the sequence in which those managing actions occur. It may even cause you to rethink your implementation, and use the parameter types After Effects manages *for* you.

Instantiate your arb data (using After Effects' memory allocation functions, of course) and point `ParamDef.u.arb_d.dephault` at it. Populate it with appropriate default values. No value variable is required to set up the parameter; zero it out for safety's sake.

In your plug-in's entry function, include a case for handling [PF_Cmd_ARBITRARY_CALLBACK](#). Invoke a secondary event handler, `HandleArbitrary`. It receives a `PF_ArbParamsExtra` in `extra`, which in turn contains a `PF_FunctionSelector` identifying the command sent.

Perhaps After Effects has sent `PF_Cmd_ARBITRARY_CALLBACK` and the `PF_FunctionSelector` is [PF_Arbitrary_COPY_FUNC](#). Pointers to a source and destination Arb are provided in `PF_ArbParamsExtra.copy_func_params`. Allocate a new Arb, and point `dest_arbPH` at it. If `src_arbH` is NULL, create a default Arb for `dest_arbPH`.

The user may select the arb's keyframe data in the Timeline panel, copy it, then switch to another application. You will be sent a `PF_Arbitrary_PRINT_SIZE_FUNC`; set the size of your output buffer by setting `print_sizePLu` in the `PF_ArbParamsExtra`. You'll then receive `PF_Arbitrary_PRINT_FUNC`; populate the `print_bufferPC` output buffer with a textual representation of the Arb(s) in question.

Users may paste keyframe data into your Arb's timeline. You will receive `PF_Arbitrary_SCAN_FUNC`. Create an Arb based on the contents of the character buffer handed to you (its size is indicated in `print_sizeLu`).

ARBITRARY DATA? RE-ENTRANCY.

Your plug-in code *must* be recursively re-entrant to support custom data types, since it could be called by After Effects for numerous reasons. Your plug-in could check out a layer that, in turn, depends on another instance of your effect. Your plug-in's arbitrary data handling code will be triggered by your attempt to check out a (seemingly) unrelated layer. Watch out for calls to C run-time libraries that rely on static values accessed through global variables. If you're not prepared for this eventuality, you'll hang After Effects, and users will curse and punch their monitors.

WHEN NOT TO ACCESS ARBITRARY PARAMETERS

If `in_data>effect_ref` is NULL, do not check out arbitrary parameters.

CHANGES DURING DIALOGS

After Effects ignores any changes made to arbitrary data parameters during `PF_Cmd_DO_DIALOG`. This is by design; changes made during the display of the options

dialog affect the entire effect stream, not just the arbitrary parameter at a given time. If you must alter your arb's behavior based on these changes, save that information in sequence data and apply it later, often during [PF_Cmd_USER_CHANGED_PARAM](#).

USEFUL UTILITY FUNCTIONS

PF_EFFECTUISUITE

Although not strictly concerned with parameters, this suite can change the name of the options button.

TABLE 31: PF_EFFECTUISUITE

Function	Purpose
PF_SetOptionsButtonName	<p>Changes the text on the options button in the effect controls palette. NOTE: This must be called during PF_Cmd_PARAM_SETUP.</p> <pre>PF_SetOptionsButtonName(PF_ProgPtr effect_ref, const A_char *nameZ);</pre> <p>nameZ may be up to A_char[31] in length.</p>

PF_AppSUITE

Roughly 437 years ago, when we released After Effects 5.0, we published some useful utility callbacks in PF_AppSuite. They're as useful today as they were then. After Effects has user-controllable UI brightness. In addition to the [PF_EffectCustomUIOverlayThemeSuite](#) for custom UI in effects, use these calls to integrate seamlessly into the After Effects UI.

What better way to shame someone into purchasing a copy of your plug-in than by putting their personal information into a watermark, eh? Or set the cursor to add mask vertices, just to confuse people? Heh heh heh. But that would be wrong.

TABLE 32: PF_APPSUITE5

Function	Purpose
PF_AppGetBgColor	Retrieves the current background color. <pre>PF_AppGetBgColor(PF_App_Color *bg_colorP);</pre>
PF_AppGetColor	Retrieves the color for the specified UI element. See AE_EffectSuites.h for a complete enumeration of available PF_App_Color values; basically any color in After Effects' UI can be retrieved. CC adds several new PF_App_ColorType enum values for new elements that can be queried. Note that in CS6, the color definitions are off from FILL_LIGHT downward. Use following psuedocode for CS6 only: <pre>GetColor(enum e) { if host_is_CS6 and e >= FILL_LIGHT e += 3 call real GetColor }</pre> <pre>PF_AppGetColor(PF_App_ColorType color_type, PF_App_Color *app_colorP);</pre>
PF_AppGetLanguage	New in CC. Retrieves the active displayed language of AE UI so plug-in can match. Here are the possible language codes as of CC: Chinese - zh_CN English - en_US French - fr_FR German - de_DE Italian - it_IT Japanese - ja_JP Korean - ko_KR Spanish - es_ES <pre>PF_AppGetLanguage(A_char *lang_tagZ);</pre>

TABLE 32: PF_APPSUITE5

Function	Purpose
PF_GetPersonalInfo	<p>Retrieves the user's registration information.</p> <pre>PF_GetPersonalInfo(PF_AppPersonalTextInfo *ptiP);</pre> <pre>typedef struct PF_AppPersonalTextInfo { A_char name[PF_APP_MAX_PERS_LEN + 1]; A_char org[PF_APP_MAX_PERS_LEN + 1]; A_char serial_str[PF_APP_MAX_PERS_LEN+1]; } PF_AppPersonalTextInfo;</pre>
PF_GetFontStyleSheet	<p>Retrieves font style sheet information for the fonts used in After Effects' UI. Trivia: The fonts used in After Effects' UI are Tahoma on Windows and Lucida Grande on Mac OS X.</p> <pre>PF_GetFontStyleSheet(PF_FontStyleSheet sheet, PF_FontName *font_nameP0, A_short *font_numPS0, A_short *sizePS0, A_short *stylePS0);</pre>
PF_SetCursor	<p>Sets the cursor to any of After Effects' cursors. See AE_EffectUI.h for a complete enumeration. Set to PF_Cursor_NONE to allow After Effects to set the cursor. Set to PF_Cursor_CUSTOM if you've used OS-specific calls to change the cursor (After Effects will honor your changes).</p> <pre>PF_SetCursor(PF_CursorType cursor);</pre>
PF_IsRenderEngine	<p>Returns TRUE if After Effects is running in watched folder mode, or is a render engine installation.</p> <pre>PF_IsRenderEngine(PF_Boolean *render_enginePB);</pre> <p>As of AE6.5, this function returns TRUE if the installation is the render engine, or if the After Effects is being run with no UI, or if After Effects is in watched folder mode.</p>
PF_AppColorPickerDialog	<p>Displays the After Effects color picker dialog (which may be the system color picker, depending on the user's preferences). Will return PF_Interrupt_CANCEL if user cancels dialog. Returned color is in the project's working color space.</p> <pre>PF_AppColorPickerDialog(const A_char *dialog_titleZ0, const PF_PixelFloat *sample_colorP, PF_PixelFloat *result_colorP);</pre>

TABLE 32: PF_APPSUITE5

Function	Purpose
PF_GetMouse	Returns the position of the mouse in the custom UI coordinate space. <pre>PF_GetMouse(PF_Point *pointP);</pre>
PF_InvalidateRect	Queue up a redraw of a specific area of the custom UI for an effect. Only valid while handling a non-drawing event in the effect. Specify rectP0 as NULL to invalidate the entire window. The redraw will happen at the next available idle moment after returning from the event. Set the PF_EO_UPDATE_NOW event outflag to update the window immediately after the event returns. <pre>PF_InvalidateRect(const PF_ContextH contextH, const PF_Rect* rectP0);</pre>
PF_ConvertLocalToGlobal	Converts from the custom UI coordinate system to global screen coordinates. Use only during custom UI event handling. <pre>PF_ConvertLocalToGlobal(const PF_Point *localP, PF_Point *globalP);</pre>

ADVANCED APPSUITE: YOU CAN DO THAT?!

PF_AdvAppSuite was originally designed for some pretty nefarious purposes; an external application was pretending to be an After Effects plug-in, and required ways to notify After Effects of the changes it had made to the project. Our API impurity is your gain.

TABLE 33: AE_ADVAPPSUITE2

Function	Purpose
PF_SetProjectDirty	Tells After Effects that the project has been changed since it was last saved. <pre>PF_SetProjectDirty(void);</pre>
PF_SaveProject	Saves the project to the current path. To save the project elsewhere, use AEGP_SaveProjectToPath() . <pre>PF_SaveProject(void);</pre>
PF_SaveBackgroundState	Stores the background state (After Effects' position in the stacking order of open applications and windows). <pre>PF_SaveBackgroundState(void);</pre>

TABLE 33: AE_ADVAPPSUITE2

Function	Purpose
PF_ForceForeground	Brings After Effects to the front of all currently open applications and windows. PF_ForceForeground(void);
PF_RestoreBackgroundState	Puts After Effects back where it was, in relation to other applications and windows. PF_RestoreBackgroundState(void);
PF_RefreshAllWindows	Forces all After Effects windows to update. Note that although the Composition panel will be refreshed, this does not guarantee a new frame will be sent to External Monitor Preview plug-ins. PF_RefreshAllWindows(void);
PF_InfoDrawText	Writes text into the After Effects info palette. PF_InfoDrawText(const A_char *line1Z0, const A_char *line2Z0);
PF_InfoDrawColor	Draws the specified color in the After Effects info palette (alpha is ignored). PF_InfoDrawColor(PF_Pixel color);
PF_InfoDrawText3	Writes three lines of text into the After Effects info palette. PF_InfoDrawText3(const A_char *line1Z0, const A_char *line2Z0, const A_char *line3Z0);
PF_InfoDrawText3Plus	Writes three lines of text into the After Effects info palette, with portions of the second and third lines left and right justified. PF_InfoDrawText3Plus(const A_char *line1Z0, const A_char *line2_jrZ0, const A_char *line2_jlZ0, const A_char *line3_jrZ0, const A_char *line3_jlZ0);
PF_AppendInfoText	Appends characters to the currently-displayed info text. PF_AppendInfoText(const A_char *appendZ0);

FORMATTING TIME

PF_AdvTimeSuite provides several functions to match how After Effects displays time. In fact, these are the same functions we use internally.

TABLE 34: PF_ADVTIMEsuite2

Function	Purpose
PF_FormatTimeActiveItem	<p>Given a time value and scale, returns a formatted string representing that time. If durationB is TRUE, appropriate units will be appended.</p> <pre>PF_FormatTimeActiveItem(A_long time_valueUL, A_u_long time_scaleL, PF_Boolean durationB, A_char *time_buf);</pre>
PF_FormatTime	<p>Contextualizes the formatted time string for the given PF_InData and PF_EffectWorld (i.e., layer time).</p> <pre>PF_FormatTime(PF_InData *in_data, PF_EffectWorld *world, A_long time_valueUL, A_u_long time_scaleL, PF_Boolean durationB, A_char *time_buf);</pre>

TABLE 34: PF_ADVTIMEsuite2

Function	Purpose
PF_FormatTimePlus	<p>Allows you to select composition or layer time.</p> <pre>PF_FormatTimePlus(PF_InData *in_data, PF_EffectWorld *world, A_long time_valueUL, A_u_long time_scaleL, PF_Boolean comp_timeB, PF_Boolean durationB, A_char *time_buf);</pre>
PF_GetTimeDisplayPref	<p>Returns the starting frame number (specified by the user in composition settings), and the composition's time display preferences.</p> <pre>PF_GetTimeDisplayPref(PF_TimeDisplayPref2 *tdp, A_long *starting_num); typedef struct { A_char display_mode; A_char framemax; A_char frames_per_foot; A_char frames_start; A_Boolean nondrop30B; A_Boolean honor_source_timecodeB; A_Boolean use_feet_framesB; } PF_TimeDisplayPrefVersion2;</pre>

AFFECTING THE TIMELINE

Long ago, we helped a developer integrate their stand-alone tracker with After Effects by exposing a set of functions to give them some way to notify us of, and be notified of, changes

to the timeline. With the numerous AEGP API calls available, these aren't used much, but they're still available. Don't confuse this suite with [AEGP_ItemSuite](#).

TABLE 35: PF_ADVITEMSUITE1

Function	Purpose
PF_MoveTimeStep	Moves current time num_stepsL in the specified direction. <pre>PF_MoveTimeStep(PF_InData *in_data, PF_EffectWorld *world, PF_Step time_dir, A_long num_stepsL);</pre>
PF_MoveTimeStep ActiveItem	Moves num_stepsL in the specified direction, for the active item. <pre>PF_MoveTimeStepActiveItem(PF_Step time_dir, A_long num_stepsL);</pre>
PF_TouchActiveItem	Tells After Effects that the active item must be updated. <pre>PF_TouchActiveItem (void);</pre>
PF_ForceRerender	Forces After Effects to rerender the current frame. <pre>PF_ForceRerender(PF_InData *in_data, PF_EffectWorld *world);</pre>
PF_EffectIsActive OrEnabled	Returns whether the effect which owns the PF_ContextH is currently active or enabled (if it isn't, After Effects won't be listening for function calls from it). <pre>PF_EffectIsActiveOrEnabled(PF_ContextH contextH, PF_Boolean *enabledPB);</pre>

ACCESSING AUXILIARY CHANNEL DATA

Some file types contain more than just pixel data; use [PF_ChannelSuite](#) to determine whether such information is present, and the macros in `AE_ChannelSuites.h` to retrieve it in the format you need.

TABLE 36: PF_CHANNELSUITE1

Function	Purpose
PF_GetLayerChannelCount	Retrieves the number of auxiliary channels associated with the indexed layer. <pre>PF_GetLayerChannelCount(PF_ProgPtr effect_ref, PF_ParamIndex param_index, A_long *num_channelsP);</pre>
PF_GetLayerChannelIndexedRefAndDesc	Retrieves (by index) a reference to, and description of, the specified channel. <pre>PF_GetLayerChannelIndexedRefAndDesc(PF_ProgPtr effect_ref PF_ParamIndex param_index PF_ChannelIndex channel_index, PF_Boolean *foundPB, PF_ChannelRef *channel_refP, PF_ChannelDesc *channel_descP);</pre>

TABLE 36: PF_CHANNELSUITE1

Function	Purpose																				
PF_GetLayerChannel TypedRefAndDesc	<p>Retrieves an auxiliary channel by type. Returned information is valid only if foundPB returns TRUE.</p> <pre>PF_GetLayerChannelTypedRefAndDesc(PF_ProgPtr effect_ref, PF_ParamIndex param_index, PF_ChannelType channel_type, PF_Boolean *foundPB, PF_ChannelRef *channel_refP, PF_ChannelDesc *channel_descP);</pre> <p>PF_DataType will be one of the following:</p> <table> <tr><td>PF_DataType_FLOAT</td><td>34 bytes</td></tr> <tr><td>PF_DataType_DOUBLE</td><td>38 bytes</td></tr> <tr><td>PF_DataType_LONG</td><td>34 bytes</td></tr> <tr><td>PF_DataType_SHORT</td><td>32 bytes</td></tr> <tr><td>PF_DataType_FIXED_16_16</td><td>34 bytes</td></tr> <tr><td>PF_DataType_CHAR</td><td>31 byte</td></tr> <tr><td>PF_DataType_U_BYTE</td><td>31 byte</td></tr> <tr><td>PF_DataType_U_SHORT</td><td>32 bytes</td></tr> <tr><td>PF_DataType_U_FIXED_16_16</td><td>34 bytes</td></tr> <tr><td>PF_DataType_RGB</td><td>3 bytes</td></tr> </table> <p>PF_ChannelType will be one of the following:</p> <pre>PF_ChannelType_DEPTH PF_ChannelType_NORMALS PF_ChannelType_OBJECTID PF_ChannelType_MOTIONVECTOR PF_ChannelType_BK_COLOR PF_ChannelType_TEXTURE PF_ChannelType_COVERAGE PF_ChannelType_NODE PF_ChannelType_MATERIAL PF_ChannelType_UNCLAMPED PF_ChannelType_UNKNOWN</pre>	PF_DataType_FLOAT	34 bytes	PF_DataType_DOUBLE	38 bytes	PF_DataType_LONG	34 bytes	PF_DataType_SHORT	32 bytes	PF_DataType_FIXED_16_16	34 bytes	PF_DataType_CHAR	31 byte	PF_DataType_U_BYTE	31 byte	PF_DataType_U_SHORT	32 bytes	PF_DataType_U_FIXED_16_16	34 bytes	PF_DataType_RGB	3 bytes
PF_DataType_FLOAT	34 bytes																				
PF_DataType_DOUBLE	38 bytes																				
PF_DataType_LONG	34 bytes																				
PF_DataType_SHORT	32 bytes																				
PF_DataType_FIXED_16_16	34 bytes																				
PF_DataType_CHAR	31 byte																				
PF_DataType_U_BYTE	31 byte																				
PF_DataType_U_SHORT	32 bytes																				
PF_DataType_U_FIXED_16_16	34 bytes																				
PF_DataType_RGB	3 bytes																				
PF_CheckoutLayerChannel	<p>Retrieves the PF_ChannelChunk containing the data associated with the given PF_ChannelRefPtr.</p> <pre>PF_CheckoutLayerChannel(PF_ProgPtr effect_ref, PF_ChannelRefPtr channel_refP, long what_time, long duration, unsigned long time_scale, PF_DataType data_type, PF_ChannelChunk *channel_chunkP);</pre>																				

TABLE 36: PF_CHANNELSUITE1

Function	Purpose
PF_CheckinLayerChannel	Checks in the PF_ChannelChunk. Always, always, always check the data back in. <pre>PF_CheckinLayerChannel(PF_ProgPtr effect_ref, PF_ChannelRefPtr channel_refP, PF_ChannelChunk *channel_chunkP);</pre>

MOTION BLUR

Effects handle their own motion blur, using `PF_InData>shutter_angle` along with `PF_InData>shutter_phase`. The plug-in must set `PF_OutFlag_I_USE_SHUTTER_ANGLE` so After Effects knows it needs this information. They must *check out* their own parameters at other times to examine their change over the shutter interval. If the plug-in checks out parameters outside this interval, set `PF_OutFlag_WIDE_TIME_INPUT`. Doing so allows After Effects to compare the parameters within the sampling interval, and determine if they’ve changed.

WORKING WITH PATHS

ACCESSING PATH DATA

Paths differ from other parameter types, in that their values are not directly accessible. In addition to checking them out and in (like layer parameters), you must use our path data function suites to obtain the details of the path at a given time. See [PF_PathQuerySuite](#) and [PF_PathDataSuite](#). Never use the values present in a path parameter when it’s passed to you, without first checking it out; while deleted paths will not be available, further updating is done “lazily” (later); your effect won’t see these changes unless it checks out the path.

MANIPULATING PATH DATA

You can also use the [AEGP_MaskOutlineSuite](#) to manipulate paths. See “[cheating](#)”. Path parameters are treated as opaque blobs of data; get and set functions must be used to access

and manipulate them. Like layer parameters, they must be checked out (and in!) by effects which access them.

VERTICES

Path vertices are more complex than simple points. All member variables are `PF_FpLongs` (doubles), and are in the layer's coordinate space.

TABLE 37: PF_PATHVERTEX

Member	Description
x	The location of the vertex.
y	
tan_in_x	The incoming tangent point.
tan_in_y	
tan_out_x	The outgoing tangent point.
tan_out_y	

PF_PATHDATASUITE

This suite provides information about paths (sequences of vertices).

TABLE 38: PF_PATHDATASUITE1

Function	Description
<code>PF_PathIsOpen</code>	<p>Returns TRUE if the path is not closed (if the beginning and end vertex are not identical).</p> <pre>PF_PathIsOpen(PF_ProgPtr effect_ref0, PF_PathOutlinePtr pathP, PF_Boolean *openPB);</pre>
<code>PF_PathNumSegments</code>	<p>Retrieves the number of segments in the path. N segments means there are segments [0..N-1]; segment J is defined by vertex J and J+1.</p> <pre>PF_PathNumSegments(PF_ProgPtr effect_ref0, PF_PathOutlinePtr pathP, A_long *num_segmentsPL);</pre>

TABLE 38: PF_PATHDATASUITE1

Function	Description
PF_PathVertexInfo	<p>Retrieves the PF_PathVertex for the specified path. The range of points is [0.num_segments] ; for closed paths, vertex[0] == vertex[num_segments].</p> <pre>PF_PathVertexInfo(PF_ProgPtr effect_ref0, PF_PathOutlinePtr pathP, A_long which_pointL, PF_PathVertex *vertexP);</pre>
PF_PathPrepareSegLength	<p>This fairly counter-intuitive function informs After Effects that you're going to ask for the length of a segment (using PF_PathGetSegLength below), and it'd better get ready. frequencyL indicates how many times you'd like us to sample the length; our internal effects use 100.</p> <pre>PF_PathPrepareSegLength(PF_ProgPtr effect_ref0, PF_PathOutlinePtr pathP, A_long which_segL, A_long frequencyL, PF_PathSegPrepPtr *lengthPrepPP);</pre>
PF_PathGetSegLength	<p>Retrieves the length of the given segment.</p> <pre>PF_PathGetSegLength(PF_ProgPtr effect_ref0, PF_PathOutlinePtr pathP, A_long which_segL, PF_PathSegPrepPtr *lengthPrepP0, PF_FpLong *lengthPF);</pre>
PF_PathEvalSegLength	<p>Retrieves the location of a point lengthF along the given path segment.</p> <pre>PF_PathEvalSegLength(PF_ProgPtr effect_ref0, PF_PathOutlinePtr pathP, PF_PathSegPrepPtr *lengthPrepPP0, A_long which_segL, PF_FpLong lengthF, PF_FpLong *x, PF_FpLong *y);</pre>

TABLE 38: PF_PATHDATASUITE1

Function	Description
PF_PathEvalSegLengthDeriv1	<p>Retrieves the location, and the first derivative, of a point lengthF along the given path segment. If you're not sure why you'd ever need this, don't use it. Math is hard.</p> <pre>PF_PathEvalSegLengthDeriv1(PF_ProgPtr effect_ref0, PF_PathOutlinePtr pathP, PF_PathSegPrepPtr *lengthPrepPP0, A_long which_segL, PF_FpLong lengthF, PF_FpLong *x, PF_FpLong *y, PF_FpLong *deriv1x, PF_FpLong *deriv1y);</pre>
PF_PathCleanupSegLength	<p>Call this when you're finished evaluating that segment length, so After Effects can properly clean up the PF_PathSegPrepPtr.</p> <pre>PF_PathCleanupSegLength(PF_ProgPtr effect_ref0, PF_PathOutlinePtr pathP, A_long which_segL, PF_PathSegPrepPtr *lengthPrepPP);</pre>
PF_PathIsInverted	<p>Returns TRUE if the path is inverted.</p> <pre>PF_PathIsInverted(PF_ProgPtr effect_ref, PF_PathID unique_id, PF_Boolean *invertedB);</pre>

TABLE 38: PF_PATHDATASUITE1

Function	Description
PF_PathGetMaskMode	<p>Retrieves the mode for the given path.</p> <pre>PF_PathGetMaskMode(PF_ProgPtr effect_ref, PF_PathID unique_id, PF_MaskMode *modeP);</pre> <p>Mask mode is one of the following:</p> <pre>PF_MaskMode_NONE PF_MaskMode_ADD PF_MaskMode_SUBTRACT PF_MaskMode_INTERSECT PF_MaskMode_LIGHTEN PF_MaskMode_DARKEN PF_MaskMode_DIFFERENCE PF_MaskMode_ACCUM</pre>
PF_PathGetName	<p>Retrieves the name of the path (up to PF_MAX_PATH_NAME_LEN long).</p> <pre>PF_PathGetName(PF_ProgPtr effect_ref, PF_PathID unique_id, A_char *nameZ);</pre>

PF_PATHQUERYSUITE

This suite is used to identify and access the paths associated with the effect's source layer.

TABLE 39: PF_PATHQUERYSUITE

Function	Purpose
PF_NumPaths	<p>Retrieves the number of paths associated with the effect's source layer.</p> <pre>PF_NumPaths(PF_ProgPtr effect_ref, A_long *num_pathsPL);</pre>
PF_PathInfo	<p>Retrieves the PF_PathID for the specified path.</p> <pre>PF_PathInfo(PF_ProgPtr effect_ref, A_long indexL, PF_PathID *unique_idP);</pre>

TABLE 39: PF_PATHQUERYSUITE

Function	Purpose
PF_CheckoutPath	<p>Acquires the PF_PathOutlinePtr for the path at the specified time.</p> <pre>PF_CheckoutPath(PF_ProgPtr effect_ref, PF_PathID unique_id, A_long what_time, A_long time_step, A_u_long time_scale, PF_PathOutlinePtr *pathPP);</pre>
PF_CheckinPath	<p>Releases the path back to After Effects. Always do this, regardless of any error conditions encountered. Every checkout must be balanced by a checkin, or pain will ensue.</p> <pre>PF_CheckinPath(PF_ProgPtr effect_ref, PF_PathID unique_id, PF_Boolean changedB, PF_PathOutlinePtr pathP);</pre>

ACCESSING CAMERA AND LIGHT INFORMATION

Using functions provided in the [AEGP_PFInterfaceSuite](#), effects can access camera and lighting information for the layer to which they're applied; see the Resizer sample. You can also use many of the other functions from `AE_GeneralPlug.h`; the possibilities are vast.

COLOR SPACE CONVERSION

Different pixel formats are useful for different operations. After Effects exposes its internal functions through `PF_ColorCallbacksSuite`. Here are the supported formats.

TABLE 40: PIXEL TYPES FOR DIFFERENT COLOR SPACES

Pixel Type	Data Structure
8 bpc ARGB	<pre>typedef struct { A_u_char alpha, red, green, blue; } PF_Pixel8;</pre>
16 bpc ARGB	<pre>typedef struct { A_u_short alpha, red, green, blue; } PF_Pixel16;</pre>
32 bpc ARGB	<pre>typedef struct { PF_FpShort alpha, red, green, blue; } PF_PixelFloat, PF_Pixel32;</pre>
HLS (Hue, Lightness, Saturation)	<pre>typedef PF_Fixed PF_HLS_PIXEL[3]</pre>
YIQ (luminance, in-phase chrominance, quadrature chrominance)	<pre>typedef PF_Fixed PF_YIQ_PIXEL[3]</pre>

Plug-ins can draw on image processing algorithms written for nearly any color space by using the following callback functions.

TABLE 41: COLOR SPACE CONVERSION CALLBACKS

Function	Purpose
RGBtoHLS	Given an RGB pixel, returns an HLS (hue, lightness, saturation) pixel. HLS values are scaled from 0 to 1 in fixed point. Replaces <code>PF_RGB_TO_HLS</code> .
HLStoRGB	Given an HLS pixel, returns an RGB pixel. Replaces <code>PF_HLS_TO_RGB</code> .
RGBtoYIQ	Given an RGB pixel, returns a YIQ (luminance, inphase chrominance, quadrature chrominance) pixel. Y is 0 to 1 in fixed point, I is -0.5959 to 0.5959 in fixed point, and Q is -0.5227 to 0.5227 in fixed point. Replaces <code>PF_RGB_TO_YIQ</code> .
YIQtoRGB	Given a YIQ pixel, returns an RGB pixel. Replaces <code>PF_YIQ_TO_RGB</code> .

TABLE 41: COLOR SPACE CONVERSION CALLBACKS

Function	Purpose
Luminance	Given an RGB pixel, returns 100 times its luminance value (0 to 25500). Replaces PF_LUMINANCE.
Hue	Given an RGB pixel, returns its hue angle mapped from 0 to 255, where 0 is 0 degrees and 255 is 360 degrees. Replaces PF_HUE.
Lightness	Given an RGB pixel, returns its lightness value (0 to 255). Replaces PF_LIGHTNESS.
Saturation	Given an RGB pixel, returns its saturation value (0 to 255). Replaces PF_SATURATION.

CHANGING PARAMETER ORDERS, THE NICE WAY

It is possible to add or remove parameters from a plug-in, without forcing users to re-apply all instances of that plug-in to use the updated version. However, some advance planning on your part is necessary to allow for such changes. Your users (and technical support staff) will appreciate the effort.

You must first create a parameter array index. During `PF_Cmd_PARAM_SETUP`, assign index values to each parameter as you add them, using a simple enumeration. The order of enumeration corresponds to the order in which the parameters are registered during `PF_Cmd_PARAM_SETUP`, which in turn determines the order in which they appear in the Effect Control and Timeline panels.

Create another enumeration for disk IDs. The order of this enumeration must *not* be changed, though you may add to the end of this list. Note that the order of this list need not correspond with that of the parameter array index. Parameter disk IDs should range from 1 to 9999. Why not zero? Long story...

In the early “wild west” days of After Effects plug-in programming, it was fairly common for developers not to bother with setting IDs. After Effects, realizing this, checked the ID of the first parameter added by that effect; if it was zero, it was assumed that the programmer hadn’t bothered to ID params; After Effects then assigned each its own ID. This assumption works fine if you never set param IDs, but not so well if you start numbering your IDs from NULL. That’s why.

Before calling `PF_ADD_PARAM()`, specify the disk ID in the `PF_ParamDef.uu.id` field. If no value is specified, After Effects makes parameters sequential starting with 1. The parameter's information is tagged with this ID when saved. In this way, After Effects can still understand that, although your "Foobarocity" slider is now the fourth parameter passed, it's the same parameter as when it was second.

To delete a parameter without forcing re-application, remove the code which creates it and its entry in the parameter array index list. However, *do not* remove its entry in the disk ID list. To add a new parameter, add an entry in the appropriate location in the parameter array indices list, add the parameter creation code, and append the disk ID to the end of the disk ID enumeration. To re-order, change the parameter array index list and reorder the parameter creation code appropriately.

CHANGE DEFAULTS? CHANGE IDS

If you don't, if someone saves a project with the old default and then reads it in with the new effect installed, that parameter will change to the new default value. Presto! Instant support call. This is another prime use case for

[PF_ParamFlag_USE_VALUE_FOR_OLD_PROJECTS.](#)

TIPS AND TRICKS

BEST PRACTICES

If your prototypes are anything like ours, the first version of your plug-in that runs without crashing differs radically from the version that actually ships. How your plug-in responds to things like downsampling, errors and exceptions, pixel aspect ratio, out-of-memory situations, and being interrupted while processing determines how usable it is (and how many support requests you'll have to handle).

RESPONSIVENESS

Make your plug-ins as responsive as possible using [PF_ABORT\(\)](#) and [PF_PROGRESS\(\)](#). We actually test all our effects for interruptability; you'd be surprised how cranky users can get waiting for your pokey effect to finish processing a film resolution sequence! After Effects' iteration functions inherently provide this functionality; you don't need to worry about calling the above functions from within your pixel processing functions.

MAKE YOUR EFFECT EASY TO FIND

It's possible to have your effect show up in the "Effects & Presets" palette when users search for something other than the plug-in's name. Apply your effect (leaving the settings at default, unless you're very certain the user will want something different when they search for the given term), and select "Save selection as animation preset" from the effect controls palette. Save it to the name by which you want users to find the plug-in. Have your plug-in's installer put the resultant .ffx file into the \Presets directory, next to the After Effects executable. Your preset will show up when users search for the name to which it was saved.

SAMPLING PIXELS AT (X,Y)

Sometimes, instead of just processing every pixel, you'll want to get to a specific offset within the input frame. Below is one way to sample the pixel at a given (x,y) location; similar code could be used to write to the given location.

```
PF_Pixel *sampleIntegral32(PF_EffectWorld &def, int x, int y){
    return (PF_Pixel*)((char*)def.data +
                      (y * def.rowbytes) +
                      (x * sizeof(PF_Pixel)));
}

PF_Pixel16 *sampleIntegral64(PF_EffectWorld &def, int x, int y){
    assert(PF_WORLD_IS_DEEP(&def));
    return (PF_Pixel16*)((char*)def.data +
                        (y * def.rowbytes) +
                        (x * sizeof(PF_Pixel16)));
}
```

Special thanks to Paul Miller of Profound Effects, who answered that question on the ae_api mailing list.

WHERE'S THE CENTER OF A PIXEL?

Deeeeeeep, man. After Effects rotates around the upper left corner of the upper left pixel when the anchor point (see User Documentation) is (0,0). However, the subpixel sample and area sample callbacks actually treat (.0, .0) as a direct hit. To compensate for this, subtract 0.5 from x and y values before calling those functions. The matrix functions ([transform_world](#)) don't have this problem.

When translating an image by a subpixel amount, make the output layer one pixel wider than its input, and leave the origin at (0,0).

CLEAN SLATE

You don't necessarily begin effect processing with a clean output slate. Our Gaussian blur filter, in an effort to do so, performs the following before rendering:

```
src_rect.left      = in_data>output_origin_x;
src_rect.right     = src_rect.left + input>width;
src_rect.top       = in_data>output_origin_y;
src_rect.bottom    = src_rect.top + input>height;
err = PF_FILL(NULL, NULL, output);
if (!err) {
    err = PF_COPY(&params[0]>u.ld, output, NULL, &src_rect);
}
```

CACHING BEHAVIOR

After Effects provides numerous ways to specify caching behavior.

[PF_OutFlag_NON_PARAM_VARY](#), [PF_OutFlag_WIDE_TIME_INPUT](#), [PF_OutFlag_I_USE_SHUTTER_ANGLE](#), [PF_OutFlag_I_SYNTHESIZE_AUDIO](#), [PF_OutFlag2_I_USE_3D_CAMERA](#), and [PF_OutFlag2_I_USE_3D_LIGHTS](#) all influence caching decisions.

Supporting [dynamic outflags](#) can greatly improve performance, preventing After Effects from invalidating your effect's cache as aggressively as it otherwise would.

Confirm that your plug-in performs well with different After Effects cache settings. Does your plug-in get called to update as often as expected, or does After Effects think it has valid pixels when you think it doesn't?

GLOBAL PERFORMANCE CACHE CONSIDERATIONS

With the new caching in CS6, you may need to clear cached frames after changing your effect's rendering, so that frames rendered and stored in the cache prior to the change will not be reused. To do so manually during development:

- 1) In Preferences > Media & Disk Cache, disable the Disk Cache
- 2) Click "Empty Disk Cache" just to be sure (disabling the Disk Cache in step 1 only disables the *writing* of disk cache, not necessarily the usage)
- 3) Relaunch

If you ever encounter a glitch, it likely a legitimate bug in your effect, such as improper rectangle handling in SmartFX.

On the other hand, if you fix a rendering bug in your plug-in and ship an update, you can't expect all users will empty their disk caches. A user may have a disk cache of the buggy frame and it needs to be invalidated. What to do? Update your plug-in's effect version. This value (and the AE build number) is part of the cache key, so if you update it any frames cached containing content from your plug-in will no longer match.

SOME THOUGHTS ON TIME FROM A LONG-TIME DEVELOPER

Stoney Ballard put together the following summary of how time works with effects; you may find it helpful.

There are five `in_data` parameters that describe time to a filter:

```
current_time
time_step
local_time_step
total_time
time_scale
```

Their values are dependent on:

- The frame being rendered
- The duration of the layer and composition
- The frame rate of the comp
- Any Time Stretch
- Any Time Remapping
- The time behavior of an outer composition (one enclosing the composition with the layer being filtered)
- The setting of the "Preserve frame rate when nested or in render queue" (PFR) switch

The frame being rendered affects `current_time`. It is expressed in the local (layer) time system. If the PFR switch is off, `current_time` may be any non-negative value. If on, it will be restricted to a multiple of `time_step` and `local_time_step`. Layer duration affects only `total_time`. Comp duration is a factor only when Time Remapping (TR) is on. In that case, `total_time` is the larger of layer duration and composition duration. Composition frame rate affects only the `time_scale`. Time Stretch affects only `time_step` and `local_time_step`. If the time stretch is negative, these values are negative. Even if the layer's duration (as seen in the comp) changes, `total_time` remains unaffected. This works as if Time Stretch was *above* a filter, but *below* an outer comp. PFR does not alter the effect of Time Stretch. Time Stretch is different than an outer comp, since it affects both step params equally, while an outer comp affects only `time_step`.

Time Remapping happens *below* the filter, so that it does not affect the time params other than the `total_time`. When TR is on, the layer is lengthened to the same as the comp (but never shortened), regardless of how much time it actually takes, or where in the comp the

layer is. This may cause `total_time` to be larger. It has nothing to do with the actual time map, just whether or not it's enabled.

The biggest variation comes from being nested in an outer comp, unless PFR is on. When PFR is on, a filter is completely isolated from time variations in an outer comp. Of course, `current_time` will not necessarily move in increments of `time_step` in that case. It may skip frames or go backwards.

When PFR is off, `local_time_step`, `total_time`, and `time_scale` remain set to what they were for the inner comp, but `time_step` contains the time to the next frame in the outer comp, expressed in the local time system. This may be any value, including 0. This can be interpreted as an instantaneous time rate, rather than a duration. A 0 value can last for an arbitrary number of rendered frames, but the `current_time` won't change on the local layer.

Looked at from the other direction:

`current_time` is quantized to `time_step` intervals unless rendering an outer comp with PFR off for the inner comp. This is the current time in the layer, not in any comp.

The value of `local_time_step` is affected only by Time Stretch. It can never be zero, but it can be negative.

`time_step` and `local_time_step` are always the same value unless rendering an outer comp with PFR off. `time_step` is also affected by the time behavior of an outer comp (with PFR off). It can have any value, positive, negative, or zero, and can be different for every frame (of the outer comp). `time_step` can be used to determine the duration of the current frame (with PFR off).

`total_time` is the duration of the layer, unless Time Remapping is on, which makes it the larger of the layer duration and the duration of the comp.

`time_scale` is the scale such that `total_time / time_scale` is the layer duration in seconds in its comp. It is affected only by the comp frame rate, although presumably all the time values could be scaled proportionately for any reason.

A layer's intrinsic frame rate (if it has one) is not visible anywhere, although it's usually the same as the comp frame rate. If a filter needs to access the actual frames of a clip, it can do so only by being in a comp of the same frame rate, and with no Time Stretch or Time Remapping applied to its layer. It should use `local_time_step` to determine where the frames are.

RATE x TIME == PAIN

Be careful if one of your parameters is a speed or velocity parameter. Consider the ripple effect. It assumes a constant and uses the current time to determine how far along the ripple has gone ($d = v * t$). If the user interpolates the speed over time, you should integrate the velocity function from time zero to the current time. Ripple does *not* do this, but provides a “phase” parameter that the user can interpolate as they wish, providing correct results as long as the speed is set to zero. If you want to provide the correct behavior, you can sample (and integrate) the speed parameter from the beginning of time until the current time using `PF_CHECKOUT_PARAM()`, or you can provide a “phase” or “distance” parameter and warn the user about interpolating the speed. The cost of checking out many parameter values is negligible compared to rendering, and is the recommended approach.

If you check out parameter values at other times, or use layer parameters at all, you *must* check in those parameters when finished, even if an error has occurred. Remember, checked-out parameters are read-only.

TESTING

Try using your plug-in in RAM previews to ensure you handle out-of-memory conditions gracefully. Does your plug-in handle running out of memory gracefully? If you receive [`PF_Err_OUT_OF_MEMORY`](#) when requesting memory, do you pass it back to After Effects?

What happens when your video effect is applied to an audio-only layer?

Test with projects created using older versions of your plug-in.

4: SMARTFX

The SmartFX API provides bidirectional communication between effects and After Effects, enabling many performance optimizations and providing previously unavailable dependency information. This extension of the effect API is the way to implement 32-bit per channel support in After Effects.

Normal effect plug-ins are given a full-sized input buffer, and asked to render a full-sized output buffer. While output [extent_hint](#) specifies the portion of the output buffer that must actually be filled, this scheme is still very inefficient if the effect does not need its entire input. Also, many effects don't use extent hints.

THE WAY THINGS WERE

Consider a blur effect applied to a huge layer which is mostly off-screen, or viewed through a small region of interest, or masked down to a small size. Only a small section of the output needs to be rendered, indicated to the effect using the output `extent_hint`. Only a small section of the input to be blurred is needed as well - the output `extent_hint` expanded by the blur radius. However, using the legacy effects API, there is no way for After Effects to know this, so the entire layer is passed to the plug-in. These extra pixels can be extremely expensive and wasteful to compute, especially in the case of prior effects or nested comps.

THE WAY THINGS ARE NOW

SmartFX solves this problem by reversing the calling sequence. The effect is told how much of its output is required, and must explicitly *ask* the host for the inputs it needs. The render process is split into two parts: pre-render and render.

During pre-render, the effect describes the input pixel data it needs; this necessary input can vary based on anything you like (non-input layer parameters, non-layer parameters, information from `in_data`, settings in sequence data...). The effect must also return the extent of the resulting output, which may be smaller than the requested size if there are empty pixels in the requested portion of the layer.

During the render stage, the effect can *only* retrieve pixels that it has previously requested. This two-pass approach facilitates many important optimizations. For example, an effect which multiplies or mattes one input against another might discover that its first input is not

needed at all, if the mask does not intersect it. There are also important optimizations that are performed internally by After Effects to ensure that image buffers are copied as little as possible, and these optimizations are only possible after the host knows the buffer sizes and for all inputs and outputs.

Like AEGPs, SmartFX plug-ins are never unloaded by After Effects.

CONTENT BOUNDS

The content bounds of a node are the largest possible result rectangle that can be returned from a call to `PreRender`. It absolutely cannot vary depending on current render request or anything else. It should be calculated carefully, not loosely.

This calculation is very important. It is an intrinsic property of the node (and its inputs) and is fixed once the graph is built. Violation of it can and probably will cause all sorts of problems in various pieces of code.

HOW TO SMARTIFY

Effects which set [`PF_OutFlag2_SUPPORTS_SMART_RENDER`](#) will receive the SmartFX calls [`PF_Cmd_SMART_PRE_RENDER`](#) and [`PF_Cmd_SMART_RENDER`](#), instead of the older [`PF_Cmd_FRAME_SETUP`](#) / [`PF_Cmd_RENDER`](#) / [`PF_Cmd_FRAME_SETDOWN`](#) sequence. To preserve compatibility with non-smartified hosts, you may want to continue supporting the older commands too.

PF_Cmd_SMART_PRE_RENDER

After Effects requests output from the effect. The effect tells After Effects what input it needs to generate that output, through the use of callback functions, and by manipulating the structures in the `extra` parameter. An effect cannot access the pixels of any layer inputs it has not checked out during `PF_Cmd_SMART_PRE_RENDER`. So all layer inputs that an effect might possibly need must be checked out in advance using `checkout_layer`. If an effect might need certain layer inputs, they must be checked out now, even if later during rendering the effect may decide that the layer isn't needed. Also, since no parameter array is passed to SmartFX during `PF_Cmd_SMART_PRE_RENDER` or

[PF_Cmd SMART_RENDER](#), any non-layer parameters needed must be retrieved using [PF_CHECKOUT_PARAM](#)

TABLE 42: PF_PRERENDEREXTRA

Member	Purpose
PF_PreRenderInput	<p>Describes what After Effects needs rendered (in the PF_RenderRequest), and the bit depth requested (in the aptly-named bitdepth member).</p> <pre>typedef struct { PF_LRect rect; PF_Field field; PF_ChannelMask channel_mask; PF_Boolean preserve_rgb_of_zero_alpha; char unused[3]; long reserved[4]; } PF_RenderRequest;</pre> <p>rect is in layer coordinates. field is also relative to the layer origin; whether the active field falls on even or odd scanlines of the output buffer depends on the origin of the output buffer.</p> <p>channel_mask specifies for which channels the effect should provide output. Data written to other channels will not be honored. It will be one or more of the following, or'd together:</p> <pre>PF_ChannelMask_ALPHA PF_ChannelMask_RED PF_ChannelMask_GREEN PF_ChannelMask_BLUE PF_ChannelMask_ARGB</pre> <p>If preserve_rgb_of_zero_alpha pixels is TRUE, the effect must propagate the color content of transparent pixels through to the output. This is related to, but distinct from, PF_OutFlag2_REVEALS_ZERO_ALPHA, which tells After Effects that the effect may set alpha to non-zero values for such pixels, restoring them to visibility.</p>

TABLE 42: PF_PRERENDEREXTRA

Member	Purpose
PF_PreRenderOutput	<p>Filled in by the effect to tell After Effects what output it plans to generate, based on the input.</p> <pre>typedef struct { PF_LRect result_rect; PF_LRect max_result_rect; PF_Boolean solid; PF_Boolean reserved; PF_RenderOutputFlags flags; void* pre_render_data; PF_DeletePreRenderDataFunc func; } PF_PreRenderOutput;</pre> <p><code>pre_render_data</code> will be passed back to the effect during PF_Cmd SMART RENDER.</p> <p>Currently, the only <code>PF_RenderOutputFlags</code> is <code>PF_RenderOutputFlag_RETURNS_EXTRA_PIXELS</code>.</p>

TABLE 42: PF_PRERENDEREXTRA

Member	Purpose
PF_PreRenderCallbacks	<p>Currently, there is only one callback - <code>checkout_layer</code>. <code>checkout_idL</code> is chosen by the effect. It must be positive and unique. After Effects populates the <code>PF_CheckoutResult</code>.</p> <pre> PF_Err checkout_layer(PF_ProgPtr effect_ref, PF_ParamIndex index, A_long checkout_idL, const PF_RenderRequest *req, A_long what_time, A_long time_step, A_u_long time_scale, PF_CheckoutResult *result); </pre> <pre> typedef struct { PF_LRect result_rect; PF_LRect max_result_rect; PF_RationalScale par; long solid; PF_Boolean reservedB[3]; A_long ref_width; A_long ref_height; } PF_CheckoutResult; </pre> <p><code>result_rect</code> can be empty. <code>max_result_rect</code> is the largest the output could possibly be, if the host asked for all of it. If <code>solid</code> is <code>TRUE</code>, the entire <code>result_rect</code> has opaque alpha.</p> <p><code>ref_width</code> and <code>ref_height</code> are the original dimensions of the layer, before any effects are applied, disregarding any downsample factors. This will be the size of the composition for collapsed layers.</p> <p>There is a bug in 11.0 with the Global Performance Cache, when a SmartFX effect uses both PF_OutFlag2_AUTOMATIC_WIDE_TIME_INPUT & PF_OutFlag_NON_PARAM_VARY. Calling <code>checkout_layer</code> during <code>PF_Cmd_SMART_PRE_RENDER</code> returns empty rects in <code>PF_CheckoutResult</code>. The workaround is to simply make the call again. This workaround is no longer needed in 11.0.1.</p>

TABLE 43: PF_PRERENDEROUTPUT

Member	Purpose
result_rect	The output (in layer coordinates) resulting from the render request (can be empty). This cannot be bigger than the input request rectangle (unless <code>PF_RenderOutputFlag_RETURNS_EXTRA_PIXELS</code> is set), but can be smaller.
max_result_rect	The maximum size the output could possibly be, if After Effects requested all of it. This must not vary depending on requested output size.
solid	Set this TRUE if every pixel in the output will be fully opaque. Set if possible; it enables certain optimizations.
reserved	Ignore.
flags	Currently, the only flag is <code>PF_RenderOutputFlag_RETURNS_EXTRA_PIXELS</code> , which tells After Effects that the smart effect will return more pixels than After Effects requested.
pre_render_data	Point this at any data that the effect would like to access during rendering. Effects can also allocate handles and store them in <code>out_data>frame_data</code> , as with regular (non-smart) effects. Since PF_Cmd_SMART_PRE_RENDER can be called with no corresponding PF_Cmd_SMART_RENDER , effects must never delete this data themselves; once the effect returns from PF_Cmd_SMART_PRE_RENDER , After Effects owns this data and will dispose of it (using either the following function or a standard <code>free</code> call).
delete_pre_render_data_func	Point this to a function that will eventually be called to delete the <code>pre_render_data</code> .

PRESERVE_RGB_OF_ZERO_ALPHA

`preserve_rgb_of_zero_alpha` is used both as input to the effect, to tell it what to render, and as output from the effect, to describe the input it needs (as passed to the checkout call). When `preserve_rgb_of_zero_alpha` is set in an input request, the effect must pass it recursively when making checkouts, otherwise prior effects and masking will eliminate those pixels that the effect would reveal. Use of this is discouraged, though still supported in CS3 (8.0).

RECTANGLES

Effects must set both result rectangles accurately. After Effects' caching system relies upon them, incorrect values can cause many problems. If the plug-in returns a `result_rect`

smaller than the `request_rect`, that tells After Effects the pixels inside the `request_rect` but outside the `result_rect` are empty. Similarly, `max_result_rect` must encompass all non-zero pixels; the effect will never be asked to render anything outside this region. If there are pixels outside this rectangle, they will never be displayed.

Mis-sized output rectangles can cause problems as well. If these rectangles are too big, a loss of performance results. Not only will many empty pixels be cached (robbing the application of valuable memory), the effect may be unnecessarily asked to render large regions of nothing. For this reason, the `max_result_rect` must be computed correctly, rather than set to some arbitrarily large size.

Both `result_rect` and `max_result_rect` may vary depending on the effect's parameters, the current time, et cetera; they are valid only for the given invocation of the effect. However, `max_result_rect` *cannot* depend on the specific render request. It must be the same no matter what portion of the output is requested by After Effects.

It is legal to return an empty `result_rect` if the `request_rect` doesn't intersect the effect's output pixels; no rendering need be done. After Effects may also call the effect with an empty `request_rect`, meaning the effect is only being asked to compute the `max_result_rect`.

`preserve_rgb_of_zero_alpha` can influence the bounds computation process (both `result_rect` and `max_result_rect`) and must be respected if the effect behaves differently depending on this setting.

THE “SIZE” OF A LAYER

As with non-smart effects, each smart effect can arbitrarily shrink or expand its requested input. They cannot depend on a fixed frame size, and the size of the input may change over time. For example, the user could apply an animated drop shadow to a layer, which would add pixels to different edges of the layer at different times, depending on the direction in which the shadow is cast.

Some effects (for example, those which need to align one layer against another) need some notion of “size.” This could be defined two ways, each with advantages and disadvantages.

The size of the original layer, before any effects and downsampling are applied, is given `in_data>width/height`. As this value is unaffected by subsequent effects, it can act an absolute reference for things like center points. However, this is not fool-proof, as the user could have applied a distortion or translation effect. Also, this value is available only for the layer to which the effect is applied, not other layer parameters.

...or...

Every layer input has a `max_result_rect` which encompasses all pixel data, in some sense the master “size” of a layer. It is available for all layers, but changes over time according to previously applied effects, possibly in ways the user might not expect (as in the drop shadow example above).

Note that the `ref_width/height` and `max_result_rect` for an input may be obtained without rendering, by calling `checkout_layer` with an empty `request_rect`. This is fairly efficient, and can be useful if the layer “size” is needed first to determine exactly which pixels are required for rendering. This is an example of requesting a layer in pre-render and then never calling `checkout_layer` (in this case, there are none).

FLAG ON THE PLAY

Normally, the `max_result_rect` of a given `PF_RenderRequest` will be cropped to the bounds of any applied mask. However, if [`PF_OutFlag2_REVEALS_ZERO_ALPHA`](#) is set, the `max_result_rect` will be the size of the layer.

PF_Cmd_SMART_RENDER

The effect will receive at most one `PF_Cmd_SMART_RENDER` call for each pre-render. Note that render may never be called at all. After Effects may have only wanted to to perform some bounds computations, or it may have subsequently discovered that an effect's output is not needed at all (which can happen, for example, if the pre-render phase for a track matte returns a rectangle that does not intersect the effect's output.) All effects must be able to handle Pre-Render without Render without leaking resources or otherwise entering an unstable state. During `PF_Cmd_SMART_RENDER`, the extra parameter points to a `PF_SmartRenderExtra`.

TABLE 44: PF_SMARTRENDEREXTRA

Member	Purpose
<code>PF_SmartRenderInput</code>	Consists of a <code>PF_RenderRequest</code> , the bitdepth, and a pointer to <code>pre_render_data</code> (allocated during <code>PF_Cmd_SMART_PRE_RENDER</code>). This <code>PF_SmartRenderInput</code> is identical to that passed in the corresponding <code>PF_Cmd_SMART_PRE_RENDER</code> .

TABLE 44: PF_SMARTRENDEREXTRA

Member	Purpose
PF_SmartRenderCallbacks	<pre>PF_Err checkout_layer_pixels(PF_ProgPtr effect_ref, A_long checkout_idL, PF_EffectWorld **pixels);</pre> <p>This is used to actually access the pixels in layers checked out during <i>PF_Cmd_SMART_PRE_RENDER</i>. The returned <i>PF_EffectWorld</i> is valid for duration of current command or until checked in.</p> <p>You are only allowed to call <i>checkout_layer_pixels</i> only once with the <i>checkout_idL</i> used earlier in <i>PF_Cmd_SMART_PRERENDER</i>. There must be a one-to-one mapping between the number of checkouts made in <i>PF_Cmd_SMART_PRERENDER</i> and <i>PF_Cmd_SMART_RENDER</i>. To call <i>checkout_layer_pixels</i> more than once on a layer, you should call checkout_layer on the same layer again with a different unique <i>checkout_idL</i> in <i>PF_Cmd_SMART_PRERENDER</i> and then use that <i>checkout_idL</i> to do another <i>checkout_layer_pixels</i> in <i>PF_Cmd_SMART_RENDER</i>.</p> <pre>PF_Err checkin_layer_pixels(PF_ProgPtr effect_ref, A_long checkout_idL);</pre> <p>It isn't necessary to call (After Effects cleans up all such checkouts when the effect returns from <i>PF_Cmd_SMART_RENDER</i>), but useful to free up memory.</p> <pre>PF_Err checkout_output(PF_ProgPtr effect_ref, PF_EffectWorld **output);</pre> <p>Retrieves the output buffer. Note that effects are not allowed to check out output until at least one input has been checked out (unless the effect has no inputs at all).</p> <p>NOTE: For optimal memory usage, request the output as late as possible, and request inputs as few at a time as possible.</p>

WHEN TO ACCESS LAYER PARAMETERS

Parameters other than layer inputs may be freely checked out at any point. Layer inputs must be accessed during [PF_Cmd_SMART_PRE_RENDER](#). However, you aren't required to actually *use* every input. If you check out a frame (or portion thereof) in [PF_Cmd_SMART_PRE_RENDER](#) and do not subsequently check it out in [PF_Cmd_SMART_RENDER](#), it need never be rendered, greatly improving performance.

WAIT, GIMME THAT LAYER BACK!

`checkout_layer_pixels` can only be called once with the `checkout_id` used earlier in `PreRender`. There has to be a one-to-one mapping on the number of checkouts made in `PreRender` and `SmartRender`. If you need to check out the pixels of a layer more than once, perhaps because of the structure of your code, just use more than one `checkout_id`. In `PreRender`, call `checkout_layer` on the same layer with different unique `checkout_ids`. Then in `SmartRender`, use a different one of those `checkout_ids` each time `checkout_layer_pixels` is called in `SmartRender`.

5 : EFFECT UI & EVENTS

Effects can provide custom UI in two areas: (1) the Effect Controls Window (custom ECW UI), and (2) the Composition or Layer Windows (Custom Comp UI). Effects that use custom UI should set [PF_OutFlag_CUSTOM_UI](#) during [PF_Cmd_GLOBAL_SETUP](#), and handle the [PF_Cmd_EVENT](#) selector.

Custom ECW UI allows an effect to provide a parameter with a customized control, which can be used either with standard parameter types or [arbitrary data parameters](#). Parameters that have a custom UI should set [PF_PUI_CONTROL](#) when [adding the parameter](#).

Custom Comp UI allows an effect to provide direct manipulation of the video in the Composition or Layer Windows. When the effect is selected, the Window can overlay custom controls directly on the video, and can handle user interaction with those controls, to adjust parameters more quickly and naturally. Effects should register themselves to receive events by calling [PF_REGISTER_UI](#).

After Effects can send events to effects for user interface handling and parameter management, integrating effects into its central message queue. While many events are sent in response to user input, After Effects also sends events to effects which manage arbitrary data parameters. The type of event is specified in [PF_EventExtra](#)->e_type and the various events are described below.

TABLE 45: EVENTS

Event	Indicates
<i>PF_Event_NEW_CONTEXT</i>	The user created a new context (probably by opening a window) for events. The plug-in is allowed to store state information inside the context using the context handle. PF_EventUnion contains valid context and type, but everything else should be ignored.
<i>PF_Event_ACTIVATE</i>	The user activated a new context (probably by bringing a window into the foreground). PF_EventUnion is empty.
<i>PF_Event_DO_CLICK</i>	The user clicked within the effect's UI. PF_EventUnion contains a PF_DoClickEventInfo . Handle the mouse click and respond, passing along drag info; see sample code), within a context. NOTE: As of 7.0, do <i>not</i> block until mouse-up; instead, rely on PF_Event_DRAG .

TABLE 45: EVENTS

Event	Indicates
<i>PF_Event_DRAG</i>	Also a Click Event, PF_EventUnion contains a <code>PF_DoClickEventInfo</code> . Request this by returning <code>send_drag == TRUE</code> from <i>PF_Event_DO_CLICK</i> . Do this so After Effects can see new data from the user's changes.
<i>PF_Event_DRAW</i>	Draw! PF_EventUnion contains a <code>PF_DrawEventInfo</code> .
<i>PF_Event_DEACTIVATE</i>	The user has deactivated a context (probably by bringing another window into the foreground). <code>PF_EventUnion</code> is empty.
<i>PF_Event_CLOSE_CONTEXT</i>	A context has been closed by the user. <code>PF_EventUnion</code> will be empty.
<i>PF_Event_IDLE</i>	A context is open but nothing is happening. <code>PF_EventUnion</code> is empty.
<i>PF_Event_ADJUST_CURSOR</i>	The mouse is over the plug-in's UI. Set the cursor by changing the <code>PF_CursorType</code> in the <code>PF_AdjustCursorEventInfo</code> . Use OS-specific calls to implement a custom cursor; tell After Effects you've done so by setting <code>PF_CursorType</code> to <code>PF_Cursor_CUSTOM</code> . Use an After Effects cursor whenever possible to preserve interface continuity.
<i>PF_Event_KEYDOWN</i>	Keystroke. PF_EventUnion contains a <code>PF_KeyDownEvent</code> .
<i>PF_Event_MOUSE_EXITED</i>	New in CS6. Notification that the mouse is no longer over a specific view (layer or comp only).

PF_EVENTEXTRA

This structure provide context information for the current event. After Effects passes a pointer to this structure in the extra parameter of the [entry point function](#). The `PF_EventUnion` (sent in the `PF_EventExtra`) varies with the event type, and contains information specific to that event.

TABLE 46: PF_EVENTEXTRA

Member	Purpose
<code>contextH</code>	Handle to the PF_Context . This drawing context is used with the Drawbot suites for drawing, and also for the UI callbacks .
<code>e_type</code>	Which event is occurring.

TABLE 46: PF_EVENTEXTRA

Member	Purpose
u	A PF_EventUnion containing information specific to the event.
effect_win	<p>A PF_EffectWindowInfo about the event if it occurs within the effects window.</p> <p>Otherwise, as of After Effects 5.0, effect_win can be replaced by a PF_WindowUnion. This struct contains both a PF_EffectWindowInfo and an PF_ItemWindowInfo, which (for now) is simply the port rectangle for the item window. Replacement only occurs if PF_USE_NEW_WINDOW_UNION was defined during compilation; otherwise, it will continue to be just a PF_EffectWindowInfo.</p>
cbs	Pointer to UI callbacks , which are needed to translate points between layer, composition, and screen coordinate systems.
evt_in_flags	Event Input Flags. This currently contains only one value, PF_EI_DONT_DRAW, which you should check before drawing!
evt_out_flags	<p>One or more of the following, combined with a bitwise OR operation:</p> <p>PF_EO_NONE</p> <p>PF_EO_HANDLED_EVENT tells After Effects you've handled the event.</p> <p>PF_EO_ALWAYS_UPDATE forces After Effects to rerender the composite in response to every click or drag; this is the same behavior generated by 'alt-scrubbing' the parameter value.</p> <p>PF_EO_NEVER_UPDATE prevents After Effects from rerendering the composite until the user stops clicking and dragging.</p> <p>PF_EO_UPDATE_NOW tells After Effects to update the view immediately after the event returns after calling PF_InvalidateRect</p>

PF_CONTEXT

PF_Context details the event's UI context.

TABLE 47: PF_CONTEXT

Member	Purpose
magic	Do not change.
w_type	The window type. If you have Custom Comp and ECW UIs in the same plug-in, this is the way to differentiate between them (what kind of masochist are you, anyway?). PF_Window_COMP , PF_Window_LAYER , PF_Window_EFFECT
reserved_flt	Do not change.
plugin_state[4]	An array of 4 A_longs which the plug-in can use to store state information for a given context.
reserved_drawref	A DRAWBOT_DrawRef for use with the Drawbot suites.
*reserved_paneP	Do not change.

If an event occurs in the ECP, an PF_EffectWindowInfo is sent in PF_EventExtra.

TABLE 48: PF_EFFECTWINDOWINFO

Member	Purpose
index	This indicates which parameter in the effect window is being affected. The controls are numbered from 0 to the number of controls minus 1.
area	This indicates if the control title (PF_EA_PARAM_TITLE) or the control itself (PF_EA_CONTROL) are being affected. The title is the area still visible when the parameter's topic ("twirly") is spun up.
current_frame	A PF_Rect indicating the full frame of the area occupied by the control.
param_title_frame	A PF_Rect indicating the title area of the control.
horiz_offset	A horizontal offset from the left side of the title area in which to draw into the title.

PF_EventUnion

The `PF_EventUnion` in `PF_EventExtra` is a union of the four following structures.

CLICK

A mouse click or drag occurred within the custom UI's area.

TABLE 49: PF_DoClickEventInfo

Member	Purpose
<code>when</code>	The (OS-level) time at which the click occurred.
<code>screen_point</code>	Where, in screen coordinates, the click occurred. For Custom Comp UI, these coordinates can be converted to composition coordinates using the UI Callbacks . See the CCU sample project for an example.
<code>num_clicks</code>	The number of clicks that occurred.
<code>modifiers</code>	Which modifier keys (if any) were held down during click.
<code>continue_refcon[4]</code>	An array of 4 <code>A_intptr_t</code> the plug-in can use to store information during a click-drag-drag sequence.
<code>send_drag</code>	Set this flag to <code>TRUE</code> to indicate continued dragging. The next click event will then effectively be a drag event.
<code>last_time</code>	Set when the drag event ends (the user has released the mouse button).

DRAW

After Effects needs your custom UI to refresh. Note: when handling draw requests, use the image dimensions provided in [PF_InData](#) (rather than the dimensions of your input layer, as you would during [PF_Cmd_RENDER](#)).

TABLE 50: PF_DrawEventInfo

Member	Purpose
<code>update_rect</code>	The rectangle in which to draw, in the context window's coordinate system. These coordinates can be converted to different coordinate systems using the UI Callbacks . See the CCU sample project for an example.
<code>depth</code>	Pixel depth of the drawing context.

KEYDOWN

The user pressed a key, and the effect's UI is active. Use the macros in `AE_EffectUI.h` to access and manipulate the key codes received.

TABLE 51: PF_KEYDOWNEVENT

Member	Purpose
when	Time at which the click occurred.
screen_point	Screen coordinate of the mouse pointer when the key was pressed. For Custom Comp UI, these coordinates can be converted to composition coordinates using the UI Callbacks . See the CCU sample project for an example.
key_code	<p>Either a character code (for printable characters, we use the unshifted upper case version; A not a, 7 not &), or a control code:</p> <pre>PF_ControlCode_Unknown PF_ControlCode_Space PF_ControlCode_Backspace PF_ControlCode_Tab PF_ControlCode_Return PF_ControlCode_Enter PF_ControlCode_Escape PF_ControlCode_F1 ... PF_ControlCode_F24 PF_ControlCode_PrintScreen PF_ControlCode_ScrollLock PF_ControlCode_Pause PF_ControlCode_Insert PF_ControlCode_Delete PF_ControlCode_Home PF_ControlCode_End PF_ControlCode_PageUp PF_ControlCode_PageDown PF_ControlCode_Help PF_ControlCode_Clear PF_ControlCode_Left PF_ControlCode_Right PF_ControlCode_Up PF_ControlCode_Down PF_ControlCode_NumLock PF_ControlCode_Command PF_ControlCode_Option PF_ControlCode_Alt = PF_ControlCode_Option PF_ControlCode_Control PF_ControlCode_Shift PF_ControlCode_CapsLock PF_ControlCode_ContextMenu</pre>

TABLE 51: PF_KEYDOWNEVENT

Member	Purpose
modifiers	Which (if any) modifier keys were down during the key press. PF_Mod_NONE PF_Mod_CMD_CTRL_KEY (cmd on Mac, ctrl on Windows) PF_Mod_SHIFT_KEY PF_Mod_CAPS_LOCK_KEY PF_Mod_OPT_ALT_KEY (option on Mac, alt on Windows) PF_Mod_MAC_CONTROL_KEY

ADJUSTCURSOR

The cursor has moved onto (but not off of) the effect's custom UI, to allow the effect to change the cursor.

TABLE 52: PF_ADJUSTCURSOREVENTINFO

Member	Purpose
screen_point	Screen coordinate of the mouse pointer. For Custom Comp UI, these coordinates can be converted to composition coordinates using the UI Callbacks . See the CCU sample project for an example.
modifiers	What, if any, modifier keys were held down when the message was sent.
set_cursor	Set this to your desired cursor, or PF_Cursor_CUSTOM if you have set the cursor yourself using OS-specific calls. See AE_EffectUI.h for a complete enumeration of built-in cursors. If you don't want to override the cursor, set this to PF_Cursor_NONE, or simply ignore this message.

ARBITRARY PARAMETERS EVENT

After Effects needs your plug-in to manage its arbitrary data parameter(s). Though arbitrary data types are not required for custom UI support, PF_ArbParamsExtra follows the EventInfo model.

TABLE 53: PF_ARBPARAMSEXTRA

Member	Purpose
which_function	A PF_FunctionSelector indicating which function is called
id	Used by After Effects; will match the ID assigned to the arbitrary data type during PF_Cmd_PARAM_SETUP.

TABLE 53: PF_ARBPARAMSEXTRA

Member	Purpose
padding	Used for byte-alignment
u {	
new_func_params dispose_func_params copy_func_params flat_size_func_params flatten_func_params unflatten_func_params interp_func_params compare_func_params print_size_func_params print_func_params scan_func_params }	(One of these will be passed; see Arbitrary Data Parameters)

CUSTOM UI AND DRAWBOT

Custom UI uses a composited drawing model using Drawbot. The Drawbot suites can be used for:

1. Basic 2D path drawing: Lines, Rect, Arc, Bezier
2. Stroking/Filling/Shading paths
3. Image drawing: Compositing an ARGB/BGRA buffer onto the surface
4. Pushing/popping surface state
5. Text drawing, if supplier supports it (clients should first check if text drawing is supported before actual drawing)

Drawing may only occur during PF_Event_DRAW (and not during PF_Event_DRAG or PF_Event_DO_CLICK). To use Drawbot, first get the drawing reference by passing in PF_Context to a new suite call [PF_GetDrawingReference](#). If a non-NULL drawing reference is returned, use it to get the supplier and surface references from [DRAWBOT_DrawbotSuite](#).

The Drawbot suites include DRAWBOT_DrawbotSuite, DRAWBOT_SupplierSuite, DRAWBOT_SurfaceSuite, DRAWBOT_PathSuite.

MAKE YOUR CUSTOM UI LOOK NOT SO “CUSTOM”

Use the new [PF_EffectCustomUIOverlayThemeSuite](#) to match the host application UI. Your users will thank you.

REDRAWING

In order to redraw a specific area of a pane, we recommend the following:

- 1) Call [PF_InvalidateRect](#) from the effect. This will cause a lazy display redraw, and will update at the next available idle moment. This rect is in coordinates related to the associated pane. Using a NULL rect will update the entire pane.
- 2) Set the [event outflag](#) to PF_EO_UPDATE_NOW, which will cause an immediate draw event for the specified pane when the current event returns.

If an effect needs to update more than one window at a time, it should set [PF_OutFlag_REFRESH_UI](#), which will cause a redraw of the entire ECW, comp, and layer windows.

HIDPI AND RETINA DISPLAY SUPPORT

To support HiDPI and Retina Displays, you can use offscreen images that are twice the size, and then use the [Transform](#) function to scale the image down in half before drawing it.

PF_EFFECTCUSTOMUISUITE

Enables an effect to get the drawing reference. This is the first call needed to use Drawbot.

TABLE 54: PF_EFFECTCUSTOMUISUITE1

Function	Purpose
PF_GetDrawingReference	Get the drawing reference . <pre>PF_GetDrawingReference(const PF_ContextH effect_contextH, DRAWBOT_DrawRef *referenceP0);</pre>

DRAWBOT_DRAWBOTSUITE

Using the Drawbot reference, get the supplier and surface references.

TABLE 55: DRAWBOT_DRAWBOTSUITE1

Function	Purpose
GetSupplier	Get the supplier reference. Needed to use DRAWBOT_SupplierSuite . <pre>GetSupplier(DRAWBOT_DrawRef in_drawbot_ref, DRAWBOT_SupplierRef *out_supplierP);</pre>
GetSurface	Get the surface reference. Needed to use DRAWBOT_SurfaceSuite . <pre>GetSurface(DRAWBOT_DrawRef in_drawbot_ref, DRAWBOT_SurfaceRef *out_surfaceP);</pre>

DRAWBOT_SUPPLIERSUITE

Calls to create and release drawing tools, get default settings, and query drawing capabilities.

TABLE 56: DRAWBOT_SUPPLIERSUITE1

Function	Purpose
NewPen	Create a new pen. Release this using ReleaseObject . <pre>NewPen(DRAWBOT_SupplierRef in_supplier_ref, const DRAWBOT_ColorRGBA *in_colorP, float in_size, DRAWBOT_PenRef *out_penP);</pre>
NewBrush	Create a new brush. Release this using ReleaseObject . <pre>NewBrush(DRAWBOT_SupplierRef in_supplier_ref, const DRAWBOT_ColorRGBA *in_colorP, DRAWBOT_BrushRef *out_brushP);</pre>
SupportsText	Check if current supplier supports text. <pre>SupportsText(DRAWBOT_SupplierRef in_supplier_ref, DRAWBOT_Boolean *out_supports_textB);</pre>

TABLE 56: DRAWBOT_SUPPLIERSUITE1

Function	Purpose
GetDefaultFontSize	<p>Get the default font size.</p> <pre>GetDefaultFontSize(DRAWBOT_SupplierRef in_supplier_ref, float *out_font_sizeF);</pre>
NewDefaultFont	<p>Create a new font with default settings. You can pass the default font size from GetDefaultFontSize. Release this using ReleaseObject.</p> <pre>NewDefaultFont(DRAWBOT_SupplierRef in_supplier_ref, float in_font_sizeF, DRAWBOT_FontRef *out_fontP);</pre>
NewImageFromBuffer	<p>Create a new image from buffer passed to in_dataP. Release this using ReleaseObject.</p> <pre>NewImageFromBuffer(DRAWBOT_SupplierRef in_supplier_ref, int in_width, int in_height, int in_row_bytes, DRAWBOT_PixelLayout in_pl, const void *in_dataP, DRAWBOT_ImageRef *out_imageP);</pre> <p>DRAWBOT_PixelLayout can be one of the following: kDRAWBOT_PixelLayout_24RGB, kDRAWBOT_PixelLayout_24BGR, kDRAWBOT_PixelLayout_32RGB, ARGB (A is ignored) kDRAWBOT_PixelLayout_32BGR, BGRA (A is ignored). kDRAWBOT_PixelLayout_32ARGB_Straight, kDRAWBOT_PixelLayout_32ARGB_Premul, kDRAWBOT_PixelLayout_32BGRA_Straight, kDRAWBOT_PixelLayout_32BGRA_Premul</p>
NewPath	<p>Create a new path. Release this using ReleaseObject.</p> <pre>NewPath(DRAWBOT_SupplierRef in_supplier_ref, DRAWBOT_PathRef *out_pathP);</pre>
SupportsPixelLayoutBGRA	<p>A given Drawbot implementation can support multiple channel orders, but will likely prefer one over the other. Use the following four callbacks to get the preferred channel order for any API that takes a DRAWBOT_PixelLayout (e.g. NewImageFromBuffer).</p> <pre>SupportsPixelLayoutBGRA(DRAWBOT_SupplierRef in_supplier_ref, DRAWBOT_Boolean *out_supports_bgraPB);</pre>

TABLE 56: DRAWBOT_SUPPLIERSUITE1

Function	Purpose
PrefersPixelFormatBGRA	<pre> PrefersPixelFormatBGRA(DRAWBOT_SupplierRef in_supplier_ref, DRAWBOT_Boolean *out_prefers_bgraPB); </pre>
SupportsPixelFormatARGB	<pre> SupportsPixelFormatARGB(DRAWBOT_SupplierRef in_supplier_ref, DRAWBOT_Boolean *out_supports_argbPB); </pre>
PrefersPixelFormatARGB	<pre> PrefersPixelFormatARGB(DRAWBOT_SupplierRef in_supplier_ref, DRAWBOT_Boolean *out_prefers_argbPB); </pre>
RetainObject	<p>Retain (increase reference count on) any object (pen, brush, path, etc). For example, it should be used when any object is copied and the copied object should be retained.</p> <pre> RetainObject(DRAWBOT_ObjectRef in_obj_ref); </pre>
ReleaseObject	<p>Release (decrease reference count on) any object (pen, brush, path, etc). This function MUST be called for any object created using NewXYZ() from this suite. Do not call this function on a DRAWBOT_SupplierRef and DRAWBOT_SupplierRef, since these are not created by the plug-in.</p> <pre> ReleaseObject(DRAWBOT_ObjectRef in_obj_ref); </pre>

DRAWBOT_SURFACE SUITE

Calls to draw on the surface, and to query and set drawing settings.

TABLE 57: DRAWBOT_SURFACE SUITE1

Function	Purpose
PushStateStack	<p>Push the current surface state onto the stack. It should be popped to retrieve old state. It is required to restore state if you are going to clip or transform a surface or change the interpolation or anti-aliasing policy.</p> <pre> PushStateStack(DRAWBOT_SurfaceRef in_surface_ref); </pre>
PopStateStack	<p>Pop the last pushed surface state off the stack.</p> <pre> PopStateStack(DRAWBOT_SurfaceRef in_surface_ref); </pre>

TABLE 57: DRAWBOT_SURFACE_SUITE1

Function	Purpose
PaintRect	<p>Paint a rectangle with a color on the surface.</p> <pre>PaintRect(DRAWBOT_SurfaceRef in_surface_ref, const DRAWBOT_ColorRGBA *in_colorP, const DRAWBOT_RectF32 *in_rectPR);</pre>
FillPath	<p>Fill a path using a brush and fill type.</p> <pre>FillPath(DRAWBOT_SurfaceRef in_surface_ref, DRAWBOT_BrushRef in_brush_ref, DRAWBOT_PathRef in_path_ref, DRAWBOT_FillType in_fill_type);</pre> <p>DRAWBOT_FillType is one of the following: kDRAWBOT_FillType_EvenOdd, kDRAWBOT_FillType_Winding</p>
StrokePath	<p>Stroke a path using a pen.</p> <pre>StrokePath(DRAWBOT_SurfaceRef in_surface_ref, DRAWBOT_PenRef in_pen_ref, DRAWBOT_PathRef in_path_ref);</pre>
Clip	<p>Clip the surface.</p> <pre>Clip(DRAWBOT_SurfaceRef in_surface_ref, DRAWBOT_SupplierRef in_supplier_ref, const DRAWBOT_Rect32 *in_rectPR);</pre>
GetClipBounds	<p>Get clip bounds.</p> <pre>GetClipBounds(DRAWBOT_SurfaceRef in_surface_ref, DRAWBOT_Rect32 *out_rectPR);</pre>
IsWithinClipBounds	<p>Checks whether a rect is within the clip bounds.</p> <pre>IsWithinClipBounds(DRAWBOT_SurfaceRef in_surface_ref, const DRAWBOT_Rect32 *in_rectPR, DRAWBOT_Boolean *out_withinPB);</pre>
Transform	<p>Transform the last surface state.</p> <pre>Transform(DRAWBOT_SurfaceRef in_surface_ref, const DRAWBOT_MatrixF32 *in_matrixP);</pre>

TABLE 57: DRAWBOT_SURFACESUITE1

Function	Purpose
DrawString	<p>Draw a string.</p> <pre> DrawString(DRAWBOT_SurfaceRef in_surface_ref, DRAWBOT_BrushRef in_brush_ref, DRAWBOT_FontRef in_font_ref, const DRAWBOT_UTF16Char *in_stringP, const DRAWBOT_PointF32 *in_originP, DRAWBOT_TextAlignment in_alignment_style, DRAWBOT_TextTruncation in_truncation_style, float in_truncation_width); </pre> <p>DRAWBOT_TextAlignment is one of the following: kDRAWBOT_TextAlignment_Left, kDRAWBOT_TextAlignment_Center, kDRAWBOT_TextAlignment_Right</p> <p>DRAWBOT_TextTruncation is one of the following: kDRAWBOT_TextTruncation_None, kDRAWBOT_TextTruncation_End, kDRAWBOT_TextTruncation_EndEllipsis, kDRAWBOT_TextTruncation_PathEllipsis</p>
DrawImage	<p>Draw an image created using NewImageFromBuffer() on the surface. Alpha = [0.0f, 1.0f].</p> <pre> DrawImage(DRAWBOT_SurfaceRef in_surface_ref, DRAWBOT_ImageRef in_image_ref, const DRAWBOT_PointF32 *in_originP, float in_alpha); </pre>
SetInterpolationPolicy	<pre> SetInterpolationPolicy(DRAWBOT_SurfaceRef in_surface_ref, DRAWBOT_InterpolationPolicy in_interp); </pre> <p>DRAWBOT_InterpolationPolicy is one of the following: kDRAWBOT_InterpolationPolicy_None, kDRAWBOT_InterpolationPolicy_Med, kDRAWBOT_InterpolationPolicy_High</p>
GetInterpolationPolicy	<pre> GetInterpolationPolicy(DRAWBOT_SurfaceRef in_surface_ref, DRAWBOT_InterpolationPolicy *out_interpP); </pre>

TABLE 57: DRAWBOT_SURFACESUITE1

Function	Purpose
SetAntiAliasPolicy	<pre>SetAntiAliasPolicy(DRAWBOT_SurfaceRef in_surface_ref, DRAWBOT_AntiAliasPolicy in_policy);</pre> <p>DRAWBOT_AntiAliasPolicy is one of the following: kDRAWBOT_AntiAliasPolicy_None, kDRAWBOT_AntiAliasPolicy_Med, kDRAWBOT_AntiAliasPolicy_High</p>
GetAntiAliasPolicy	<pre>GetAntiAliasPolicy(DRAWBOT_SurfaceRef in_surface_ref, DRAWBOT_AntiAliasPolicy *out_policyP);</pre>
Flush	<p>Flush drawing. This is not always needed, and if overused, may cause excessive redrawing and flashing.</p> <pre>Flush(DRAWBOT_SurfaceRef in_surface_ref);</pre>

DRAWBOT_PATHSUITE

Calls to draw paths.

TABLE 58: DRAWBOT_PATHSUITE1

Function	Purpose
MoveTo	<p>Move to a point.</p> <pre>MoveTo(DRAWBOT_PathRef in_path_ref, float in_x, float in_y);</pre>
LineTo	<p>Add a line to the path.</p> <pre>LineTo(DRAWBOT_PathRef in_path_ref, float in_x, float in_y);</pre>
BezierTo	<p>Add a cubic bezier to the path.</p> <pre>BezierTo(DRAWBOT_PathRef in_path_ref, const DRAWBOT_PointF32 *in_pt1P, const DRAWBOT_PointF32 *in_pt2P, const DRAWBOT_PointF32 *in_pt3P);</pre>

TABLE 58: DRAWBOT_PATHSUITE1

Function	Purpose
AddRect	Add a rect to the path. <pre>AddRect(DRAWBOT_PathRef in_path_ref, const DRAWBOT_RectF32 *in_rectPR);</pre>
AddArc	Add a arc to the path. Zero start degrees == 3 o'clock. Sweep is clockwise. Units for angle are in degrees. <pre>AddArc(DRAWBOT_PathRef in_path_ref, const DRAWBOT_PointF32 *in_centerP, float in_radius, float in_start_angle, float in_sweep);</pre>
Close	Close the path. <pre>Close(DRAWBOT_PathRef in_path_ref);</pre>

PF_EFFECTCUSTOMUIOVERLAYTHEMESUITE

This suite should be used for stroking and filling paths and vertices on the Composition and Layer Windows. After Effects is using this suite internally, and we have made it available to make custom UI look consistent across effects. The foreground/shadow colors are computed based on the app brightness level so that custom UI is always visible regardless of the application's Brightness setting in the Preferences.

TABLE 59: PF_EFFECTCUSTOMUIOVERLAYTHEMESUITE1

Function	Purpose
PF_GetPreferredForegroundColor	Get the preferred foreground color. <pre>PF_GetPreferredForegroundColor(DRAWBOT_ColorRGBA *foreground_colorP);</pre>
PF_GetPreferredShadowColor	Get the preferred shadow color. <pre>PF_GetPreferredShadowColor(DRAWBOT_ColorRGBA *shadow_colorP);</pre>
PF_GetPreferredStrokeWidth	Get the preferred foreground & shadow stroke width. <pre>PF_GetPreferredStrokeWidth(float *stroke_widthPF);</pre>

TABLE 59: PF_EFFECTCUSTOMUIOVERLAYTHEMESUITE1

Function	Purpose
PF_GetPreferredVertexSize	Get the preferred vertex size. <pre>PF_GetPreferredVertexSize(float *vertex_sizePF);</pre>
PF_GetPreferredShadowOffset	Get the preferred shadow offset. <pre>PF_GetPreferredShadowOffset(A_LPoint *shadow_offsetP);</pre>
PF_StrokePath	Stroke the path with the overlay theme foreground color. Optionally draw the shadow using the overlay theme shadow color. Uses overlay theme stroke width for stroking foreground and shadow strokes. <pre>PF_StrokePath(const DRAWBOT_DrawRef drawbot_ref, const DRAWBOT_PathRef path_ref PF_Boolean draw_shadowB);</pre>
PF_FillPath	Fills the path with overlay theme foreground color. Optionally draw the shadow using the overlay theme shadow color. <pre>PF_FillPath(const DRAWBOT_DrawRef drawbot_ref, const DRAWBOT_PathRef path_ref PF_Boolean draw_shadowB);</pre>
PF_FillVertex	Fills a square vertex around the center point using the overlay theme foreground color and vertex size. <pre>PF_FillVertex(const DRAWBOT_DrawRef drawbot_ref, const A_FloatPoint *center_pointP PF_Boolean draw_shadowB);</pre>

UI CALLBACKS

After Effects provides callbacks for transposing between coordinate systems, and obtaining OS-specific information about drawing contexts, without guesswork or asking the OS directly. Use these callbacks! Pointers to these callbacks are provided in `PF_EventCallbacks`. Use the macros in `AE_EffectUI.h` and `AE_EffectCB.h` to access these routines.

It is possible to build a functioning plug-in which utilizes a custom UI without implementing the coordinate system transposition callbacks. However, the moment a user

zooms into the layer panel or rotates a layer, your plug-in will behave badly. We added these macros and callbacks so that custom user interfaces could be easily integrated into the After Effects UI, without inflicting user interface overhead on developers. Again, please use them!

These macros default the refcon and context handle for simplicity. The refcon assumes you have a local variable named “extra”. The default context is the current context. These default parameters are defined in the PF_EventCallbacks structure (in AE_EffectUI.h). You can override the defaults by accessing the callbacks through the PF_EventExtra structure. We don’t recommend (or support) modification of the macros in the header file. Don’t do it!

TABLE 60: UI CALLBACKS

Function	Purpose
layer_to_comp	<p>Transforms layer panel coordinates to the composition panel coordinates.</p> <pre>PF_Err layer_to_comp (void *refcon, PF_ContextH context, A_long curr_time, A_long time_scale, PF_FixedPoint *pt);</pre>
comp_to_layer	<p>Transforms composition panel coordinates to the layer panel coordinates.</p> <pre>PF_Err comp_to_layer (void *refcon, PF_ContextH context, A_long curr_time, A_long time_scale, PF_FixedPoint *pt);</pre>
get_comp2layer_xform	<p>Returns the matrix used to convert from the composition panel to the layer panel. If *exists returns FALSE, the matrix cannot be computed because the layer scales to zero.</p> <pre>PF_Err get_comp2layer_xform (void *refcon, PF_ContextH context, A_long curr_time, long time_scale, long *exists, PF_FloatMatrix *comp2layer);</pre>

TABLE 60: UI CALLBACKS

Function	Purpose
<code>get_layer2comp_xform</code>	<p>Returns the transformation matrix used to convert from the layer panel to the composition panel. This always exists.</p> <pre>PF_Err get_layer2comp_xform (void *refcon, PF_ContextH context, A_long curr_time, A_long time_scale, PF_FloatMatrix *layer2comp);</pre>
<code>source_to_frame</code>	<p>Transforms the source coordinates in the current context to screen coordinates. Screen (frame) coordinates are affected by the current zoom level.</p> <pre>PF_Err source_to_frame(void *refcon, PF_ContextH context, PF_FixedPoint *pt);</pre>

TABLE 60: UI CALLBACKS

Function	Purpose
frame_to_source	<p>Transforms the screen coordinates identified by *pt to the source coordinates of the current context.</p> <pre>PF_Err frame_to_source(void *refcon, PF_ContextH context, PF_FixedPoint *pt);</pre>
PF_GET_PLATFORM_DATA	<p>Retrieves platform-specific data. For plug-ins loaded with localized resource files, PF_PlatData_RES_FILE_PATH will point to the external file, not the plug-in file. Use PF_PlatData_EXE_FILE_PATH if you want the path of your plug-in.</p> <p>Starting in CS6, use PF_PlatData_EXE_FILE_PATH_W and PF_PlatData_RES_FILE_PATH_W instead of the old non-wide calls.</p> <pre>PF_Err PF_GET_PLATFORM_DATA (PF_PlatDataID which, void *ppData);</pre> <p>PF_PlatDataID can have the following values:</p> <pre>PF_PlatData_MAIN_WND PF_PlatData_EXE_FILE_PATH_DEPRECATED PF_PlatData_RES_FILE_PATH_DEPRECATED PF_PlatData_RES_REFNUM // Mac OS PF_PlatData_RES_DLLINSTANCE // Win PF_PlatData_BUNDLE_REF PF_PlatData_EXE_FILE_PATH_W // new CS6 PF_PlatData_RES_FILE_PATH_W // new CS6</pre>

TIPS AND TRICKS

UI PERFORMANCE

Experiment with [PF_EO_ALWAYS_UPDATE](#) and [PF_EO_NEVER_UPDATE](#), to find a happy medium between responsiveness and accuracy.

NO MORE BLACK

On Mac OS, the foreground and background colors are not set to white and black when custom UI draw events are sent. This is by design; you don't have to change the background color when you're drawing directly into our context.

HOW DEEP ARE MY PIXELS?

There is no way to determine the bit depth of the layer(s) being processed during events. However, you can cache the last-known pixel depth in your sequence data. Better still, you can have your fixed and float slider parameters rely on the `PF_ValueDisplayFlags` in their parameter definitions; if you use this, it will have your parameters' UI respond to the user's preferences for pixel display values. You can also check the depth of your input world during `PF_Cmd_RENDER`.

ARBITRARY DATA

An arbitrary data parameter is an excellent way to manage your custom UI. Store state, preference, and last-item-used information in an arb, and you'll always be able to recover it. After Effects manages parameters with a much richer message stream than custom UIs.

CUSTOM UI IMPLEMENTATION FOR COLOR SAMPLING, USING KEYFRAMES

A plug-in may want to get a color from a layer within a composition. The user would use the eyedropper associated with a color parameter, or the plug-in's custom composition panel UI, to select the point. During the click event, the plug-in converts the coordinates of the click into layer space, and stores that information in sequence data. It then forces a re-render, during which it has access to the color of the layer point corresponding to the stored coordinates. The plug-in stores the color value in sequence data, and cancels the render, requesting a redraw of the affected parameter(s). Finally, during the draw, the plug-in adds appropriate keyframes to its color parameter stream using the [KeyframeSuite](#). Yes, this means the effect needs to [cheat](#) and use the AEGP API.

6 : AUDIO

After Effects can process audio encoded at up to 96Khz, floating point (24-bit) resolution, mono or stereo. We provide high quality resampling. PF_InData and PF_OutData both contain information specific to audio handling.

While audio isn't the focus of After Effects' feature set, it is an important component of compositing and pre-visualization workflows. Also, several engineers on our team are audio fanatics, and ensure that our audio effects (and the whole audio pipeline) are of the highest quality.

GLOBAL OUTFLAGS

All audio effects must set either PF_OutFlag_AUDIO_EFFECT_TOO or PF_OutFlag_AUDIO_EFFECT_ONLY. PF_OutFlag_I_USE_AUDIO is for visual effects that check out audio data, but don't modify it. PF_OutFlag_AUDIO_FLOAT_ONLY, PF_OutFlag_AUDIO_IIR and PF_OutFlag_I_SYNTHESIZE_AUDIO provide greater control over audio output (see [PF_OutFlags](#) for more details).

AUDIO DATA STRUCTURES

The following data types are used by After Effects to describe audio data.

TABLE 61: AUDIO DATA STRUCTURES

Structure	Description
PF_SoundFormat	Indicates whether the audio is in unsigned pulse code modulation (PCM), signed PCM, or floating point format.
PF_SoundSampleSize	Samples are in 1, 2, or 4 byte format.
PF_SoundChannels	Indicates whether the audio is mono or stereo.

TABLE 61: AUDIO DATA STRUCTURES

Structure	Description
<code>PF_SoundFormatInfo</code>	Contains the sampling rate, number of channels, sample size, and format of the audio to which it refers.
<code>PF_SoundWorld</code>	Use <code>PF_SoundWorlds</code> to represent audio. In addition to a <code>PF_SoundFormatInfo</code> , they contain the length of the audio, and a pointer to the actual audio data.

`PF_SoundFormat`, `PF_SoundSampleSize`, and `PF_SoundChannels` are all contained within a `PF_SoundFormatInfo`. `PF_SoundWorlds` contain a `PF_SoundFormatInfo`, and further instance-specific information.

AUDIO-SPECIFIC FLOAT SLIDER VARIABLES

`PF_Param_FLOAT_SLIDERS` contain several parameters not found in other sliders; flags, phase, and curve tolerance.

FLAGS

The only flag available is `PF_FSliderFlag_WANT_PHASE`. This registers the effect to receive updated phase information from After Effects during audio rendering. To understand what this flag does, turn it off and check your output.

PHASE

This is where the requested phase value is stored.

CURVE TOLERANCE

Curve tolerance is used by After Effects to subdivide the audio effects' time-variant parameters. Set this to zero for default behavior (or for non-audio `FLOAT_SLIDER` parameters).

WHAT'S ZERO, REALLY?

When amplitude is zero, After Effects is at -192db.

ACCESSING AUDIO DATA

Use [PF_CHECKOUT_LAYER_AUDIO](#) to retrieve an audio layer. This layer is opaque; use [PF_GET_AUDIO_DATA](#) to access specific details about that audio. As with pixel data, it's important that you check in the audio as soon as possible.

If your effect requires as input a time span different from the output time span, update the `startsampL` and `endsampL` field in `PF_OutData` during [PF_Cmd AUDIO SETUP](#).

EXTENDING AUDIO CLIPS

You cannot extend the length of an audio clip through the API. However, it is a relatively simple matter for the user to extend the length of the clip before applying your effect. Apply time remapping to the layer and simply extend the out point. If you're adding a delay effect to a sounds clip, you'd want to allow it time to fade away instead of truncating the sound at the original end point. Document the steps users should take when applying your effect.

AUDIO CONSIDERATIONS

The After Effects audio API supports sampling rates up to 96Khz, in as many formats as possible. In the same way that plug-ins' pixel manipulation functions should remain "resolution independent", audio plug-ins should be sample rate- and bit depth-independent.

Your plug-in can't know anything about the final output format of the audio in question; it might get stretched, normalized, truncated, or phase-inverted between the application of your plug-in and the final output.

Audio filters encounter different issues than do image filters. Investigate the SDK sample for one possible implementation of audio rendering.

7 : AEGPs

The After Effects General Plug-in (AEGP) API is powerful and broad, offering functionality beyond what is available to effect plug-ins. To users, AEGPs appear to be part of After Effects. They can add, intercept, and trigger menu commands, access the keyframe database, and register functions as part of After Effects' internal messaging. AEGPs can add and remove items to projects and compositions, add and remove filters and keyframes. Once its command is triggered, AEGPs use the numerous PICA function suites (described in this chapter) to work with every After Effects item.

AEGPs can publish function suites for plug-ins, manipulate all project elements, change interpretations, replace files and determine which external files are used to render a project.

There are several specialized types of AEGP; Keyframers, Artisans, and I/O modules (AEIOs). They are all still AEGPs, but have access to specialized messaging streams, for which they register with After Effects.

WHAT'S NEW?

For what's new in CC releases, see [the heading in the Intro chapter](#).

WHAT'S NEW IN CS6?

3D is a major theme of AE CS6. A new `AEGP_LayerFlag_ENVIRONMENT_LAYER` has been added. Many new [layer streams](#) were added. Additionally, `AEGP_LayerStream_SPECULAR_COEFF` was renamed to `AEGP_LayerStream_SPECULAR_INTENSITY`, `AEGP_LayerStream_SHININESS_COEFF` was renamed to `AEGP_LayerStream_SPECULAR_SHININESS`, and `AEGP_LayerStream_METAL_COEFF` was renamed to just `AEGP_LayerStream_METAL`.

A new suite, [AEGP_RenderQueueMonitorSuite](#), provides all the info a render queue manager needs to figure out what is happening at any point in a render.

[AEGP Mask Suite](#) is now at version 6, and provides functions to get and set the mask feather falloff type. [AEGP Mask Outline Suite](#) is now at version 3, and provides access to get and set mask outline feather information.

[AEGP Comp Suite](#) is now at version 9. `AEGP_CreateTextLayerInComp` and `AEGP_CreateBoxTextLayerInComp` now have a new parameter, `select_new_layerB`.

[AEGP Render Suite](#) is now at version 3, adding a new function to get the GUID for a render receipt.

Finally, we have added two new read-only [Dynamic Stream](#) flags:

`AEGP_DynStreamFlag_SHOWN_WHEN_EMPTY` and
`AEGP_DynStreamFlag_SKIP_REVEAL_WHEN_UNHIDDEN`.

OVERVIEW

AEGPs use Plug-In Component Architecture (PICA) function suites to access all functionality. They may also publish their own function suites, for use by effect plug-ins (since plug-in load order varies, AEGPs can't depend on suites not provided by After Effects). AEGPs can also request a suite and, if it's not present, provide replacement functionality themselves.

AEGP COMMUNICATION WITH AFTER EFFECTS

For effect plug-ins, all communication with After Effects occurs through a single entry point function. This is not the case with AEGPs. While After Effects *does* call the entry point function designated in the AEGP's PiPL (which is still required), all subsequent communication between After Effects and AEGPs is handled by the hook functions the AEGP registers. This registration must be performed from within the plug-in's entry function, using the [AEGP_RegisterSuite](#).

DIFFERENT TASKS, SAME API

AEGPs work in the same manner, regardless of specialization. They can be simple, just [adding one menu item](#) to trigger an external application, or complex like Artisans. While any plug-in can access any function suite, only plug-ins of the appropriate type will have access to all the required parameters. Only Artisans will have render contexts, and only AEIO plug-ins will receive input and output specifications; messaging is dependent upon which hook functions are registered.

DATA TYPES

Whenever possible, After Effects presents plug-ins with opaque data types, and provides accessor functions for manipulating them. For example, video frames are represented using the opaque `AEGP_WorldH`. While in some cases it might be more efficient to simply modify the underlying structure, by maintaining the opaqueness of the data types we allow for changes to our implementation without making you recompile (and redistribute) your plug-ins.

TABLE 62: AEGP API DATA TYPES

Type	Describes	Manage Using
<code>AEGP_MemHandle</code>	This structure contains more than just the referenced memory. So it should not be dereferenced directly. Use <code>AEGP_LockMemHandle</code> in the AEGP Memory Suite to get a pointer to the memory referenced by the <code>AEGP_MemHandle</code> . And of course, unlock it when you're done.	<i>AEGP Memory Suite</i>
<code>AEGP_ProjectH</code>	The current After Effects project. Projects are a set of elements arranged hierarchically in a tree to preserve semantic relationships. Interior nodes of the tree are folders. As of CS6, there will only ever be one open project.	<i>AEGP Proj Suite</i>
<code>AEGP_ItemH</code>	An abstraction describing any element of a project, including folders. An item is anything that can be selected. Since multiple object types can be selected, we treat them as <code>AEGP_ItemHs</code> until more specificity is required.	<i>AEGP Item Suite</i>
<code>AEGP_Collection2H</code>	A set of selected items.	<i>AEGP Collection Suite</i>
<code>AEGP_CompH</code>	A composition is a sequence of renderable items that, together, produce output. A composition exists over a time interval. Multiple compositions can exist within one project.	<i>AEGP Comp Suite</i>
<code>AEGP_FootageH</code>	An item that can be rendered. Folders and compositions are the only items that are not footage.	<i>AEGP Footage Suite</i>
<code>AEGP_LayerH</code>	An element of a composition. Layers are rendered in sequence, which allows for occlusions. Solids, text, paint, cameras, lights, images, and image sequences are all represented as layers. Layers may be defined over sub-intervals of the composition's time interval.	<i>AEGP Layer Suite</i>
<code>AEGP_WorldH</code>	A frame of pixels.	<i>AEGP World Suite</i>

TABLE 62: AEGP API DATA TYPES

Type	Describes	Manage Using
AEGP_EffectRefH	An effect applied to a layer. An effect is a function that takes as its argument a layer (and possibly other parameters) and returns an altered version of the layer for rendering.	AEGP Effect Suite
AEGP_StreamRefH	Any parameter stream attached to a layer, in a composition. See the description of AEGP_GetNewLayerStream for a full list of stream types.	AEGP Stream Suite , AEGP Dynamic Stream Suite , AEGP Keyframe Suite
AEGP_MaskRefH	A mask applied to a layer. An AEGP_MaskRefH is used to access details about the mask stream, not the specific points which constitute the mask. A mask is a rasterized path (sequence of vertices) that partitions a layer into two pieces, allowing each to be rendered differently.	AEGP Mask Suite
AEGP_MaskOutlineValH	The specific points which constitute the mask. The points in a mask outline are ordered, and the mask need not be closed.	AEGP Mask Outline Suite
AEGP_TextDocumentH	Represents the actual text associated with a text layer.	AEGP Text Document Suite
AEGP_TextOutlinesH	A reference to all the paths that make up the outlines of a given text layer.	AEGP Text Layer Suite
AEGP_MarkerVal	The data associated with a given timeline marker.	AEGP Marker Suite
AEGP_PersistentBlobH	A “blob” of data containing the current preferences.	AEGP Persistent Data Suite
AEGP_RenderOptionsH	The settings associated with a render request.	AEGP Render Options Suite
AEGP_LayerRenderOptionsH	The settings associated with a layer render request.	AEGP Layer Render Options Suite
AEGP_FrameReceiptH	A reference to a rendered frame.	AEGP Render Suite
AEGP_RQItemRefH	An item in the render queue.	AEGP Render Queue Suite , AEGP Render Queue Item Suite
AEGP_OutputModuleRefH	An output module, attached to a specific AEGP_RQItemRef in the render queue.	AEGP Output Module Suite
AEGP_SoundDataH	The audio settings used for a given layer.	AEGP Sound Data Suite

TABLE 62: AEGP API DATA TYPES

Type	Describes	Manage Using
AEGP_RenderLayerContextH	State information at the time of a render request, sent to an Artisan by After Effects.	AEGP Canvas Suite
AEGP_RenderReceiptH	Used by Artisans when rendering.	AEGP Canvas Suite

NASTY, BRUTISH, AND SHORT

Information about layers, streams, and many other items doesn't survive long; it's often invalidated by user activity. Anything that modifies the quantity (not quality) of items will invalidate references to those items; adding a keyframe to a stream invalidates references to that stream, but forcing a layer to be rendered doesn't invalidate references to it. Do not cache layer pixels.

Caching references between calls to a specific hook function within your plug-in is not recommended; acquire information when you need it, and forget (release) it as soon as possible.

WERE YOU JUST GOING TO LEAVE THAT DATA LYING AROUND?

When you ask After Effects to populate and return handles to data structures, it's important that you clean up after yourself. For the following data types, you must call the appropriate disposal routines.

TABLE 63: DATA TYPES REQUIRING DISPOSAL

Data Type	Disposal function
AEGP_Collection2H	AEGP_DisposeCollection
AEGP_FootageH	AEGP_DisposeFootage
AEGP_WorldH	AEGP_Dispose (in AEGP_WorldSuite) Or AEGP_DisposeTexture , if layer texture created using AEGP_RenderTexture)
AEGP_EffectRefH	AEGP_DisposeEffect
AEGP_MaskRefH	AEGP_DisposeMask
AEGP_RenderOptionsH	AEGP_Dispose (in AEGP_RenderOptionsSuite)

TABLE 63: DATA TYPES REQUIRING DISPOSAL

Data Type	Disposal function
AEGP_LayerRenderOptionsH	AEGP_Dispose (in AEGP_LayerRenderOptionsSuite)
AEGP_RenderReceiptH	AEGP_DisposeRenderReceipt

IMPLEMENTATION

Because the functionality available through the AEGP API is so vast, and the integration with After Effects so complete, a good deal of design work is necessary to ensure that your plug-in behaves appropriately in all situations.

AEGPs interact with After Effects through PICA function suites. AEGPs are not loaded in a specific order. Check the version of the AEGP API (from within your AEGP's entry point function) to confirm whether a given suite will be available. AEGPs may also use any effect API suite function which doesn't require a PF_ProgPtr (obtained by effects from [PF_InData](#)).

ENTRY POINT

```
A_Err AEGP_PluginInitFuncPrototype(
    struct SPBasicSuite *pica_basicP,
    A_long              major_versionL,
    A_long              minor_versionL,
    AEGP_PluginID       aegp_plugin_id,
    AEGP_GlobalRefcon   *global_refconP)
```

The plug-in's entry point, exported in the [PiPL resource](#), is called just once during launch; all other calls to the AEGP go to the functions it's registered. This is very different from the effect plug-in model, where all communication comes through the same entry point. Because plug-in load order may vary, it's never a good idea to acquire suites not provided by After Effects during your entry point function. Rather, wait until the appropriate hook function(s).

The AEGP API [version numbers](#) can help distinguish between different versions of After Effects, in case the AEGP needs to behave differently or handle different behavior.

THE HOOK-UP

Those other functions are registered as callback hooks. An AEGP that adds menu items must register an `UpdateMenuHook` function (with a function signature as described in `AE_GeneralPlug.h`) which After Effects can call to determine whether or not to enable those items. Similarly, plug-ins which process commands register a `CommandHook` (one for all commands).

SPECIALIZATION

AEIOs and Artisans must register with After Effects in order to receive the messaging streams on which they depend. Like everything else in the AEGP API, this is done through a function suite; in this case, the aptly-named [`AEGP_RegisterSuite`](#).

EXAMPLE: ADDING A MENU ITEM

During your entry point function, use [`CommandSuite>AEGP_GetUniqueCommand\(\)`](#) to obtain a command ID from After Effects, for use with [`AEGP_InsertMenuCommand\(\)`](#). Use a different ID for each menu item you add.

Using [`AEGP_RegisterSuite`](#)'s [`AEGP_RegisterCommandHook\(\)`](#), tell After Effects which function to call when your menu item(s) are selected. The function you register using [`AEGP_RegisterUpdateMenuHook\(\)`](#) enables and disabling your menu item(s). Your menu item(s) will be permanently disabled unless you register a menu updating function.

No matter how many menu items you add, you register only one `CommandHook`. When called, determine which menu item was chosen (based on the command ID), use AEGP PICA suite functions to determine the current state of the project, and act accordingly. For example, keyframing plug-ins may want to disable their menu items unless a (keyframe-able) parameter stream is part of the current selection.

PRIVATE DATA

Unlike effects, AEGPs are never unloaded during an After Effects session. Still, that doesn't mean that relying on static and global variables is a good idea.

All hook functions are passed a `plugin_refconPV` for storage information specific to that function. Many AEGP Suite functions take the `aegp_plugin_id` as a parameter; store it in the `global_refconPV` you are passed, either in a structure you allocate or just the ID itself.

Where possible, use these refcons to store information, not statics and global variables. This becomes especially important when dealing with multi-threading issues.

Use `global_refconPV` for your globals (like your `aegp_plugin_id`) and `refcon` for hook-function-specific storage.

A potential “multiple instances of After Effects” gotcha; when a second, command-line instance of After Effects is launched, all of an AEGP’s handles are duplicated. If this causes problems (and it may), provide code that attaches saved handles to specific instantiations of your plug-in.

THREADING

AEGP supports no threading at all. Everything must be done from the main thread, either in response to a callback, or from the idle hook.

There is one call that is thread safe: [AEGP_CauseIdleRoutinesToBeCalled\(\)](#). But since `SPBasicSuite` itself is not thread safe, you’ll need to stash off the function pointer in the main thread.

AEGP SUITES

As mentioned earlier, AEGPs do everything through suites. The following suites are used by all types of AEGPs, and may be called from within any hook function (except for the `RegisterSuite`, which must be used from within the AEGP’s entry point). Following is a description of each function in every suite, and, where appropriate details on using those functions.

TABLE 64: AEGP SUITES

Suite	Description
Memory Suite	Manage memory resources. Use this suite! Whenever memory-related errors are encountered, After Effects can report errors for you.
Command Suite	Manage your AEGP’s menu items. Used in conjunction with the Register Suite .
Register Suite	Used in conjunction with the Command Suite to add functions to menu commands. AEIOs and Artisans must use this suite’s functions to indicate to After Effects that they want to receive the appropriate message streams. You can replace some After Effects’ commands using this suite.

TABLE 64: AEGP SUITES

Suite	Description
Project Suite	Reads and modifies project data.
Item Suite	Manages items within a project or composition. Folders, Compositions, Solids, and Footage are all items.
Collection Suite	Query which items are currently selected, and create your own selection sets. It's often a good UI move to select all the items your AEGP has modified, just to give the user some idea what you've done.
Composition Suite	Manages (and creates) compositions in a project, and composition-specific items like solids.
Footage Suite	Manages footage.
Layer Suite	Provides information about the layers within a composition, and the relationship(s) between the source and layer times. Solids, text, paint, cameras, lights, images, and image sequences can all become layers.
Effect Suite	Provides access to the effects applied to a layer. Use Stream suites to obtain effect keyframe information. Use AEGP_EffectCallGeneric() to communicate with effects that you setup ahead of time to respond to your AEGP.
Stream Suite	Used to access the values of a layer's keyframe properties.
Dynamic Stream Suite	Used to access the characteristics of dynamic streams associated with a layer.
Keyframe Suite	Used to access and manipulate all keyframe data.
Marker Suite	Used to manipulate markers. Use AEGP_GetCompMarkerStream() to get the composition marker stream.
Mask Suite	Provides access to retrieve information about a layer's masks.
Mask Outline Suite	Used in conjunction with Stream Suite , this suite provides detailed information about the path rendered to make a layer's mask.
Text Document Suite	Used to access the actual text on a text layer.
Text Layer Suite	Used to access the paths that make up the outlines of a text layer.
Utility Suite	Supplies error message handling, AEGP version checking and access to After Effects' undo stack.
Persistent Data Suite	Query and manage all persistent data (i.e., the preferences file). AEGPs can also add their own data to the prefs.
Color Settings Suite	Obtain information on After Effects' current color management settings.
Render Suite	Get rendered frames (and audio samples) from within an AEGP.

TABLE 64: AEGP SUITES

Suite	Description
World Suite	Allocate, dispose of, and query AEGP_Worlds. Also provides a way to convert a PF_EffectWorld into an AEGP_World, for working with effect plug-ins.
Composite Suite	Exposes After Effects' compositing functionality, including transfer modes, track matting, and good old fashioned bit copying.
Sound Data Suite	Functions for managing and accessing sound data.
Render Queue Suite	Add and remove items from the render queue.
Render Queue Item Suite	Query and modify items in the render queue.
Render Options Suite	Query and manage all items exposed in a render queue item's options dialog.
Output Module Suite	Query and modify the output modules attached to items in the render queue.
PF Interface Suite	The functions in this suite, while technically part of the AEGP API, are for use by effects.
AEGP Iterate Suite	Gives AEGPs a way to have a function (which has the required signature) to be run on any or all available processors.
File Import Manager Suite	Registers AEGP file and project importers as part of After Effects' file handling.

FAIL GRACEFULLY

If a suite isn't present, make every attempt to fail gracefully. Show the user a message indicating the nature of the problem. Attempt to acquire and use an earlier version of the same suite.

Since AEGPs are so deeply integrated with After Effects, make sure that users know who or what is encountering a given problem. Identify yourself! Provide support and/or help information to the user whenever possible.

HANDLING HANDLES

Use the AEGP Memory Suite to manage memory used by the AEGP. Whenever memory related errors are encountered, After Effects can report errors for you to find early on. AEGP_MemHandle is a structure that contains more than just the referenced memory. So it

should not be dereferenced directly. Use `AEGP_LockMemHandle` to get a pointer to the memory referenced by the `AEGP_MemHandle`. And of course, unlock it when you're done.

TABLE 65: AEGP_MEMORYSUITE1

Function	Purpose
<code>AEGP_NewMemHandle</code>	<p>Create a new memory handle. This memory is guaranteed to be 16-byte aligned. <code>plugin_id</code> is the ID passed in through the main entry point, or alternatively what you obtained from AEGP_RegisterWithAEGP(). Use <code>whatZ</code> to identify the memory you are asking for. After Effects uses the string to display any related error messages.</p> <pre> AEGP_NewMemHandle(AEGP_PluginID *plugin_id, const A_char *whatZ, AEGP_MemSize size, AEGP_MemFlag flags, AEGP_MemHandle *memPH); </pre>
<code>AEGP_FreeMemHandle</code>	<p>Release a handle you allocated using <code>AEGP_NewMemHandle()</code>.</p> <pre> AEGP_FreeMemHandle(AEGP_MemHandle memH); </pre>
<code>AEGP_LockMemHandle</code>	<p>Locks the handle into memory (cannot be moved by OS). Use this function prior to using memory allocated by <code>AEGP_NewMemHandle</code>. Can be nested.</p> <pre> AEGP_LockMemHandle(AEGP_MemHandle memH, void **ptr_to_ptr); </pre>
<code>AEGP_UnlockMemHandle</code>	<p>Allows OS to move the referenced memory. Always balance lock calls with unlocks.</p> <pre> AEGP_UnlockMemHandle(AEGP_MemHandle memH); </pre>
<code>AEGP_GetMemHandleSize</code>	<p>Returns the allocated size of the handle.</p> <pre> AEGP_GetMemHandleSize AEGP_MemHandle memH, AEGP_MemSize *sizeP); </pre>
<code>AEGP_ResizeMemHandle</code>	<p>Changes the allocated size of the handle.</p> <pre> AEGP_ResizeMemHandle(const char *whatZ, AEGP_MemSize new_size, AEGP_MemHandle memH); </pre>

TABLE 65: AEGP_MEMORYSUITE1

Function	Purpose
AEGP_SetMemReportingOn	<p>If After Effects runs into problems with the memory handling, the error should be reported to the user. Make use of this during development!</p> <p>Only memory allocated and then leaked using this suite is reported using this call, so for example memory allocated using PF_HandleSuite1 will not be reported.</p> <pre>AEGP_SetMemReportingOn(A_Boolean turn_OnB);</pre>
AEGP_GetMemStats	<p>Obtain information about the number of currently allocated handles and their total size.</p> <p>Only memory allocated using this suite is tracked and reported using this call, so for example memory allocated using PF_HandleSuite1 will not be reported here.</p> <pre>AEGP_GetMemStats(AEGP_MemID mem_id, A_long *countPL, A_long *sizePL);</pre>

MANAGING MENU ITEMS

Command Suites allow you to create and handle any menu events. To add your own menu commands, you must also use [AEGP_RegisterSuite](#) to assign handlers to menu events.

TABLE 66: AEGP_COMMANDSUITE1

Function	Purpose
AEGP_GetUniqueCommand	<p>Obtain a unique command identifier. Use the Register Suite to register a handler for the command.</p> <pre>AEGP_GetUniqueCommand(AEGP_Command *unique_commandP);</pre> <p>Note: On occasion After Effects will send command 0 (zero), so don't use that as part of your command handling logic.</p>

TABLE 66: AEGP_COMMANDSUITE1

Function	Purpose
AEGP_InsertMenuCommand	<p>Add a new menu command. Using nameZ = "-" will insert a separator. menu_ID can be:</p> <p>AEGP_Menu_NONE AEGP_Menu_APPLE AEGP_Menu_FILE AEGP_Menu_EDIT AEGP_Menu_COMPOSITION AEGP_Menu_LAYER AEGP_Menu_EFFECT AEGP_Menu_WINDOW AEGP_Menu_FLOATERS AEGP_Menu_KF_ASSIST AEGP_Menu_IMPORT AEGP_Menu_SAVE_FRAME_AS AEGP_Menu_PREFS AEGP_Menu_EXPORT AEGP_Menu_ANIMATION AEGP_Menu_PURGE AEGP_Menu_NEW - Supported in CC and later</p> <p>Locations can be set to a specific location in the menu or can be one assigned by After Effects:</p> <p>AEGP_MENU_INSERT_SORTED AEGP_MENU_INSERT_AT_BOTTOM AEGP_MENU_INSERT_AT_TOP</p> <p>For AEGP_Menu_WINDOW, the BOTTOM and TOP options haven't been supported since CS4 and will return an error. We recommend SORTED.</p> <pre>AEGP_InsertMenuCommand(AEGP_Command command, const A_char *nameZ, AEGP_MenuID menu_id, A_long after_itemL);</pre>
AEGP_RemoveMenuCommand	<p>Remove a menu command. If you were so motivated, you could remove ALL of the After Effects menu items.</p> <pre>AEGP_RemoveMenuCommand(AEGP_Command command);</pre>
AEGP_SetCommandName	<p>Set menu name of a command.</p> <pre>AEGP_SetCommandName(AEGP_Command command, const A_char *nameZ);</pre>

TABLE 66: AEGP_COMMANDSUITE1

Function	Purpose
AEGP_EnableCommand	<p>Enable a menu command.</p> <pre>AEGP_EnableCommand(AEGP_Command command) ;</pre>
AEGP_DisableCommand	<p>Disable a menu command.</p> <pre>AEGP_DisableCommand(AEGP_Command command) ;</pre>
AEGP_CheckMarkMenuCommand	<p>After Effects will draw a check mark next to the menu command.</p> <pre>AEGP_CheckMarkMenuCommand(AEGP_Command command , A_Boolean checkB) ;</pre>
AEGP_DoCommand	<p>Call the handler for a specified menu command. Every After Effects menu item has an associated command; if your AEGP needs to call an After Effects menu item, you can use the scripting command:</p> <pre>cmd = app.findMenuCommandId(text) ;</pre> <p>or contact API Engineering for the command number.</p> <p>Note that we make no guarantees that command IDs will be consistent from version to version.</p> <pre>AEGP_DoCommand(AEGP_Command command) ;</pre> <p>Here are a few command numbers that have been supplied to other developers, and may be of interest:</p> <p>3061 Open selection, ignoring any modifier keys.</p> <p>2285 RAM Preview.</p> <p>2415 Play (spacebar).</p> <p>2997 Crop composition to region of interest.</p> <p>2372 Edit > Purge > Image Caches</p>

REGISTERING WITH AFTER EFFECTS

Register functions for After Effects' use.

TABLE 67: AEGP_REGISTERSUITE5

Function	Purpose
AEGP_RegisterCommandHook	<p>Register a hook (command handler) function with After Effects. If you are replacing a function which After Effects also handles, AEGP_HookPriority determines whether your plug-in gets it first.</p> <p>AEGP_HP_BeforeAE AEGP_HP_AfterAE</p> <p>For each menu item you add, obtain your own AEGP_Command using AEGP_GetUniqueCommand() prior registering a single command_hook_func. Determine which command was sent within this hook function, and act accordingly.</p> <p>Currently, AEGP_HookPriority is ignored.</p> <pre>AEGP_RegisterCommandHook(AEGP_PluginID aegp_plugin_id, AEGP_HookPriority hook_priority, AEGP_Command command, AEGP_CommandHook command_hook_func void *refconPV);</pre>
AEGP_RegisterUpdateMenuHook	<p>Register your menu update function (which determines whether or not items are active), called every time any menu is to be drawn. This hook function handles updates for all menus.</p> <pre>AEGP_RegisterUpdateMenuHook(AEGP_PluginID aegp_plugin_id, AEGP_UpdateMenuHook update_menu_hook_func, void *refconPV);</pre>
AEGP_RegisterDeathHook	<p>Register your termination function. Called when the application quits.</p> <pre>AEGP_RegisterDeathHook(AEGP_PluginID aegp_plugin_id, AEGP_DeathHook death_hook_func, void *refconPV);</pre>
AEGP_RegisterVersionHook	Currently not called.
AEGP_RegisterAboutStringHook	Currently not called.
AEGP_RegisterAboutHook	Currently not called.

TABLE 67: AEGP_REGISTERSUITE5

Function	Purpose
<code>AEGP_RegisterArtisan</code>	<p>Register your Artisan. See the Artisan chapter for more details.</p> <pre> AEGP_RegisterArtisan (A_Version api_version, A_Version Artisan_version, long aegp_plugin_id, void *aegp_refconPV, const A_char *match_nameZ, const A_char *Artisan_nameZ, PR_ArtisanEntryPoints *entry_funcsP); </pre>
<code>AEGP_RegisterIO</code>	<p>Register your AEIO plug-in. See the AEIO section for more details.</p> <pre> AEGP_RegisterIO (AEGP_PluginID aegp_plugin_id, AEGP_IORefcon aegp_refconP, const AEIO_ModuleInfo *io_infoP, const AEIO_FunctionBlock4 *aeio_fcn_blockP); </pre>
<code>AEGP_RegisterIdleHook</code>	<p>Register your IdleHook function. After Effects will call the function sporadically, while the user makes difficult artistic decisions (or while they're getting more coffee).</p> <pre> AEGP_RegisterIdleHook (AEGP_PluginID aegp_plugin_id, AEGP_IdleHook idle_hook_func, AEGP_IdleRefcon refconP); </pre>
<code>AEGP_RegisterInteractiveArtisan</code>	<p>Registers your AEGP as an interactive artisan, for use in previewing and rendering all layers in a given composition.</p> <pre> AEGP_RegisterInteractiveArtisan (A_Version api_version, A_Version artisan_version, AEGP_PluginID aegp_plugin_id, void *aegp_refconPV, const A_char *match_nameZ, const A_char *artisan_nameZ, PR_ArtisanEntryPoints *entry_funcsP); </pre>
<code>AEGP_RegisterPresetLocalizationString</code>	<p>Call this to register as many strings as you like for name-replacement when presets are loaded. Any time a Property name is found, or referred to in an expression, and it starts with an ASCII tab character ('\t'), followed by one of the English names, it will be replaced with the localized name. (In English the tab character will simply be removed).</p> <pre> AEGP_RegisterPresetLocalizationString(const A_char *english_nameZ, const A_char *localized_nameZ); </pre>

MANAGE PROJECTS

These functions access and modify project data. Support for multiple projects is included to prepare for future expansion; After Effects currently adheres to the single project model. To save project-specific data in After Effects' preferences (and thus, outside the projects themselves), use the [Persistent Data Suite](#). Use caution: the functions for opening and creating projects do not save changes to the project currently open when they are called!

TABLE 68: AEGP_PROJSUITE6

Function	Purpose
<code>AEGP_NumProjects</code>	Currently will never return more than 1. After Effects can have only one project open at a time. <code>AEGP_GetNumProjects()</code> <code>A_long</code> <code>*num_projPL</code>
<code>AEGP_GetIndProject</code>	Retrieves a specific project by index. <code>AEGP_GetProjectProjectByIndex(</code> <code>A_long</code> <code>proj_indexL,</code> <code>AEGP_ProjectH</code> <code>*projPH);</code>
<code>AEGP_GetProjectName</code>	Get the project name (up to <code>AEGP_MAX_PROJ_NAME_LEN + 1</code>) in length. <code>AEGP_GetProjectName(</code> <code>AEGP_ProjectH</code> <code>projH,</code> <code>A_char</code> <code>*nameZ);</code>
<code>AEGP_GetProjectPath</code>	Get the path of the project (empty string the project hasn't been saved yet). The path is a handle to a NULL-terminated <code>A_UTF16Char</code> string, and must be disposed with <code>AEGP_FreeMemHandle</code> . <code>AEGP_GetProjectPath(</code> <code>AEGP_ProjectH</code> <code>projH,</code> <code>AEGP_MemHandle</code> <code>*unicode_pathPH)</code>
<code>AEGP_GetProjectRootFolder</code>	Get the root of the project, which After Effects also treats as a folder. <code>AEGP_GetProjectRootFolder(</code> <code>AEGP_ProjectH</code> <code>projH,</code> <code>AEGP_ItemH</code> <code>*root_folderPH)</code>
<code>AEGP_SaveProjectToPath</code>	Saves the entire project to the specified full path. The file path is a NULL-terminated UTF-16 string with platform separators. <code>AEGP_SaveProjectToPath(</code> <code>AEGP_ProjectH</code> <code>projH,</code> <code>const A_UTF16Char</code> <code>*pathZ);</code>

TABLE 68: AEGP_PROJSUITE6

Function	Purpose
AEGP_GetProjectTimeDisplay	<p>Retrieves the current time display settings.</p> <pre> AEGP_GetProjectTimeDisplay(AEGP_ProjectH projH, AEGP_TimeDisplay3 *time_displayP); typedef struct { AEGP_TimeDisplayMode display_mode; AEGP_SourceTimecodeDisplayMode footage_display_mode; A_Boolean display_dropframeB; A_Boolean use_feet_framesB; A_char timebaseC; A_char frames_per_footC; AEGP_FramesDisplayMode frames_display_mode; } AEGP_TimeDisplay3; enum { AEGP_TimeDisplay_TIMECODE = 0, AEGP_TimeDisplay_FRAMES }; typedef char AEGP_TimeDisplayMode; enum { AEGP_SourceTimecode_ZERO= 0, AEGP_SourceTimecode_SOURCE_TIMECODE }; typedef char AEGP_SourceTimecodeDisplayMode; enum { AEGP_Frames_ZERO_BASED= 0, AEGP_Frames_ONE_BASED, AEGP_Frames_TIMECODE_CONVERSION }; typedef char AEGP_FramesDisplayMode; </pre>
AEGP_SetProjectTimeDisplay	<p>Specified the settings to be used for displaying time.</p> <pre> AEGP_SetProjectTimeDisplay(AEGP_ProjectH projH, const AEGP_TimeDisplay3 *time_displayP); </pre>
AEGP_ProjectIsDirty	<p>Returns TRUE if the project has been modified since it was opened.</p> <pre> AEGP_ProjectIsDirty(AEGP_ProjectH projH, A_Boolean *is_dirtyPB); </pre>

TABLE 68: AEGP_PROJSUITE6

Function	Purpose
AEGP_SaveProjectAs	Saves the project to the specified path. The file path is a NULL-terminated UTF-16 string with platform separators. NOTE: This will overwrite an existing file. <pre>AEGP_SaveProjectAs(AEGP_ProjectH projH, const A_UTF16Char *pathZ);</pre>
AEGP_NewProject	Creates a new project. NOTE: Will close the current project without saving it first! <pre>AEGP_NewProject(AEGP_ProjectH*new_projectPH);</pre>
AEGP_OpenProjectFromPath	Opens a project from the supplied path, and returns its AEGP_ProjectH. The file path is a NULL-terminated UTF-16 string with platform separators. NOTE: Will close the current project without saving it first! <pre>AEGP_OpenProjectFromPath(const A_UTF16Char *pathZ, AEGP_ProjectH *projectPH);</pre>
AEGP_GetProjectBitDepth	Retrieves the project bit depth. <pre>AEGP_GetProjectBitDepth(AEGP_Projec tH projectH, AEGP_ProjBitDepth *bit_depthP);</pre> AEGP_ProjBitDepth will be one of the following: AEGP_ProjBitDepth_8 AEGP_ProjBitDepth_16 AEGP_ProjBitDepth_32
AEGP_SetProjectBitDepth	Sets the project bit depth. Undoable. <pre>AEGP_SetProjectBitDepth(AEGP_ProjectH projectH, AEGP_ProjBitDepth bit_depth);</pre>

TABLE 69: AEGP_TIMEDISPLAY2

Member	Description
<i>Note: values in unused fields persist when After Effects is using a different display type.</i>	
AEGP_TimeDisplayType type;	One of the following: AEGP_TimeDisplayType_TIMECODE AEGP_TimeDisplayType_FRAMES AEGP_TimeDisplayType_FEET_AND_FRAMES

TABLE 69: AEGP_TIMEDISPLAY2

Member	Description
A_char timebaseC;	0 - 100. Only used for AEGP_TimeDisplayType_TIMECODE.
A_Boolean non_drop_30B;	When the timebase is 30 and the item's framerate is 29.97, determines whether to display as non-drop frame.
A_char frames_per_footC;	Only used for AEGP_TimeDisplayType_FEET_AND_FRAMES.
A_long starting_frameL;	Usually 0 or 1. Not used when type is usually 0 or 1, not used for AEGP_TimeDisplayType_TIMECODE.
A_Boolean auto_timecode_baseB;	If TRUE, the project timecode display setting is set to auto.

CONTROL ITEMS WITHIN PROJECTS

Accesses and modifies items within a project or composition. Anything in the project bin is an AEGP_Item. Note that cameras have no source, and thus have no AEGP_ItemH. Unless more specificity is required for the function(s) you're using, remain as abstract as possible; AEGP_Comps are passed into and returned from most functions as AEGP_Items.

TABLE 70: AEGP_ITEMSUITE8

Function	Purpose
AEGP_GetFirstProjItem	Retrieves the first item in a given project. AEGP_GetFirstProjItem(AEGP_ProjectH projectH, AEGP_ItemH *itemPH);
AEGP_GetNextProjItem	Retrieves the next project item; *next_itemPH will be NULL after the last item. AEGP_GetNextProjItem(AEGP_ProjectH projectH, AEGP_ItemH itemH, AEGP_ItemH *next_itemPH);
AEGP_GetActiveItem	If the Project window is active, the active item is the selected item (if only one item is selected). If a Composition, Timeline, or Footage window is active, returns the parent of the layer associated with the front-most tab in the window. Returns NULL if no item is active. AEGP_GetActiveItem(AEGP_ItemH *itemPH,

TABLE 70: AEGP_ITEMSUITE8

Function	Purpose
<code>AEGP_IsItemSelected</code>	<p>Returns true if the Project window is active and the item is selected.</p> <pre> AEGP_IsItemSelected(AEGP_ItemH itemH, A_Boolean *selectedPB) </pre>
<code>AEGP_SelectItem</code>	<p>Toggles the selection state of the item, and (depending on <code>deselect_othersB</code>) can deselect other items. This call selects items in the Project panel. To make selections in the Composition panel, use AEGP_SetSelection in the AEGP Comp Suite.</p> <pre> AEGP_SelectItem(AEGP_ItemH itemH, A_Boolean selectB, A_Boolean deselect_othersB); </pre>
<code>AEGP_GetItemType</code>	<p>Gets type of an item. Note: solids don't appear in the project, but can be the source to a layer.</p> <pre> AEGP_GetItemType(AEGP_ItemH itemH, AEGP_ItemType *item_typeP); </pre> <p>Items are one of the following types:</p> <pre> AEGP_ItemType_NONE AEGP_ItemType_FOLDER AEGP_ItemType_COMP AEGP_ItemType_SOLID AEGP_ItemType_FOOTAGE </pre>
<code>AEGP_GetTypeName</code>	<p>Get name of type. (name length up to <code>AEGP_MAX_TYPE_NAME_LEN + 1</code>).</p> <pre> AEGP_GetTypeName(AEGP_ItemType item_type, A_char *nameZ); </pre>
<code>AEGP_GetItemName</code>	<p>Get item name. (name length has no limit). <code>unicode_namePH</code> points to <code>A_UTF16Char</code> (contains null terminated UTF16 string). It must be disposed with <code>AEGP_FreeMemHandle</code>.</p> <pre> AEGP_GetItemName(AEGP_PluginID pluginID, AEGP_ItemH itemH, AEGP_MemHandle *unicode_namePH); </pre>

TABLE 70: AEGP_ITEMSUITE8

Function	Purpose
AEGP_SetItemName	Specifies the name of the AEGP_ItemH. (name length has no limit). Undoable. <pre>AEGP_SetItemName(AEGP_ItemH itemH, const A_UTF16Char *nameZ);</pre>
AEGP_GetItemID	Returns the item's unique ID, which persists across saves and loads of the project. <pre>AEGP_GetItemID(AEGP_ItemH itemH, A_long *item_idPL);</pre>
AEGP_GetItemFlags	Get properties of an item. <pre>AEGP_GetItemFlags(AEGP_ItemH itemH, AEGP_ItemFlags *item_flagsP);</pre> Flag values (may be OR'd together): <pre>AEGP_ItemFlag_MISSING AEGP_ItemFlag_HAS_PROXY AEGP_ItemFlag_USING_PROXY AEGP_ItemFlag_MISSING_PROXY AEGP_ItemFlag_HAS_VIDEO AEGP_ItemFlag_HAS_AUDIO AEGP_ItemFlag_STILL AEGP_ItemFlag_HAS_ACTIVE_AUDIO</pre> Unlike the HAS_AUDIO flag, this bit flag will set only if the comp has at least one layer where audio is actually on.
AEGP_SetItemUseProxy	Toggle item's proxy usage. Undoable. <pre>AEGP_SetItemUseProxy(AEGP_ItemH itemH, A_Boolean use_proxyB);</pre>
AEGP_GetItemParentFolder	Get folder containing item. <pre>AEGP_GetItemParentFolder(AEGP_ItemH itemH, AEGP_ItemH *parent_itemPH);</pre>
AEGP_SetItemParentFolder	Sets an item's parent folder. Undoable. <pre>AEGP_SetItemParentFolder(AEGP_ItemH itemH, AEGP_ItemH parent_folderH);</pre>

TABLE 70: AEGP_ITEMSUITE8

Function	Purpose
<code>AEGP_GetItemDuration</code>	Get duration of item, in seconds. <pre>AEGP_GetItemDuration(AEGP_ItemH itemH, A_Time *durationPT);</pre>
<code>AEGP_GetItemCurrentTime</code>	Get current time within item. Not updated while rendering. <pre>AEGP_GetItemCurrentTime(AEGP_ItemH itemH, A_long *curr_timePT);</pre>
<code>AEGP_GetItemDimensions</code>	Get width and height of item. <pre>AEGP_GetItemDimensions(AEGP_ItemH itemH, A_long *widthPL) A_long *heightPL);</pre>
<code>AEGP_GetItemPixelAspectRatio</code>	Get the width of a pixel, assuming its height is 1.0, as numerator over denominator. <pre>AEGP_GetItemPixelAspectRatio(AEGP_ItemH itemH, A_Ratio *ratioPRt);</pre>
<code>AEGP_DeleteItem</code>	Removes item from all compositions. Undo-able. Do not use the <code>AEGP_ItemH</code> after calling this function. <pre>AEGP_DeleteItem(AEGP_ItemH itemH);</pre>
<code>AEGP_GetItemSolidColor</code>	Removed in AEGP_ItemSuite4. See AEGP_GetSolidFootageColor Given a solid item, return its color. <pre>AEGP_GetItemSolidColor(AEGP_ItemH itemH, PF_Pixel *PF_Pixel);</pre>
<code>AEGP_SetSolidColor</code>	Removed in AEGP_ItemSuite4. See AEGP_SetSolidFootageColor . Sets the color of an existing solid (error if itemH is not a solid). <pre>AEGP_SetSolidColor(AEGP_ItemH itemH, AEGP_ColorVal color);</pre>

TABLE 70: AEGP_ITEMSUITE8

Function	Purpose
AEGP_SetSolidDimensions	<p>Removed in AEGP_ItemSuite4. See AEGP_SetSolidFootageDimensions.</p> <p>Sets the dimensions of an existing solid (error if itemH is not a solid).</p> <pre>AEGP_SetSolidDimensions(AEGP_ItemH itemH, A_short widthS, A_short heightS);</pre>
AEGP_CreateNewFolder	<p>Creates a new folder in the project. The newly created folder is allocated and owned by After Effects. Passing NULL for parent_folderH0 creates the folder at the project's root.</p> <pre>AEGP_CreateNewFolder(const A_UTF16Char *nameZ, AEGP_ProjectH projH), AEGP_ItemH parentH0), AEGP_ItemH *new_folderPH);</pre>
AEGP_SetItemCurrentTime	<p>Sets the current time within a given itemH.</p> <pre>AEGP_SetItemCurrentTime(AEGP_ItemH itemH, const A_Time *new_timePT);</pre>
AEGP_RenderNewItemSoundData() <i>used to be here, but is now part of AEGP_RenderSuite.</i>	
AEGP_GetItemCommentLength	<p>Retrieves the length (in characters) of the itemH's comment.</p> <pre>AEGP_GetItemCommentLength(AEGP_ItemH itemH, A_u_long *buf_sizePLu);</pre>
AEGP_GetItemComment	<p>Retrieves the itemH's comment.</p> <pre>AEGP_GetItemComment(AEGP_ItemH itemH, A_u_long buf_sizeLu, A_char *commentZ);</pre>
AEGP_SetItemComment	<p>Sets the itemH's comment.</p> <pre>AEGP_SetItemComment(AEGP_ItemH itemH, const char *commentZ);</pre>

TABLE 70: AEGP_ITEMSUITE8

Function	Purpose
<code>AEGP_GetItemLabel</code>	Retrieves an item's label. <pre>AEGP_GetItemLabel(AEGP_ItemH itemH, AEGP_LabelID *labelP);</pre>
<code>AEGP_SetItemLabel</code>	Sets an item's label. <pre>AEGP_SetItemLabel(AEGP_ItemH itemH, AEGP_LabelID label);</pre>
<code>AEGP_GetItemMRUView</code>	Gets an item's most recently used view. The view can be used with two calls in the <code>AEGP_ColorSettingsSuite</code> , to perform a color transform on a pixel buffer from working to view color space. <pre>AEGP_SetItemLabel(AEGP_ItemH itemH, AEGP_ItemViewP *mru_viewP);</pre>

MANAGING SELECTIONS

This suite manages selection states, mirroring the functionality supplied by vectors in the C++ Standard Template Library. Many types of items may be simultaneously selected in After Effects; `AEGP_CollectionItems` are unions of layer, mask, effect, stream, mask vertex, and keyframe items. First acquire the current collection, then iterate across its members to ensure that whatever your AEGP does is applicable to each.

We've added `AEGP_Collection2H` and `AEGP_CollectionItemV2` so that selected dynamic streams can be handled with the `AEGP_CollectionSuite`.

TABLE 71: AEGP_COLLECTIONSUITE2

Function	Purpose
<code>AEGP_NewCollection</code>	<p>Creates and returns a new, empty collection. To obtain the current composition's selection as a collection, use AEGP_GetNewCollectionFromCompSelection.</p> <pre>AEGP_NewCollection(AEGP_PluginID plugin_id, AEGP_Collection2H *collectionPH);</pre>
<code>AEGP_DisposeCollection</code>	<p>Disposes of a collection.</p> <pre>AEGP_DisposeCollection(AEGP_Collection2H collectionH);</pre>
<code>AEGP_GetCollectionNumItems</code>	<p>Returns the number of items contained in the given collection.</p> <pre>AEGP_GetCollectionNumItems(AEGP_Collection2H collectionH, A_u_long *num_itemsPL);</pre>
<code>AEGP_GetCollectionItemByIndex</code>	<p>Retrieves (creates and populates) the index'd collection item.</p> <pre>AEGP_GetCollectionItemByIndex(AEGP_Collection2H collectionH, A_u_long indexL, AEGP_CollectionItemV2 *itemP);</pre>
<code>AEGP_CollectionPushBack</code>	<p>Adds an item to the given collection.</p> <pre>AEGP_CollectionPushBack(AEGP_Collection2H collectionH, const AEGP_CollectionItemV2 *itemP);</pre>
<code>AEGP_CollectionErase</code>	<p>Removes an index'd item (or items) from a given collection. NOTE: this range is exclusive, like STL iterators. To erase the first item, you would pass 0 and 1, respectively.</p> <pre>AEGP_CollectionErase(AEGP_Collection2H collectionH, A_u_long index_firstL, A_u_long index_lastL);</pre>

OWNERSHIP OF COLLECTION ITEMS

When `AEGP_StreamRefHs` are inserted into a collection, they are adopted by the collection; do not free them. `AEGP_EffectRefHs`, on the other hand, are not adopted, and must be freed by the calling `AEGP`.

MANIPULATE COMPOSITIONS

Provide information about the compositions in a project, and create cameras, lights, and solids.

TABLE 72: AEGP_COMPSUITE10

Function	Purpose
<code>AEGP_GetCompFromItem</code>	Retrieves the handle to the composition, given an item handle. Returns NULL if <code>itemH</code> is not an <code>AEGP_CompH</code> . <code>AEGP_GetCompFromItem(AEGP_ItemH itemH, AEGP_CompH *compH);</code>
<code>AEGP_GetItemFromComp</code>	Used to get the item handle, given a composition handle. <code>AEGP_GetItemFromComp(AEGP_CompH compH, AEGP_ItemH *itemPH);</code>
<code>AEGP_GetCompDownsampleFactor</code>	Returns current downsample factor. Measured in pixels X by Y. Users can choose a custom downsample factor with independent X and Y. <code>AEGP_GetCompDownsampleFactor(AEGP_CompH compH, AEGP_DownsampleFactor *dsfP);</code>
<code>AEGP_SetCompDownsampleFactor</code>	Sets the composition's downsample factor. <code>AEGP_SetCompDownsampleFactor(AEGP_CompH compH, AEGP_DownsampleFactor *dsfP);</code>
<code>AEGP_GetCompBGColor</code>	Returns the composition background color. <code>AEGP_GetCompBGColor(AEGP_CompH compH, AEGP_ColorVal *bg_colorP);</code>
<code>AEGP_SetCompBGColor</code>	Sets a composition's background color. <code>AEGP_SetCompBGColor(AEGP_CompH compH, const AEGP_ColorVal *bg_colorP);</code>

TABLE 72: AEGP_COMPSUITE10

Function	Purpose
<code>AEGP_GetCompFlags</code>	<p>Returns composition flags, or'd together.</p> <pre> AEGP_GetCompFlags(AEGP_CompH compH, AEGP_CompFlags *AEGP_CompFlags); AEGP_CompFlag_SHOW_ALL_SHY AEGP_CompFlag_ENABLE_MOTION_BLUR AEGP_CompFlag_ENABLE_TIME_FILTER AEGP_CompFlag_GRID_TO_FRAME AEGP_CompFlag_GRID_TO_FIELDS AEGP_CompFlag_USE_LOCAL_DSf AEGP_CompFlag_DRAFT_3D AEGP_CompFlag_SHOW_GRAPH </pre>
<code>AEGP_GetShowLayerNameOr-SourceName</code>	<p>New in CC. Passes back true if the Comp's timeline shows layer names, false if source names. This will open the comp as a side effect.</p> <pre> AEGP_GetShowLayerNameOrSourceName(AEGP_CompH compH, A_Boolean *layer_names_shownPB); </pre>
<code>AEGP_SetShowLayerNameOr-SourceName</code>	<p>New in CC. Pass in true to have the Comp's timeline show layer names, false for source names. This will open the comp as a side effect.</p> <pre> AEGP_SetShowLayerNameOrSourceName(AEGP_CompH compH, A_Boolean *layer_names_shownPB); </pre>
<code>AEGP_GetShowBlendModes</code>	<p>New in CC. Passes back true if the Comp's timeline shows blend modes column, false if hidden. This will open the comp as a side effect.</p> <pre> AEGP_GetShowBlendModes(AEGP_CompH compH, A_Boolean *blend_modes_shownPB); </pre>
<code>AEGP_SetShowBlendModes</code>	<p>New in CC. Pass in true to have the Comp's timeline show the blend modes column, false to hide it. This will open the comp as a side effect.</p> <pre> AEGP_GetCompFlags(AEGP_CompH compH, A_Boolean show_blend_modesB); </pre>
<code>AEGP_GetCompFramerate</code>	<p>Returns the composition's frames per second.</p> <pre> AEGP_GetCompFramerate(AEGP_CompH compH, A_FpLong *fpsPF); </pre>

TABLE 72: AEGP_COMPSUITE10

Function	Purpose
<code>AEGP_SetCompFramerate</code>	Sets the composition's frames per second. <pre>AEGP_SetCompFramerate(AEGP_CompH compH, A_FpLong *fpsPF) ;</pre>
<code>AEGP_GetCompShutterAnglePhase</code>	The composition shutter angle and phase. <pre>AEGP_GetCompShutterAnglePhase(AEGP_CompH compH, A_Ratio *angle, A_Ratio *phase) ;</pre>
<code>AEGP_GetCompShutterFrameRange</code>	The duration of the shutter frame, in seconds. <pre>AEGP_GetCompShutterFrameRange(AEGP_CompH compH, const A_Time *comp_timeP) ;</pre>
<code>AEGP_GetCompSuggestedMotionBlurSamples</code>	Retrieves the number of motion blur samples After Effects will perform in the given composition. <pre>AEGP_GetCompSuggestedMotionBlurSamples(AEGP_CompH compH, A_long *samplesPL)</pre>
<code>AEGP_SetCompSuggestedMotionBlurSamples</code>	Specifies the number of motion blur samples After Effects will perform in the given composition. Undoable. <pre>AEGP_SetCompSuggestedMotionBlurSamples(AEGP_CompH compH, A_long samplesL) ;</pre>
<code>AEGP_GetCompMotionBlurAdaptiveSampleLimit</code>	New in CC. Retrieves the motion blur adaptive sample limit for the given composition. As of CC, a new comp defaults to 128. <pre>AEGP_GetCompMotionBlurAdaptiveSampleLimit(AEGP_CompH compH, A_long *samplesPL)</pre>
<code>AEGP_SetCompMotionBlurAdaptiveSampleLimit</code>	New in CC. Specifies the motion blur adaptive sample limit for the given composition. As of CC, both the limit and the suggested values are clamped to [2,256] range and the limit value will not be allowed less than the suggested value. Undoable. <pre>AEGP_SetCompMotionBlurAdaptiveSampleLimit(AEGP_CompH compH, A_long samplesL) ;</pre>

TABLE 72: AEGP_COMPsuite10

Function	Purpose
<code>AEGP_GetCompWorkAreaStart</code>	<p>Get the time where the current work area starts.</p> <pre>AEGP_GetCompWorkAreaStart(AEGP_CompH compH, A_Time *startPT);</pre>
<code>AEGP_GetCompWorkAreaDuration</code>	<p>Get the duration of a composition's current work area, in seconds.</p> <pre>AEGP_GetCompWorkAreaDuration(AEGP_CompH compH, A_Time *durationPT);</pre>
<code>AEGP_SetCompWorkAreaStartAndDuration</code>	<p>Set the work area start and duration, in seconds. Undo-able. One call to this function is sufficient to set the layer's in point and duration; it's not necessary to call it twice, once for each timespace.</p> <pre>AEGP_SetCompWorkAreaStartAndDuration(AEGP_CompH compH, const A_Time *startPT) const A_Time *durationPT);</pre>
<code>AEGP_CreateSolidInComp</code>	<p>Creates a new solid with a specified width, height, color, and duration in the composition. Undo-able.</p> <p>If you pass <code>NULL</code> for the duration, After Effects uses its preference for the duration of a new still. If you pass <code>NULL</code>, or an invalid time scale, duration is set to the length of the composition.</p> <pre>AEGP_CreateSolidInComp(const A_UTF16Char *utf_nameZ, A_Long widthL, A_Long heightL, const PF_Pixel *color, AEGP_CompH parent_compH, const A_Time *durationPT0, AEGP_LayerH *new_solidPH);</pre>
<code>AEGP_CreateCameraInComp</code>	<p>Creates and adds a camera to the specified composition. Once created, you can manipulate the camera's parameter streams using the AEGP_StreamSuite.</p> <p>To specify a two-node camera, use AEGP_SetLayerFlag to set <code>AEGP_LayerFlag_LOOK_AT_POI</code>.</p> <pre>AEGP_CreateCameraInComp(const A_UTF16Char *utf_nameZ, A_FloatPoint center_point, AEGP_CompH parent_compH, AEGP_LayerH *new_cameraPH);</pre>

TABLE 72: AEGP_COMPsuite10

Function	Purpose
<code>AEGP_CreateLightInComp</code>	<p>Creates and adds a light to the specified composition. Once created, you can manipulate the light's parameter streams using the AEGP_StreamSuite.</p> <pre> AEGP_CreateLightInComp(const A_UTF16Char *utf_nameZ, A_FloatPoint center_point, AEGP_CompH parent_compH, AEGP_LayerH *new_lightPH); </pre>
<code>AEGP_CreateComp</code>	<p>Creates a new composition for the project. If you don't provide a parent folder, the composition will be at the root level of the project. Undo-able.</p> <pre> AEGP_CreateComp(AEGP_ItemH parent_folderHO, const A_UTF16Char *utf_nameZ, A_Long widthL, A_Long heightL, const A_Ratio *pixel_aspect_ratioPRt, const A_Time *durationPT, const A_Ratio *frameratePRt, AEGP_CompH *new_compPH); </pre>
<code>AEGP_GetNewCollectionFromCompSelection</code>	<p>Creates a new <code>AEGP_Collection2H</code> from the items selected in the given composition. The plug-in is responsible for disposing of the <code>AEGP_Collection2H</code>.</p> <pre> AEGP_GetNewCollectionFromCompSelection(AEGP_PluginID plugin_id, AEGP_CompH compH, AEGP_Collection2H *collectionPH); </pre>
<code>AEGP_SetSelection</code>	<p>Sets the selection within the given composition to the given <code>AEGP_Collection2H</code>. Will return an error if members of the <code>AEGP_Collection2H</code> are not available. Don't assume that a composition hasn't changed between operations; always use a fresh <code>AEGP_Collection2H</code>.</p> <pre> AEGP_SetSelection(AEGP_CompH compH, AEGP_Collection2H collectionH); </pre>

TABLE 72: AEGP_COMPsuite10

Function	Purpose
<code>AEGP_GetCompDisplayStartTime</code>	Gets the displayed start time of a composition. <pre>AEGP_GetCompDisplayStartTime(AEGP_CompH compH, const A_Time *start_timePT);</pre>
<code>AEGP_SetCompDisplayStartTime</code>	Not undo-able. Sets the displayed start time of a composition (has no effect on the duration of the composition). <pre>AEGP_SetCompDisplayStartTime(AEGP_CompH compH, const A_Time *start_timePT);</pre>
<code>AEGP_SetCompDuration</code>	Undoable. Sets the duration of the given composition. <pre>AEGP_SetCompDuration(AEGP_CompH compH, const A_Time *durationPT);</pre>
<code>AEGP_CreateNullInComp</code>	Creates a “null object” in the composition (useful for translating projects from 3D applications into After Effects). If you pass NULL for the duration, After Effects uses its preference for the duration of a new still. If you pass 0, or an invalid time scale, duration is set to the length of the composition. <pre>AEGP_CreateNullInComp(const A_UTF16Char *utf_nameZ, AEGP_CompH parent_compH, const A_Time *durationPT0, AEGP_LayerH *new_null_solidPH);</pre>
<code>AEGP_SetCompPixelAspectRatio</code>	Sets the pixel aspect ratio of a composition. <pre>AEGP_SetCompPixelAspectRatio(AEGP_CompH compH, const A_Ratio *parPRt);</pre>
<code>AEGP_CreateTextLayerInComp</code>	Updated in CS6. Creates a text layer in the composition, and returns its <code>AEGP_LayerH</code> . <pre>AEGP_CreateTextLayerInComp(AEGP_CompH parent_compH, A_Boolean select_new_layerB, AEGP_LayerH *new_text_lyrPH);</pre>

TABLE 72: AEGP_COMPSUITE10

Function	Purpose
<code>AEGP_CreateBoxTextLayerInComp</code>	<p>Updated in CS6. Creates a new box text layer, and returns its <code>AEGP_LayerH</code>.</p> <pre> AEGP_CreateBoxTextLayerInComp (AEGP_CompH parent_compH, A_Boolean select_new_layerB, A_FloatPoint box_dimensions, AEGP_LayerH *new_text_layerPH); </pre>
<code>AEGP_SetCompDimensions</code>	<p>Sets the dimensions of the composition. Undoable.</p> <pre> AEGP_SetCompDimensions (AEGP_CompH compH, A_long widthL, A_long heightL); </pre>
<code>AEGP_DuplicateComp</code>	<p>Duplicates the composition. Undoable.</p> <pre> AEGP_DuplicateComp (AEGP_CompH compH, AEGP_CompH *new_compPH); </pre>
<code>AEGP_GetCompFrameDuration</code>	<p>Retrieves the duration of a frame in a composition.</p> <pre> AEGP_GetCompFrameDuration (AEGP_CompH compH, A_Time *timeP); </pre>
<code>AEGP_GetMostRecentlyUsedComp</code>	<p>Returns the most-recently-used composition.</p> <pre> AEGP_GetMostRecentlyUsedComp (AEGP_CompH *compPH); </pre>
<code>AEGP_CreateVectorLayerInComp</code>	<p>Creates and returns a handle to a new vector layer.</p> <pre> AEGP_CreateVectorLayerInComp (AEGP_CompH parent_compH, AEGP_LayerH *new_vec_layerPH); </pre>
<code>AEGP_GetNewCompMarkerStream</code>	<p>Returns an <code>AEGP_StreamRefH</code> to the composition's marker stream. Must be disposed by caller.</p> <pre> AEGP_GetNewCompMarkerStream (AEGP_PluginID aegp_plugin_id, AEGP_CompH parent_compH, AEGP_StreamRefH *streamPH); </pre>
<code>AEGP_GetCompDisplayDropFrame</code>	<p>Passes back a boolean that indicates whether the specified comp uses drop-frame timecode or not.</p> <pre> AEGP_GetCompDisplayDropFrame (AEGP_CompH compH, A_Boolean *dropFramePB); </pre>

TABLE 72: AEGP_COMPsuite10

Function	Purpose
AEGP_SetCompDisplayDropFrame	<p>Sets the dropness of the timecode in the specified composition.</p> <pre>AEGP_SetCompDisplayDropFrame(AEGP_CompH compH, A_Boolean dropFrameB);</pre>

WORK WITH FOOTAGE

Provides information about footage, or items in a project or composition. When getting and setting footage's interpretation, it is possible to specify incompatible options. If you encounter warnings and errors during development, be sure to make all related changes atomically, and reassess the logic of the operation you're performing. For example, changing the pull-down interpretation of footage won't work unless there's a difference between it's native and conformed frame rate. Depending on what you're trying to accomplish, it may make sense to abort all of your operations at that point, inform the user of the problem encountered.

TABLE 73: AEGP_FOOTAGESuite5

Function	Purpose
AEGP_GetMainFootageFromItem	<p>Returns an error if item isn't a footage item Used to convert an item handle to a footage handle.</p> <pre>AEGP_GetMainFootageFromItem(AEGP_ItemH itemH, AEGP_FootageH *footagePH);</pre>
AEGP_GetProxyFootageFromItem	<p>Returns an error if item has no proxy. Returns the proxy footage handle. Note: a composition can have a proxy.</p> <pre>AEGP_GetProxyFootageFromItem(AEGP_ItemH itemH, AEGP_FootageH *proxy_ftgPH);</pre>
AEGP_GetFootageNumFiles	<p>Returns the number of data (RGBA or audio) files, and the number of files per frame (may be greater than one if the footage has auxiliary channels).</p> <pre>AEGP_GetFootageNumFiles(AEGP_FootageH footageH, A_long *num_filesPL0, A_long *files_per_frmPL0);</pre>

TABLE 73: AEGP_FOOTAGESUITE5

Function	Purpose
<code>AEGP_GetFootagePath</code>	<p>Get fully realized path to footage source file. Retrieves the footage path for a piece of footage (or for the specified frame of a footage sequence). <code>frame_numL</code> ranges from 0 to <code>num_main_files</code>, as obtained using AEGP_GetFootageNumFiles. <code>AEGP_FOOTAGE_MAIN_FILE_INDEX</code> is the main file. The path is a handle to a NULL-terminated <code>A_UTF16Char</code> string, and must be disposed with <code>AEGP_FreeMemHandle</code>.</p> <pre> AEGP_GetFootagePath(AEGP_FootageH footageH, A_long frame_numL, A_long file_indexL, AEGP_MemHandle *unicode_pathPH); </pre>
<code>AEGP_GetFootageSignature</code>	<p>Retrieves the footage signature of specified footage.</p> <pre> AEGP_GetFootageSignature(AEGP_FootageH footageH, AEGP_FootageSignature *sigP); </pre> <p>The signature will be one of the following:</p> <pre> AEGP_FootageSignature_NONE AEGP_FootageSignature_MISSING AEGP_FootageSignature_SOLID </pre>

TABLE 73: AEGP_FOOTAGESUITE5

Function	Purpose
AEGP_NewFootage	<p>Creates a new footage item. The file path is a NULL-terminated UTF-16 string with platform separators. Note that footage filenames with colons are not allowed, since colons are used as path separators in the HFS+ file system.</p> <pre> AEGP_NewFootage(AEGP_PluginID aegp_plugin_id, const A_UTF16Char *pathZ, const AEGP_FootageLayerKey *layer_infoP0, const AEGP_FileSequenceImportOptions *sequence_optionsP0, AEGP_InterpretationStyle interp_style, void *reserved, AEGP_FootageH *footagePH); </pre> <p>Note the optional params. If allow_interpretation_dialogB is FALSE, After Effects will guess the alpha interpretation.</p> <pre> typedef struct { A_long layer_idL; A_long layer_indexL char *nameAC; AEGP_LayerDrawStyle draw_style; } AEGP_FootageLayerKey; </pre> <p>AEGP_LayerDrawStyle can be:</p> <pre> AEGP_LayerDrawStyle_LAYER_BOUNDS AEGP_LayerDrawStyle_DOCUMENT_BOUNDS </pre> <p>AEGP_InterpretationStyle can be:</p> <pre> AEGP_InterpretationStyle_NO_DIALOG_GUESS </pre> <p>Will guess alpha interpretation even if file contains unknown alpha interpretation and user pref says to ask user.</p> <pre> AEGP_InterpretationStyle_DIALOG_OK </pre> <p>Optionally can show a dialog.</p> <pre> AEGP_InterpretationStyle_NO_DIALOG_NO_GUESS </pre> <p>Used for replace footage implementation.</p>

TABLE 73: AEGP_FOOTAGESUITE5

Function	Purpose
<code>AEGP_AddFootageToProject</code>	<p>Adds a footage item to a project. Footage will be adopted by the project, and may be added only once. This is Undo-able; do not dispose of the returned added item if it's undone.</p> <pre> AEGP_AddFootageToProject(AEGP_FootageH footageH, AEGP_ItemH folderH, AEGP_ItemH *add_itemPH0); </pre>
<code>AEGP_SetItemProxyFootage</code>	<p>Sets footage as the proxy for an item. Will be adopted by the project. This is Undo-able; do not dispose of the returned added item if it's undone.</p> <pre> AEGP_SetItemProxyFootage(AEGP_FootageH footageH, AEGP_ItemH itemH); </pre>
<code>AEGP_ReplaceItemMainFootage</code>	<p>Replaces footage for an item. The item will replace the main footage for this item. This is Undo-able; do not dispose of the returned added item if it's undone.</p> <pre> AEGP_ReplaceItemMainFootage(AEGP_FootageH footageH, AEGP_ItemH itemH); </pre>
<code>AEGP_DisposeFootage</code>	<p>Deletes a footage item. Do not dispose of footage you did not create, or that has been added to the project.</p> <pre> AEGP_DisposeFootage(AEGP_FootageH footageH); </pre>
<code>AEGP_GetFootageInterpretation</code>	<p>Populates an <code>AEGP_FootageInterp</code> describing the settings of the <code>AEGP_FootageH</code>. There is no way to create a valid <code>AEGP_FootageInterp</code> other than by using this function.</p> <pre> AEGP_GetFootageInterpretation(const AEGP_ItemH itemH, A_Boolean proxyB, AEGP_FootageInterp *interpP); </pre> <p>If <code>proxyB</code> is <code>TRUE</code>, the proxy footage's settings are retrieved.</p>

TABLE 73: AEGP_FOOTAGESUITE5

Function	Purpose
<code>AEGP_SetFootageInterpretation</code>	<p>Apply the settings in the <code>AEGP_FootageInterp</code> to the <code>AEGP_FootageH</code>. Undo-able.</p> <pre>AEGP_SetFootageInterpretation(const AEGP_ItemH itemH, A_Boolean proxyB, const AEGP_FootageInterp *interpP);</pre> <p>If <code>proxyB</code> is <code>TRUE</code>, the proxy footage's settings are modified.</p>
<code>AEGP_GetFootageLayerKey</code>	<p>Populates an <code>AEGP_FootageLayerKey</code> describing the footage.</p> <pre>AEGP_GetFootageLayerKey(AEGP_FootageH footageH, AEGP_FootageLayerKey*layerKeyP);</pre>
<code>AEGP_NewPlaceholderFootage</code>	<p>Deprecated. Adds a new placeholder footage item to the project. Using this function for missing footage will cause the user to search for each individual missing file, regardless of whether or not they're all in the same directory. Undo-able.</p> <pre>AEGP_NewPlaceholderFootage(AEGP_PluginID plugin_id, const A_char *nameZ, A_long width, A_long height, const A_Time *durationPT, AEGP_FootageH *footagePH);</pre>

TABLE 73: AEGP_FOOTAGESUITE5

Function	Purpose
AEGP_NewPlaceholderFootage WithPath	<p>This is the hip new way to add references to footage that can't be found right this moment. The file path is a NULL-terminated UTF-16 string with platform separators.</p> <p>In CS6 and earlier, <code>file_type</code> was ignored and we previously recommended setting it to <code>AEIO_FileType_NONE</code>. Starting in CC, <code>AEIO_FileType_NONE</code> is now a warning condition. If you pass <code>AEIO_FileType_ANY</code>, then path MUST exist. If the path may not exist, pass <code>AEIO_FileType_DIR</code> for folder, or <code>AEIO_FileType_GENERIC</code> for a file.</p> <pre> AEGP_NewPlaceholderFootageWithPath(AEGP_PluginID plugin_id, const A_UTF16Char *pathZ, AEGP_Platform path_platform, AEIO_FileType file_type, A_long widthL, A_long heightL, const A_Time *durationPT, AEGP_FootageH *footagePH); </pre>
AEGP_NewSolidFootage	<p>This is the way to add a solid. Until the footage is added to the project, the caller owns the <code>AEGP_FootageH</code> (and must dispose of it if, and only if, it isn't added to the project).</p> <pre> AEGP_NewSolidFootage(const A_char *nameZ, A_long width, A_long height, const AEGP_ColorVal *colorP, AEGP_FootageH *footagePH); </pre>
AEGP_GetSolidFootageColor	<p>Returns the color of a given solid. Returns an error if the <code>AEGP_ItemH</code> is not a solid.</p> <pre> AEGP_GetSolidFootageColor(AEGP_ItemH itemH, A_Boolean proxyB, AEGP_ColorVal *colorP); </pre> <p>If <code>proxyB</code> is <code>TRUE</code>, the proxy solid's color is retrieved.</p>

TABLE 73: AEGP_FOOTAGESUITE5

Function	Purpose
<code>AEGP_SetSolidFootageColor</code>	<p>Sets the color of a solid. Undo-able.</p> <pre>AEGP_SetSolidFootageColor(AEGP_ItemH itemH, A_Boolean proxyB, AEGP_ColorVal *colorP);</pre> <p>If proxyB is TRUE, the proxy solid's color is set.</p>
<code>AEGP_SetSolidFootageDimensions</code>	<p>Sets the dimensions of a solid. Undo-able.</p> <pre>AEGP_SetSolidFootageDimensions(AEGP_ItemH itemH, A_Boolean proxyB, A_long widthL, A_long heightL);</pre> <p>If proxyB is TRUE, the proxy solid's dimensions are modified. Returns an error if the item isn't a solid.</p>
<code>AEGP_GetFootageSoundDataFormat</code>	<p>Retrieves information about the audio data in the footage item (by populating the <code>AEGP_SoundDataFormat</code> you passed in).</p> <pre>AEGP_GetFootageSoundDataFormat(AEGP_FootageH footageH, AEGP_SoundDataFormat *formatP);</pre>
<code>AEGP_GetFootageSequenceImportOptions</code>	<p>Populates and returns a <code>AEGP_FileSequenceImportOptions</code> describing the given <code>AEGP_FootageH</code>.</p> <pre>AEGP_GetFootageSequenceImportOptions(AEGP_FootageH footageH, AEGP_FileSequenceImportOptions *optionsP);</pre>

TABLE 74: AEGP_FOOTAGEINTERP STRUCTURE

Member	Purpose
<code>AEGP_InterlaceLabel il;</code>	<p>The interlace settings for the footage item.</p> <pre>A_u_long signature; // 'FIEL'</pre> <pre>A_short version;</pre> <pre>FIEL_Type type;</pre> <pre>FIEL_Order order;</pre> <pre>A_u_long reserved;</pre> <p>FIEL_Type is one of the following:</p> <pre>FIEL_Type_FRAME_RENDERED</pre> <pre>FIEL_Type_INTERLACED</pre> <pre>FIEL_Type_HALF_HEIGHT</pre> <pre>FIEL_Type_FIELD_DOUBLED</pre> <p>FIEL_Type_FIELD_DOUBLED means 60 full-sized field doubled frames per second.</p> <p>FIEL_Order is either FIEL_Order_UPPER_FIRST or FIEL_Order_LOWER_FIRST.</p>
<code>AEGP_AlphaLabel al;</code>	<pre>AEGP_AlphaFlag flags;</pre> <pre>A_u_char redCu;</pre> <pre>A_u_char greenCu;</pre> <pre>A_u_char blueCu;</pre> <p>AEGP_AlphaFlags is one or more of the following, OR'd together:</p> <pre>AEGP_AlphaPremul</pre> <pre>AEGP_AlphaInverted</pre> <pre>AEGP_AlphaIgnore</pre> <p>If AEGP_AlphaPremul is not set, straight alpha is assumed. AEGP_AlphaInverted indicates that higher values are transparent, instead of lower.</p>
<code>AEGP_PulldownPhase pd;</code>	<p>Indicates the phase for use in 3:2 pulldown. One of the following:</p> <pre>AEGP_PulldownPhase_NO_PULLDOWN,</pre> <pre>AEGP_PulldownPhase_WSSWW,</pre> <pre>AEGP_PulldownPhase_SSWWW,</pre> <pre>AEGP_PulldownPhase_SWWWS,</pre> <pre>AEGP_PulldownPhase_WWWSS,</pre> <pre>AEGP_PulldownPhase_WWSSW,</pre> <pre>AEGP_PulldownPhase_WWWSW,</pre> <pre>AEGP_PulldownPhase_WWSWW,</pre> <pre>AEGP_PulldownPhase_WSWWW,</pre> <pre>AEGP_PulldownPhase_SWWWW,</pre> <pre>AEGP_PulldownPhase_WWWWS</pre>

TABLE 74: AEGP_FOOTAGEINTERP STRUCTURE

Member	Purpose
<code>AEGP_LoopBehavior loop;</code>	Indicates the number of times the footage should loop. <code>A_long loops;</code> <code>A_long reserved;</code>
<code>A_Ratio pix_aspect_ratio;</code>	Expresses the pixel aspect ratio of the footage (x over y).
<code>A_FpLong native_fpsF;</code>	The original framerate (in frames per second) of the footage item.
<code>A_FpLong conform_fpsF;</code>	The framerate being used for the footage item.
<code>A_long depthL;</code>	The pixel depth of the footage. One of the following: <code>AEGP_Footage_Depth_1</code> <code>AEGP_Footage_Depth_2</code> <code>AEGP_Footage_Depth_4</code> <code>AEGP_Footage_Depth_8</code> <code>AEGP_Footage_Depth_16</code> <code>AEGP_Footage_Depth_24</code> <code>AEGP_Footage_Depth_30</code> <code>AEGP_Footage_Depth_32</code> <code>AEGP_Footage_Depth_GRAY_2</code> <code>AEGP_Footage_Depth_GRAY_4</code> <code>AEGP_Footage_Depth_GRAY_8</code> <code>AEGP_Footage_Depth_48</code> <code>AEGP_Footage_Depth_64</code> <code>AEGP_Footage_Depth_GRAY_16</code>
<code>A_Boolean motion_dB;</code>	Indicates whether motion de-interlacing is being applied to the footage item.

MANAGE LAYERS

`AEGP_LayerSuite` provides information about layers within a composition, and the relationship(s) between the source and layer times. As most After Effects usage boils down to layer manipulation, this is among the largest function suites in our API.

TABLE 75: AEGP_LAYERSUITE8

Function	Purpose
<code>AEGP_GetCompNumLayers</code>	Obtains the number of layers in a composition. <pre> AEGP_GetCompNumLayers (AEGP_CompH compH, A_long *num_layersPL); </pre>

TABLE 75: AEGP_LAYERSUITE8

Function	Purpose
AEGP_GetCompLayerByIndex	<p>Get a AEGP_LayerH from a composition. Zero is the foremost layer.</p> <pre>AEGP_GetCompLayerByIndex(AEGP_CompH compH, A_long layer_indexL, AEGP_LayerH *layerPH);</pre>
AEGP_GetActiveLayer	<p>Get the active layer. If a Layer or effect controls palette is active, the active layer is that associated with the front-most tab in the window. If a composition or timeline window is active, the active layer is the selected layer (if only one is selected; otherwise NULL is returned).</p> <pre>AEGP_GetActiveLayer(AEGP_LayerH *layerPH);</pre>
AEGP_GetLayerIndex	<p>Get the index of the layer (0 is the topmost layer in the composition).</p> <pre>AEGP_GetLayerIndex(AEGP_LayerH layerH, A_long *layer_indexPL);</pre>
AEGP_GetLayerSourceItem	<p>Get the AEGP_ItemH of the layer's source item.</p> <pre>AEGP_GetLayerSourceItem(AEGP_LayerH layerH, AEGP_ItemH *source_itemPH);</pre>
AEGP_GetLayerSourceItemID	<p>Retrieves the ID of the given AEGP_LayerH. This is useful when hunting for a specific layer's ID in an AEGP_StreamVal.</p> <pre>AEGP_GetLayerSourceItemID(AEGP_LayerH layerH, A_long *source_idPL);</pre>
AEGP_GetLayerParentComp	<p>Get the AEGP_CompH of the composition containing the layer.</p> <pre>AEGP_GetLayerParentComp(AEGP_LayerH layerH, AEGP_CompH *compPH);</pre>

TABLE 75: AEGP_LAYERSUITE8

Function	Purpose
<code>AEGP_GetLayerName</code>	<p>Get the name of a layer. Both <code>utf_layer_namePH0</code> and <code>utf_source_namePH0</code> point to null terminated UTF-16 strings. They must be disposed with <code>AEGP_FreeMemHandle</code>.</p> <pre> AEGP_GetLayerName(AEGP_PluginID pluginID, AEGP_LayerH layerH, AEGP_MemHandle *utf_layer_namePH0, AEGP_MemHandle *utf_source_namePH0); </pre>
<code>AEGP_GetLayerQuality</code>	<p>Get the quality of a layer.</p> <pre> AEGP_GetLayerQuality(AEGP_LayerH layerH, AEGP_LayerQuality *qualityP); </pre> <p>Layer quality is one of the following flags:</p> <pre> AEGP_LayerQual_NONE AEGP_LayerQual_WIREFRAME AEGP_LayerQual_DRAFT AEGP_LayerQual_BEST </pre>
<code>AEGP_SetLayerQuality</code>	<p>Sets the quality of a layer (see flag values above). Undoable.</p> <pre> AEGP_SetLayerQuality(AEGP_LayerH layerH, AEGP_LayerQuality quality); </pre>

TABLE 75: AEGP_LAYERSUITE8

Function	Purpose
AEGP_GetLayerFlags	<p>Get flags for a layer.</p> <pre> AEGP_GetLayerFlags(AEGP_LayerH layerH, AEGP_LayerFlags *layer_flagsP); </pre> <p> AEGP_LayerFlag_NONE AEGP_LayerFlag_VIDEO_ACTIVE AEGP_LayerFlag_AUDIO_ACTIVE AEGP_LayerFlag_EFFECTS_ACTIVE AEGP_LayerFlag_MOTION_BLUR AEGP_LayerFlag_FRAME_BLENDING AEGP_LayerFlag_LOCKED AEGP_LayerFlag_SHY AEGP_LayerFlag_COLLAPSE AEGP_LayerFlag_AUTO_ORIENT_ROTATION AEGP_LayerFlag_ADJUSTMENT_LAYER AEGP_LayerFlag_TIME_REMAPPING AEGP_LayerFlag_LAYER_IS_3D AEGP_LayerFlag_LOOK_AT_CAMERA AEGP_LayerFlag_LOOK_AT_POI AEGP_LayerFlag_SOLO AEGP_LayerFlag_MARKERS_LOCKED, AEGP_LayerFlag_NULL_LAYER, AEGP_LayerFlag_HIDE_LOCKED_MASKS, AEGP_LayerFlag_GUIDE_LAYER, AEGP_LayerFlag_ENVIRONMENT_LAYER, AEGP_LayerFlag_ADVANCED_FRAME_BLENDING, True only if pixel motion frame blending is on for the layer. AEGP_LayerFlag_SUBLAYERS_RENDER_SEPARATELY, Used to get/set the state of per-character 3D enablement on a text layer. AEGP_LayerFlag_ENVIRONMENT_LAYER New in CS6. </p>
AEGP_SetLayerFlag	<p>Sets one layer flag at a time. Undoable.</p> <pre> AEGP_SetLayerFlag(AEGP_LayerH layerH, AEGP_LayerFlags single_flag, A_Boolean valueB); </pre>
AEGP_IsLayerVideoReallyOn	<p>Determines whether the layer's video is visible. This is necessary to account for 'solo' status of other layers in the composition; non-solo'd layers are still on.</p> <pre> AEGP_IsLayerVideoReallyOn(AEGP_LayerH layerH, A_Boolean *onPB); </pre>

TABLE 75: AEGP_LAYERSUITE8

Function	Purpose
<code>AEGP_IsLayerAudioReallyOn</code>	Accounts for solo status of other layers in the composition. <pre>AEGP_IsLayerAudioReallyOn(AEGP_LayerH layerH, A_Boolean *onPB);</pre>
<code>AEGP_GetLayerCurrentTime</code>	Get current time, in layer or composition timespace. This value is not updated during rendering. NOTE: If a layer starts at other than time 0 or is time-stretched other than 100%, layer time and composition time are distinct. <pre>AEGP_GetLayerCurrentTime(AEGP_LayerH layerH, AEGP_LTimeMode time_mode, A_Time *curr_timePT);</pre>
<code>AEGP_GetLayerInPoint</code>	Get time of first visible frame in composition or layer time. In layer time, the <code>in_pointPT</code> is always 0. <pre>AEGP_GetLayerInPoint(AEGP_LayerH layerH, AEGP_LTimeMode time_mode, A_Time *in_pointPT);</pre>
<code>AEGP_GetLayerDuration</code>	Get duration of layer, in composition or layer time, in seconds. <pre>AEGP_GetLayerDuration(AEGP_LayerH layerH, AEGP_LTimeMode time_mode, A_Time *durationPT);</pre>
<code>AEGP_SetLayerInPointAndDuration</code>	Set duration and in point of layer in composition or layer time. Undo-able. <pre>AEGP_SetLayerInPointAndDuration(AEGP_LayerH layerH, AEGP_LTimeMode time_mode, const A_Time *in_pointPT, const A_Time *durationPT);</pre>
<code>AEGP_GetLayerOffset</code>	Get the offset from the start of the composition to layer time 0, in composition time. <pre>AEGP_GetLayerOffset(AEGP_LayerH layerH, A_Time *offsetPT);</pre>

TABLE 75: AEGP_LAYERSUITE8

Function	Purpose
AEGP_SetLayerOffset	<p>Set the offset from the start of the composition to the first frame of the layer, in composition time. Undoable.</p> <pre>AEGP_SetLayerOffset(AEGP_LayerH layerH, A_Time *offsetPT);</pre>
AEGP_GetLayerStretch	<p>Get stretch factor of a layer.</p> <pre>AEGP_GetLayerStretch(AEGP_LayerH layerH, A_Ratio *stretchPRt);</pre>
AEGP_SetLayerStretch	<p>Set stretch factor of a layer.</p> <pre>AEGP_SetLayerStretch(AEGP_LayerH layerH, A_Ratio *stretchPRt);</pre>
AEGP_GetLayerTransferMode	<p>Get transfer mode of a layer.</p> <pre>AEGP_GetLayerTransferMode(AEGP_LayerH layerH, AEGP_LayerTransferMode *modeP);</pre>
AEGP_SetLayerTransferMode	<p>Set transfer mode of a layer. Undoable.</p> <pre>AEGPSetLayerTransferMode(AEGP_LayerH layerH, AEGP_LayerTransferMode *modeP);</pre> <p>As of 6.5, when you make a layer a track matte, the layer in front of it will be disabled, as when you do this via the interface.</p>
AEGP_IsAddLayerValid	<p>Tests whether it's currently valid to add a given item to a composition. A composition cannot be added to itself, or to any compositions which it contains; other conditions can preclude successful adding too. Adding a layer without first using this function will produce undefined results.</p> <pre>AEGP_IsAddLayerValid(AEGP_ItemH item_to_addH, AEGP_CompH into_compH, A_Boolean *validPB);</pre>

TABLE 75: AEGP_LAYERSUITE8

Function	Purpose
<code>AEGP_AddLayer</code>	<p>Add an item to the composition, above all other layers. Undo-able. Use AEGP_IsAddLayerValid() first, to confirm that it's possible.</p> <pre> AEGP_AddLayer(AEGP_ItemH item_to_addH, AEGP_CompH into_compH, A_Boolean *added_layerPH0); </pre>
<code>AEGP_ReorderLayer</code>	<p>Change the order of layers. Undoable.</p> <pre> AEGP_ReorderLayer(AEGP_LayerH layerH, A_long layer_indexL); </pre> <p>To add a layer to the end of the composition, to use <code>layer_indexL =</code> <code>AEGP_REORDER_LAYER_TO_END</code></p>
<code>AEGP_GetLayerMaskedBounds</code>	<p>Given a layer's handle and a time, returns the bounds of area visible with masks applied.</p> <pre> AEGP_GetLayerMaskedBounds(AEGP_LayerH layerH, const A_Time *comp_timePT, A_FloatRect *boundsPR); </pre>
<code>AEGP_GetLayerObjectType</code>	<p>Returns a layer's object type.</p> <pre> AEGP_GetLayerObjectType(AEGP_LayerH layerH, AEGP_ObjectType *object_type); </pre> <p> <code>AEGP_ObjectType_AV</code> <code>AEGP_ObjectType_LIGHT</code> <code>AEGP_ObjectType_CAMERA,</code> <code>AEGP_ObjectType_TEXT</code> </p>
<code>AEGP_IsLayer3D</code>	<p>Is the footage item a 3D layer. All AV layers are either 2D or 3D.</p> <pre> AEGP_IsLayer3D(AEGP_LayerH layerH, A_Boolean *is_3DPB); </pre>
<code>AEGP_IsLayer2D</code>	<p>Is the footage item a 2D layer. All AV layers are either 2D or 3D.</p> <pre> AEGP_IsLayer2D(AEGP_LayerH layerH, A_Boolean *is_2DPB); </pre>

TABLE 75: AEGP_LAYERSUITE8

Function	Purpose
<code>AEGP_IsVideoActive</code>	<p>Given composition time and a layer, see if the layer will render. Time mode is either <code>AEGP_LTimeMode_LayerTime</code> or <code>AEGP_LTimeMode_CompTime</code>.</p> <pre> AEGP_IsVideoActive(AEGP_LayerH layerH, AEGP_LTimeMode time_mode, A_Time *comp_timePT, A_Boolean *is_activePB); </pre>
<code>AEGP_IsLayerUsedAsTrackMatte</code>	<p>Is the layer used as a track matte?</p> <pre> AEGP_IsLayerUsedAsTrackMatte(AEGP_LayerH layerH, A_Boolean fill_must_be_activeB, A_Boolean *is_track_mattePB); </pre>
<code>AEGP_DoesLayerHaveTrackMatte</code>	<p>Does this layer have a Track Matte?</p> <pre> AEGP_DoesLayerHaveTrackMatte(AEGP_LayerH layerH, A_Boolean *has_track_mattePB); </pre>
<code>AEGP_ConvertCompToLayerTime</code>	<p>Given a time in composition space, returns the time relative to the layer source footage.</p> <pre> AEGP_ConvertCompToLayerTime(AEGP_LayerH layerH, const A_Time *comp_timeP, A_Time *layer_timeP); </pre>
<code>AEGP_ConvertLayerToCompTime</code>	<p>Given a time in layer space, find the corresponding time in composition space.</p> <pre> AEGP_ConvertLayerToCompTime(AEGP_LayerH layerH, const A_Time *layer_timePT, A_Time *comp_timePT); </pre>
<code>AEGP_GetLayerDancingRandValue</code>	<p>Used by the dancing dissolve transfer function.</p> <pre> AEGP_GetLayerDancingRandValue(AEGP_LayerH layerH, const A_Time *comp_timePT, A_long *rand_valuePL); </pre>
<code>AEGP_GetLayerID</code>	<p>Supplies the layer's unique ID. This ID never changes during the lifetime of the project.</p> <pre> AEGP_GetLayerID(AEGP_LayerH layerH, AEGP_LayerIDVal *id_valP); </pre>

TABLE 75: AEGP_LAYERSUITE8

Function	Purpose
<code>AEGP_GetLayerToWorldXform</code>	<p>Given a layer handle and time, returns the layer-to-world transformation matrix.</p> <pre> AEGP_GetLayerToWorldXform(AEGP_LayerH aegp_layerH, const A_Time *comp_timeP, A_Matrix4 *transform); </pre>
<code>AEGP_GetLayerToWorldXformFromView</code>	<p>Given a layer handle, the current (composition) time, and the requested view time, returns the translation between the user's view and the layer, corrected for the composition's current aspect ratio.</p> <pre> AEGP_GetLayerToWorldXformFromView(AEGP_LayerH aegp_layerH, const A_Time *view_timeP, const A_Time *comp_timeP, A_Matrix4 *transform); </pre>
<code>AEGP_SetLayerName</code>	<p>Sets the name of a layer. Undo-able. <code>new_nameZ</code> points to a null terminated UTF-16 string.</p> <pre> AEGP_SetLayerName(AEGP_LayerH aegp_layerH, const A_UTF16Char *new_nameZ); </pre>
<code>AEGP_GetLayerParent</code>	<p>Retrieves the handle to a layer's parent (none if not parented).</p> <pre> AEGP_GetLayerParent(AEGP_LayerH layerH, AEGP_LayerH *parent_layerPH); </pre>
<code>AEGP_SetLayerParent</code>	<p>Sets a layer's parent layer.</p> <pre> AEGP_SetLayerParent(AEGP_LayerH layerH, const AEGP_LayerH parent_layerH); </pre>
<code>AEGP_DeleteLayer</code>	<p>Deletes a layer. Can you believe it took us three suite versions to add a delete function? Neither can we.</p> <pre> AEGP_DeleteLayer(AEGP_LayerH layerH); </pre>
<code>AEGP_DuplicateLayer</code>	<p>Duplicates the layer. Undoable.</p> <pre> AEGP_DuplicateLayer(AEGP_LayerH orig_layerH, AEGP_LayerH *dupe_layerPH); </pre>

TABLE 75: AEGP_LAYERSUITE8

Function	Purpose
<code>AEGP_GetLayerFromLayerID</code>	Retrieves the <code>AEGP_LayerH</code> associated with a given <code>AEGP_LayerIDVal</code> (which is what you get when accessing an effect's layer parameter stream). <pre>AEGP_GetLayerFromLayerID(AEGP_CompH parent_compH, AEGP_LayerIDVal id, AEGP_LayerH *layerPH);</pre>
<code>AEGP_GetLayerLabel</code>	Gets a layer's <code>AEGP_LabelID</code> . <pre>AEGP_GetLayerLabel(AEGP_LayerH layerH, AEGP_LabelID *labelP);</pre>
<code>AEGP_SetLayerLabel</code>	Sets a layer's <code>AEGP_LabelID</code> . Undoable. <pre>AEGP_SetLayerLabel(AEGP_LayerH layerH, AEGP_LabelID label);</pre>
<code>AEGP_GetLayerSamplingQuality</code>	New in CC. Get the sampling quality of a layer. <pre>AEGP_GetLayerSamplingQuality(AEGP_LayerH layerH, AEGP_LayerSamplingQuality *label);</pre> Layer sampling quality is one of the following flags: <pre>AEGP_LayerSamplingQual_BILINEAR AEGP_LayerSamplingQual_BICUBIC</pre>
<code>AEGP_SetLayerSamplingQuality</code>	New in CC. Sets the sampling quality of a layer (see flag values above). Option is explicitly set on the layer independent of layer quality. If you want to force it on you must also set the layer quality to <code>AEGP_LayerQual_BEST</code> with AEGP_SetLayerQuality . Otherwise it will only be using the specified layer sampling quality whenever the layer quality is set to <code>AEGP_LayerQual_BEST</code> . Undoable. <pre>AEGP_SetLayerSamplingQuality(AEGP_LayerH layerH, AEGP_LayerSamplingQuality label);</pre>

LAYER CREATION NOTES

All layers created using AEGP calls will start at composition time 0, and have the duration of the composition. Use [AEGP_SetLayerOffset\(\)](#) and [AEGP_SetLayerInPointAndDuration\(\)](#) to properly set the layer's time information.

A NOTE ABOUT LAYER OFFSETS

When the layer stretch factor (obtained using [AEGP_GetLayerStretch](#), naturally) is not 100%, the following computation will be needed to yield the correct layer offset:

```
offset = compIn - stretch * layerIn;
```

COMMUNICATION WITH A LAYER'S EFFECTS

Access the effects applied to a layer. This suite provides access to all parameter data streams. Use the [AEGP_StreamSuite](#) to work with those streams.

An `AEGP_Effect_RefH` is a reference to an applied effect. An `AEGP_InstalledEffectKey` is a reference to an installed effect, which may or may not be currently applied to anything. If Foobarocity is applied to a layer twice, there will be two distinct `AEGP_Effect_RefHs`, but they'll both return the same `AEGP_InstalledEffectKey`.

TABLE 76: AEGP_EFFECTSUITE4

Function	Purpose
<code>AEGP_GetLayerNumEffects</code>	Get number of effects applied to a layer. <code>AEGP_GetLayerNumEffects(AEGP_LayerH layerH, A_long *num_effectsPL);</code>
<code>AEGP_GetLayerEffectByIndex</code>	Retrieves (by index) a reference to an effect applied to the layer. <code>AEGP_GetLayerEffectByIndex(AEGP_PluginID aegp_plugin_id, AEGP_LayerH layerH, AEGP_EffectIndex effect_indexL, AEGP_EffectRefH *effectPH);</code>
<code>AEGP_GetInstalledKeyFromLayerEffect</code>	Given an <code>AEGP_EffectRefH</code> , retrieves its associated <code>AEGP_InstalledEffectKey</code> . <code>AEGP_GetInstalledKeyFromLayerEffect(AEGP_EffectRefH effect_refH, AEGP_InstalledEffectKey *installed_keyP);</code>

TABLE 76: AEGP_EFFECTSUITE4

Function	Purpose
<code>AEGP_GetEffectParamUnionByIndex</code>	<p>Returns description of effect parameter. Do not use the value(s) in the ParamDef returned by this function (Use AEGP_GetNewStreamValue() instead); it's provided so AEGPs can access parameter defaults, checkbox names, and pop-up strings.</p> <p>Use AEGP_GetEffectNumParamStreams() from the StreamSuite to get the stream count, useful for determining the maximum param_index. The last parameter is optional;</p> <pre> AEGP_GetEffectParamUnionByIndex(AEGP_PluginID aegp_plugin_id, AEGP_EffectRefH effectH, PF_ParamIndex param_index, PF_ParamType *param_typeP PF_ParamDefUnion *uP0); </pre>
<code>AEGP_GetEffectFlags</code>	<p>Obtains the flags for the given <code>AEGP_EffectRefH</code>.</p> <pre> AEGP_GetEffectFlags(AEGP_EffectRefH effect_refH, AEGP_EffectFlags *effect_flagsP); </pre> <p>Flags will be a combination of the following:</p> <pre> AEGP_EffectFlags_NONE AEGP_EffectFlags_ACTIVE AEGP_EffectFlags_AUDIO_ONLY AEGP_EffectFlags_AUDIO_TOO AEGP_EffectFlags_MISSING </pre>
<code>AEGP_SetEffectFlags</code>	<p>Sets the flags (enumerated above) for the given <code>AEGP_EffectRefH</code>, masked by a different set of effect flags.</p> <pre> AEGP_SetEffectFlags(AEGP_EffectRefH effect_refH, AEGP_EffectFlags mask, AEGP_EffectFlags effect_flags); </pre>
<code>AEGP_ReorderEffect</code>	<p>Change the order of applied effects (pass the requested index).</p> <pre> AEGP_ReorderEffect(AEGP_EffectRefH effect_refH, A_long effect_indexL); </pre>

TABLE 76: AEGP_EFFECTSUITE4

Function	Purpose
<code>AEGP_EffectCallGeneric</code>	<p>Call an effect plug-in, and pass it a pointer to any data you like; the effect can modify it. This is how AEGPs communicate with effects. Pass <code>PF_Cmd_COMPLETELY_GENERAL</code> for <code>effect_cmd</code>.</p> <pre> AEGP_EffectCallGeneric(AEGP_PluginID aegp_plugin_id, AEGP_EffectRefH effectH, const A_Time *timePT, PF_Cmd effect_cmd, void *extraPV); </pre>
<code>AEGP_DisposeEffect</code>	<p>Disposes of an <code>AEGP_EffectRefH</code>. Use this to dispose of any <code>AEGP_EffectRefH</code> returned by After Effects.</p> <pre> AEGP_DisposeEffect(AEGP_EffectRefH effectH); </pre>
<code>AEGP_ApplyEffect</code>	<p>Apply an effect to a given layer. Returns the newly-created <code>AEGP_EffectRefH</code>.</p> <pre> AEGP_ApplyEffect(AEGP_PluginID aegp_plugin_id, AEGP_LayerH layerH, AEGP_InstalledEffectKey installed_key, AEGP_EffectRefH *effect_refPH); </pre>
<code>AEGP_DeleteLayerEffect</code>	<p>Remove an applied effect.</p> <pre> AEGP_DeleteLayerEffect(AEGP_EffectRefH effect_refH); </pre>
<code>AEGP_GetNumInstalledEffects</code>	<p>Returns the count of effects installed in After Effects.</p> <pre> AEGP_GetNumInstalledEffects(A_long *num_installed_effectsPL); </pre>
<code>AEGP_GetNextInstalledEffect</code>	<p>Returns the <code>AEGP_InstalledEffectKey</code> of the next installed effect. Pass <code>AEGP_InstalledEffectKey_NONE</code> as the first parameter to obtain the first <code>AEGP_InstalledEffectKey</code>.</p> <pre> AEGP_GetNextInstalledEffect(AEGP_InstalledEffectKey key, AEGP_InstalledEffectKey *next_keyPH); </pre>

TABLE 76: AEGP_EFFECTSUITE4

Function	Purpose
AEGP_GetEffectName	<p>Get name of the effect. nameZ can be up to AEGP_MAX_EFFECT_NAME_SIZE + 1 long.</p> <pre>AEGP_GetEffectName(AEGP_InstalledEffectKey installed_key, A_char *nameZ);</pre> <p>Note: use AEGP_SetStreamName to change the display name of an effect.</p>
AEGP_GetEffectMatchName	<p>Get match name of an effect (defined in PiPL). match_nameZ up to AEGP_MAX_EFFECT_MATCH_NAME_SIZE + 1 long.</p> <pre>AEGP_GetEffectMatchName(AEGP_InstalledEffectKey installed_key, A_char *match_nameZ);</pre> <p>Match names are in 7-bit ASCII. UI names are in the current application runtime encoding; for example, ISO 8859-1 for most languages on Windows.</p>
AEGP_GetEffectCategory	<p>Menu category of effect. categoryZ can be up to AEGP_MAX_EFFECT_CATEGORY_NAME_SIZE + 1 long.</p> <pre>AEGP_GetEffectCategory(AEGP_InstalledEffectKey installed_key, A_char *categoryZ);</pre>
AEGP_DuplicateEffect	<p>Duplicates a given AEGP_EffectRefH. Caller must dispose of duplicate when finished.</p> <pre>AEGP_DuplicateEffect(AEGP_EffectRefH orig_effect_refH, AEGP_EffectRefH *dupe_refPH);</pre>
AEGP_NumEffectMask	<p>New in CC 2014. How many masks are on this effect?</p> <pre>AEGP_NumEffectMask(AEGP_EffectRefH effect_refH, A_u_long *num_masksPL);</pre>

TABLE 76: AEGP_EFFECTSUITE4

Function	Purpose
AEGP_GetEffectMaskID	<p>New in CC 2014. For a given mask_indexL, returns the corresponding AEGP_MaskIDVal for use in uniquely identifying the mask.</p> <pre> AEGP_GetEffectMaskID(AEGP_EffectRefH effect_refH, A_u_long mask_indexL, AEGP_MaskIDVal *id_valP); </pre>
AEGP_AddEffectMask	<p>New in CC 2014. Add an effect mask, which may be created using the Mask Suite. Returns the local stream of the effect ref - useful if you want to add keyframes. Caller must dispose of AEGP_StreamRefH when finished. Undoable.</p> <pre> AEGP_AddEffectMask(AEGP_EffectRefH effect_refH, AEGP_MaskIDVal id_val, AEGP_StreamRefH streamPH0); </pre>
AEGP_RemoveEffectMask	<p>New in CC 2014. Remove an effect mask. Undoable.</p> <pre> AEGP_RemoveEffectMask(AEGP_EffectRefH effect_refH, AEGP_MaskIDVal id_val); </pre>
AEGP_SetEffectMask	<p>New in CC 2014. Set an effect mask on an existing index. Returns the local stream of the effect ref - useful if you want to add keyframes. Caller must dispose of AEGP_StreamRefH when finished. Undoable.</p> <pre> AEGP_SetEffectMask(AEGP_EffectRefH effect_refH, A_u_long mask_indexL, AEGP_MaskIDVal id_val, AEGP_StreamRefH *streamPH0); </pre>

EXPLOITING EFFECT UI BEHAVIOR TO LOOK COOL

Even if you manipulate a layer's effects, its effect controls won't necessarily become visible. However, if you [apply](#) then immediately [remove](#) an effect, the layer's effect controls will be made visible. Tricky, eh?

STREAMREFS AND EFFECTREFS

How do you get an AEGP_StreamRef for an effect? Start by getting the effect's AEGP_EffectRef, by calling AEGP_GetNewEffectForEffect(). Then call

`AEGP_GetNewEffectStreamByIndex()`, say for param index 1, which passes back a parameter stream. Then call `AEGP_GetNewParentStreamRef()` - voila, your `AEGP_StreamRef` sir!

If you acquire references to an effect's streams, do not dispose of the `AEGP_EffectRefH` until you're done with the streams, or you'll unbalance After Effects' checkout mechanism. Also remember that `AEGP_StreamRefHs` are opaque; `AEGP_StreamValue2s` are not (entirely).

To get an effect's instance name (as renamed by the user), get the `AEGP_StreamRef` for the effect itself and call [AEGP_GetStreamName](#).

DIVING INTO STREAMS!

Just about everything in After Effects is a stream. Effect parameters, layers, masks, and shapes are all internally represented by streams. The AEGP API can access nearly every aspect of every stream.

The After Effects timeline can contain numerous object types; each object supports a set of parameters called streams. All streams, regardless of which type of object to which they're attached, are conceptually similar (and handled similarly by After Effects. But the way you access each type of stream varies because of their containment.

A stream, once acquired, represents a value which may change over time. Not all streams *can* vary over time, and a particular stream may not be time-variant at the time of access.

There are two ways to access the value of a stream. If the stream has keyframes, you can use the [keyframe suite](#). The values provided won't reflect the influence of expressions. Note: In any expression, the current keyframed value is always available as the variable `value`.

You can also use [AEGP_GetNewStreamValue](#), which samples the value of the stream at a particular time. For streams without expressions or keyframes, the time parameter is meaningless, and the function returns what essentially is the constant value of the stream. Use [AEGP_SetStreamValue](#) (which doesn't take a time as a parameter) to set these streams.

Many StreamSuite functions populate a `StreamH`, which your AEGP must dispose. when done. After Effects allocates and passes you a copy of the values, not a direct handle to the original value. [AEGP_GetNewLayerStream\(\)](#) is restricted to streams for which no memory allocation is required to access their values.

OKAY, WHAT DID I JUST GET?

A stream value is a large union, only one structure of which (depending on the stream type) is populated. Note the similarity to the [PF_ParamDef](#).

```
typedef union {
    AEGP_FourDVal      four_d;
    AEGP_ThreeDVal     three_d;
    AEGP_TwoDVal       two_d;
    AEGP_OneDVal       one_d;
    AEGP_ColorVal      color;
    AEGP_ArbBlockVal   arbH;
    AEGP_MarkerValP    markerP;
    AEGP_LayerIDVal     layer_id;
    AEGP_MaskIDVal      mask_id;
    AEGP_MaskOutlineValH mask;
    AEGP_TextDocumentH text_documentH;
} AEGP_StreamVal2;
```

LAYERS

[AEGP_GetLayerStreamValue](#) is used to access the parameters like anchor point and position, native to almost all layers in AE. Use `IsStreamLegal` to allow you to determine if that stream type is offered on that layer.

MASKS

Since a layer can have multiple masks, access the masks using [AEGP_GetLayerMaskByIndex](#). Masks don't have streams like layers do; they get their own enumeration. Access their streams using [AEGP_GetNewMaskStream](#).

EFFECTS

They can have a variable number of streams/parameters, and the order and definition of them is not known when the AEGP is written. Therefore we cannot offer an enum for selecting them, and instead you must get them by index, hence [GetNewEffectStream-ByIndex](#).

STREAM SUITE

Access and manipulate the values of a layer's streams. For paint and text streams, use [AEGP_DynamicStreamSuite](#) instead.

TABLE 77: AEGP_STREAMSUITE4

Function	Purpose
<code>AEGP_IsStreamLegal</code>	Determines if the given stream is appropriate for the given layer. <code>AEGP_IsStreamLegal(</code> <code>AEGP_LayerH</code> <code>layerH,</code> <code>AEGP_LayerStream</code> <code>which_stream,</code> <code>A_Boolean*</code> <code>is_legalP);</code>
<code>AEGP_CanVaryOverTime</code>	Given a stream, returns whether or not a stream is time-variant (and can be keyframed). <code>AEGP_CanVaryOverTime(</code> <code>AEGP_StreamRefH</code> <code>streamH,</code> <code>A_Boolean</code> <code>*can_varyPB);</code>
<code>AEGP_GetValidInterpolations</code>	Retrieves an <code>AEGP_KeyInterpolationMask</code> indicating which interpolation types are valid for the <code>AEGP_StreamRefH</code> . <code>AEGP_GetValidInterpolations(</code> <code>AEGP_StreamRefH</code> <code>streamH,</code> <code>AEGP_KeyInterpolationMask</code> <code>*valid_interpP);</code> <code>AEGP_KeyInterpolationMask</code> will be a combination of the following: <code>AEGP_KeyInterpMask_NONE</code> <code>AEGP_KeyInterpMask_LINEAR</code> <code>AEGP_KeyInterpMask_BEZIER</code> <code>AEGP_KeyInterpMask_HOLD</code> <code>AEGP_KeyInterpMask_CUSTOM</code> <code>AEGP_KeyInterpMask_ANY</code>

TABLE 77: AEGP_STREAMSUITE4

Function	Purpose
AEGP_GetNewLayerStream	<p>Get a layer's data stream. Plug-in must dispose of streamPH. Note that this will not provide keyframe access; Use the AEGP_KeyframeSuite instead.</p> <pre> AEGP_GetNewLayerStream(AEGP_PluginID id, AEGP_LayerH layerH, AEGP_LayerStream which_stream, AEGP_StreamRefH *streamPH); </pre> <p> AEGP_LayerStream_ANCHORPOINT AEGP_LayerStream_POSITION AEGP_LayerStream_SCALE AEGP_LayerStream_ROTATION AEGP_LayerStream_ROTATE_Z AEGP_LayerStream_OPACITY AEGP_LayerStream_AUDIO AEGP_LayerStream_MARKER AEGP_LayerStream_TIME_REMAP AEGP_LayerStream_ROTATE_X, AEGP_LayerStream_ROTATE_Y, AEGP_LayerStream_ORIENTATION, </p> <p>Only valid for AEGP_ObjectType_CAMERA:</p> <p> AEGP_ObjectType_CAMERA AEGP_LayerStream_ZOOM, AEGP_LayerStream_DEPTH_OF_FIELD, AEGP_LayerStream_FOCUS_DISTANCE, AEGP_LayerStream_APERTURE, AEGP_LayerStream_BLUR_LEVEL, AEGP_LayerStream_IRIS_SHAPE, AEGP_LayerStream_IRIS_ROTATION, AEGP_LayerStream_IRIS_ROUNDNESS, AEGP_LayerStream_IRIS_ASPECT_RATIO, AEGP_LayerStream_IRIS_DIFFRACTION_FRINGE, AEGP_LayerStream_IRIS_HIGHLIGHT_GAIN, AEGP_LayerStream_IRIS_HIGHLIGHT_THRESHOLD, AEGP_LayerStream_IRIS_HIGHLIGHT_SATURATION, </p> <p>Only valid for AEGP_ObjectType_LIGHT:</p> <p> AEGP_LayerStream_INTENSITY, AEGP_LayerStream_COLOR, AEGP_LayerStream_CONE_ANGLE, AEGP_LayerStream_CONE_FEATHER, AEGP_LayerStream_SHADOW_DARKNESS, AEGP_LayerStream_SHADOW_DIFFUSION, AEGP_LayerStream_LIGHT_FALLOFF_TYPE, AEGP_LayerStream_LIGHT_FALLOFF_START, AEGP_LayerStream_LIGHT_FALLOFF_DISTANCE, </p>

TABLE 77: AEGP_STREAMSUITE4

Function	Purpose
AEGP_GetNewLayerStream (continued)	<p>Only valid for AEGP_ObjectType_AV: AEGP_LayerStream_ACCEPTS_SHADOWS, AEGP_LayerStream_ACCEPTS_LIGHTS, AEGP_LayerStream_AMBIENT_COEFF, AEGP_LayerStream_DIFFUSE_COEFF, AEGP_LayerStream_SPECULAR_INTENSITY, AEGP_LayerStream_SPECULAR_SHININESS, AEGP_LayerStream_METAL, AEGP_LayerStream_LIGHT_TRANSMISSION, Only valid for AEGP_ObjectType_AV, new in CS6: AEGP_LayerStream_REFLECTION_INTENSITY, AEGP_LayerStream_REFLECTION_SHARPNESS, AEGP_LayerStream_REFLECTION_ROLLOFF, AEGP_LayerStream_TRANSPARENCY_COEFF, AEGP_LayerStream_TRANSPARENCY_ROLLOFF, AEGP_LayerStream_INDEX_OF_REFRACTION, AEGP_LayerStream_EXTRUSION_BEVEL_STYLE, AEGP_LayerStream_EXTRUSION_BEVEL_DIRECTION, AEGP_LayerStream_EXTRUSION_BEVEL_DEPTH, AEGP_LayerStream_EXTRUSION_HOLE_BEVEL_DEPTH, AEGP_LayerStream_EXTRUSION_DEPTH, AEGP_LayerStream_PLANE_CURVATURE, AEGP_LayerStream_PLANE_SUBDIVISION,</p> <p>Only valid for LIGHT and AV only: AEGP_LayerStream_CASTS_SHADOWS, AEGP_LayerStream_SOURCE_TEXT</p> <p>AEGP_LayerStream_BEGIN = AEGP_LayerStream_ANCHORPOINT, AEGP_LayerStream_END = AEGP_LayerStream_LIGHT_FALLOFF_DISTANCE+1</p> <pre>enum { AEGP_LightFalloff_NONE = 0, AEGP_LightFalloff_SMOOTH, AEGP_LightFalloff_INVERSE_SQUARE_CLAMPED };</pre> <pre>typedef A_u_long AEGP_LightFalloffType;</pre>
AEGP_GetEffectNumParamStreams	<p>Get number of parameter streams associated with an effect.</p> <pre>AEGP_GetEffectNumParamStreams(AEGP_EffectRefH effect_refH, A_long *num_parmsPL);</pre>

TABLE 77: AEGP_STREAMSUITE4

Function	Purpose
AEGP_GetNewEffectStreamByIndex	<p>Get an effect's parameter stream. Plug-in must dispose of streamPH.</p> <pre> AEGP_GetNewEffectStreamByIndex(AEGP_PluginID id, AEGP_EffectRefH effect_refH, PF_ParamIndex param_index, AEGP_StreamRefH *streamPH); </pre>
AEGP_GetNewMaskStream	<p>Get a mask's stream. The stream must be disposed. Also see the AEGP_MaskSuite and AEGP_MaskOutlineSuite for additional Mask functions.</p> <pre> AEGP_MaskStream_OUTLINE, AEGP_MaskStream_OPACITY, AEGP_MaskStream_FEATHER, AEGP_MaskStream_EXPANSION, </pre> <p>Useful for iteration:</p> <pre> AEGP_MaskStream_BEGIN = AEGP_MaskStream_OUTLINE, AEGP_MaskStream_END = AEGP_MaskStream_EXPANSION+1 </pre> <pre> AEGP_GetNewMaskStream(AEGP_PluginID aegp_plugin_id, AEGP_MaskRefH mask_refH, AEGP_MaskStream which_stream, AEGP_StreamRefH *mask_strmPH); </pre>
AEGP_DisposeStream	<p>Dispose of a stream (do this with all streams passed to the plug-in by these functions).</p> <pre> AEGP_DisposeStream(AEGP_StreamRefH streamH); </pre>
AEGP_GetNewMaskOpacity	<p>Get the mask's opacity stream. The stream must be disposed.</p> <pre> AEGP_GetNewMaskOpacity(AEGP_PluginID aegp_plugin_id, AEGP_MaskH maskH, PF_ParamIndex param_index, AEGP_StreamRefH *mask_opacity_streamPH); </pre>

TABLE 77: AEGP_STREAMSUITE4

Function	Purpose
<code>AEGP_GetStreamName</code>	<p>Get name of the stream (localized or forced English). is handle of <code>A_UTF16Char</code> (contains null terminated UTF16 string); must be disposed with <code>AEGP_FreeMemHandle</code>.</p> <pre> AEGP_GetStreamName(AEGP_PluginID pluginID, AEGP_StreamRefH streamH, A_Boolean force_englishB, AEGP_MemHandle *utf_stream_namePH); </pre> <p>NOTE: if <code>force_englishB</code> is TRUE, the default name will override any stream renaming which has been done (either programatically, or by the user).</p>
<code>AEGP_GetStreamUnitsText</code>	<p>Get stream units, formatted as text (localized or forced English); <code>unitsZ</code> up to <code>AEGP_MAX_STREAM_NAME_LEN + 1</code> long.</p> <pre> AEGP_GetStreamUnitsText(AEGP_StreamRefH streamH, A_Boolean force_englishB, A_char *unitsZ); </pre>
<code>AEGP_GetStreamProperties</code>	<p>Get stream's flags, as well as minimum and maximum values (as floats), if the stream <i>has</i> mins and maxes.</p> <p>StreamFlags values:</p> <pre> AEGP_StreamFlag_NONE AEGP_StreamFlag_HAS_MIN AEGP_StreamFlag_HAS_MAX </pre> <pre> AEGP_GetStreamProperties(AEGP_StreamRefH streamH, AEGP_StreamFlags *flagsP, A_FpLong *minP0, A_FpLong *maxP0); </pre>
<code>AEGP_IsStreamTimevarying</code>	<p>Returns whether or not the stream is affected by expressions.</p> <pre> AEGP_IsStreamTimevarying(AEGP_StreamRefH streamH, A_Boolean *is_timevaryPB); </pre>

TABLE 77: AEGP_STREAMSUITE4

Function	Purpose
AEGP_GetStreamType	<p>Get type (dimension) of a stream.</p> <pre> AEGP_GetStreamType(AEGP_StreamRefH streamH, AEGP_StreamType *stream_typeP); AEGP_StreamType_NO_DATA, AEGP_StreamType_TwoD_SPATIAL, AEGP_StreamType_TwoD, AEGP_StreamType_ThreeD, AEGP_StreamType_ThreeD_SPATIAL, AEGP_StreamType_OneD, AEGP_StreamType_COLOR, AEGP_StreamType_ARB, AEGP_StreamType_MARKER, AEGP_StreamType_LAYER_ID, AEGP_StreamType_MASK_ID, AEGP_StreamType_MASK, AEGP_StreamType_TEXT_DOCUMENT </pre> <p>NOTE: always returns ThreeD_Spatial for position, regardless of whether or not the layer is 3D.</p>
AEGP_GetNewStreamValue	<p>Get value, at a time you specify, of stream. valueP must be disposed by the plug-in. The AEGP_LTimeMode indicates whether the time is in compositions or layer time.</p> <pre> AEGP_GetNewStreamValue(AEGP_PluginID aegp_plugin_id, AEGP_StreamRefH streamH, AEGP_LTimeMode time_mode, const A_Time *timePT, A_Boolean pre_exprB, AEGP_StreamValue2 *valueP); </pre>
AEGP_DisposeStreamValue	<p>Dispose of stream value. Always deallocate values passed to the plug-in.</p> <pre> AEGP_DisposeStreamValue(AEGP_StreamValue2 *valueP); </pre>
AEGP_SetStreamValue	<p>Only legal when stream is not time-variant.</p> <pre> AEGP_SetStreamValue(AEGP_PluginID aegp_plugin_id, AEGP_StreamRefH streamH, AEGP_StreamValue2 *valueP); </pre>

TABLE 77: AEGP_STREAMSUITE4

Function	Purpose
AEGP_GetLayerStreamValue	<p>NOTE: This convenience function is only valid for streams with primitive data types, and not for AEGP_ArbBlockVal, AEGP_MarkerValH or AEGP_MaskOutlineValH. For these and other complex types, use AEGP_GetNewStreamValue, described above.</p> <pre> AEGP_GetLayerStreamValue(AEGP_LayerH layerH, AEGP_LayerStream which_stream, AEGP_LTimeMode time_mode, const A_Time *timePT, A_Boolean pre_expB, AEGP_StreamVal *stream_valP, AEGP_StreamType *strm_typeP); </pre>
AEGP_GetExpressionState	<p>Determines whether expressions are enabled on the given AEGP_StreamRefH.</p> <pre> AEGP_GetExpressionState(AEGP_PluginID aegp_plugin_id, AEGP_StreamRefH streamH, A_Boolean *enabledPB); </pre>
AEGP_SetExpressionState	<p>Enables and disables expressions on the given AEGP_StreamRefH.</p> <pre> AEGP_SetExpressionState(AEGP_PluginID aegp_plugin_id, AEGP_StreamRefH streamH, A_Boolean enabledB); </pre>
AEGP_GetExpression	<p>Obtains the expression's text.</p> <pre> AEGP_GetExpression(AEGP_PluginID aegp_plugin_id, AEGP_StreamRefH streamH, AEGP_MemHandle *expressionHZ); </pre>
AEGP_SetExpression	<p>Sets the expression's text.</p> <pre> AEGP_SetExpression(AEGP_PluginID aegp_plugin_id, AEGP_StreamRefH streamH, const char* expressionP); </pre>

TABLE 77: AEGP_STREAMSUITE4

Function	Purpose
AEGP_DuplicateStreamRef	<p>Duplicates a given AEGP_StreamRefH. Dispose of the duplicate.</p> <pre> AEGP_DuplicateStreamRef(AEGP_PluginID aegp_plugin_id, AEGP_StreamRefH streamH, AEGP_StreamRefH *dup_streamPH); </pre>

DYNAMIC STREAMS

AEGP_DynamicStreamSuite accesses and manipulates paint and text streams. Use AEGP_GetStreamGroupingType and AEGP_GetDynamicStreamFlags to identify the stream before attempting to use functions which only work on certain stream types. Also note that, often, you can simply use [AEGP_StreamSuite](#) calls to work with dynamic streams. On the other hand, only those functions specific to dynamic streams are in this suite.

TABLE 78: AEGP_DYNAMICSTREAMSUITE4

Function	Purpose
AEGP_GetNewStreamRefForLayer	<p>Retrieves the AEGP_StreamRefH corresponding to the layer. This function is used to initiate a recursive walk of the layer's streams .</p> <pre> AEGP_GetNewStreamRefForLayer(AEGP_PluginID aegp_plugin_id, AEGP_LayerH layerH, AEGP_StreamRefH *streamPH); </pre>
AEGP_GetNewStreamRefForMask	<p>Retrieves the AEGP_StreamRefH corresponding to the mask.</p> <pre> AEGP_GetNewStreamRefForMask(AEGP_PluginID aegp_plugin_id, AEGP_MaskRefH maskH, AEGP_StreamRefH *streamPH); </pre>
AEGP_GetStreamDepth	<p>Retrieves the number of sub-streams associated with the given AEGP_StreamRefH. The initial layer has a depth of 0.</p> <pre> AEGP_GetStreamDepth(AEGP_StreamRefH streamH, A_long *depthPL); </pre>

TABLE 78: AEGP_DYNAMICSTREAMSUITE4

Function	Purpose
<code>AEGP_GetStreamGroupingType</code>	<p>Retrieves the grouping type for the given <code>AEGP_StreamRefH</code>.</p> <pre>AEGP_GetStreamGroupingType(AEGP_StreamRefH streamH, AEGP_StreamGroupingType *group_typeP);</pre> <p><code>AEGP_StreamGroupingType</code> will be one of the following:</p> <p><code>AEGP_StreamGroupingType_NONE</code> <code>AEGP_StreamGroupingType_LEAF</code> <code>AEGP_StreamGroupingType_NAMED_GROUP</code> <code>AEGP_StreamGroupingType_INDEXED_GROUP</code></p>
<code>AEGP_GetNumStreamsInGroup</code>	<p>Retrieves the number of streams associated with the given <code>AEGP_StreamRefH</code>. This function will return an error if called with an <code>AEGP_StreamRefH</code> with type <code>AEGP_StreamGroupingType_LEAF</code>.</p> <pre>AEGP_GetNumStreamsInGroup(AEGP_StreamRefH streamH, A_long *num_streamsPL);</pre>

TABLE 78: AEGP_DYNAMICSTREAMSUITE4

Function	Purpose
AEGP_GetDynamicStreamFlags	<p>Retrieves the flags for a given AEGP_StreamRefH.</p> <pre>AEGP_GetDynamicStreamFlags(AEGP_StreamRefH streamH, AEGP_DynStreamFlags *flagsP);</pre> <p>AEGP_DynStreamFlags will be one of the following:</p> <p>AEGP_DynStreamFlag_ACTIVE_EYEBALL AEGP_DynStreamFlag_HIDDEN AEGP_DynStreamFlag_DISABLED AEGP_DynStreamFlag_ELIDED AEGP_DynStreamFlag_SHOWN_WHEN_EMPTY AEGP_DynStreamFlag_SKIP_REVEAL_WHEN_UNHIDDEN</p> <p>AEGP_DynStreamFlag_ACTIVE_EYEBALL means that the stream is available for reading and writing.</p> <p>AEGP_DynStreamFlag_HIDDEN means that, while the stream is still readable/writable, it may not currently be visible in the UI.</p> <p>AEGP_DynStreamFlag_DISABLED A read-only flag. Indicates whether the AEGP_StreamRefH is grayed out in the UI. Note that as of CS5, this flag will not be returned if a parameter is disabled. Instead, check PF_PUI_DISABLED in ui_flags.</p> <p>AEGP_DynStreamFlag_ELIDED A read-only flag. Indicates that the AEGP_StreamRefH is read-only, the user never sees it. However, the children are still seen and not indented in the Timeline panel.</p> <p>AEGP_DynStreamFlag_SHOWN_WHEN_EMPTY New in CS6. A read-only flag. Indicates that this stream group should be shown when empty.</p> <p>AEGP_DynStreamFlag_SKIP_REVEAL_WHEN_UNHIDDEN New in CS6. A read-only flag. Indicates that this stream property will not be automatically revealed when un-hidden.</p>

TABLE 78: AEGP_DYNAMICSTREAMSUITE4

Function	Purpose
AEGP_SetDynamicStreamFlag	<p>Sets the specified flag for the AEGP_StreamRefH. Note; flags must be set individually. Undoable if undoableB is TRUE.</p> <pre> AEGP_SetDynamicStreamFlag(AEGP_StreamRefH streamH, AEGP_DynStreamFlags one_flag, A_Boolean undoableB, A_Boolean setB); </pre> <p>This call may be used to dynamically show or hide parameters, by setting and clearing AEGP_DynStreamFlag_HIDDEN. However, AEGP_DynStreamFlag_DISABLED may not be set.</p>
AEGP_GetNewStreamRefByIndex	<p>Retrieves a sub-stream by index from a given AEGP_StreamRefH. Cannot be used on streams of type AEGP_StreamGroupingType_LEAF.</p> <pre> AEGP_GetNewStreamRefByIndex(AEGP_PluginID aegp_plugin_id, AEGP_StreamRefH parent_groupH, A_long indexL, AEGP_StreamRefH *streamPH); </pre>

TABLE 78: AEGP_DYNAMICSTREAMSUITE4

Function	Purpose
AEGP_GetNewStreamRefByMatchname	<p>Retrieves a sub-stream by match name from a given AEGP_StreamRefH. Only legal for AEGP_StreamGroupingType_NAMED_GROUP.</p> <pre> AEGP_GetNewStreamRefByMatchname(AEGP_PluginID aegp_plugin_id, AEGP_StreamRefH parent_groupH, const A_char *match_nameZ, AEGP_StreamRefH *streamPH); </pre> <p>Here are some handy stream names, for which references may be retrieved:</p> <p> AEGP_StreamGroupName_MASK_PARADE AEGP_StreamGroupName_MASK_ATOM AEGP_StreamName_MASK_FEATHER AEGP_StreamName_MASK_OPACITY AEGP_StreamName_MASK_OFFSET AEGP_StreamGroupName_EFFECT_PARADE AEGP_StreamGroupName_LAYER AEGP_StreamGroupName_AV_LAYER AEGP_StreamGroupName_TEXT_LAYER AEGP_StreamGroupName_CAMERA_LAYER AEGP_StreamGroupName_LIGHT_LAYER AEGP_StreamGroupName_AUDIO AEGP_StreamGroupName_MATERIAL_OPTIONS AEGP_StreamGroupName_TRANSFORM AEGP_StreamGroupName_LIGHT_OPTIONS AEGP_StreamGroupName_CAMERA_OPTIONS </p>
AEGP_DeleteStream	<p>Deletes the specified stream from a stream grouping. Note that the caller must still dispose of any AEGP_StreamRefH it's already acquired (allocated) via the API. Undoable. Only valid for children of type AEGP_StreamGroupingType_INDEXED_GROUP.</p> <pre> AEGP_DeleteStream(AEGP_StreamRefH streamH); </pre> <p>Note: as of 6.5, if a stream is deleted while it or any child stream is selected, the current composition selection will become NULL.</p>

TABLE 78: AEGP_DYNAMICSTREAMSUITE4

Function	Purpose
<code>AEGP_ReorderStream</code>	<p>Sets the new index of the specified <code>AEGP_StreamRefH</code>. Undoable. Only valid for children of <code>AEGP_StreamGroupingType_INDEXED_GROUP</code>. The <code>AEGP_StreamRefH</code> is updated to refer to the newly-ordered stream.</p> <pre>AEGP_ReorderStream(AEGP_StreamRefH streamH A_long new_indexL);</pre>
<code>AEGP_DuplicateStream</code>	<p>Duplicates the specified stream and appends it to the stream group. Undoable. Only valid for children of <code>AEGP_StreamGroupingType_INDEXED_GROUP</code>.</p> <pre>AEGP_DuplicateStream(AEGP_PluginID aegp_plugin_id, AEGP_StreamRefH streamH, A_long *new_indexPL0);</pre>
<code>AEGP_SetStreamName</code>	<p>Sets the name of the given <code>AEGP_StreamRefH</code>. Undoable. <code>nameZ</code> points to a null terminated UTF-16 string. Only valid for children of <code>AEGP_StreamGroupingType_INDEXED_GROUP</code>. NOTE: If you retrieve the name with <code>force_englishB</code> set to <code>TRUE</code>, you will get the canonical, UNchanged name of the stream.</p> <pre>AEGP_SetStreamName(AEGP_StreamRefH streamH, const A_UTF16Char *nameZ);</pre> <p>Note: Use this on an effect stream's group to change the display name of an effect.</p>
<code>AEGP_CanAddStream</code>	<p>Returns whether or not it is currently possible to add a stream through the API.</p> <pre>AEGP_CanAddStream(AEGP_StreamRefH group_streamH, const A_char *match_nameZ, A_Boolean *can_addPB);</pre>
<code>AEGP_AddStream</code>	<p>Adds a stream to the specified stream group. Undoable. Only valid for <code>AEGP_StreamGroupingType_INDEXED_GROUP</code>.</p> <pre>AEGP_AddStream(AEGP_PluginID aegp_plugin_id, AEGP_StreamRefH indxd_grp_streamH, const A_char *match_nameZ, AEGP_StreamRefH *streamPH0);</pre>

TABLE 78: AEGP_DYNAMICSTREAMSUITE4

Function	Purpose
AEGP_GetMatchName	<p>Retrieves the match name for the specified AEGP_StreamRefH. Note that this may differ from the display name, which can be retrieved using AEGP_GetStreamName, in AEGP_StreamSuite. nameZ can be up to AEGP_MAX_STREAM_MATCH_NAME_SIZE in length.</p> <pre>AEGP_GetMatchName(AEGP_StreamRefH streamH, A_char *nameZ);</pre>
AEGP_GetNewParentStreamRef	<p>Retrieves an AEGP_StreamRefH for the parent of the specified AEGP_StreamRefH.</p> <pre>AEGP_GetNewParentStreamRef(AEGP_PluginID plugin_id, AEGP_StreamRefH streamH, AEGP_StreamRefH *parentPH);</pre>
AEGP_GetStreamIsModified	<p>Returns whether or not the specified AEGP_StreamRefH has been modified. Note: the same result is available through the After Effect user interface by typing “UU” with the composition selected.</p> <pre>AEGP_GetStreamIsModified(AEGP_StreamRefH streamH, A_Boolean *modifiedPB);</pre>
AEGP_GetStreamIndexInParent	<p>Retrieves the index of a given stream, relative to its parent stream. Only valid for children of AEGP_StreamGroupingType_INDEXED_GROUP</p> <pre>AEGP_GetStreamIndexInParent(AEGP_StreamRefH streamH, A_long *indexPL);</pre> <p>NOTE: As mentioned elsewhere, AEGP_StreamRefHs don't persist across function calls. If streams are re-ordered, added or removed, all AEGP_StreamRefHs previously retrieved may be invalidated.</p>

TABLE 78: AEGP_DYNAMICSTREAMSUITE4

Function	Purpose
AEGP_IsSeparationLeader	<p>Valid on leaf streams only. Returns true if this stream is a multidimensional stream that can have its dimensions separated, though they may not be currently separated.</p> <p>Terminology: A Leader is the stream that can be separated, a Follower is one of N automatic streams that correspond to the N dimensions of the Leader.</p> <p>A Leader isn't always separated, call AEGP_AreDimensionsSeparated to find out if it is. As of CS4, the only stream that is ever separated is the layer's Position property. Please <i>*do not*</i> write code assuming that, we anticipate allowing separation of more streams in the future.</p> <pre>AEGP_IsSeparationLeader(AEGP_StreamRefH streamH, A_Boolean *leaderPB);</pre>
AEGP_AreDimensionsSeparated	<p>Methods such as AEGP_GetNewKeyframeValue that work on keyframe indices will most definitely <i>*not*</i> work on the Leader property, you will need to retrieve and operate on the Followers explicitly.</p> <pre>AEGP_AreDimensionsSeparated(AEGP_StreamRefH streamH, A_Boolean *separatedPB);</pre>
AEGP_SetDimensionsSeparated	<p>Valid only if AEGP_IsSeparationLeader () is true.</p> <pre>AEGP_AreDimensionsSeparated(AEGP_StreamRefH streamH, A_Boolean *separatedPB);</pre>
AEGP_GetSeparationFollower	<p>Retrieve the Follower stream corresponding to a given dimension of the Leader stream. dimS can range from 0 to AEGP_GetStreamValueDimensionality(leader_streamH) - 1.</p> <pre>AEGP_GetSeparationFollower(AEGP_StreamRefH leader_streamH A_short dimS, AEGP_StreamRefH *follower_streamPH);</pre>
AEGP_IsSeparationFollower	<p>Valid on leaf streams only. Returns true if this stream is a one dimensional property that represents one of the dimensions of a Leader. You can retrieve stream from the Leader using AEGP_GetSeparationFollower ().</p> <pre>AEGP_IsSeparationFollower(AEGP_StreamRefH streamH A_Boolean *followerPB);</pre>

TABLE 78: AEGP_DYNAMICSTREAMSUITE4

Function	Purpose
AEGP_GetSeparationLeader	Valid on separation Followers only, returns the Leader it is part of. <pre>AEGP_GetSeparationLeader(AEGP_StreamRefH follower_streamH, AEGP_StreamRefH *leader_streamPH);</pre>
AEGP_GetSeparationDimension	Valid on separation Followers only, returns which dimension of the Leader it corresponds to. <pre>AEGP_GetSeparationDimension(AEGP_StreamRefH follower_streamH, A_short *dimPS);</pre>

WORKING WITH KEYFRAMES

Keyframes make After Effects what it is. AEGPs (and...ssshh, don't tell anyone...effects) can use this suite to add, manipulate and remove keyframes from any keyframe-able stream.

TABLE 79: AEGP_KEYFRAMESUITE3

Function	Purpose
AEGP_GetStreamNumKFs	Retrieves the number of keyframes on the given stream. Returns AEGP_NumKF_NO_DATA if the stream is not keyframe-able. Also, note that a stream without keyframes isn't necessarily constant; it can be altered by expressions. <pre>AEGP_GetStreamNumKFs(AEGP_StreamRefH streamH, A_long *num_kfsPL);</pre>
AEGP_GetKeyframeTime	Retrieves the time of the specified keyframe. <pre>AEGP_GetKeyframeTime(AEGP_StreamRefH streamH, AEGP_KeyframeIndex index, AEGP_LTimeMode time_mode, A_Time *timePT);</pre>

TABLE 79: AEGP_KEYFRAMESUITE3

Function	Purpose
AEGP_InsertKeyframe	<p>Adds a keyframe to the specified stream (at the specified composition or layer time). Returns the new keyframe's index. All indexes greater than the new index are now invalid (but you knew that). If there is already a keyframe at that time, the values will be updated.</p> <pre> AEGP_InsertKeyframe(AEGP_StreamRefH streamH, AEGP_LTimeMode time_mode, const A_Time *timePT, AEGP_KeyframeIndex *key_indexP); </pre>
AEGP_DeleteKeyframe	<p>Deletes the specified keyframe.</p> <pre> AEGP_DeleteKeyframe(AEGP_StreamRefH streamH, AEGP_KeyframeIndex key_index); </pre>
AEGP_GetNewKeyframeValue	<p>Creates and populates an AEGP_StreamValue2 for the stream's value at the time of the keyframe. The returned AEGP_StreamValue2 must be disposed of using AEGP_DisposeStreamValue.</p> <pre> AEGP_GetNewKeyframeValue(AEGP_PluginID plugin_id, AEGP_StreamRefH streamH, AEGP_KeyframeIndex key_index, AEGP_StreamValue2 *valueP); </pre>
AEGP_SetKeyframeValue	<p>Sets the stream's value at the time of the keyframe.</p> <pre> AEGP_SetKeyframeValue(AEGP_StreamRefH streamH, AEGP_KeyframeIndex index, const AEGP_StreamValue2 *valP); </pre>
AEGP_GetStreamValue Dimensionality	<p>Retrieves the dimensionality of the stream's value.</p> <pre> AEGP_GetStreamValueDimensionality(AEGP_StreamRefH streamH, A_short *value_dimPS); </pre>
AEGP_GetStreamTemporal Dimensionality	<p>Retrieves the temporal dimensionality of the stream.</p> <pre> AEGP_GetStreamTemporalDimensionality(AEGP_StreamRefH streamH, A_short *t_dimPS); </pre>

TABLE 79: AEGP_KEYFRAMESUITE3

Function	Purpose
AEGP_GetNewKeyframeSpatialTangents	<p>Returns the AEGP_StreamValue2s representing the stream's tangential values at the time of the keyframe. The returned AEGP_StreamValue2s must be disposed of using AEGP_DisposeStreamValue.</p> <pre> AEGP_GetNewKeyframeSpatialTangents(AEGP_PluginID plugin_id, AEGP_StreamRefH streamH, AEGP_KeyframeIndex key_index, AEGP_StreamValue2 *in_tanP0, AEGP_StreamValue2 *out_tanP0); </pre>
AEGP_SetKeyframeSpatialTangents	<p>Specifies the tangential AEGP_StreamValue2s to be used for the stream's value at the time of the keyframe. The AEGP_StreamValue2s passed for in and out tangents are not adopted by After Effects, and must be disposed of using AEGP_DisposeStreamValue.</p> <pre> AEGP_SetKeyframeSpatialTangents(AEGP_StreamRefH streamH, AEGP_KeyframeIndex key_index, const AEGP_StreamValue2*in_tp0, const AEGP_StreamValue2*out_tp0); </pre> <p>NOTE: In AEGP_KeyframeSuite2 and prior versions, the values returned from this function were wrong when called on an effect point control stream or anchor point. They were not multiplied by the layer size. Now they are.</p>
AEGP_GetKeyframeTemporalEase	<p>Retrieves the AEGP_KeyframeEases associated with the specified dimension of the stream's value at the time of the keyframe. dimensionL ranges from 0 to (temporal_dimensionality - 1).</p> <pre> AEGP_GetKeyframeTemporalEase(AEGP_StreamRefH streamH, AEGP_KeyframeIndex key_index, A_long dimensionL, AEGP_KeyframeEase *in_easeP0, AEGP_KeyframeEase *out_easeP0); </pre> <p>NOTE: the returned ease values must be multiplied by layer height to match the values displayed in the After Effects UI.</p>

TABLE 79: AEGP_KEYFRAME_SUITE3

Function	Purpose
AEGP_SetKeyframeTemporalEase	<p>Specifies the AEGP_KeyframeEases to be used for the stream's value at the time of the keyframe. dimensionL ranges from 0 to (temporal_dimensionality - 1). The AEGP_KeyframeEases passed are not adopted by After Effects.</p> <pre> AEGP_SetKeyframeTemporalEase(AEGP_StreamRefH streamH, AEGP_KeyframeIndex key_index, A_long dimL, const AEGP_KeyframeEase *in_P0, const AEGP_KeyframeEase *outP0); </pre>
AEGP_GetKeyframeFlags	<p>Retrieves the flags currently set for the keyframe.</p> <pre> AEGP_GetKeyframeFlags(AEGP_StreamRefH streamH, AEGP_KeyframeIndex key_index, AEGP_KeyframeFlags *flagsP); </pre> <p>*flagsP will be a combination of the following:</p> <pre> AEGP_KeyframeFlag_NONE AEGP_KeyframeFlag_TEMPORAL_CONTINUOUS AEGP_KeyframeFlag_TEMPORAL_AUTOBEZIER AEGP_KeyframeFlag_SPATIAL_CONTINUOUS AEGP_KeyframeFlag_SPATIAL_AUTOBEZIER AEGP_KeyframeFlag_ROVING </pre>
AEGP_SetKeyframeFlag	<p>Sets the specified flag for the keyframe. Flags must be set individually.</p> <pre> AEGP_SetKeyframeFlag(AEGP_StreamRefH streamH, AEGP_KeyframeIndex key_index, AEGP_KeyframeFlags flag, A_Boolean valueB); </pre>

TABLE 79: AEGP_KEYFRAMESUITE3

Function	Purpose
AEGP_GetKeyframeInterpolation	<p>Retrieves the in and out AEGP_KeyframeInterpolationTypes for the specified keyframe.</p> <pre> AEGP_GetKeyframeInterpolation(AEGP_StreamRefH streamH, AEGP_KeyframeIndex key_index, AEGP_KeyframeInterpolationType *inP0, AEGP_KeyframeInterpolationType *outP0); </pre> <p>AEGP_KeyframeInterpolationType is one of the following:</p> <pre> AEGP_KeyInterp_NONE AEGP_KeyInterp_LINEAR AEGP_KeyInterp_BEZIER AEGP_KeyInterp_HOLD </pre>
AEGP_SetKeyframeInterpolation	<p>Specifies the in and out AEGP_KeyframeInterpolationTypes to be used for the given keyframe.</p> <pre> AEGP_SetKeyframeInterpolation(AEGP_StreamRefHstreamH, AEGP_KeyframeIndex key_index, AEGP_KeyframeInterpolationType in_interp, AEGP_KeyframeInterpolationType out_interp); </pre>
AEGP_StartAddKeyframes	<p>Informs After Effects that you're going to be adding several keyframes to the specified stream. After Effects will return an allocated opaque AEGP_AddKeyframesInfoH, for use with the calls below.</p> <pre> AEGP_StartAddKeyframes(AEGP_StreamRefH streamH, AEGP_AddKeyframesInfoH*akPH); </pre>
AEGP_AddKeyframes	<p>Adds a keyframe to the specified stream at the specified (layer or composition) time. Note: this doesn't actually do anything to the stream's value.</p> <pre> AEGP_AddKeyframes(AEGP_AddKeyframesInfoH akH, AEGP_LTimeMode time_mode, const A_Time *timePT, A_long *indexPL); </pre>

TABLE 79: AEGP_KEYFRAMEsuite3

Function	Purpose
<code>AEGP_SetAddKeyframe</code>	Sets the value of the specified keyframe. <pre>AEGP_SetAddKeyframe(AEGP_AddKeyframesInfoH akH, A_long indexL, const AEGP_StreamValue2*valueP);</pre>
<code>AEGP_EndAddKeyframes</code>	Tells After Effects you're done adding keyframes. <pre>AEGP_EndAddKeyframes(A_Boolean addB, AEGP_AddKeyframesInfoH akH);</pre>

ADDING MULTIPLE KEYFRAMES

Each time you call [AEGP_InsertKeyframe\(\)](#), the entire stream is added to the undo stack. If you're adding one or two keyframes, this isn't a problem. However, if you're writing a keyframer, you'll want to do things the *right* way.

Before you begin adding keyframes, call the (very-appropriately-named) [AEGP_StartAddKeyframes](#), passing it an opaque `AEGP_AddKeyframesInfoH`. For each keyframe to add, call [AEGP_AddKeyframes](#) to set the time to be used (and get the newly-added keyframe's index), then [AEGP_SetAddKeyframe](#) to specify the value to be used. Once you're finished, call [AEGP_EndAddKeyframes](#) to let know After Effects know it's time to add the changed parameter stream to the undo stack.

MARKER STREAMS

`AEGP_MarkerSuite` allows for direct manipulation of marker data.

TABLE 80: AEGP_MARKERsuite2

Function	Purpose
<code>AEGP_NewMarker</code>	Creates a new marker. <pre>AEGP_NewMarker(AEGP_MarkerValP *markerPP);</pre>
<code>AEGP_DisposeMarker</code>	Disposes of a marker. <pre>AEGP_DisposeMarker(AEGP_MarkerValP markerP);</pre>

TABLE 80: AEGP_MARKERSUITE2

Function	Purpose
<code>AEGP_DuplicateMarker</code>	Duplicates a marker (didn't see <i>that</i> one coming, eh?). <pre>AEGP_DuplicateMarker(AEGP_MarkerValP markerP, AEGP_MarkerValP *new_markerP);</pre>
<code>AEGP_SetMarkerFlag</code>	Sets a marker flag's value. <pre>AEGP_SetMarkerFlag(AEGP_MarkerValP markerP, AEGP_MarkerFlagType flagType, A_Boolean valueB);</pre> <p>Currently, <code>AEGP_MarkerFlagType</code> is one of the following:</p> <pre>AEGP_MarkerFlag_NONE AEGP_MarkerFlag_NAVIGATION</pre>
<code>AEGP_GetMarkerFlag</code>	Gets the value (see above) of a given <code>AEGP_MarkerFlagType</code> . <pre>AEGP_GetMarkerFlag(AEGP_ConstMarkerValP markerP, AEGP_MarkerFlagType flagType A_Boolean *valueBP);</pre>
<code>AEGP_GetMarkerString</code>	Retrieves the UTF-16, NULL-terminated string located in the specified marker field. Must be disposed of by caller using <code>AEGP_FreeMemHandle</code> . <pre>AEGP_GetMarkerString(AEGP_PluginID id, AEGP_ConstMarkerValP markerP, AEGP_MarkerStringType strType, AEGP_MemHandle *unicodePH);</pre>
<code>AEGP_SetMarkerString</code>	Sets the specified field of a marker to the provided text. <pre>AEGP_SetMarkerString(AEGP_MarkerValP markerP, AEGP_MarkerStringType strType, const A_u_short *unicodeP, A_long lengthL);</pre>
<code>AEGP_CountCuePointParams</code>	Returns the number of cue point parameters. <pre>AEGP_CountCuePointParams(AEGP_ConstMarkerValP markerP, A_long *paramsLP);</pre>

TABLE 80: AEGP_MARKERSUITE2

Function	Purpose
AEGP_GetIndCuePointParam	<p>Returns the cue point param at the specified index (which must be between 0 and (cue point params -1). Returned handles are UTF-16, NULL-terminated strings, and must be disposed of by caller using AEGP_FreeMemHandle.</p> <pre> AEGP_GetIndCuePointParam(AEGP_PluginID id, AEGP_ConstMarkerValP markerP, A_long param_indexL, AEGP_MemHandle *unicodeKeyPH, AEGP_MemHandle *uni_ValuePH); </pre>
AEGP_SetIndCuePointParam	<p>Set the value of an indexed cue point parameter to the specified value. key_lengthL is “number of unicode characters”, and value_lenL is the length of the provided value. unicode_KeyP and unicode_ValueP point to UTF-16 data.</p> <pre> AEGP_SetIndCuePointParam(AEGP_MarkerValP markerP, A_long param_idxL, const A_u_short *unicode_KeyP, A_long key_lengthL, const A_u_short *unicode_ValueP, A_long value_lengthL); </pre>
AEGP_InsertCuePointParam	<p>Inserts a cue point parameter. This call is following by AEGP_SetIndCuePointParam to actually set the data.</p> <pre> AEGP_InsertCuePointParam(AEGP_MarkerValP markerP, A_long param_idxL); </pre>
AEGP_DeleteIndCuePointParam	<p>Deletes the cue point param at the specified index.</p> <pre> AEGP_DeleteIndCuePointParam(AEGP_MarkerValP markerP, A_long param_idxL); </pre>
AEGP_SetMarkerDuration	<pre> AEGP_SetMarkerDuration(AEGP_MarkerValP markerP, const A_Time *durationPT); </pre>
AEGP_GetMarkerDuration	<pre> AEGP_GetMarkerDuration(AEGP_ConstMarkerValP markerP, A_Time *durationPT); </pre>

MASK MANAGEMENT

Access, manipulate, and delete a layer's masks.

TABLE 81: AEGP_MASKSUITE6

Function	Purpose
<code>AEGP_GetLayerNumMasks</code>	Counts the masks applied to a layer. <code>AEGP_GetLayerNumMasks (</code> <code>AEGP_LayerH</code> <code>aegp_layerH,</code> <code>A_long</code> <code>*num_masksPL);</code>
<code>AEGP_GetLayerMaskByIndex</code>	Given a layer handle and mask index, returns a pointer to the mask handle. You must destroy the mask handle by using AEGP_DisposeMask() . <code>AEGP_GetLayerMaskByIndex (</code> <code>AEGP_LayerH</code> <code>aegp_layerH,</code> <code>A_long</code> <code>mask_indexL,</code> <code>AEGP_MaskRefH</code> <code>*maskPH);</code>
<code>AEGP_DisposeMask</code>	Dispose of a mask handle. <code>AEGP_DisposeMask (</code> <code>AEGP_MaskRefH</code> <code>maskH);</code>
<code>AEGP_GetMaskInvert</code>	Given a mask handle, determines if the mask is inverted or not. <code>AEGP_GetMaskInvert (</code> <code>AEGP_MaskRefH</code> <code>maskH,</code> <code>A_Boolean</code> <code>*invertPB);</code>
<code>AEGP_SetMaskInvert</code>	Sets the inversion state of a mask. <code>AEGP_SetMaskInvert) (</code> <code>AEGP_MaskRefH</code> <code>mask_refH,</code> <code>A_Boolean</code> <code>invertB);</code>
<code>AEGP_GetMaskMode</code>	Given a mask handle, returns the current mode of the mask. <code>PF_MaskMode_NONE</code> does nothing, <code>PF_MaskMode_ADD</code> is the default behavior. <code>PF_MaskMode_NONE</code> <code>PF_MaskMode_ADD,</code> <code>PF_MaskMode_SUBTRACT,</code> <code>PF_MaskMode_INTERSECT,</code> <code>PF_MaskMode_LIGHTEN,</code> <code>PF_MaskMode_DARKEN,</code> <code>PF_MaskMode_DIFFERENCE,</code> <code>AEGP_GetMaskMode (</code> <code>AEGP_MaskRefH</code> <code>maskH,</code> <code>PF_MaskMode</code> <code>*modeP);</code>

TABLE 81: AEGP_MASKSUITE6

Function	Purpose
AEGP_SetMaskMode	Sets the mode of the given mask. <pre>AEGP_SetMaskMode(AEGP_MaskRefH maskH, PF_MaskMode mode);</pre>
AEGP_GetMaskMotionBlurState	Retrieves the motion blur setting for the given mask. <pre>AEGP_GetMaskMotionBlurState(AEGP_MaskRefH mask_refH, AEGP_MaskMBlur *blur_stateP);</pre> <p>AEGP_MaskMBlur will be one of the following: AEGP_MaskMBlur_SAME_AS_LAYER AEGP_MaskMBlur_OFF AEGP_MaskMBlur_ON</p>
AEGP_SetMaskMotionBlurState	New in CS6. Sets the motion blur setting for the given mask. <pre>AEGP_SetMaskMotionBlurState(AEGP_MaskRefH mask_refH, AEGP_MaskMBlur blur_state);</pre>
AEGP_GetMaskFeatherFalloff	New in CS6. Gets the type of feather falloff for the given mask, either AEGP_MaskFeatherFalloff_SMOOTH or AEGP_MaskFeatherFalloff_LINEAR. <pre>AEGP_SetMaskMotionBlurState(AEGP_MaskRefH mask_refH, AEGP_MaskFeatherFalloff *feather_falloffP);</pre>
AEGP_SetMaskFeatherFalloff	Sets the type of feather falloff for the given mask. <pre>AEGP_SetMaskMotionBlurState(AEGP_MaskRefH mask_refH, AEGP_MaskFeatherFalloff feather_falloff);</pre>
AEGP_GetMaskName	Removed in CS4. Use AEGP_GetNewStreamRefForMask and the name functions in the Dynamic Stream Suite instead.
AEGP_SetMaskName	
AEGP_GetMaskID	Retrieves the AEGP_MaskIDVal for the given AEGP_MaskRefH, for use in uniquely identifying the mask. <pre>AEGP_GetMaskID(AEGP_MaskRefH mask_refH, AEGP_MaskIDVal *id_valP);</pre>

TABLE 81: AEGP_MASKSUITE6

Function	Purpose
<code>AEGP_CreateNewMask</code>	<p>Creates a new mask on the referenced <code>AEGP_LayerH</code>, with zero nodes. The new mask's index is returned.</p> <pre> AEGP_CreateNewMask(AEGP_LayerH layerH, AEGP_MaskRefH *mask_refH, A_long *mask_indexPL0); </pre>
<code>AEGP_DeleteMaskFromLayer</code>	<pre> AEGP_DeleteMaskFromLayer(AEGP_MaskRefH mask_refH); </pre> <p>NOTE: As of 6.5, if you delete a mask and it or a child stream is selected, the current selection within the composition will become NULL.</p>
<code>AEGP_GetMaskColor</code>	<p>Retrieves the color of the specified mask.</p> <pre> AEGP_GetMaskColor(AEGP_MaskRefH mask_refH, AEGP_ColorVal *colorP); </pre>
<code>AEGP_SetMaskColor</code>	<p>Sets the color of the specified mask.</p> <pre> AEGP_SetMaskColor(AEGP_MaskRefH mask_refH, const AEGP_ColorVal *colorP); </pre>
<code>AEGP_GetMaskLockState</code>	<p>Retrieves the lock state of the specified mask.</p> <pre> AEGP_GetMaskLockState(AEGP_MaskRefH mask_refH, A_Boolean *is_lockedPB); </pre>
<code>AEGP_SetMaskLockState</code>	<p>Sets the lock state of the specified mask.</p> <pre> AEGP_SetMaskLockState(AEGP_MaskRefH mask_refH, A_Boolean lockB); </pre>
<code>AEGP_GetMaskIsRotoBezier</code>	<p>Returns whether or not the given mask is used as a roto bezier.</p> <pre> AEGP_GetMaskIsRotoBezier(AEGP_MaskRefH mask_refH, A_Boolean *is_roto_bezierPB); </pre>

TABLE 81: AEGP_MASKSUITE6

Function	Purpose
<code>AEGP_SetMaskIsRotoBezier</code>	Sets whether a given mask is to be used as a roto bezier. <pre>AEGP_SetMaskIsRotoBezier(AEGP_MaskRefH mask_refH, A_Boolean *is_roto_bezierPB);</pre>
<code>AEGP_DuplicateMask</code>	Duplicates a given <code>AEGP_MaskRefH</code> . Caller must dispose of duplicate. <pre>AEGP_DuplicateMask(AEGP_MaskRefH orig_mask_refH, AEGP_MaskRefH *dupe_mask_refPH);</pre>

MASK OUTLINES

The Mask Suite above tells plug-ins about the masks on a layer, but not about the details of those masks. This is because processing is required on After Effects' part to access the information; the information isn't just lying around. Plug-ins access that information using this Mask Outline Suite.

TABLE 82: AEGP_MASKOUTLINESUITE3

Function	Purpose
<code>AEGP_IsMaskOutlineOpen</code>	Given an mask outline pointer (obtainable through AEGP_StreamSuite), determines if the mask path is open or closed. <pre>AEGP_IsMaskOutlineOpen(AEGP_MaskOutlineVal *mask_outlineP, A_Boolean *openPB);</pre>
<code>AEGP_SetMaskOutlineOpen</code>	Sets the open state of the given mask outline. <pre>AEGP_SetMaskOutlineOpen(AEGP_MaskOutlineValH mask_outlineH, A_Boolean openB);</pre>
<code>AEGP_GetMaskOutlineNumSegments</code>	Given a mask outline pointer, returns the number of segments in the path. <code>num_segmentsPL</code> is the total number of segments [0...N-1]. <pre>AEGP_GetMaskOutlineNumSegments(AEGP_MaskOutlineVal *mask_outlineP, A_long *num_segmentsPL);</pre>

TABLE 82: AEGP_MASKOUTLINESUITE3

Function	Purpose
AEGP_GetMaskOutlineVertexInfo	<p>Given a mask outline pointer and a point between 0 and the total number of segments. For closed mask paths, vertex[0] is the same as vertex[num_segments].</p> <pre>AEGP_GetMaskOutlineVertexInfo(AEGP_MaskOutlineVal *mask_outlineP, A_long which_pointL, AEGP_MaskVertex *vertexP);</pre>
AEGP_SetMaskOutlineVertexInfo	<p>Sets the vertex information for a given index. Setting vertex 0 is special; its in tangent will actually set the out tangent of the last vertex in the outline. Of course, which_pointL must be valid for the mask outline, or the function will return an error.</p> <pre>AEGP_SetMaskOutlineVertexInfo(AEGP_MaskOutlineValH mask_outlineH, AEGP_VertexIndex which_pointL, AEGP_MaskVertex *vertexP);</pre>
AEGP_CreateVertex	<p>Creates a vertex at index position. All vertices which formerly had an AEGP_VertexIndex of position or greater will have their indices incremented by one.</p> <pre>AEGP_CreateVertex(AEGP_MaskOutlineValH mask_outlineH, AEGP_VertexIndex position);</pre> <p>NOTE: All masks must have at least one vertex.</p>
AEGP_DeleteVertex	<p>Removes a vertex from a mask.</p> <pre>AEGP_DeleteVertex(AEGP_MaskOutlineValH mask_outlineH, AEGP_VertexIndex index);</pre>
AEGP_GetMaskOutlineNumFeathers	<p>New in CS6.</p> <pre>AEGP_DeleteVertex(AEGP_MaskOutlineValH mask_outlineH, A_long *num_feathersPL);</pre>
AEGP_GetMaskOutlineFeatherInfo	<p>New in CS6.</p> <pre>AEGP_GetMaskOutlineFeatherInfo(AEGP_MaskOutlineValH mask_outlineH, AEGP_FeatherIndex which_featherL, AEGP_MaskFeather *featherP);</pre>

TABLE 82: AEGP_MASKOUTLINESUITE3

Function	Purpose
AEGP_SetMaskOutlineFeatherInfo	New in CS6. Feather must already exist; use AEGP_CreateMaskOutlineFeather first, if needed. AEGP_SetMaskOutlineFeatherInfo(AEGP_MaskOutlineValH mask_outlineH, AEGP_VertexIndex which_featherL, const AEGP_MaskFeather *featherP);
AEGP_CreateMaskOutlineFeather	New in CS6. Index of new feather is passed back in insert_positionP. AEGP_CreateMaskOutlineFeather(AEGP_MaskOutlineValH mask_outlineH, const AEGP_MaskFeather *featherP0, AEGP_FeatherIndex *insert_positionP);
AEGP_DeleteMaskOutlineFeather	New in CS6. AEGP_DeleteMaskOutlineFeather(AEGP_MaskOutlineValH mask_outlineH, AEGP_FeatherIndex index);

MASK FEATHERING

New for CS6, masks can be feathered. AEGP_MaskFeather is defined as follows:

```
typedef struct {
    A_long                                   segment; // mask segment where feather is
    PF_FpLong                               segment_sF; // 0-1: feather location on segment
    PF_FpLong                               radiusF; // negative value allowed if type ==
                                           AEGP_MaskFeatherType_INNER
    PF_FpShort                               ui_corner_angleF; // 0-1: angle of UI handle on
                                           corners
    PF_FpShort                               tensionF; // 0-1: tension of boundary at feather
                                           pt
    AEGP_MaskFeatherInterp                  interp;
    AEGP_MaskFeatherType                    type;
} AEGP_MaskFeather;
```

AEGP_MaskFeatherInterp is either AEGP_MaskFeatherInterp_NORMAL or AEGP_MaskFeatherInterp_HOLD_CW.

AEGP_MaskFeatherType is either AEGP_MaskFeatherType_OUTER or AEGP_MaskFeatherType_INNER.

WORKING WITH TEXT LAYERS

This suite enables AEGPs to get and set the text associated with text layers. Note: to get started, retrieve an `AEGP_TextDocumentH` by calling [AEGP_GetLayerStreamValue](#), above, and passing `AEGP_StreamType_TEXT_DOCUMENT` as the `AEGP_StreamType`.

TABLE 83: AEGP_TextDocumentSuite1

Function	Purpose
<code>AEGP_GetNewText</code>	<p>Retrieves the UTF-16, NULL-terminated string used in the <code>AEGP_TextDocumentH</code>. Note: After Effects will allocate the <code>AEGP_MemHandle</code>; your plug-in must dispose of it when done using <code>AEGP_FreeMemHandle</code>.</p> <pre>AEGP_GetNewText(AEGP_PluginID id, AEGP_TextDocumentH text_docH, AEGP_MemHandle *unicodePH);</pre>
<code>AEGP_SetText</code>	<p>Specifies the text to be used by the <code>AEGP_TextDocumentH</code>.</p> <pre>AEGP_SetText(AEGP_TextDocumentH text_docH, const A_u_short *unicodePS, long lengthL);</pre>

WORKING WITH TEXT OUTLINES

The `AEGP_TextLayerSuite` provides access to the actual outlines of the text used by text layers. Once you have a path, you can manipulate it with [PF_PathQuerySuite](#) and [PF_PathDataSuite](#).

TABLE 84: AEGP_TEXTLAYERSUITE1

Function	Purpose
<code>AEGP_GetNewTextOutlines</code>	Allocates and returns a handle to the <code>AEGP_TextOutlinesHs</code> associated with the specified layer. <code>outlinesPH</code> will be <code>NULL</code> if there are no <code>AEGP_TextOutlinesHs</code> associated with <code>layerH</code> (in other words, if it's not a text layer). <pre>AEGP_GetNewTextOutlines(AEGP_LayerH layerH, / const A_Time *layer_timePT, AEGP_TextOutlinesH *outlinesPH);</pre>
<code>AEGP_DisposeTextOutlines</code>	Dispose of those outlines we allocated on your behalf! <pre>AEGP_DisposeTextOutlines(AEGP_TextOutlinesH outlinesH);</pre>
<code>AEGP_GetNumTextOutlines</code>	Retrieves the number of text outlines for the layer. <pre>AEGP_GetNumTextOutlines(AEGP_TextOutlinesH outlinesH, A_long *num_otlnsPL);</pre>
<code>AEGP_GetIndexedTextOutline</code>	Returns a <code>PF_PathOutlinePtr</code> for the specified text outline. <pre>AEGP_GetIndexedTextOutline(AEGP_TextOutlinesH outlinesH, A_long path_indexL, PF_PathOutlinePtr *pathPP);</pre>

UTILITY FUNCTIONS

The Utility suite supplies error message handling, AEGP version checking and access to the undo stack. Everything you need to keep After Effects and your plug-in tidy.

TABLE 85: AEGP_UTILITYSUITE6

Function	Purpose
AEGP_ReportInfo	Displays dialog with name of the AEGP followed by the string passed. <pre>AEGP_ReportInfo(AEGP_PluginID aegp_plugin_id, const A_char *info_stringZ);</pre>
AEGP_ReportInfoUnicode	New in CC. Displays dialog with name of the AEGP followed by the unicode string passed. <pre>AEGP_ReportInfoUnicode(AEGP_PluginID aegp_plugin_id, const A_UTF16Char *info_stringP);</pre>
AEGP_GetDriverSpecVersion	Returns version of AEGPDriver plug-in (use to determine supported features). <pre>AEGP_GetDriverSpecVersion(A_short *major_versionPS, A_short *minor_versionPS);</pre>
AEGP_StartQuietErrors	Silences errors. Must be balanced with AEGP_EndQuietErrors. The AEGP_ErrReportState is an opaque structure private to After Effects. <pre>AEGP_StartQuietErrors(AEGP_ErrReportState *err_stateP);</pre>
AEGP_EndQuietErrors	Re-enables errors. <pre>AEGP_EndQuietErrors(AEGP_ErrReportState *err_stateP)</pre>
AEGP_StartUndoGroup	Add action(s) to the undo queue. The user may undo any actions between this and AEGP_EndUndoGroup() . The undo_nameZ will appear in the edit menu. <pre>AEGP_StartUndoGroup(const A_char *undo_nameZ);</pre>
AEGP_EndUndoGroup	Ends the undo list. <pre>AEGP_EndUndoGroup();</pre>

TABLE 85: AEGP_UTILITYSUITE6

Function	Purpose
AEGP_RegisterWithAEGP	<p>Returns an AEGP_PluginID, which effect plug-ins can then use in calls to many functions throughout the AEGP API. Effects should only call this function once, during PF_Cmd_GLOBAL_SETUP, and save the AEGP_PluginID for later use. The first parameter can be any value, and the second parameter should be the plug-in's match name.</p> <pre>AEGP_RegisterWithAEGP(AEGP_GlobalRefcon global_refcon, const A_char *plugin_nameZ, AEGP_PluginID *plugin_id);</pre>
AEGP_GetMainHWND	<p>Retrieves After Effects' HWND; useful when displaying your own dialog on Windows. If you don't use After Effects' HWND, your modal dialog will not prevent interaction with the windows behind, and pain will ensue.</p> <pre>AEGP_GetMainHWND(void *main_hwnd);</pre>
AEGP_ShowHideAllFloaters	<p>Toggles whether or not floating palettes are displayed. Use this with care; users get twitchy when you unexpectedly change the UI on them.</p> <pre>AEGP_ShowHideAllFloaters(A_Boolean include_tool_palB);</pre>
AEGP_PaintPalGetForeColor	<p>Retrieves the foreground color from the paint palette.</p> <pre>AEGP_PaintPalGetForeColor(AEGP_ColorVal *fore_colorP);</pre>
AEGP_PaintPalGetBackColor	<p>Retrieves the background color from the paint palette.</p> <pre>AEGP_PaintPalGetBackColor(AEGP_ColorVal *back_colorP);</pre>
AEGP_PaintPalSetForeColor	<p>Sets the foreground color in the paint palette.</p> <pre>AEGP_PaintPalSetForeColor(const AEGP_ColorVal *fore_colorP);</pre>
AEGP_PaintPalSetBackColor	<p>Sets the background color in the paint palette.</p> <pre>AEGP_PaintPalSetBackColor(const AEGP_ColorVal *back_colorP);</pre>
AEGP_CharPalGetFillColor	<p>Retrieves the fill color from the character palette.</p> <pre>AEGP_CharPalGetFillColor(A_Boolean *is_fcolor_definedPB, AEGP_ColorVal *fill_colorP);</pre>

TABLE 85: AEGP_UTILITYSUITE6

Function	Purpose
AEGP_CharPalGetStrokeColor	Retrieves the stroke color from the character palette. <pre>AEGP_CharPalGetStrokeColor(A_Boolean *is_scolor_definedPB, AEGP_ColorVal *stroke_colorP);</pre>
AEGP_CharPalSetFillColor	Sets the fill color in the character palette. <pre>AEGP_CharPalSetFillColor(const AEGP_ColorVal *fill_colorP);</pre>
AEGP_CharPalSetStrokeColor	Sets the stroke color in the character palette. <pre>AEGP_CharPalSetStrokeColor(const AEGP_ColorVal *stroke_colorP);</pre>
AEGP_CharPalIsFillColorUI Frontmost	Returns whether or not the fill color is frontmost. If it isn't, the stroke color is frontmost. <pre>AEGP_CharPalIsFillColorUIFrontmost(A_Boolean *is_fcolor_selectedPB);</pre>
AEGP_ConvertFpLongTo HSFRatio	Returns an A_Ratio interpretation of the given A_FpLong. Useful for horizontal scale factor interpretation. <pre>AEGP_ConvertFpLongToHSFRatio(A_FpLong numberF, A_Ratio *ratioPR);</pre>
AEGP_ConvertHSFRatioTo FpLong	Returns an A_FpLong interpretation of the given A_Ratio. Useful for horizontal scale factor interpretation. <pre>AEGP_ConvertHSFRatioToFpLong(A_Ratio ratioR, A_FpLong *numberPF);</pre>
AEGP_CauseIdleRoutines ToBeCalled	This routine is safe to call from threads other than the main thread. It is asynchronous and will return before the idle handler is called. The suite functions to get this function pointer are not thread safe; save it off in the main thread for use by the child thread. <pre>AEGP_CauseIdleRoutinesToBeCalled(void);</pre>
AEGP_GetSuppress InteractiveUI	Returns whether After Effects is running without a user interface. <pre>AEGP_GetSuppressInteractiveUI(A_Boolean *ui_is_suppressedPB);</pre>
AEGP_WriteToOSConsole	Sends a string to the OS console. <pre>AEGP_WriteToOSConsole(const A_char *textZ);</pre>

TABLE 85: AEGP_UTILITYSUITE6

Function	Purpose
AEGP_WriteToDebugLog	Writes a message to the debug log, or to the OS command line if After Effects was launched with the “-debug” option. <pre>AEGP_WriteToDebugLog(const A_char *subsystemZ, const A_char *event_typeZ, const A_char *infoZ);</pre>
AEGP_GetLastErrorMessage	Retrieves the last error message displayed to the user, and its associated error number. Pass in the size of the character buffer to be returned. <pre>AEGP_GetLastErrorMessage(A_long buffer_size, A_char *error_string, A_Err *error_num);</pre>
AEGP_IsScriptingAvailable	Returns TRUE if scripting is available to the plug-in. <pre>AEGP_IsScriptingAvailable(A_Boolean *outAvailablePB);</pre>
AEGP_ExecuteScript	Have After Effects execute a script. The script passed in can be in either UTF-8 or the current application encoding (if platform_encodingB is passed in as TRUE). The two out arguments are optional. The value of the last line of the script is what is passed back in outResultPH0. <pre>AEGP_ExecuteScript(AEGP_PluginID inPlugin_id, const A_char *inScriptZ, const A_Boolean platform_encodingB, AEGP_MemHandle *outResultPH0, AEGP_MemHandle *outErrStringPH0);</pre>
AEGP_HostIsActivated	Returns TRUE if the user has successfully activated After Effects. <pre>AEGP_HostIsActivated(A_Boolean *is_activatedPB);</pre>
AEGP_GetPluginPlatformRef	On Mac OS, returns a CFBundleRef to your Mach-O plug-in, or NULL for a CFM plug-in. Always returns NULL on Windows (you can use an OS-specific entry point to capture your DLLInstance). <pre>AEGP_GetPluginPlatformRef(AEGP_PluginID plug_id, void **plat_refPPV);</pre>
AEGP_UpdateFontList	Rescans the system font list. <pre>AEGP_UpdateFontList();</pre>

TABLE 85: AEGP_UTILITYSUITE6

Function	Purpose
AEGP_GetPluginPaths	<p>New in CC. Returns a particular path associated with the plug-in:</p> <p>AEGP_GetPathTypes_PLUGIN - (Not Implemented) The path to the location of the plug-in itself.</p> <p>AEGP_GetPathTypes_USER_PLUGIN - The suite specific location of user specific plug-ins.</p> <p>AEGP_GetPathTypes_ALLUSER_PLUGIN - The suite specific location of plug-ins shared by all users.</p> <p>AEGP_GetPathTypes_APP - The After Effects .exe or .app location. Not plug-in specific.</p> <pre> AEGP_GetPluginPaths(AEGP_PluginID aegp_plugin_id, AEGP_GetPathTypes path_type AEGP_MemHandle *unicode_pathPH); </pre>

PERSISTENT DATA SUITE

Plug-ins have read and write access to persistent data in After Effects' preferences. AEGPs may add and manage their own persistent data using the following suite. The data entries are accessed by (section key, value key) pairs. It is recommended that plug-ins use their matchname as their section key, or as a prefix if using multiple section keys.

The available data types are A_long, A_FpLong, strings, and void*. A_FpLongs are stored with 6 decimal places of precision. There is no provision for specifying a different precision. String data supports the full 8-bit space. Only 0x00 is reserved for string ending. This makes them ideal for storing UTF-8 encoded strings, ISO 8859-1, and plain ASCII. Both section keys and value keys are of this type. For data types not represented by the simple data types provided, use data handles containing your custom data. void* unstructured data allows you to store any kind of data. You must pass in a size in bytes along with the data.

When calling any of the functions to retrieve the value of a key, if a given key is not found, the default value is both written to the blob and returned as the value; if no default is provided, a blank value will be written and returned.

Note that this data is stored in the application's preferences, not in the project. As of 6.5, there is no way to store opaque AEGP-generated data in an After Effects project.

After Effects can handle plug-ins which change the preferences during their application; it checks the in-RAM copy of the prefs before acting upon pref-able settings, rather than relying on the saved prefs. It's like we *planned* this, or something!

TABLE 86: AEGP_PERSISTENTDATASUITE4

Function	Purpose
AEGP_GetApplicationBlob	<p>Obtains the handle to all persistent application data. Modifying this will modify the application.</p> <p>The AEGP_PersistentType parameter is new in CC, and should be set to one of the following:</p> <pre>AEGP_PersistentType_MACHINE_SPECIFIC, AEGP_PersistentType_MACHINE_INDEPENDENT, AEGP_PersistentType_MACHINE_INDEPENDENT_RENDER, AEGP_PersistentType_MACHINE_INDEPENDENT_OUTPUT, AEGP_PersistentType_MACHINE_INDEPENDENT_COMPOSITION, AEGP_PersistentType_MACHINE_SPECIFIC_TEXT, AEGP_PersistentType_MACHINE_SPECIFIC_PAINT</pre> <pre>AEGP_GetApplicationBlob(AEGP_PersistentType blob_type, AEGP_PersistentBlobH *blobPH);</pre>
AEGP_GetNumSections	<p>Obtains the number of sections in the application blob.</p> <pre>AEGP_GetNumSections(AEGP_PersistentBlobH blobH, A_long num_sectionPL);</pre>
AEGP_GetSectionKeyByIndex	<p>Obtains the key at the given index.</p> <pre>AEGP_GetSectionKeyByIndex(AEGP_PersistentBlobH blobH, A_long section_index, A_long max_section_size, A_char *section_keyZ);</pre>
AEGP_DoesKeyExist	<p>Returns whether or not a given key/value pair exists with the blob.</p> <pre>AEGP_DoesKeyExist(AEGP_PersistentBlobH blobH, const A_char *section_keyZ, const A_char *value_keyZ, A_Boolean *existsPB);</pre>
AEGP_GetNumKeys	<p>Retrieves the number of value keys in the section.</p> <pre>AEGP_GetNumKeys(AEGP_PersistentBlobH blobH, const A_char *section_keyZ, A_long num_keysPL);</pre>

TABLE 86: AEGP_PERSISTENTDATA_SUITE4

Function	Purpose
AEGP_GetValueKeyByIndex	Retrieves the value of the indexed key. <pre> AEGP_GetValueKeyByIndex(AEGP_PersistentBlobH blobH, const A_char *section_keyZ, A_long key_index, A_long max_key_size, A_char *value_keyZ); </pre>
<i>For the functions below, if a given key is not found, the default value is both written to the blob and returned as the value; if no default is provided, a blank value will be written and returned.</i>	
AEGP_GetDataHandle	Obtains the value associated with the given section's key. If using in-memory data structures, watch for endian issues. <pre> AEGP_GetDataHandle(AEGP_PluginID plugin_id, AEGP_PersistentBlobH blobH, const A_char *section_keyZ, const A_char *value_keyZ, AEGP_MemHandle defaultH0, AEGP_MemHandle *valuePH); </pre>
AEGP_GetData	Obtains the data located at a given section's value. <pre> AEGP_GetData(AEGP_PersistentBlobH blobH, const A_char *section_keyZ, const A_char *value_keyZ, A_u_long data_sizeLu, const void *defaultPV0, void *bufPV); </pre>
AEGP_GetString	Obtains the string for a given section key's value (and indicates its length in actual_szLu0). <pre> AEGP_GetString(AEGP_PersistentBlobH blobH, const A_char *section_keyZ, const A_char *value_keyZ, const A_char *defaultZ0, A_u_long buf_sizeLu, char *bufZ, A_u_long *actual_szLu0); </pre>

TABLE 86: AEGP_PERSISTENTDATA SUITE 4

Function	Purpose
AEGP_GetLong	Obtains the A_long associated with a given section key's value. <pre> AEGP_GetLong(AEGP_PersistentBlobH blobH, const A_char *section_keyZ, const A_char *value_keyZ, A_long defaultL, A_long *valuePL); </pre>
AEGP_GetFpLong	Obtains the A_FpLong associated with a given section key's value. <pre> AEGP_GetFpLong(AEGP_PersistentBlobH blobH, const A_char *section_keyZ, const A_char *value_keyZ, A_FpLong defaultF, A_FpLong *valuePF); </pre>
AEGP_GetTime	New in CC. Obtains the A_Time associated with a given section key's value. <pre> AEGP_GetTime(AEGP_PersistentBlobH blobH, const A_char *section_keyZ, const A_char *value_keyZ, const A_Time *defaultPT0, A_Time *valuePT); </pre>
AEGP_GetARGB	New in CC. Obtains the PF_PixelFloat associated with a given section key's value. <pre> AEGP_GetARGB(AEGP_PersistentBlobH blobH, const A_char *section_keyZ, const A_char *value_keyZ, const PF_PixelFloat *defaultP0, PF_PixelFloat *valueP); </pre>
AEGP_SetDataHandle	Sets the given section key's value to the handle passed in. <pre> AEGP_SetDataHandle(AEGP_PersistentBlobH blobH, const A_char *section_keyZ, const A_char *value_keyZ, const AEGP_MemHandle valueH); </pre>

TABLE 86: AEGP_PERSISTENTDATA SUITE 4

Function	Purpose
AEGP_SetData	<p>Sets the given section key's value to the data contained in dataPV.</p> <pre> AEGP_SetData(AEGP_PersistentBlobH blobH, const A_char *section_keyZ, const A_char *value_keyZ, A_u_long data_sizeLu, const void *dataPV); </pre>
AEGP_SetString	<p>Sets the given section key's string to strZ.</p> <pre> AEGP_SetString(AEGP_PersistentBlobH blobH, const A_char *section_keyZ, const A_char *value_keyZ, const A_char *strZ); </pre>
AEGP_SetLong	<p>Sets the given section key's value to valueL.</p> <pre> AEGP_SetLong(AEGP_PersistentBlobH blobH, const A_char *section_keyZ, const A_char *value_keyZ, A_long valueL); </pre>
AEGP_SetFpLong	<p>Sets the given section key's value to valueF.</p> <pre> AEGP_SetFpLong(AEGP_PersistentBlobH blobH, const A_char *section_keyZ, const A_char *value_keyZ, A_FpLong valueF); </pre>
AEGP_SetTime	<p>New in CC. Sets the given section key's value to valuePT.</p> <pre> AEGP_SetTime(AEGP_PersistentBlobH blobH, const A_char *section_keyZ, const A_char *value_keyZ, A_Time *valuePT); </pre>
AEGP_SetARGB	<p>New in CC. Sets the given section key's value to valueP.</p> <pre> AEGP_SetARGB(AEGP_PersistentBlobH blobH, const A_char *section_keyZ, const A_char *value_keyZ, PF_PixelFloat *valueP); </pre>

TABLE 86: AEGP_PERSISTENTDATASUITE4

Function	Purpose
<code>AEGP_DeleteEntry</code>	Removes the given section's value from the blob. <pre>AEGP_DeleteEntry(AEGP_PersistentBlobH blobH, const A_char *section_keyZ, const A_char *value_keyZ);</pre>
<code>AEGP_GetPrefsDirectory</code>	Get the path to the folder containing After Effects' preference file. The path is a handle to a NULL-terminated <code>A_UTF16Char</code> string, and must be disposed with <code>AEGP_FreeMemHandle</code> . <pre>AEGP_GetPrefsDirectory)(AEGP_MemHandle *unicode_pathPH);</pre>

COLOR MANAGEMENT

We've provided a function so AEGPs can obtain information on After Effects' current color management settings.

TABLE 87: AEGP_COLORSETTINGSUITE2

Function	Purpose
<code>AEGP_GetBlendingTables</code>	Retrieves the current opaque <code>PF_EffectBlendingTables</code> , for use with AEGP_TransferRect . <pre>AEGP_GetBlendingTables(PR_RenderContextH render_contextH, PF_EffectBlendingTables *blending_tables);</pre>
<code>AEGP_DoesViewHaveColorSpaceXform</code>	Returns whether there is a colorspace transform applied to the current item view. <pre>AEGP_DoesViewHaveColorSpaceXform(AEGP_ItemViewP viewP, A_Boolean *has_xformPB);</pre>
<code>AEGP_XformWorkingToViewColorSpace</code>	Changes the view colorspace of the source to be the working colorspace of the destination. Source and destination can be the same. <pre>AEGP_XformWorkingToViewColorSpace(AEGP_ItemViewP viewP, AEGP_WorldH srcH, AEGP_WorldH dstH);</pre>

TABLE 87: AEGP_COLORSETTINGS SUITE 2

Function	Purpose
<code>AEGP_GetNewWorkingSpaceColorProfile</code>	Retrieves the opaque current working space ICC profile. Must be disposed. The “New” in the name does not indicate that you’re making up a new profile; rather, it’s part of our function naming standard; anything with “New” in the name allocates something which the caller must dispose. <pre>AEGP_GetNewWorkingSpaceColorProfile(AEGP_PluginID aegp_plugin_id, AEGP_MemHandle *icc_profPH);</pre>
<code>AEGP_GetNewColorProfileFromICCPProfile</code>	Retrieves a new <code>AEGP_ColorProfileP</code> from After Effects, representing the specified ICC profile. The caller must dispose of the returned <code>AEGP_ColorProfileP</code> using AEGP_DisposeColorProfile() . <pre>AEGP_GetNewColorProfileFromICCPProfile(AEGP_PluginID aegp_plugin_id, A_long icc_sizeL, const void *icc_dataPV, AEGP_ColorProfileP *profilePP);</pre>
<code>AEGP_GetNewICCPProfileFromColorProfile</code>	Retrieves a new ICC profile (stored in an <code>AEGP_MemHandle</code>) representing the specified color profile. Returned <code>AEGP_MemHandle</code> must be disposed by the caller. <pre>AEGP_GetNewICCPProfileFromColorProfile(AEGP_PluginID plugin_id, AEGP_ConstColorProfileP profileP, AEGP_MemHandle *profilePH);</pre>
<code>AEGP_GetNewColorProfileDescription</code>	Returns a textual description of the specified color profile. Text will be a null-terminated UTF16 string, which must be disposed by the caller. <pre>AEGP_GetNewColorProfileDescription(AEGP_PluginID aegp_plugin_id, AEGP_ConstColorProfileP profileP, AEGP_MemHandle *unicode_descPH);</pre>
<code>AEGP_DisposeColorProfile</code>	Disposes of a color profile, obtained using other functions in this suite. <pre>AEGP_DisposeColorProfile(AEGP_ColorProfileP profileP);</pre>

TABLE 87: AEGP_COLORSETTINGSsuite2

Function	Purpose
<code>AEGP_GetColorProfileApproximateGamma</code>	Returns a floating point number approximating the gamma setting used by the specified color profile. <pre>AEGP_GetColorProfileApproximateGamma(AEGP_ConstColorProfileP profileP, A_FpShort *approx_gammaP);</pre>
<code>AEGP_IsRGBColorProfile</code>	Returns whether the specified color profile is RGB. <pre>AEGP_IsRGBColorProfile(AEGP_ConstColorProfileP profileP, A_Boolean *is_rgbPB);</pre>

RENDER SUITES

Since we introduced the AEGP API, we've been asked to provide functions for retrieving rendered frames. These function suites allows you to do just that. First, specify what you want rendered in the [AEGP_RenderOptionsSuite](#) or [AEGP_LayerRenderOptionsSuite](#). Then do the rendering with [AEGP_RenderSuite](#).

TABLE 88: AEGP_RENDEROPTIONSsuite4

Function	Purpose
<code>AEGP_NewFromItem</code>	Returns the <code>AEGP_RenderOptionsH</code> associated with a given <code>AEGP_ItemH</code> . If there are no options yet specified, After Effects passes back an <code>AEGP_RenderOptionsH</code> with render time set to 0, time step set to the current frame duration, field render set to <code>PF_Field_FRAME</code> , and the depth set to the highest resolution specified within the item. <pre>AEGP_NewFromItem(AEGP_PluginID plugin_id, AEGP_ItemH itemH, AEGP_RenderOptionsH *optionsPH);</pre>
<code>AEGP_Duplicate</code>	Duplicates an <code>AEGP_RenderOptionsH</code> into <code>copyPH</code> . <pre>AEGP_Duplicate(AEGP_PluginID plugin_id, AEGP_RenderOptionsH optionsH, AEGP_RenderOptionsH *copyPH);</pre>

TABLE 88: AEGP_RENDEROPTIONS SUITE 4

Function	Purpose
AEGP_Dispose	Deletes an AEGP_RenderOptionsH. <pre>AEGP_Dispose(AEGP_RenderOptionsH optionsH);</pre>
AEGP_SetTime	Sets the render time of an AEGP_RenderOptionsH. <pre>AEGP_SetTime(AEGP_RenderOptionsH optionsH, A_Time time);</pre>
AEGP_GetTime	Retrieves the render time of the given AEGP_RenderOptionsH. <pre>AEGP_GetTime(AEGP_RenderOptionsH optionsH, A_Time *timeP);</pre>
AEGP_SetTimeStep	Specifies the time step (duration of a frame) for the referenced AEGP_RenderOptionsH. <pre>AEGP_SetTimeStep(AEGP_RenderOptionsH optionsH, A_Time time_step);</pre>
AEGP_GetTimeStep	Retrieves the time step (duration of a frame) for the given AEGP_RenderOptionsH. <pre>AEGP_GetTimeStep(AEGP_RenderOptionsH optionsH, A_Time *timePT);</pre>
AEGP_SetFieldRender	Specifies the field settings for the given AEGP_RenderOptionsH. <pre>AEGP_SetFieldRender(AEGP_RenderOptionsH optionsH, PF_Field field_render);</pre>
AEGP_GetFieldRender	Retrieves the field settings for the given AEGP_RenderOptionsH. <pre>AEGP_GetFieldRender(AEGP_RenderOptionsH optionsH, PF_Field *field_renderP);</pre>
AEGP_SetWorldType	Specifies the AEGP_WorldType of the output of a given AEGP_RenderOptionsH. <pre>AEGP_SetWorldType(AEGP_RenderOptionsH optionsH, AEGP_WorldType type);</pre> <p>AEGP_WorldType will be either AEGP_WorldType_8 or AEGP_WorldType_16</p>

TABLE 88: AEGP_RENDEROPTIONS_SUITE4

Function	Purpose
AEGP_GetWorldType	Retrieves the AEGP_WorldType of the given AEGP_RenderOptionsH. <pre>AEGP_GetWorldType(AEGP_RenderOptionsH optionsH, AEGP_WorldType *typeP);</pre>
AEGP_SetDownsampleFactor	Specifies the downsample factor (with independent horizontal and vertical settings) for the given AEGP_RenderOptionsH. <pre>AEGP_SetDownsampleFactor(AEGP_RenderOptionsH optionsH, A_short x, A_short y);</pre>
AEGP_GetDownsampleFactor	Retrieves the downsample factor for the given AEGP_RenderOptionsH. <pre>AEGP_GetDownsampleFactor(AEGP_RenderOptionsH optionsH, A_short *xP, A_short *yP);</pre>
AEGP_SetRegionOfInterest	Specifies the region of interest sub-rectangle for the given AEGP_RenderOptionsH. <pre>AEGP_SetRegionOfInterest(AEGP_RenderOptionsH optionsH, const A_LRect *roiP)</pre>
AEGP_GetRegionOfInterest	Retrieves the region of interest sub-rectangle for the given AEGP_RenderOptionsH. <pre>AEGP_GetRegionOfInterest(AEGP_RenderOptionsH optionsH, A_LRect *roiP);</pre>
AEGP_SetMatteMode	Specifies the AEGP_MatteMode for the given AEGP_RenderOptionsH. <pre>AEGP_SetMatteMode(AEGP_RenderOptionsH optionsH, AEGP_MatteMode mode);</pre> <p>AEGP_MatteMode will be one of the following:</p> <pre>AEGP_MatteMode_STRAIGHT AEGP_MatteMode_PREMUL_BLACK AEGP_MatteMode_PREMUL_BG_COLOR</pre>

TABLE 88: AEGP_RENDEROPTIONS SUITE 4

Function	Purpose
AEGP_GetMatteMode	Retrieves the AEGP_MatteMode for the given AEGP_RenderOptionsH. <pre>AEGP_GetMatteMode(AEGP_RenderOptionsH optionsH, AEGP_MatteMode *modeP);</pre>
AEGP_GetChannelOrder	Gets the AEGP_ChannelOrder for the given AEGP_RenderOptionsH. AEGP_ChannelOrder will be either AEGP_ChannelOrder_ARGB or AEGP_ChannelOrder_BGRA. <pre>AEGP_GetChannelOrder(AEGP_RenderOptionsH optionsH, AEGP_ChannelOrder *orderP);</pre> <p>Factoid: this was added to facilitate live linking with Premiere Pro.</p>
AEGP_SetChannelOrder	Sets the AEGP_ChannelOrder of the AEGP_RenderOptionsH. <pre>AEGP_SetChannelOrder(AEGP_RenderOptionsH optionsH, AEGP_ChannelOrder order);</pre>
AEGP_GetRenderGuideLayers	Passes back a boolean that is true if the render guide layers setting is on. <pre>AEGP_GetRenderGuideLayers)(AEGP_RenderOptionsH optionsH, A_Boolean *will_renderPB);</pre>
AEGP_SetRenderGuideLayers	Specify whether or not to render guide layers. <pre>AEGP_SetRenderGuideLayers)(AEGP_RenderOptionsH optionsH, A_Boolean render_themB);</pre>
AEGP_GetRenderQuality	Get the render quality of the render queue item. Quality can be either AEGP_ItemQuality_DRAFT or AEGP_ItemQuality_BEST. <pre>AEGP_GetRenderQuality)(AEGP_RenderOptionsH optionsH, AEGP_ItemQuality *qualityP);</pre>
AEGP_SetRenderQuality	Set the render quality of the render queue item. <pre>AEGP_GetRenderQuality)(AEGP_RenderOptionsH optionsH, AEGP_ItemQuality quality);</pre>

TABLE 89: AEGP_LAYERRENDEROPTIONSUI1 (NEW IN 13.0)

Function	Purpose
<code>AEGP_NewFromLayer</code>	<p>Returns the <code>AEGP_LayerRenderOptionsH</code> associated with a given <code>AEGP_LayerH</code>. Render time is set to the layer's current time, time step is set to layer's frame duration, ROI to the layer's nominal bounds, and <code>EffectsToRender</code> to "all". <code>optionsPH</code> must be disposed by calling code.</p> <pre> AEGP_NewFromLayer(AEGP_PluginID plugin_id, AEGP_LayerH layerH, AEGP_LayerRenderOptionsH *optionsPH); </pre>
<code>AEGP_NewFromUpstreamOfEffect</code>	<p>Returns the <code>AEGP_LayerRenderOptionsH</code> from the layer associated with a given <code>AEGP_EffectRefH</code>. Render time is set to the layer's current time, time step is set to layer's frame duration, ROI to the layer's nominal bounds, and <code>EffectsToRender</code> to the index of <code>effectH</code>. <code>optionsPH</code> must be disposed by calling code.</p> <pre> AEGP_NewFromUpstreamOfEffect(AEGP_PluginID plugin_id, AEGP_EffectRefH effectH, AEGP_LayerRenderOptionsH *optionsPH); </pre>
<code>AEGP_Duplicate</code>	<p>Duplicates an <code>AEGP_LayerRenderOptionsH</code> into <code>copyPH</code>.</p> <pre> AEGP_Duplicate(AEGP_PluginID plugin_id, AEGP_LayerRenderOptionsH optionsH, AEGP_LayerRenderOptionsH *copyPH); </pre>
<code>AEGP_Dispose</code>	<p>Deletes an <code>AEGP_LayerRenderOptionsH</code>.</p> <pre> AEGP_Dispose(AEGP_LayerRenderOptionsH optionsH); </pre>
<code>AEGP_SetTime</code>	<p>Sets the render time of an <code>AEGP_LayerRenderOptionsH</code>.</p> <pre> AEGP_SetTime(AEGP_LayerRenderOptionsH optionsH, A_Time time); </pre>
<code>AEGP_GetTime</code>	<p>Retrieves the render time of the given <code>AEGP_LayerRenderOptionsH</code>.</p> <pre> AEGP_GetTime(AEGP_LayerRenderOptionsH optionsH, A_Time *timeP); </pre>

TABLE 89: AEGP_LAYERRENDEROPTIONSUI1 (NEW IN 13.0)

Function	Purpose
AEGP_SetTimeStep	<p>Specifies the time step (duration of a frame) for the referenced AEGP_LayerRenderOptionsH.</p> <pre>AEGP_SetTimeStep(AEGP_LayerRenderOptionsH optionsH, A_Time time_step);</pre>
AEGP_GetTimeStep	<p>Retrieves the time step (duration of a frame) for the given AEGP_LayerRenderOptionsH.</p> <pre>AEGP_GetTimeStep(AEGP_LayerRenderOptionsH optionsH, A_Time *timePT);</pre>
AEGP_SetWorldType	<p>Specifies the AEGP_WorldType of the output of a given AEGP_LayerRenderOptionsH.</p> <pre>AEGP_SetWorldType(AEGP_LayerRenderOptionsH optionsH, AEGP_WorldType type);</pre> <p>AEGP_WorldType will be either AEGP_WorldType_8 or AEGP_WorldType_16</p>
AEGP_GetWorldType	<p>Retrieves the AEGP_WorldType of the given AEGP_LayerRenderOptionsH.</p> <pre>AEGP_GetWorldType(AEGP_LayerRenderOptionsH optionsH, AEGP_WorldType *typeP);</pre>
AEGP_SetDownsampleFactor	<p>Specifies the downsample factor (with independent horizontal and vertical settings) for the given AEGP_LayerRenderOptionsH.</p> <pre>AEGP_SetDownsampleFactor(AEGP_LayerRenderOptionsH optionsH, A_short x, A_short y);</pre>
AEGP_GetDownsampleFactor	<p>Retrieves the downsample factor for the given AEGP_LayerRenderOptionsH.</p> <pre>AEGP_GetDownsampleFactor(AEGP_LayerRenderOptionsH optionsH, A_short *xP, A_short *yP);</pre>

TABLE 89: AEGP_LAYERRENDEROPTIONSUI1 (NEW IN 13.0)

Function	Purpose
AEGP_SetMatteMode	<p>Specifies the AEGP_MatteMode for the given AEGP_LayerRenderOptionsH.</p> <pre>AEGP_SetMatteMode(AEGP_LayerRenderOptionsH optionsH, AEGP_MatteMode mode);</pre> <p>AEGP_MatteMode will be one of the following:</p> <p>AEGP_MatteMode_STRAIGHT AEGP_MatteMode_PREMUL_BLACK AEGP_MatteMode_PREMUL_BG_COLOR</p>
AEGP_GetMatteMode	<p>Retrieves the AEGP_MatteMode for the given AEGP_LayerRenderOptionsH.</p> <pre>AEGP_GetMatteMode(AEGP_LayerRenderOptionsH optionsH, AEGP_MatteMode *modeP);</pre>

TABLE 90: AEGP_RENDERSUITE4

Function	Purpose
<code>AEGP_RenderAndCheckoutFrame</code>	<p>Retrieves an <code>AEGP_FrameReceiptH</code> (not the actual pixels) for the frame requested. Check in this receipt using <code>AEGP_CheckinFrame</code> to release memory.</p> <p>Create the <code>AEGP_RenderOptionsH</code> using the AEGP_RenderOptionsSuite.</p> <p>Optionally, the AEGP can pass a function to be called by After Effects if the user cancels the current render, as well as a <code>refcon</code> (constant reference to opaque data) for use during that function.</p> <pre>AEGP_RenderAndCheckoutFrame(AEGP_RenderOptionsH optionsH, AEGP_RenderSuiteCheckForCancel cancel_functionP0, AEGP_CancelRefcon cancel_function_refconP0, AEGP_FrameReceiptH *receiptPH);</pre>

TABLE 90: AEGP_RENDERSUITE4

Function	Purpose
AEGP_RenderAndCheckoutLayerFrame	<p>New in CC 2014. This allows frame checkout of a layer with effects applied at non-render time. This is useful for an operation that requires the frame, for example, when a button is clicked and it is acceptable to wait for a moment while it is rendering. Note: Since it is not asynchronous, it will not solve the general problem where custom UI needs to draw based on the frame.</p> <p>Retrieves an AEGP_FrameReceiptH (not the actual pixels) for the layer frame requested. Check in this receipt using AEGP_CheckinFrame to release memory.</p> <p>Create the AEGP_LayerRenderOptionsH using AEGP_NewFromUpstreamOfEffect (), in the AEGP_LayerRenderOptionsSuite.</p> <p>You can actually use AEGP_NewFromLayer () to get other layer param's layers with their effects applied. However, be careful. If you do it in your effect A, and there's an effect B on the other layer that does the same thing during rendering, you'd create an infinite loop. If you're not doing it for render purposes then it could be okay.</p> <p>Optionally, the AEGP can pass a function to be called by After Effects if the user cancels the current render, as well as a refcon (constant reference to opaque data) for use during that function.</p> <pre> AEGP_RenderAndCheckoutLayerFrame(AEGP_LayerRenderOptionsH optionsH, A_Boolean render_plain_layer_frameB, AEGP_RenderSuiteCheckForCancel cancel_functionP0, AEGP_CancelRefcon cancel_function_refconP0, AEGP_FrameReceiptH *receiptPH); </pre>
AEGP_CheckinFrame	<p>Call this function as soon as your AEGP is done accessing the frame. After Effects makes caching decisions based on which frames are checked out, so don't hog them!</p> <pre> AEGP_CheckinFrame(AEGP_FrameReceiptH receiptH); </pre>

TABLE 90: AEGP_RENDERSUITE4

Function	Purpose
AEGP_GetReceiptWorld	<p>Retrieves the pixels (AEGP_WorldH) associated with the referenced AEGP_FrameReceiptH.</p> <pre>AEGP_GetReceiptWorld(AEGP_FrameReceiptH receiptH, AEGP_WorldH *worldPH);</pre>
AEGP_GetRenderedRegion	<p>Retrieves an A_LRect containing the region of the AEGP_FrameReceiptH's AEGP_WorldH that has already been rendered. Remember that it's possible for only those portions of an image that have been changed to be rendered, so it's important to be able to check whether or not that includes the portion you need.</p> <pre>AEGP_GetRenderedRegion(AEGP_FrameReceiptH receiptH, A_LRect *regionP);</pre>
AEGP_IsRenderedFrameSufficient	<p>Given two sets of AEGP_RenderOptionsH, After Effects will return TRUE if the already-rendered pixels are still valid for the proposed AEGP_RenderOptionsH.</p> <pre>AEGP_IsRenderedFrameSufficient(AEGP_RenderOptionsH rendered_optionsH, AEGP_RenderOptionsH proposed_optionsH, A_Boolean *is_sufficientPB);</pre>
AEGP_RenderNewItemSoundData	<p>Obtains an AEGP_ItemH's audio at the given time, of the given duration, in the given format. The plug-in must dispose of the returned AEGP_SoundDataH (which may be NULL if no audio is available).</p> <pre>AEGP_RenderNewItemSoundData(AEGP_ItemH itemH, const A_Time *start_timePT, const A_Time *durationPT, const AEGP_SoundDataFormat *formatP, AEGP_SoundDataH *new_dataPH);</pre> <p>NOTE: This function, if called as part of AEGP_ItemSuite2, provides a render interruptible using mouse clicks, unlike the version published here in AEGP_RenderSuite.</p>
AEGP_GetCurrentTimestamp	<p>Retrieves the current AEGP_TimeStamp of the project. The AEGP_TimeStamp is updated whenever an item is touched in a way that affects rendering.</p> <pre>AEGP_GetCurrentTimestamp(AEGP_TimeStamp *time_stampP);</pre>

TABLE 90: AEGP_RENDERSUITE4

Function	Purpose
<code>AEGP_HasItemChangedSinceTimestamp</code>	<p>Returns whether the video of an <code>AEGP_ItemH</code> has changed since the given <code>AEGP_TimeStamp</code>. Note: this does not track changes in audio.</p> <pre> AEGP_HasItemChangedSinceTimestamp(AEGP_ItemH itemH, const A_Time *start_timeP, const A_Time *durationP, const AEGP_TimeStamp *time_stampP, A_Boolean *changedPB); </pre>
<code>AEGP_IsItemWorthwhileToRender</code>	<p>Returns whether this frame would be worth rendering externally and checking in to the cache. A speculative renderer should check this twice: before sending the frame out to render and when it is complete, before calling AEGP_NewPlatformWorld() and checking in. This function is to be used with AEGP_HasItemChangedSinceTimestamp(), not alone.</p> <pre> AEGP_IsItemWorthwhileToRender(AEGP_RenderOptionsH roH, const AEGP_TimeStamp *time_stampP, A_Boolean *worthwhilePB); </pre>
<code>AEGP_CheckinRenderedFrame</code>	<p>Provide a rendered frame (<code>AEGP_PlatformWorldH</code>) to After Effects, which adopts it. <code>ticksL</code> is the approximate time required to render the frame.</p> <pre> AEGP_CheckinRenderedFrame(AEGP_RenderOptionsH roH, const AEGP_TimeStamp* time_stampP, A_u_long ticksL, AEGP_PlatformWorldH imageH); </pre>
<code>AEGP_GetReceiptGuid</code>	<p>New in CS6. Retrieve a GUID for a rendered frame. The memory handle passed back must be disposed.</p> <pre> AEGP_GetReceiptGuid(AEGP_FrameReceiptH receiptH, AEGP_MemHandle *guidMH) </pre>

THE AEGP_WORLD AS WE KNOW IT

AEGP_Worlds are the common format used throughout the AEGP APIs to describe frames of pixels.

TABLE 91: AEGP_WORLD SUITE 3

Function	Purpose
AEGP_New	Returns an allocated, initialized AEGP_WorldH. <pre>AEGP_New(AEGP_PluginID plugin_id, AEGP_WorldType type, A_long widthL, A_long heightL, AEGP_WorldH *worldPH);</pre>
AEGP_Dispose	Disposes of an AEGP_WorldH. Use this on every world you allocate. <pre>AEGP_Dispose(AEGP_WorldH worldH);</pre>
AEGP_GetType	Returns the type of a given AEGP_WorldH. <pre>AEGP_GetType(AEGP_WorldH worldH, AEGP_WorldType **typeP);</pre> <p>AEGP_WorldType will be one of the following:</p> <pre>AEGP_WorldType_8, AEGP_WorldType_16, AEGP_WorldType_32</pre>
AEGP_GetSize	Returns the width and height of the given AEGP_WorldH. <pre>AEGP_GetSize(AEGP_WorldH worldH, A_long *widthPL, A_long *heightPL);</pre>
AEGP_GetRowBytes	Returns the rowbytes for the given AEGP_WorldH. <pre>AEGP_GetRowBytes(AEGP_WorldH worldH, A_u_long *row_bytesPL);</pre>

TABLE 91: AEGP_WORLD SUITE 3

Function	Purpose
<code>AEGP_GetBaseAddr8</code>	<p>Returns the base address of the <code>AEGP_WorldH</code> for use in pixel iteration functions. Will return an error if used on a non-8bpc world.</p> <pre>AEGP_GetBaseAddr8(AEGP_WorldH worldH, PF_Pixel8 **base_addrP);</pre>
<code>AEGP_GetBaseAddr16</code>	<p>Returns the base address of the <code>AEGP_WorldH</code> for use in pixel iteration functions. Will return an error if used on a non-16bpc world.</p> <pre>AEGP_GetBaseAddr16(AEGP_WorldH worldH, PF_Pixel16 **base_addrP);</pre>
<code>AEGP_GetBaseAddr32</code>	<p>Returns the base address of the <code>AEGP_WorldH</code> for use in pixel iteration functions. Will return an error if used on a non-32bpc world.</p> <pre>AEGP_GetBaseAddr32(AEGP_WorldH worldH, PF_PixelFloat **base_addrP);</pre>
<code>AEGP_FillOutPFEffectWorld</code>	<p>Populates and returns a <code>PF_EffectWorld</code> representing the given <code>AEGP_WorldH</code>, for use with numerous pixel processing callbacks.</p> <p>NOTE: This does not give your plug-in ownership of the world referenced; destroy the source <code>AEGP_WorldH</code> only if you allocated it. It just fills out the provided <code>PF_EffectWorld</code> to point to the same pixel buffer.</p> <pre>AEGP_FillOutPFEffectWorld(AEGP_WorldH worldH, PF_EffectWorld *pf_worldP);</pre>
<code>AEGP_FastBlur</code>	<p>Performs a fast blur on a given <code>AEGP_WorldH</code>.</p> <pre>AEGP_FastBlur(A_FpLong radiusF, PF_ModeFlags mode, PF_Quality quality, AEGP_WorldH worldH);</pre>

TABLE 91: AEGP_WORLDsuite3

Function	Purpose
AEGP_NewPlatformWorld	<p>Creates a new AEGP_PlatformWorldH (a pixel world native to the execution platform).</p> <pre> AEGP_NewPlatformWorld(AEGP_PluginID plugin_id, AEGP_WorldType type, A_long widthL, A_long heightL, AEGP_PlatformWorldH *worldPH); </pre>
AEGP_DisposePlatformWorld	<p>Disposes of an AEGP_PlatformWorldH.</p> <pre> AEGP_DisposePlatformWorld(AEGP_PlatformWorldH worldH); </pre>
AEGP_NewReferenceFromPlatformWorld	<p>Retrieves an AEGP_WorldH referring to the given AEGP_PlatformWorldH. NOTE: This doesn't allocate a new world, it simply provides a reference to an existing one.</p> <pre> AEGP_NewReferenceFromPlatformWorld(AEGP_PluginID plugin_id, AEGP_PlatformWorldH plat_worldH, AEGP_WorldH *worldPH); </pre>

TRACK MATTES AND TRANSFORM FUNCTIONS

Use the `AEGP_CompositeSuite` to copy pixel worlds, operate on track mattes, and apply transfer functions.

TABLE 92: AEGP_COMPOSITESUITE2

Function	Purpose
<code>AEGP_ClearAlphaExceptRect</code>	<p>For the given <code>PF_EffectWorld</code>, sets the alpha to fully transparent except for the specified rectangle.</p> <pre>AEGP_ClearAlphaExceptRect(A_Rect *clipped_dst_rectPR, PF_EffectWorld *dstP);</pre>
<code>AEGP_PrepTrackMatte</code>	<p>Mattes the pixels in a <code>PF_EffectWorld</code> with the <code>PF_Pixel</code> described in <code>src_masks</code>, putting the output into an array of pixels <code>dst_mask</code>. NOTE: Unlike most of the other pixel mangling functions provided by After Effects, this one doesn't take <code>PF_EffectWorld</code> arguments; rather, you can simply pass the data pointer from within the <code>PF_EffectWorld</code>. This can be confusing, but as a bonus, the function pads output appropriately so that <code>num_pix</code> pixels are always output.</p> <pre>AEGP_PrepTrackMatte(A_long num_pix, A_Boolean deepB, const PF_Pixel *src_mask, PF_MaskFlags mask_flags, PF_Pixel *dst_mask);</pre>
<code>AEGP_TransferRect</code>	<p>Blends two <code>PF_EffectWorlds</code> using a transfer mode, with an optional mask. Pass <code>NULL</code> for the <code>blend_tablesP0</code> parameter to perform blending in the current working color space.</p> <pre>AEGP_TransferRect(PF_Quality quality, PF_ModeFlags m_flags, PF_Field field, const A_Rect *src_rec, const PF_EffectWorld *src_world, const PF_CompositeMode *comp_mode, PF_EffectBlendingTables blend_tablesP0, const PF_MaskWorld *mask_world0, A_long dest_x, A_long dest_y, PF_EffectWorld *dst_world);</pre>

TABLE 92: AEGP_COMPOSITESUITE2

Function	Purpose
AEGP_CopyBits_LQ	<p>Copies a rectangle of pixels (pass a NULL rectangle to get all pixels) from one PF_EffectWorld to another, at low quality.</p> <pre> AEGP_CopyBits_LQ(PF_EffectWorld *src_worldP, A_Rect *src_r, A_Rect *dst_r, PF_EffectWorld *dst_worldP); </pre>
AEGP_CopyBits_HQ_Straight	<p>Copies a rectangle of pixels (pass a NULL rectangle to get all pixels) from one PF_EffectWorld to another, at high quality, with a straight alpha channel.</p> <pre> AEGP_CopyBits_HQ_Straight(PF_EffectWorld *src, A_Rect *src_r, A_Rect *dst_r, PF_EffectWorld *dst); </pre>
AEGP_CopyBits_HQ_Premul	<p>Copies a rectangle of pixels (pass a NULL rectangle to get all pixels) from one PF_EffectWorld to another, at high quality, premultiplying the alpha channel.</p> <pre> AEGP_CopyBits_HQ_Premul(PF_EffectWorld *src, A_Rect *src_r, A_Rect *dst_r, PF_EffectWorld *dst); </pre>

WORK WITH AUDIO

`AEGP_SoundDataSuite` allows AEGPs to obtain and manipulate the audio associated with compositions and footage items. Audio-only items may be added to the render queue using [AEGP_RenderNewItemSoundData\(\)](#).

TABLE 93: AEGP_SOUNDDATASUITE1

Function	Purpose
<code>AEGP_NewSoundData</code>	Creates a new <code>AEGP_SoundDataH</code> , of which the plug-in must dispose. <pre>AEGP_NewSoundData(const AEGP_SoundDataFormat *formatP, AEGP_SoundDataH *new_dataH);</pre>
<code>AEGP_DisposeSoundData</code>	Frees an <code>AEGP_SoundDataH</code> . <pre>AEGP_DisposeSoundData(AEGP_SoundDataH sound_dataH);</pre>
<code>AEGP_GetSoundDataFormat</code>	Obtains information about the format of a given <code>AEGP_SoundDataH</code> . <pre>AEGP_GetSoundDataFormat(AEGP_SoundDataH soundH, AEGP_SoundDataFormat *formatP);</pre>
<code>AEGP_LockSoundDataSamples</code>	Locks the <code>AEGP_SoundDataH</code> in memory. <pre>AEGP_LockSoundDataSamples(AEGP_SoundDataH soundH, void **samples);</pre>
<code>AEGP_UnlockSoundDataSamples</code>	Unlocks an <code>AEGP_SoundDataH</code> . <pre>AEGP_UnlockSoundDataSamples(AEGP_SoundDataH soundH);</pre>
<code>AEGP_GetNumSamples</code>	Obtains the number of samples in the given <code>AEGP_SoundDataH</code> . <pre>AEGP_GetNumSamples(AEGP_SoundDataH soundH, A_long *numsamplesPL);</pre>

AUDIO SETTINGS

Audio render settings are represented using the `AEGP_SoundDataFormat`.

```

struct AEGP_SoundDataFormat {
    A_FpLong      sample_rateF;
    AEGP_SoundEncoding  encoding;
    A_long        bytes_per_sampleL;
    A_long        num_channelsL; // 1 for mono, 2 for stereo
}AEGP_SoundDataFormat;

```

bytes_per_sampleL is always either 1, 2, or 4, and is ignored if float encoding is specified.

AEGP_SoundEncoding is one of the following:

AEGP_SoundEncoding_UNSIGNED_PCM

AEGP_SoundEncoding_SIGNED_PCM

AEGP_SoundEncoding_FLOAT

RENDER QUEUE SUITE

This suite allows AEGPs to add items the to render queue (using default options), and control the basic state of the render queue.

TABLE 94: AEGP_RENDERQUEUESUITE1

Function	Purpose
AEGP_AddCompToRenderQueue	<p>Adds a composition to the render queue, using default options.</p> <pre> AEGP_AddCompToRenderQueue(AEGP_CompH compH, const A_char* pathZ); </pre>
AEGP_SetRenderQueueState	<p>Sets the render queue to one of three valid states. It is not possible to go from stopped to paused.</p> <pre> AEGP_SetRenderQueueState(AEGP_RenderQueueState state); </pre> <p> AEGP_RenderQueueState_STOPPED AEGP_RenderQueueState_PAUSED AEGP_RenderQueueState_RENDERING </p>
AEGP_GetRenderQueueState	<p>Obtains the current render queue state.</p> <pre> AEGP_GetRenderQueueState(AEGP_RenderQueueState *stateP); </pre>

RENDER QUEUE ITEM SUITE

Manipulate all aspects of render queue items using this suite.

TABLE 95: AEGP_RQITEMSUITE3

Function	Purpose
<code>AEGP_GetNumRQItems</code>	Returns the number of items currently in the render queue. <code>AEGP_GetNumRQItems (</code> <code>A_long</code> <code>*num_itemsPL);</code>
<code>AEGP_GetRQItemByIndex</code>	Returns an <code>AEGP_RQItemRefH</code> referencing the index'd item. <code>AEGP_GetRQItemByIndex (</code> <code>A_long</code> <code>rq_item_index,</code> <code>AEGP_RQItemRefH</code> <code>*rq_item_refPH);</code>
<code>AEGP_GetNextRQItem</code>	Returns the next <code>AEGP_RQItemRefH</code> , for iteration purposes. To get the first <code>AEGP_RQItemRefH</code> , pass <code>RQ_ITEM_INDEX_NONE</code> for the <code>current_rq_itemH</code> . <code>AEGP_GetNextRQItem (</code> <code>AEGP_RQItemRefH</code> <code>current_rq_itemH,</code> <code>AEGP_RQItemRefH</code> <code>*next_rq_itemPH);</code>
<code>AEGP_GetNumOutputModulesForRQItem</code>	Returns the number of output modules applied to the given <code>AEGP_RQItemRefH</code> . <code>AEGP_GetNumOutputModulesForRQItem (</code> <code>AEGP_RQItemRefH</code> <code>rq_itemH,</code> <code>A_long</code> <code>*num_outmodsPL);</code>
<code>AEGP_GetRenderState</code>	Returns <code>TRUE</code> if the <code>AEGP_RQItemRefH</code> is set to render (once the user clicks the Render button). <code>AEGP_GetRenderState (</code> <code>AEGP_RQItemRefH</code> <code>rq_itemH,</code> <code>A_Boolean</code> <code>*will_renderPB);</code>
<code>AEGP_SetRenderState</code>	Controls whether or not the <code>AEGP_RQItemRefH</code> will render when the user next clicks the Render button. Returns an error if called during rendering. This function will return <code>Err_PARAMETER</code> if you try to call while <code>AEGP_RenderQueueState</code> isn't <code>AEGP_RenderQueueState_STOPPED</code> , <code>Err_RANGE</code> if you pass a status that is illegal in any case, and <code>Err_PARAMETER</code> if you try to pass a status that doesn't make sense (like trying to queue something for which there's no output path) <code>AEGP_SetRenderState (</code> <code>AEGP_RQItemRefH</code> <code>rq_itemH,</code> <code>A_Boolean</code> <code>renderB);</code>

TABLE 95: AEGP_RQITEMSUITE3

Function	Purpose
AEGP_GetStartedTime	Returns the time (in seconds, since 1904) that rendering began. <pre>AEGP_GetStartedTime(AEGP_RQItemRefH rq_itemH, A_Time *started_timePT);</pre>
AEGP_GetElapsedTime	Returns the time elapsed since rendering began. <pre>AEGP_GetElapsedTime(AEGP_RQItemRefH rq_itemH, A_Time *render_timePT);</pre>
AEGP_GetLogType	Returns the log type for the referenced AEGP_RQItemRefH. <pre>AEGP_GetLogType(AEGP_RQItemRefH rq_itemH, AEGP_LogType *logtypeP);</pre> <p>AEGP_LogType will have one of the following values:</p> <p>AEGP_LogType_NONE AEGP_LogType_ERRORS_ONLY AEGP_LogType_PLUS_SETTINGS AEGP_LogType_PER_FRAME_INFO</p>
AEGP_SetLogType	Specifies the log type to be used with the referenced AEGP_RQItemRefH. <pre>AEGP_SetLogType(AEGP_RQItemRefH rq_itemH, AEGP_LogType logtype);</pre>
AEGP_RemoveOutputModule	Removes the specified output module from the referenced AEGP_RQItemRefH. <pre>AEGP_RemoveOutputModule(AEGP_RQItemRefH rq_itemH, AEGP_OutputModuleRefH outmodH);</pre>
AEGP_GetComment	Retrieves the comment associated with the referenced AEGP_RQItemRefH. <pre>AEGP_GetComment(AEGP_RQItemRefH rq_itemH, A_char *commentZ);</pre>
AEGP_SetComment	Specifies the comment associated with the referenced AEGP_RQItemRefH. <pre>AEGP_SetComment(AEGP_RQItemRefH rq_itemH, const A_char *commentZ);</pre>

TABLE 95: AEGP_RQITEMSUITE3

Function	Purpose
AEGP_GetCompFromRQItem	Retrieves the AEGP_CompH associated with the AEGP_RQItemRefH. <pre>AEGP_GetCompFromRQItem(AEGP_RQItemRefH rq_itemH, AEGP_CompH *compPH);</pre>
AEGP_DeleteRQItem	Deletes the render queue item. Undoable. <pre>AEGP_DeleteRQItem(AEGP_RQItemRefH rq_itemH);</pre>

RENDER QUEUE MONITOR SUITE

New in CS6. This suite provides all the info a render queue manager needs to figure out what is happening at any point in a render.

TABLE 96: AEGP_RENDERQUEUEMONITORSUITE1

Function	Purpose
AEGP_RegisterListener	Register a set of plug-in-defined functions to be called by the render queue. Use the refcon to pass in data that you want to use later on when your plug-in-defined functions in AEGP_RQM_FunctionBlock1 are called later. It may be set it to NULL if you don't need it. <pre>AEGP_RegisterListener(AEGP_PluginID aegp_plugin_id, AEGP_RQM_Refcon aegp_refconP, const AEGP_RQM_FunctionBlock1 *fcn_blockP);</pre> <p>The AEGP_RQM_FunctionBlock1 is defined as follows:</p> <pre>struct _AEGP_RQM_FunctionBlock1 { A_Err (*AEGP_RQM_RenderJobStarted)(AEGP_RQM_BasicData *basic_dataP, AEGP_RQM_SessionId jobid); A_Err (*AEGP_RQM_RenderJobEnded)(AEGP_RQM_BasicData *basic_dataP, AEGP_RQM_SessionId jobid); };</pre> <p>(AEGP_RQM_FunctionBlock1 definition continued on next page)</p>

TABLE 96: AEGP_RENDERQUEUEMONITORSUITE1

Function	Purpose
AEGP_RegisterListener (cont'd)	<pre> A_Err (*AEGP_RQM_RenderJobItemStarted)(AEGP_RQM_BasicData *basic_dataP, AEGP_RQM_SessionId jobid, AEGP_RQM_ItemId itemid); A_Err (*AEGP_RQM_RenderJobItemUpdated)(AEGP_RQM_BasicData *basic_dataP, AEGP_RQM_SessionId jobid, AEGP_RQM_ItemId itemid, AEGP_RQM_FrameId frameid); A_Err (*AEGP_RQM_RenderJobItemEnded)(AEGP_RQM_BasicData *basic_dataP, AEGP_RQM_SessionId jobid, AEGP_RQM_ItemId itemid, AEGP_RQM_FinishedStatus fstatus); AEGP_RQM_FinishedStatus_UNKNOWN, AEGP_RQM_FinishedStatus_SUCCEEDED, AEGP_RQM_FinishedStatus_ABORTED, AEGP_RQM_FinishedStatus_ERRED A_Err (*AEGP_RQM_RenderJobItemReportLog)(AEGP_RQM_BasicData *basic_dataP, AEGP_RQM_SessionId jobid, AEGP_RQM_ItemId itemid, A_Boolean isError, AEGP_MemHandle logbuf); } AEGP_RQM_FunctionBlock1; The AEGP_RQM_BasicData is defined below. struct _AEGP_RQM_BasicData { const struct SPBasicSuite *pica_basicP; A_long aegp_plugin_id; AEGP_RQM_Refcon aegp_refconPV; } AEGP_RQM_BasicData; </pre>
AEGP_DeregisterListener	<p>Deregister from the render queue.</p> <pre> AEGP_DeregisterListener(AEGP_PluginID aegp_plugin_id, AEGP_RQM_Refcon aegp_refconP); </pre>
AEGP_GetProjectName	<p>Obtain the current project name. The project name is a handle to a NULL-terminated A_UTF16Char string, and must be disposed with AEGP_FreeMemHandle.</p> <pre> AEGP_GetProjectName(AEGP_RQM_SessionId sessid, AEGP_MemHandle *utf_project_namePH0); </pre>

TABLE 96: AEGP_RENDERQUEUEMONITORSUITE1

Function	Purpose
AEGP_GetAppVersion	<p>Obtain the app version. The app version is a handle to a NULL-terminated A_UTF16Char string, and must be disposed with AEGP_FreeMemHandle.</p> <pre>AEGP_GetAppVersion(AEGP_RQM_SessionId sessid, AEGP_MemHandle *utf_app_versionPH0);</pre>
AEGP_GetNumJobItems	<p>Obtain the number of job items.</p> <pre>AEGP_GetNumJobItems(AEGP_RQM_SessionId sessid, A_long *num_jobitemsPL);</pre>
AEGP_GetJobItemID	<p>Get the job with the index specified.</p> <pre>AEGP_GetJobItemID(AEGP_RQM_SessionId sessid, A_long jobItemIndex, AEGP_RQM_ItemId *jobItemID);</pre>
AEGP_GetNumJobItemRenderSettings	<p>Get the number of render settings for the job with the index specified.</p> <pre>AEGP_GetNumJobItemRenderSettings(AEGP_RQM_SessionId sessid, AEGP_RQM_ItemId itemid, A_long *num_settingsPL);</pre>
AEGP_GetJobItemRenderSetting	<p>Get a specific render setting of a specific job. The setting name and value are handles to NULL-terminated A_UTF16Char strings, and must be disposed with AEGP_FreeMemHandle.</p> <pre>AEGP_GetJobItemRenderSetting(AEGP_RQM_SessionId sessid, AEGP_RQM_ItemId itemid, A_long settingIndex, AEGP_MemHandle *utf_setting_namePH0, AEGP_MemHandle *utf_setting_valuePH0);</pre>
AEGP_GetNumJobItemOutputModules	<p>Get the number of output modules for the job with the index specified.</p> <pre>AEGP_GetNumJobItemOutputModules(AEGP_RQM_SessionId sessid, AEGP_RQM_ItemId itemid, A_long *num_outputmodulesPL);</pre>

TABLE 96: AEGP_RENDERQUEUEMONITORSUITE1

Function	Purpose
AEGP_GetNumJobItemOutputModuleSettings	<p>Get the number of settings for the output module with the index specified.</p> <pre>AEGP_GetNumJobItemOutputModuleSettings(AEGP_RQM_SessionId sessid, AEGP_RQM_ItemId itemid, A_long outputModuleIndex, A_long *num_settingsPL);</pre>
AEGP_GetJobItemOutputModuleSetting	<p>Get a specific setting of a job item output module. The setting name and value are handles to NULL-terminated A_UTF16Char strings, and must be disposed with AEGP_FreeMemHandle.</p> <pre>AEGP_GetJobItemOutputModuleSetting(AEGP_RQM_SessionId sessid, AEGP_RQM_ItemId itemid, A_long outputModuleIndex, A_long settingIndex, AEGP_MemHandle *utf_setting_namePH0, AEGP_MemHandle *utf_setting_valuePH0);</pre>
AEGP_GetNumJobItemOutputModuleWarnings	<p>Get the number of output module warnings for a job item.</p> <pre>AEGP_GetNumJobItemOutputModuleWarnings(AEGP_RQM_SessionId sessid, AEGP_RQM_ItemId itemid, A_long outputModuleIndex, A_long *num_warningsPL);</pre>
AEGP_GetJobItemOutputModuleWarning	<p>Get a specific warning of a specific output module for a specific job item. The warning value is a handle to NULL-terminated A_UTF16Char string, and must be disposed with AEGP_FreeMemHandle.</p> <pre>AEGP_GetJobItemOutputModuleWarning(AEGP_RQM_SessionId sessid, AEGP_RQM_ItemId itemid, A_long outputModuleIndex, A_long warningIndex, AEGP_MemHandle *utf_warning_valuePH0);</pre>
AEGP_GetNumJobItemFrameProperties	<p>Get the number of properties for a job item frame.</p> <pre>AEGP_GetNumJobItemFrameProperties(AEGP_RQM_SessionId sessid, AEGP_RQM_ItemId itemid, AEGP_RQM_FrameId frameid, A_long *num_propertiesPL);</pre>

TABLE 96: AEGP_RENDERQUEUEMONITORSUITE1

Function	Purpose
<code>AEGP_GetJobItemFrameProperty</code>	<p>Get a specific property on a job item frame. The property name and values are handle to NULL-terminated A_UTF16Char strings, and must be disposed with <code>AEGP_FreeMemHandle</code>.</p> <pre> AEGP_GetJobItemFrameProperty(AEGP_RQM_SessionId sessid, AEGP_RQM_ItemId itemid, AEGP_RQM_FrameId frameid, A_long propertyIndex, AEGP_MemHandle *utf_property_namePH0, AEGP_MemHandle *utf_property_valuePH0); </pre>
<code>AEGP_GetNumJobItemOutputModuleProperties</code>	<p>Get the number of properties for a job item output module.</p> <pre> AEGP_GetNumJobItemOutputModuleProperties(AEGP_RQM_SessionId sessid, AEGP_RQM_ItemId itemid, A_long outputModuleIndex, A_long *num_propertiesPL); </pre>
<code>AEGP_GetJobItemOutputModuleProperty</code>	<p>Get a specific property off a job item output module. The property name and values are handle to NULL-terminated A_UTF16Char strings, and must be disposed with <code>AEGP_FreeMemHandle</code>.</p> <pre> AEGP_GetJobItemOutputModuleProperty(AEGP_RQM_SessionId sessid, AEGP_RQM_ItemId itemid, A_long outputModuleIndex, A_long propertyIndex, AEGP_MemHandle *utf_property_namePH0, AEGP_MemHandle *utf_property_valuePH0); </pre>
<code>AEGP_GetJobItemFrameThumbnail</code>	<p>Get a buffer with a JPEG-encoded thumbnail of the job item frame. Pass in the maximum width and height, and the actual dimensions will be passed back.</p> <pre> AEGP_GetJobItemFrameThumbnail(AEGP_RQM_SessionId sessid, AEGP_RQM_ItemId itemid, AEGP_RQM_FrameId frameid, A_long *widthPL, A_long *heightPL, AEGP_MemHandle *thumbnailPH0); </pre>

OUTPUT MODULE SUITE

Every item in the render queue has at least one output module specified. Use this suite to query and control all aspects of the output modules attached to a given render item. You may also add and remove output modules. Factoid: For each frame rendered for a given render item, the list of output modules is traversed. So, for frame 0, output module 0, then 1, then 2 are called.

TABLE 97: AEGP_OUTPUTMODULESUITE4

Function	Purpose
<code>AEGP_GetOutputModuleByIndex</code>	<p>Retrieves the indexed output module. NOTE: <code>AEGP_OutputModuleRefH</code> is an opaque data type, and can't be manipulated directly; you must use our accessor functions to modify it.</p> <pre>AEGP_GetOutputModuleByIndex(AEGP_RQItemRefH rq_itemH, A_long outmod_indexL, AEGP_OutputModuleRefH *outmodPH);</pre>
<code>AEGP_GetEmbedOptions</code>	<p>Retrieves the embedding setting specified for the referenced <code>AEGP_OutputModuleRefH</code>.</p> <pre>AEGP_GetEmbedOptions(AEGP_RQItemRefH rq_itemH, AEGP_OutputModuleRefH outmodH, AEGP_EmbeddingType *embed_optionsP);</pre> <p><code>AEGP_EmbeddingType</code> will be one of the following:</p> <p><code>AEGP_Embedding_NOTHING</code> <code>AEGP_Embedding_LINK</code> <code>AEGP_Embedding_LINK_AND_COPY</code></p>
<code>AEGP_SetEmbedOptions</code>	<p>Specifies the embedding setting for the referenced <code>AEGP_OutputModuleRefH</code>.</p> <pre>AEGP_SetEmbedOptions(AEGP_RQItemRefH rq_itemH, AEGP_OutputModuleRefH outmodH, AEGP_EmbeddingType embed_options);</pre>

TABLE 97: AEGP_OUTPUTMODULESUITE4

Function	Purpose
<code>AEGP_GetPostRenderAction</code>	<p>Retrieves the post-render action setting for the referenced <code>AEGP_OutputModuleRefH</code>.</p> <pre> AEGP_GetPostRenderAction(AEGP_RQItemRefH rq_itemH, AEGP_OutputModuleRefH outmodH, AEGP_PostRenderAction *actionP); </pre> <p><code>AEGP_PostRenderAction</code> will be one of the following:</p> <p><code>AEGP_PostRenderOptions_IMPORT</code> <code>AEGP_PostRenderOptions_IMPORT_AND_REPLACE_USAGE</code> <code>AEGP_PostRenderOptions_SET_PROXY</code></p>
<code>AEGP_SetPostRenderAction</code>	<p>Specifies the post-render action setting for the referenced <code>AEGP_OutputModuleRefH</code>.</p> <pre> AEGP_SetPostRenderAction(AEGP_RQItemRefH rq_itemH, AEGP_OutputModuleRefH outmodH, AEGP_PostRenderAction action); </pre>
<code>AEGP_GetEnabledOutputs</code>	<p>Retrieves which output types are enabled for the referenced <code>AEGP_OutputModuleRefH</code>.</p> <pre> AEGP_GetEnabledOutputs(AEGP_RQItemRefH rq_itemH, AEGP_OutputModuleRefH outmodH, AEGP_OutputTypes *typesP); </pre> <p><code>AEGP_OutputTypes</code> will contain one or both of the following values:</p> <p><code>AEGP_OutputType_VIDEO</code> <code>AEGP_OutputType_AUDIO</code></p> <p>NOTE: These are flags, not an enumeration.</p>
<code>AEGP_SetEnabledOutputs</code>	<p>Specifies which output types are enabled for the referenced <code>AEGP_OutputModuleRefH</code>.</p> <pre> AEGP_SetEnabledOutputs(AEGP_RQItemRefH rq_itemH, AEGP_OutputModuleRefH outmodH, AEGP_OutputTypes enabled_types); </pre>

TABLE 97: AEGP_OUTPUTMODULESUITE4

Function	Purpose
AEGP_GetOutputChannels	<p>Retrieves which video channels are enabled for output in the referenced AEGP_OutputModuleRefH.</p> <pre> AEGP_GetOutputChannels(AEGP_RQItemRefH rq_itemH, AEGP_OutputModuleRefH outmodH, AEGP_VideoChannels *outchannelsP); </pre> <p>AEGP_VideoChannels will be one of the following:</p> <p>AEGP_VideoChannels_RGB AEGP_VideoChannels_RGBA AEGP_VideoChannels_ALPHA</p>
AEGP_SetOutputChannels	<p>Specifies which video channels are enabled for output in the referenced AEGP_OutputModuleRefH.</p> <pre> AEGP_SetOutputChannels(AEGP_RQItemRefH rq_itemH, AEGP_OutputModuleRefH outmodH, AEGP_VideoChannels outchannels); </pre>
AEGP_GetStretchInfo	<p>Retrieves the stretch information enabled for the referenced AEGP_OutputModuleRefH; whether or not stretching is enabled, whether or not the frame aspect ratio is locked to the composition's, and what quality setting is specified.</p> <pre> AEGP_GetStretchInfo(AEGP_RQItemRefH rq_itemH, AEGP_OutputModuleRefH outmodH, A_Boolean *enabledPB, AEGP_StretchQuality *qualP, A_Boolean *lockedPB); </pre> <p>AEGP_StretchQuality will be one of the following:</p> <p>AEGP_StretchQual_LOW AEGP_StretchQual_HIGH</p>
AEGP_SetStretchInfo	<p>Retrieves the stretch information enabled for the referenced AEGP_OutputModuleRefH.</p> <pre> AEGP_SetStretchInfo(AEGP_RQItemRefH rq_itemH, AEGP_OutputModuleRefH outmodH, A_Boolean is_enabledB, AEGP_StretchQuality quality); </pre>

TABLE 97: AEGP_OUTPUTMODULESUITE4

Function	Purpose
AEGP_GetCropInfo	Retrieves whether or not the cropping is enabled for the referenced AEGP_OutputModuleRefH, and the rectangle to be used. <pre> AEGP_GetCropInfo(AEGP_RQItemRefH rq_itemH, AEGP_OutputModuleRefH outmodH, A_Boolean *is_enabledBP, A_Rect *crop_rectP); </pre>
AEGP_SetCropInfo	Specifies whether cropping is enabled for the referenced AEGP_OutputModuleRefH, and the rectangle to be used. <pre> AEGP_SetCropInfo(AEGP_RQItemRefH rq_itemH, AEGP_OutputModuleRefH outmodH, A_Boolean enableB, A_Rect crop_rect); </pre>
AEGP_GetSoundFormatInfo	Retrieves whether or not audio output is enabled for the referenced AEGP_OutputModuleRefH, and the settings to be used. <pre> AEGP_GetSoundFormatInfo(AEGP_RQItemRefH rq_itemH, AEGP_OutputModuleRefH outmodH, AEGP_SoundDataFormat *formatP, A_Boolean *enabledPB); </pre>
AEGP_SetSoundFormatInfo	Specifies whether or not audio output is enabled for the referenced AEGP_OutputModuleRefH, and the settings to be used. <pre> AEGP_SetSoundFormatInfo(AEGP_RQItemRefH rq_itemH, AEGP_OutputModuleRefH outmodH, AEGP_SoundDataFormat format_info, A_Boolean enabledB); </pre>
AEGP_GetOutputFilePath	Retrieves the path to which AEGP_OutputModuleRefH's output file will be written. The path is a handle to a NULL-terminated A_UTF16Char string, and must be disposed with AEGP_FreeMemHandle. <pre> AEGP_GetOutputFilePath(AEGP_RQItemRefH rq_itemH, AEGP_OutputModuleRefH outmodH, AEGP_MemHandle *unicode_pathPH); </pre>

TABLE 97: AEGP_OUTPUTMODULESUITE4

Function	Purpose
<code>AEGP_SetOutputFilePath</code>	<p>Specifies the path to which <code>AEGP_OutputModuleRefH</code>'s output file will be written. The file path is a NULL-terminated UTF-16 string with platform separators.</p> <pre> AEGP_SetOutputFilePath(AEGP_RQItemRefH rq_itemH, AEGP_OutputModuleRefH outmodH, const A_UTF16Char *pathZ); </pre>
<code>AEGP_AddDefaultOutputModule</code>	<p>Adds the default output module to the specified <code>AEGP_RQItemRefH</code>, and returns the added output module's <code>AEGP_OutputModuleRefH</code> (you wouldn't add it if you didn't plan to mess around with it, would you?).</p> <pre> AEGP_AddDefaultOutputModule(AEGP_RQItemRefH rq_itemH, AEGP_OutputModuleRefH *outmodPH); </pre>
<code>AEGP_GetExtraOutputModuleInfo</code>	<p>Retrieves information about the output module. <code>format_uniPH</code> and <code>info_uniPH</code> provide the textual description of, and information about, the output module, formatted as the user would see it. <code>format_uniPH</code> and <code>info_uniPH</code> will contain NULL-terminated UTF16 strings, of which the caller must dispose.</p> <pre> AEGP_GetExtraOutputModuleInfo(AEGP_RQItemRefH rq_itemH, AEGP_OutputModuleRefH outmodH, AEGP_MemHandle *format_uniPH, AEGP_MemHandle *info_uniPH, A_Boolean *is_sequenceBP, A_Boolean *multi_frameBP); </pre>

WORKING WITH EFFECTS

These functions provide a way for effects (and AEGPs) to obtain information about the context of an applied effect. NOTE: Any time you modify or rely on data from outside the normal render pipeline, you run the risk of dependency problems. There is no way for After

Effects to know that you depend on this external information; consequently, you will not be notified if it changes out from under you.

TABLE 98: AEGP_PFINTERFACESUITE1

Function	Purpose
AEGP_GetEffectLayer	Obtain the layer handle of the layer to which the effect is applied. <pre>AEGP_GetEffectLayer(PF_ProgPtr effect_ref, AEGP_LayerH *layerPH);</pre>
AEGP_GetNewEffectForEffect	Obtain the AEGP_EffectRefH corresponding to the effect. <pre>AEGP_GetNewEffectForEffect(AEGP_PluginID aegp_plugin_id, PF_ProgPtr effect_ref, AEGP_EffectRefH *effectPH);</pre>
AEGP_ConvertEffectToCompTime	Retrieve the composition time corresponding to the effect's layer time. <pre>AEGP_ConvertEffectToCompTime(PF_ProgPtr effect_ref, long what_timeL, unsigned long time_scaleLu, A_Time *comp_timePT);</pre>
AEGP_GetEffectCamera	Obtain the camera (if any) being used by After Effects to view the effect's layer. <pre>AEGP_GetEffectCamera(PF_ProgPtr effect_ref, const A_Time *comp_timePT, AEGP_LayerH camera_layerPH);</pre>
AEGP_GetEffectCameraMatrix	Obtain the transform used to move between the layer's coordinate space and that of the containing composition. <pre>AEGP_GetEffectCameraMatrix(PF_ProgPtr effect_ref, const A_Time *comp_timePT, A_Matrix4 *camera_matrixP, A_FpLong *dst_to_planePF, A_short *plane_widthPL, A_short *plane_heightPL);</pre> <p>NOTE: In cases where the effect's input layer has square pixels, but is in a non-square pixel composition, you must correct for the pixel aspect ratio by premultiplying the matrix by (1/parF, 1, 1).</p>

AEGP_GETEFFECTCAMERAMATRIX NOTES

The model view for the camera matrix is inverse of the matrix obtained from [`AEGP_GetEffectCameraMatrix\(\)`](#). Also note that our matrix is row-based; OpenGL's is column-based.

DO THIS MANY TIMES

Utilizes multiple processors (if available) for your computations.

TABLE 99: AEGP_ITERATESUITE1

Function	Purpose
AEGP_GetNumThreads	Ask After Effects how many threads are currently available. <pre>AEGP_GetNumThreads(A_long *num_threadsPL);</pre>
AEGP_IterateGeneric	Specify a function for After Effects to manage on multiple processors. Can be any function pointer specified by fn_func, taking the arguments listed below. See Private Data for a description of how refconPV is used. <pre>AEGP_IterateGeneric(A_long iterationsL, void *refconPV, A_Err (*fn_func) (void *refconPV, A_long thread_indexL, A_long i, A_long iterationsL));</pre>

FILE IMPORT MANAGER SUITE

The FIMSuite allows file types handled by AEGPs to appear as part of the After Effects import dialog, and drag-and-drop messaging. These are not for use by AEIOs! Rather, they are for importing projects which are best represented as After Effects compositions.

TABLE 100: AEGP_FIMSUIE3

Function	Purpose
AEGP_RegisterImportFlavor	Registers the name of the file type(s) supported by the plug-in. Upon return, <code>imp_refP</code> will be a valid opaque reference, or <code>AE_FIM_ImportFlavorRef_NONE</code> . <code>AEGP_RegisterImportFlavor(const char *nameZ, AE_FIM_ImportFlavorRef *imp_refP);</code>
AEGP_RegisterImportFlavorFileTypes	Registers an array of file types and file extensions (the two arrays need not be of equal length) supported by the AEGP. <code>AEGP_RegisterImportFlavorFileTypes(AE_FIM_ImportFlavorRef imp_ref, long num_filekindsL, const AEIO_FileKind *kindsAP, long num_fileextsL, const AEIO_FileKind *extsAP);</code>
AEGP_RegisterImportFlavorImportCallbacks	Register the AEGP functions which will respond to import of different filetypes. <code>AEGP_RegisterImportFlavorImportCallbacks(AE_FIM_ImportFlavorRef ref, AE_FIM_ImportFlags single_flag, const AE_FIM_ImportCallbacks *imp_cbsP);</code>
AEGP_SetImportedItem	Designates an item as having been imported (possibly replacing an existing item), and sets associated import options. <code>AEGP_SetImportedItem(AE_FIM_ImportOptions imp_options, AEGP_ItemH imported_itemH);</code>

CHEATING: EFFECT USAGE OF AEGP SUITES

As soon as we showed developers the initial implementation of AEGP suites, they wanted to “cheat” and use them from within effects. This is certainly possible, but please keep in mind that depending on factors outside the effect API (i.e., any information you get from the

AEGP APIs) can lead to trouble. If After Effects thinks an effect has all the information it needs to render, it won't (for example) update its parameters based on changes made through an AEGP function. We're actively working on this dependency issue for future versions, but bear it in mind as you write effects which "masquerade" as AEGPs.

Effects can use some AEGP suites to take advantage of camera and lighting information, as well as the [AEGP_GetLayerParentComp](#) and [AEGP_GetCompBGColor](#) functions. This should not be interpreted to mean that effects can use *any* AEGP suite calls. Also, see the [Events chapter](#) for more information on effects adding keyframes.

[AEGP_PFIInterfaceSuite](#) is the starting point. The functions in this suite allow you to retrieve the `AEGP_LayerH` for the layer to which the effect is applied, and the `AEGP_EffectRefH` for the instance of your effect. [AEGP_RegisterWithAEGP](#) allows you to get an `AEGP_PluginID`, which is needed for many AEGP calls.

DEPENDING ON AEGP QUERIES

One word: Don't. Effects cannot allow the results of AEGP queries to control what is rendered, without appropriately storing those query results (usually in sequence data), cancelling their own render, and forcing a re-render using the queried information. This is tricky. Failure to do so will result in nasty, subtle caching bugs guaranteed to cause hair loss and weight gain.

AEGP DETAILS

HAVE A COOKIE

In cases where After Effects must preserve state information around the functions your AEGP calls (as when an artisan is rendering a frame, or a keyframer is adding and removing a series of keyframes from the same stream), you'll call `begin()` and `end()` functions. Typically, the `begin` function will return an opaque identifier, or 'cookie', which you must then pass to the functions being used. The `end` function will properly dispose of the cookie. See [AEGP_StartAddKeyframes\(\)](#) for an example.

MODIFYING ITEMS IN THE RENDER QUEUE

If you call [AEGP_AddCompToRenderQueue](#) (from [AEGP_RenderQueueSuite](#)), or if the user manually adds or removes a composition from the render queue, all references to render queue items are invalidated. Similarly, adding or removing output modules invalidates any such references for each render queue item.

NAMES AND SOLIDS

Solids have names in the After Effects UI, but not in their [PF_LayerDef](#). Consequently, their names cannot be retrieved by [AEGP_GetItemName](#) or [AEGP_GetLayerName](#). However, you can use the `ItemH` associated with them to [AEGP_GetItemName](#).

REPORTING ERRORS AND PROBLEMS

Use [AEGP_ItemSuite>AEGP_ReportInfo\(\)](#) to report information to users, and identify your plug-in. AEIO plug-ins use the `msg_func` pointer contained in the `AEIO_BasicData` they're passed (with every function) instead.

TRANSFORMS: WHAT HAPPENS FIRST?

After Effects computes rotation based on auto-orientation (towards path, or point of interest), then computes Orientation, then computes X, Y, and Z rotation.

ACCESSING PIXELS FROM EFFECT LAYER PARAMETERS

Use [AEGP_GetNewStreamValue](#) to get the layer's `layer_id`, then the new [AEGP_GetLayerFromLayerID](#) to get the `AEIO_LayerH`.

8 : ARTISANS

NOTE: If you're considering developing an Artisan, please talk it over with us first.

The Artisan API exposes function hooks necessary for a plug-in to provide rendered output of 3D layers, taking over completely from After Effects (which still handles all rendering of 2D layers). There can be only one Artisan per composition, chosen from within the *Composition Settings > Advanced* dialog. Artisans render the 3D environment, asking After Effects for information about each element in the composition. As you might guess, this is a vast and tedious process. This API is not recommended for anyone without a strong need to override After Effects' 3D rendering.

Artisans may share information with effects written to communicate with them, but effects may not initiate this communication. Many of the suites used by Artisans require a rendering context which is generated only after all effects have been applied to the layer.

INTERACTIVE ARTISANS

These differ from standard artisans in that they handle all layers in a composition (not just those which the user has made 3D), and they will only ever be called for onscreen display, never for rendered final output (the rendering calls “fall through” to the default artisan).

ARTISAN DATA TYPES

Below are the data types most commonly used in the Artisan API.

TABLE 101: DATA TYPES USED IN THE ARTISAN API

Type	Describes
AEGP_RenderLayerContextH	State information at the time of a render request, sent to an Artisan by After Effects.
PR_RenderContextH	A collection of settings defining what is to be rendered, and how.

TABLE 101: DATA TYPES USED IN THE ARTISAN API

Type	Describes
AEGP_SoundDataH	The audio settings used for a given layer.
AEGP_RenderReceiptH AEGP_FrameReceiptH	Used by Artisans when rendering.
AEGP_WorldH	A frame of pixels.
AEGP_RenderOptionsH	The settings associated with a render queue item.

HORZ? VERT?

After Effects' matrix is row based; OpenGL's is column based. This means more work for you. Yay, billable hours!

IMPLEMENTATION AND DESIGN

An Artisan is nearly an application unto itself. Because we realized early in the After Effects 5.0 that there are many ways to approach the problems inherent in 3D rendering; intersections and shading, for example. We provided an API with which we and third parties (yes, we really do use our own APIs) could implement any 3D rendering scheme desired.

3D COMPOSITING, NOT MODELING

After Effects is *not* a 3D modeling application. Users work in a responsive mode, switching to higher quality only at for proofing or final output. Consider providing at least two quality modes, one for layout and another for final output. Be conscious of render time in low quality mode.

REGISTERING AN ARTISAN

An Artisan is an AEGP, and has a single entry point. Artisans must also register their own function entry points and have a special callback for this purpose. See [AEGP_RegisterArtisan\(\)](#).

This table shows the functions that Artisans can support as defined by PR_ArtisanEntryPoints: only [render_func](#) is required.

TABLE 102: ARTISAN ENTRY POINTS

PR_ArtisanEntryPoints	
global_setup_func0	<p>Called only once, right after GP_Main. The global data is common across all instances of the plug-in. If you allocate memory during Global Setup, you must free it during your global_setdown_func.</p> <pre>PR_GlobalSetupFunc(const PR_InData *in_dataP, PR_GlobalContextH global_contextH, PR_GlobalDataH *global_dataPH);</pre>
global_setdown_func0	<p>Dispose of any global data you allocated.</p> <pre>PR_GlobalSetdownFunc(const PR_InData *in_dataP, PR_GlobalContextH global_contextH, PR_GlobalDataH global_dataH);</pre>
global_do_about_func0	<p>Tell the world about yourself! Use in_dataP>msg_func to display your dialog.</p> <pre>PR_GlobalDoAboutFunc(const PR_InData *in_dataP, PR_GlobalContextH global_contextH, PR_GlobalDataH global_dataH);</pre>
setup_instance_func0	<p>Allocate and instantiate any data specific to this instance of your Artisan.</p> <pre>PR_InstanceSetupFunc(const PR_InData *in_dataP, PR_GlobalContextH global_contextH, PR_InstanceContextH instance_contextH, PR_GlobalDataH global_dataH, PR_InstanceFlags flags, PR_FlatHandle flat_dataH0, PR_InstanceDataH *instance_dataPH);</pre>
setdown_instance_func0	<p>Deallocate and free any data specific to this instance of your Artisan.</p> <pre>PR_InstanceSetdownFunc(const PR_InData *in_dataP, PR_GlobalContextH global_contextH, PR_InstanceContextH instance_contextH, PR_GlobalDataH global_dataH, PR_InstanceDataH instance_dataH);</pre>

TABLE 102: ARTISAN ENTRY POINTS

PR_ArtisanEntryPoints	
flatten_instance_func0	<p>Flatten your data in preparation to being written to disk. (making sure it's OS independent, if your Artisan is).</p> <pre>PR_FlattenInstanceFunc(const PR_InData *in_dataP, PR_GlobalContextH global_contextH, PR_InstanceContextH instance_contextH, PR_GlobalDataH global_dataH, PR_InstanceDataH instance_dataH, PR_FlatHandle *flatH);</pre>
do_instance_dialog_func0	<p>If your Artisan has a additional parameters (accessed through its Options dialog), this function will be called to get and set them.</p> <pre>PR_DoInstanceDialogFunc(const PR_InData *in_dataP, PR_GlobalContextH global_contextH, PR_InstanceContextH instance_contextH, PR_GlobalDataH global_dataH, PR_InstanceDataH instance_dataH, PR_DialogResult *resultP);</pre> <p>PR_DialogResult is either PR_DialogResult_NO_CHANGE or PR_DialogResult_CHANGE_MADE.</p>
frame_setup_func0	<p>Perform any setup necessary to render a frame (called immediately before rendering).</p> <pre>PR_FrameSetupFunc(const PR_InData *in_dataP, PR_GlobalContextH global_contextH, PR_InstanceContextH instance_contextH, PR_RenderContextH render_contextH, PR_GlobalDataH global_dataH, PR_InstanceDataH instance_dataH, PR_RenderDataH *render_dataPH);</pre>
frame_setdown_func0	<p>Dispose of any setup data allocated during frame_setup (sent immediately after rendering).</p> <pre>PR_FrameSetdownFunc(const PR_InData *in_dataP, PR_GlobalContextH global_contextH, PR_InstanceContextH instance_contextH, PR_RenderContextH render_contextH, PR_GlobalDataH global_dataH, PR_InstanceDataH instance_dataH, PR_RenderDataH render_dataH);</pre>

TABLE 102: ARTISAN ENTRY POINTS

PR_ArtisanEntryPoints	
render_func	<p>Render the scene.</p> <pre>PR_FrameRenderFunc(const PR_InData *in_dataP, PR_GlobalContextH global_contextH, PR_InstanceContextH instance_contextH, PR_RenderContextH render_contextH, PR_GlobalDataH global_dataH, PR_InstanceDataH instance_dataH, PR_RenderDataH render_dataH);</pre>
query_func0	<p>Artisans can draw their own projection axes, should the need arise. After Effects will call this function to obtain the transform between the composition world and those axes, as well as for a number of other functions related to on- and off-screen preview drawing (the former is relevant only to interactive artisans).</p> <pre>PR_QueryFunc(const PR_InData *in_dataP, PR_GlobalContextH global_contextH, PR_InstanceContextH instance_contextH, PR_QueryContextH query_contextH, PR_QueryType query_type, PR_GlobalDataH global_dataH, PR_InstanceDataH instance_dataH);</pre> <p>PR_QueryType can be one of the following:</p> <pre>PR_QueryType_NONE = 0, PR_QueryType_TRANSFORM, PR_QueryType_INTERACTIVE_WINDOW_DISPOSE, PR_QueryType_INTERACTIVE_WINDOW_CLEAR, PR_QueryType_INTERACTIVE_WINDOW_FROZEN_PROXY, PR_QueryType_INTERACTIVE_SWAP_BUFFER, PR_QueryType_INTERACTIVE_DRAW_PROCS, PR_QueryType_PREPARE_FOR_LINE_DRAWING, PR_QueryType_UNPREPARE_FOR_LINE_DRAWING, PR_QueryType_GET_CURRENT_CONTEXT_SAFE_FOR_LINE_DRAWING, PR_QueryType_GET_ARTISAN_QUALITY</pre> <p>New in CS6.</p>

THE WORLD IS YOUR CANVAS

[AEGP_RenderTexture\(\)](#) supplies the raw pixels of a layer, untransformed, into an arbitrarily-sized buffer. [AEGP_RenderLayer\(\)](#) invokes the entire After Effects render pipeline, including transforms, masking, et cetera, providing the layer as it appears in its composition, in a composition-sized buffer. If the layer being rendered is 3D, the default (Standard 3D) Artisan is invoked to perform any 3D geometrics. Your Artisan can use this

to render track matte layers, and apply them only in a strictly 2D sense, to the transformed 3D layer.

Before rendering, the Artisans that ship with After Effects apply an inverse transform to get square pixels, then re-apply the transform before display. For example, if the pixel aspect ratio is 10/11 (DV NTSC), we multiply by 11/10 to get square pixels. We process and composite 3D layers, then re-divide to get back to the original pixel aspect ratio.

The following suite supplies the layers, compositions, texture and destination buffers. This is a vital suite for all artisans.

TABLE 103: AEGP_CANVASSUITE8

Function	Purpose
<code>AEGP_GetCompToRender</code>	<p>Given the render context provided to the Artisan at render time, returns a handle to the composition.</p> <pre>AEGP_GetCompToRender (PR_RenderContextH render_contextH, AEGP_CompH *compPH)</pre>
<code>AEGP_GetNumLayersToRender</code>	<p>Given the render context, returns the number of layers the Artisan needs to render.</p> <pre>AEGP_GetNumLayersToRender (PR_RenderContextH render_contextH, A_long *num_to_renderPL)</pre>
<code>AEGP_GetNthLayerContextToRender</code>	<p>Used to build a list of layers to render after determining the total number of layers that need rendering by the Artisan.</p> <pre>AEGP_GetNthLayerContextToRender (PR_RenderContextH render_contextH, A_long n, AEGP_RenderLayerContextH*layer_indexPH)</pre>
<code>AEGP_GetLayerFromLayerContext</code>	<p>Given a <code>AEGP_RenderLayerContextH</code>, retrieves the associated <code>AEGP_LayerH</code> (required by many suite functions).</p> <pre>AEGP_GetLayerFromLayerContext (const PR_RenderContextH render_contextH, AEGP_RenderLayerContextH layer_contextH, AEGP_LayerH *layerPH);</pre>
<code>AEGP_GetLayerAndSubLayerFromLayerContext</code>	<p>Allows for rendering of sub-layers (as within a Photoshop file).</p> <pre>AEGP_GetLayerAndSubLayerFromLayerContext (const PR_RenderContextH render_contextH, AEGP_RenderLayerContextH layer_contextH, AEGP_LayerH *layerPH, AEGP_SubLayerIndex *sublayerP);</pre>

TABLE 103: AEGP_CANVASSUITE8

Function	Purpose
AEGP_GetTopLayerFromLayerContext	<p>With collapsed geometrics “on” this gives the layer in the root composition containing the layer context. With collapsed geometrics off this is the same as AEGP_GetLayerFromLayerContext.</p> <pre>AEGP_GetTopLayerFromLayerContext(const PR_RenderContextH r_contextH, AEGP_RenderLayerContextH l_contextH, AEGP_LayerH *layerPH);</pre>
AEGP_GetCompRenderTime	<p>Given the render context, returns the current point in (composition) time to render.</p> <pre>AEGP_GetNthLayerIndexToRender(PR_RenderContextH render_contextH, A_long *time, A_long *time_step)</pre>
AEGP_GetCompDestinationBuffer	<p>Given the render context, returns a buffer in which to place the final rendered output.</p> <pre>AEGP_GetCompToRender(PR_RenderContextH render_contextH, AEGP_CompH compH, PF_EffectWorld *dst);</pre>
AEGP_GetROI	<p>Given the render context provided to the Artisan at render time, returns a handle to the composition.</p> <pre>AEGP_GetROI(PR_RenderContextH render_contextH, A_LegacyRect *roiPR);</pre>

TABLE 103: AEGP_CANVASSUITE8

Function	Purpose
AEGP_RenderTexture	<p>Given the render context and layer, returns the layer texture. All parameters with a trailing '0' are optional; the returned PF_EffectWorld can be NULL.</p> <pre> AEGP_RenderTexture(PR_RenderContextH render_contextH, AEGP_LayerH layerH, AEGP_RenderHints render_hints, A_FloatPoint *suggested_scaleP0, A_FloatRect *suggsted_src_rectP0, A_Matrix3 *src_matrixP0, PF_EffectWorld *render_bufferP); </pre> <p>AEGP_RenderHints contains one or more of the following:</p> <pre> AEGP_RenderHints_NONE AEGP_RenderHints_IGNORE_EXTENTS AEGP_RenderHints_NO_TRANSFER_MODE </pre> <p>AEGP_RenderHints_NO_TRANSFER_MODE prevents application of opacity & transfer mode; for use with RenderLayer calls.</p>
AEGP_DisposeTexture	<p>Disposes of an acquired layer texture.</p> <pre> AEGP_DisposeTexture(PR_RenderContextH render_contextH, AEGP_LayerH layerH, AEGP_WorldH *dst0); </pre>
AEGP_GetFieldRender	<p>Returns the field settings of the given PR_RenderContextH.</p> <pre> AEGP_GetFieldRender(PR_RenderContextH render_contextH, PF_Field *field); </pre>
AEGP_ReportArtisanProgress	<p>Given the render context provided to the Artisan at render time, returns a handle to the composition. Note: this is NOT thread-safe on Mac OS; only use this function when the current thread ID is 0.</p> <pre> AEGP_ReportArtisanProgress(PR_RenderContextH render_contextH, A_long countL, A_long totalL); </pre>
AEGP_GetRenderDownsampleFactor	<p>Returns the downsample factor of the PR_RenderContextH.</p> <pre> AEGP_GetRenderDownsampleFactor(PR_RenderContextH render_contextH, AEGP_DownsampleFactor *dsfP); </pre>

TABLE 103: AEGP_CANVASSUITE8

Function	Purpose
<code>AEGP_IsBlankCanvas</code>	Determines whether the <code>PR_RenderContextH</code> is blank (empty). <pre>AEGP_IsBlankCanvas(PR_RenderContextH render_contextH, A_Boolean *is_blankPB);</pre>
<code>AEGP_GetRenderLayerToWorldXform</code>	Given a render context and a layer (at a given time), retrieves the 4 by 4 transform to move between their coordinate spaces. <pre>AEGP_GetRenderLayerToWorldXform(PR_RenderContextH render_contextH, AEGP_RenderLayerContextH layer_contextH, const A_Time *comp_timeP, A_Matrix4 *transform);</pre>
<code>AEGP_GetRenderLayerBounds</code>	Retrieves the bounding rectangle of the <code>layer_contextH</code> (at a given time) within the <code>render_contextH</code> . <pre>AEGP_GetRenderLayerBounds(PR_RenderContextH render_contextH, AEGP_RenderLayerContextH layer_contextH, const A_Time *comp_timeP, A_LegacyRect *boundsP);</pre>
<code>AEGP_GetRenderOpacity</code>	Returns the opacity of the given layer context at the given time, within the render context. <pre>AEGP_GetRenderOpacity(PR_RenderContextH render_contextH, AEGP_RenderLayerContextH layer_contextH, const A_Time *comp_timePT, A_FpLong *opacityPF);</pre>
<code>AEGP_IsRenderLayerActive</code>	Returns whether or not a given layer context is active within the render context, at the given time. <pre>AEGP_IsRenderLayerActive(PR_RenderContextH render_contextH, AEGP_RenderLayerContextH layer_contextH, const A_Time *comp_timePT, A_Boolean *activePB);</pre>
<code>AEGP_SetArtisanLayerProgress</code>	Sets the progress information for a rendering Artisan. <code>countL</code> is the number of layers completed, <code>num_layersL</code> is the total number of layers the Artisan is rendering. <pre>AEGP_SetArtisanLayerProgress(PR_RenderContextH render_contextH, A_long countL, A_long num_layersL);</pre>

TABLE 103: AEGP_CANVASSUITE8

Function	Purpose
<code>AEGP_RenderLayerPlus</code>	<p>Similar to <code>AEGP_RenderLayer</code>, but takes into account the <code>AEGP_RenderLayerContextH</code>.</p> <pre> AEGP_RenderLayerPlus(PR_RenderContextH r_contextH, AEGP_LayerH layerH, AEGP_RenderLayerContextH l_contextH, AEGP_RenderHints render_hints, AEGP_WorldH *bufferP); </pre>
<code>AEGP_GetTrackMatteContext</code>	<p>Retrieves the <code>AEGP_RenderLayerContextH</code> for the specified render and fill contexts.</p> <pre> AEGP_GetTrackMatteContext(PR_RenderContextH render_contextH, AEGP_RenderLayerContextH fill_contextH, AEGP_RenderLayerContextH *mattePH); </pre>
<code>AEGP_RenderTextureWithReceipt</code>	<p>Renders a texture into an <code>AEGP_WorldH</code>, and provides an <code>AEGP_RenderReceiptH</code> for the operation. The returned <code>receiptPH</code> must be disposed of with AEGP_DisposeRenderReceipt.</p> <pre> AEGP_RenderTextureWithReceipt(PR_RenderContextH render_contextH, AEGP_RenderLayerContextH layer_contextH, AEGP_RenderHints render_hints, A_FloatPoint *suggested_scaleP0, A_FloatRect *suggest_src_rectP0, A_Matrix3 *src_matrixP0, AEGP_RenderReceiptH *receiptPH, AEGP_WorldH *dstPH); </pre>
<code>AEGP_GetNumberOfSoftwareEffects</code>	<p>Returns the number of software effects applied in the given <code>AEGP_RenderLayerContextH</code>.</p> <pre> AEGP_GetNumberOfSoftwareEffects(PR_RenderContextH ren_contextH, AEGP_RenderLayerContextH lyr_contextH, A_short *num_sft_FXPS); </pre>

TABLE 103: AEGP_CANVASSUITE8

Function	Purpose
AEGP_RenderLayerPlusWithReceipt	<p>An improvement over AEGP_RenderLayerPlus, this function also provides an AEGP_RenderReceiptH for caching purposes.</p> <pre> AEGP_RenderLayerPlusWithReceipt(PR_RenderContextH render_contextH, AEGP_LayerH layerH, AEGP_RenderLayerContextH layer_contextH, AEGP_RenderHints render_hints, AEGP_NumEffectsToRenderType num_effectsS, AEGP_RenderReceiptH *receiptPH, AEGP_WorldH *bufferPH); </pre>
AEGP_DisposeRenderReceipt	<p>Frees an AEGP_RenderReceiptH.</p> <pre> AEGP_DisposeRenderReceipt(AEGP_RenderReceiptH receiptH); </pre>
AEGP_CheckRenderReceipt	<p>Checks with After Effects' internal caching to determine whether a given AEGP_RenderReceiptH is still valid.</p> <pre> AEGP_CheckRenderReceipt(PR_RenderContextH current_contextH, AEGP_RenderLayerContextH current_lyr_ctxtH, AEGP_RenderReceiptH old_receiptH, A_Boolean check_aceB, AEGP_NumEffectsToRenderType num_effectsS, AEGP_RenderReceiptStatus *receipt_statusP); </pre>
AEGP_GenerateRenderReceipt	<p>Generates a AEGP_RenderReceiptH for a layer as if the first num_effectsS have been rendered</p> <pre> AEGP_GenerateRenderReceipt(PR_RenderContextH current_contextH, AEGP_RenderLayerContextH current_lyr_contextH, AEGP_NumEffectsToRenderType num_effectsS, AEGP_RenderReceiptH *render_receiptPH); </pre>
AEGP_GetNumBinsToRender	<p>Returns the number of bins After Effects wants the artisan to render.</p> <pre> AEGP_GetNumBinsToRender(const PR_RenderContextH contextH, A_long *num_binsPL); </pre>

TABLE 103: AEGP_CANVASSUITE8

Function	Purpose
AEGP_SetNthBin	<p>Sets the given render context to be the n-th bin to be rendered by After Effects.</p> <pre>AEGP_SetNthBin(const PR_RenderContextH contextH, A_long n);</pre>
AEGP_GetBinType	<p>Retrieves the type of the given bin.</p> <pre>AEGP_GetBinType(const PR_RenderContextH contextH, AEGP_BinType *bin_type);</pre> <p>AEGP_BinType will be one of the following:</p> <pre>AEGP_BinType_NONE AEGP_BinType_2D AEGP_BinType_3D</pre>
AEGP_GetRenderLayerToWorldXform2D3D	<p>Retrieves the transform to correctly orient the layer being rendered with the output world. Pass TRUE for only_2dB to constrain the transform to two dimensions.</p> <pre>AEGP_GetRenderLayerToWorldXform2D3D(PR_RenderContextH render_contextH, AEGP_RenderLayerContextH layer_contextH, const A_Time *comp_timeP, A_Boolean only_2dB, A_Matrix4 *transformP);</pre>
<i>Functions below are for interactive artisans only</i>	
AEGP_GetPlatformWindowRef	<p>Retrieves the platform-specific window context into which to draw the given PR_RenderContextH.</p> <pre>AEGP_GetPlatformWindowRef(const PR_RenderContextH contextH, AEGP_PlatformWindowRef *window_refP);</pre>
AEGP_GetViewportScale	<p>Retrieves the source-to-frame downsample factor for the given PR_RenderContextH.</p> <pre>AEGP_GetViewportScale(const PR_RenderContextH contextH, A_FpLong *scale_xPF, A_FpLong *scale_yPF);</pre>

TABLE 103: AEGP_CANVASSUITE8

Function	Purpose
AEGP_GetViewportOrigin	Retrieves to origin of the source, within the frame (necessary to translate between the two), for the given PR_RenderContextH. <pre>AEGP_GetViewportOrigin(const PR_RenderContextH contextH, A_long *origin_xPL, A_long *origin_yPL);</pre>
AEGP_GetViewportRect	Retrieves the bounding rectangle for the area to be drawn, for the given PR_RenderContextH. <pre>AEGP_GetViewportRect(const PR_RenderContextH contextH, A_LegacyRect *v_rectPR);</pre>
AEGP_GetFallowColor	Retrieves the color used for the fallow regions in the given PR_RenderContextH. <pre>AEGP_GetFallowColor(const PR_RenderContextH contextH, PF_Pixel18 *fallow_colorP);</pre>
AEGP_GetInteractiveCheckerboard	Retrieves whether or not the checkerboard is currently active for the given PR_RenderContextH. <pre>AEGP_GetInteractiveCheckerboard(const PR_RenderContextH contextH, A_Boolean *cboard_onPB);</pre>
AEGP_GetInteractiveCheckerboardColors	Retrieves the colors used in the checkerboard. <pre>AEGP_GetInteractiveCheckerboardColors(const PR_RenderContextH contextH, PF_Pixel *color1P, PF_Pixel *color2P);</pre>
AEGP_GetInteractiveCheckerboardSize	Retrieves the width and height of one checkerboard square. <pre>AEGP_GetInteractiveCheckerboardSize(const PR_RenderContextH contextH, A_u_long *cbd_widthPLu, A_u_long *cbd_heightPLu);</pre>
AEGP_GetInteractiveCachedBuffer	Retrieves the cached AEGP_WorldH last used for the PR_RenderContextH. <pre>AEGP_GetInteractiveCachedBuffer(const PR_RenderContextH contextH, AEGP_WorldH *buffer);</pre>

TABLE 103: AEGP_CANVASSUITE8

Function	Purpose
AEGP_ArtisanMustRenderAsLayer	<p>Determines whether or not the artisan must render the current AEGP_RenderLayerContextH as a layer.</p> <pre> AEGP_ArtisanMustRenderAsLayer(const PR_RenderContextH contextH, AEGP_RenderLayerContextH layer_contextH, A_Boolean *use_texturePB); </pre>
AEGP_GetInteractiveDisplayChannel	<p>Returns which channels should be displayed by the interactive artisan.</p> <pre> AEGP_GetInteractiveDisplayChannel(const PR_RenderContextH contextH, AEGP_DisplayChannelType *channelP); </pre> <p>AEGP_DisplayChannelType will be one of the following:</p> <pre> AEGP_DisplayChannel_NONE AEGP_DisplayChannel_RED AEGP_DisplayChannel_GREEN AEGP_DisplayChannel_BLUE AEGP_DisplayChannel_ALPHA AEGP_DisplayChannel_RED_ALT AEGP_DisplayChannel_GREEN_ALT AEGP_DisplayChannel_BLUE_ALT AEGP_DisplayChannel_ALPHA_ALT </pre>
AEGP_GetInteractiveExposure	<p>Returns the exposure for the given PR_RenderContextH, expressed as a floating point number.</p> <pre> AEGP_GetInteractiveExposure(const PR_RenderContextH rcH, A_FpLong *exposurePF); </pre>
AEGP_GetColorTransform	<p>Returns the color transform for the given PR_RenderContextH.</p> <pre> AEGP_GetColorTransform(const PR_RenderContextH render_contextH, A_Boolean *cms_onB, A_u_long *xform_keyLu, void *xformP); </pre>
AEGP_GetCompShutterTime	<p>Returns the shutter angle for the given PR_RenderContextH.</p> <pre> AEGP_GetCompShutterTime(PR_RenderContextH render_contextH, A_Time *shutter_time, A_Time *shutter_dur); </pre>

TABLE 103: AEGP_CANVASSUITE8

Function	Purpose
AEGP_MapCompToLayerTime	<p>New in CC. Unlike AEGP_ConvertCompToLayerTime, this handles time remapping with collapsed or nested comps.</p> <pre> AEGP_MapCompToLayerTime(PR_RenderContextH render_contextH, AEGP_RenderLayerContextH layer_contextH, const A_Time *comp_timePT, A_Time *layer_timePT); </pre>

CONVERT BETWEEN DIFFERENT CONTEXTS

Convert between render and instance contexts, and manage global data specific to the artisan.

TABLE 104: AEGP_ARTISANUTILSUITE1

Function	Purpose
AEGP_GetGlobalContextFromInstanceContext	<p>Given an instance context, returns a handle to the global context.</p> <pre> AEGP_GetGlobalContextFromInstanceContext(const PR_InstanceContextH instance_contextH, PR_GlobalContextH *global_contextPH); </pre>
AEGP_GetInstanceContextFromRenderContext	<p>Given the render context, returns a handle to the instance context.</p> <pre> AEGP_GetInstanceContextFromRenderContext(const PR_RenderContextH render_contextH, PR_InstanceContextH *instnc_ctxtPH); </pre>
AEGP_GetInstanceContextFromQueryContext	<p>Given a query context, returns a handle to the instance context.</p> <pre> AEGP_GetInstanceContextFromQueryContext(const PR_QueryContextH query_contextH, PR_InstanceContextH *instnce_contextPH); </pre>
AEGP_GetGlobalData	<p>Given the global context, returns a handle to global data.</p> <pre> AEGP_GetGlobalData(const PR_GlobalContextH global_contextH, PR_GlobalDataH *global_dataPH); </pre>
AEGP_GetInstanceData	<p>Given an instance context, return the associated instance data.</p> <pre> AEGP_GetInstanceData(const PR_InstanceContextH instance_contextH, PR_InstanceDataH *instance_dataPH); </pre>

TABLE 104: AEGP_ARTISANUTILSUITE1

Function	Purpose
AEGP_GetRenderData	<p>Given a render context, returns the associated render data.</p> <pre> AEGP_GetRenderData(const PR_RenderContextH render_contextH, PR_RenderDataH *render_dataPH); </pre>

SMILE! CAMERAS

Obtains the camera geometry, including camera properties (type, lens, depth of field, focal distance, aperture, et cetera).

TABLE 105: AEGP_CAMERAASUITE2

Function	Purpose
AEGP_GetCamera	<p>Given a layer handle and time, returns the current camera layer handle.</p> <pre> AEGP_GetCamera(PR_RenderContextH render_contextH, const A_Time *comp_timeP, AEGP_LayerH *camera_layerPH); </pre>
AEGP_GetCameraType	<p>Given a layer, returns the camera type of the layer.</p> <pre> AEGP_GetCameraType(AEGP_LayerH aegp_layerH, AEGP_CameraType *camera_typeP); </pre> <p>The camera type can be the following:</p> <pre> AEGP_CameraType_NONE = -1 AEGP_CameraType_PERSPECTIVE AEGP_CameraType_ORTHOGRAPHIC </pre>
AEGP_GetDefaultCameraDistanceToImagePlane	<p>Given a composition handle, returns the camera distance to the image plane.</p> <pre> AEGP_GetDefaultCameraDistanceToImagePlane(AEGP_CompH compH, A_FpLong *dist_to_planePF); </pre>
AEGP_GetCameraFilmSize	<p>Retrieves the size (and units used to measure that size) of the film used by the designated camera.</p> <pre> AEGP_GetCameraFilmSize(AEGP_LayerH camera_layerH, AEGP_FilmSizeUnits *film_size_unitsP, A_FpLong *film_sizePF0); </pre>

TABLE 105: AEGP_CAMERA_SUITE2

Function	Purpose
AEGP_SetCameraFilmSize	<p>Sets the size (and unites used to measure that size) of the film used by the designated camera.</p> <pre> AEGP_SetCameraFilmSize)(AEGP_LayerH camera_layerH, AEGP_FilmSizeUnits film_size_units, A_FpLong *film_sizePF0); </pre>

NOTES REGARDING CAMERA BEHAVIOR

Camera orientation is in composition coordinates, and the rotations are in layer (the camera's layer) coordinates. If the camera layer has a parent, the position is in a coordinate space relative to the parent.

ORTHOGRAPHIC CAMERA MATRIX

Internally, we use composition width and height to set the matrix described by the OpenGL specification as

```
glOrtho(-width/2, width/2, -height/2, height/2, -1, 100);
```

The orthographic matrix describes the projection. The position of the camera is described by another, scaled matrix. The inverse of the camera position matrix provides the “eye” coordinates.

FOCUS ON FOCAL

Remember, focal length affects field of view; focal distance only affects depth of field.

FILM SIZE

In the real world, film size is measured in millimeters. In After Effects, it's measured in pixels. Multiply by 72 and divide by 25.4 to move from millimeters to pixels. Field of view is more complex;

$\Theta = 1/2$ field of view

$\tan(\Theta) = 1/2$ composition height / focal length

focal length = $2 \tan(\Theta)$ / composition height

HIT THE LIGHTS!

Get and set the type of lights in a composition.

TABLE 106: AEGP_LIGHTSUITE2

Function	Purpose
<code>AEGP_GetLightType</code>	<p>Retrieves the <code>AEGP_LightType</code> of the specified camera layer.</p> <pre>AEGP_GetLightType(AEGP_LayerH light_layerH, AEGP_LightType *light_typeP);</pre> <p><code>AEGP_LightType</code> will be one of the following:</p> <p><code>AEGP_LightType_PARALLEL</code> <code>AEGP_LightType_SPOT</code> <code>AEGP_LightType_POINT</code> <code>AEGP_LightType_AMBIENT</code></p>
<code>AEGP_SetLightType</code>	<p>Sets the <code>AEGP_LightType</code> for the specified camera layer.</p> <pre>AEGP_SetLightType(AEGP_LayerH light_layerH, AEGP_LightType light_type);</pre>

NOTES ON LIGHT BEHAVIOR

The formula for parallel lights is found in Foley and Van Dam’s “Introduction to Computer Graphics” (ISBN 0-201-60921-5) as is the formula for point lights. We use the half angle variant proposed by Jim Blinn instead.

Suppose we have a point on a layer and want to shade it with the light. Let V be the unit vector from the layer point to the eye point. Let L be the unit vector to the light (in the parallel light case this is constant). Let H be $(V+L)/2$ (normalized). Let N be the unit normal vector to the layer. The amount of specular reflected light is $S * \text{power}(H \cdot N, \text{shine})$, where S is the specular coefficient.

HOW SHOULD I DRAW THAT?

After Effects relies upon Artisans to draw 3D layer handles. If your Artisan chooses not to respond to this call, the default Artisan will draw 3D layer handles for you. Querying transforms is important for optimization of After Effects’ caching.

TRANSFORM CONVENTIONS

The coordinate system is positive x to right, positive y down, positive z into the screen. The origin is the upper left corner. Rotations are x then y then z. For matrices the translate is the bottom row, orientations are quaternions (which are applied first), then any x-y-z rotation after that. As a general rule, use orientation or rotation but not both. Also use rotations if you need control over angular velocity.

QUERY TRANSFORM FUNCTIONS

These functions give artisans information about the transforms they'll need in order to correctly place layers within a composition and respond appropriately to the various queries After Effects will send to their [PR_QueryFunc](#) entry point function. As that entry point is optional, so is your artisan's response to the queries; however, if you don't, your users may be disappointed that (while doing interactive preview drawing) all the camera and light indicators vanish, until they stop moving! Artisans are complex beasts; contact us if you have any questions.

TABLE 107: AEGP_QUERYXFORMSUITE2

Function	Purpose
<code>AEGP_QueryXformGetSrcType</code>	<p>Given a query context, returns transform source currently being modified.</p> <pre>AEGP_QueryXformGetSrcType(PR_QueryContextH query_contextH, AEGP_QueryXformType *src_type);</pre> <p>The query context will be one of the following:</p> <pre>AEGP_Query_Xform_LAYER, AEGP_Query_Xform_WORLD, AEGP_Query_Xform_VIEW, AEGP_Query_Xform_SCREEN</pre>
<code>AEGP_QueryXformGetDstType</code>	<p>Given a query context, returns the currently requested transform destination.</p> <pre>AEGP_QueryXformGetDstType(PR_QueryContextH query_contextH, AEGP_QueryXformType *dst_type);</pre>
<code>AEGP_QueryXformGetLayer</code>	<p>Used if the source or destination type is a layer. Given a query context, returns the layer handle.</p> <pre>AEGP_QueryXformGetLayer(PR_QueryContextH query_contextH, AEGP_LayerH *layerPH);</pre>

TABLE 107: AEGP_QUERYXFORMSUITE2

Function	Purpose
AEGP_QueryXformGetComp	<p>Given a query context, returns the current composition handle.</p> <pre>AEGP_QueryXformGetComp(PR_QueryContextH query_contextH, AEGP_CompH *compPH);</pre>
AEGP_QueryXformGetTransformTime	<p>Given a query context, returns the time of the transformation.</p> <pre>AEGP_QueryXformGetTransformTime(PR_QueryContextH query_contextH, A_Time *time);</pre>
AEGP_QueryXformGetViewTime	<p>Given a query context, returns the time of the associated view.</p> <pre>AEGP_QueryXformGetViewTime(PR_QueryContextH query_contextH, A_Time *time);</pre>
AEGP_QueryXformGetCamera	<p>Given a query context, returns the current camera layer handle.</p> <pre>AEGP_QueryXformGetCamera(PR_QueryContextH query_contextH, AEGP_LayerH *camera_layerPH);</pre>
AEGP_QueryXformGetXform	<p>Given a query context, returns the current matrix transform.</p> <pre>AEGP_QueryXformGetXform(PR_QueryContextH query_contextH, A_Matrix4 *xform);</pre>
AEGP_QueryXformSetXform	<p>Given a query context, return the matrix transform you compute in xform.</p> <pre>AEGP_QueryXformSetXform(PR_QueryContextH query_contextH, A_Matrix4 *xform);</pre>
AEGP_QueryWindowRef	<p>Sets the window reference to be used (by After Effects) for the given PR_QueryContextH.</p> <pre>AEGP_QueryWindowRef(PR_QueryContextH q_contextH, AEGP_PlatformWindowRef *window_refP);</pre>
AEGP_QueryWindowClear	<p>Returns which AEGP_PlatformWindowRef (and A_Rect) to clear, for the given PR_QueryContextH.</p> <pre>AEGP_QueryWindowClear(PR_QueryContextH q_contextH, AEGP_PlatformWindowRef *window_refP, A_LegacyRect *boundsPR);</pre>

TABLE 107: AEGP_QUERYXFORMSUITE2

Function	Purpose
AEGP_QueryFrozenProxy	<p>Returns whether or not the textures used in the given PR_QueryContextH should be frozen.</p> <pre> AEGP_QueryFrozenProxy(PR_QueryContextH q_contextH, A_Boolean *onPB); </pre>
AEGP_QuerySwapBuffer	<p>Sent after rendering and camera/light handle drawing is complete; After Effects returns the buffer into which the artisan should draw its output.</p> <pre> AEGP_QuerySwapBuffer(PR_QueryContextH q_contextH, AEGP_PlatformWindowRef *window_refP, AEGP_WorldH *dest_bufferP); </pre>
AEGP_QueryDrawProcs	<p>Sets the interactive drawing functions After Effects will call while drawing camera and lighting handles into the artisan's provided context.</p> <pre> AEGP_QueryDrawProcs(PR_QueryContextH query_contextH, PR_InteractiveDrawProcs *window_refP); </pre>
AEGP_QueryPrepareForLineDrawing	<p>Informs After Effects about the context into which it will be drawing.</p> <pre> AEGP_QueryPrepareForLineDrawing(PR_QueryContextH query_contextH, AEGP_PlatformWindowRef *window_refP, A_LegacyRect *viewportP, A_LPoint *originP, A_FloatPoint *scaleP); </pre>
AEGP_QueryUnprepareForLineDrawing	<p>As far as After Effects is concerned, the artisan is done drawing lines.</p> <pre> AEGP_QueryUnprepareForLineDrawing(PR_QueryContextH query_contextH, AEGP_PlatformWindowRef *window_refP); </pre>

INTERACTIVE DRAWING FUNCTIONS

We've added the ability for artisans to provide functions After Effects can use to do basic drawing functions for updating the comp window display during preview, including camera, light, and wireframe preview modeling.

TABLE 108: PR_INTERACTIVEDRAWPROCS

Function	Purpose
PR_Draw_MoveToFunc	PR_Draw_MoveToFunc(short x, short y);
PR_Draw_LineToFunc	PR_Draw_LineToFunc(short x, short y);
PR_Draw_ForeColorFunc	PR_Draw_ForeColorFunc(const A_Color *fore_color);
PR_Draw_FrameRectFunc	PR_Draw_FrameRectFunc(const A_Rect *rectPR);
PR_Draw_PaintRectFunc	PR_Draw_PaintRectFunc(const A_Rect *rectPR);

NOTES ON QUERY TIME FUNCTIONS

`AEGP_QueryXformGetTransformTime()` and `AEGP_QueryXformGetViewTime()` are both necessary for an artisan to build a representation of the scene to render.

`AEGP_QueryXformGetTransformTime()` gets the time of the transform, which is then passed to [AEGP_GetCompShutterFrameRange\(\)](#). `AEGP_QueryXformGetViewTime()` gets the time of the view, which is used in calling [AEGP_GetLayerToWorldXformFromView\(\)](#).

9 : AEIOs

AEIOs are AEGPs that perform media file import and/or export. AEIOs do everything for a file of a given type that After Effects (or the plug-ins which ship with After Effects) would normally do. On the import side, AEIOs can open existing files, manage file-specific interpretation options, and provide audio and frames from the file to After Effects in `AEGP_SoundWorld` and `PF_EffectWorld` format. Additionally, AEIOs can create files interactively, asking users for the settings they'd like instead of reading them from a file. On the export side, AEIOs can create and manage output options for render queue items, create output files and save frames (provided by After Effects as `PF_EffectWorlds`) into those files.

AEIOs work with uncompressed video with pixels in ARGB order from low to high-byte. Pixels can be 8-bit, 16-bit, or 32-bit float per channel. AEIOs must handle their own compression/decompression of any codecs supported.

AEIO, OR AEGP?

AEIOs provide pixels and audio data to After Effects. If you're writing an importer/exporter for a file format that represents timeline or project format (referencing file formats supported by After Effects or other installed AEIOs), write an AEGP and add its command to the Import/Export submenu.

AEIO FOR IMPORT, OR MEDIACORE IMPORTER?

After Effects supports MediaCore importer plug-ins. MediaCore is a set of shared libraries that grew out of Premiere Pro; thus the MediaCore APIs are described in the [Premiere Pro SDK](#).

Only MediaCore importer plug-ins support an importer priority system: The highest priority importer gets the first opportunity to import a file, and if the particular imported file isn't supported, the next-highest priority importer will then have the opportunity to try importing it, and so on. MediaCore importers cannot defer file import to an AEIO. So if your goal is to take over file handling for any file type for which After Effects already provides a plug-in, you need to develop a MediaCore importer plug-in.

On the other hand, only AEIOs can display a setup dialog in the Interpret Footage < Main > More Options dialog.

If the above constraints haven't already answered whether you need to build an AEIO or MediaCore importer, then you'll likely want to build a MediaCore importer, which can be used across the video and audio applications including Premiere Pro, Media Encoder, Prelude, SpeedGrade, and Audition.

HOW IT WORKS

From within its entry point function, an AEIO populates a structure of function pointers with the names of the functions it wants called in response to certain events. Many of these function hooks are optional.

WHAT WOULD AFTER EFFECTS DO?

For many AEIO hook functions, you can ask After Effects to perform default processing (this capability is noted in each hook's descriptions). Unless you have compelling reasons to do otherwise, return `AEIO_Err_USE_DFLT_CALLBACK` from the function, and let After Effects do the work. This is also a good way to learn the calling sequence before beginning implementation.

REGISTERING YOUR AEIO

During your plug-in's entry point function, populate a `AEIO_ModuleInfo` describing the filetype(s) the AEIO supports, and an `AEIO_FunctionBlock` structure that points to your file handling functions. For some of these functions, you can rely on After Effects' default behavior by returning `AEIO_Err_USE_DFLT_CALLBACK`. However, you must still provide a function matching the required signature, that does so. Once you've filled out both these structures, call [AEGP_RegisterIO\(\)](#).

In the `AEIO_ModuleInfo` that you pass in to the register call, you provide the file type and description information that After Effects uses in the Import dialog, for the "Files of type" drop-down on Windows, or the Enable drop-down on MacOS. As of CS6, file extensions cannot be more than three characters long, even though we have a few built-in importers with longer extensions.

INSPEC, OUTSPEC

On most import-related functions, an `AEIO_InSpecH` is passed. On most output-related functions, an `AEIO_OutSpecH` is passed. What are these mysterious handles? These opaque data handles can be used with the [AEGP_IOInSuite](#) and [AEGP_IOOutSuite](#), to set or

query for information about the import or output. For example, on an import, you'll use `AEIO_InSpecH` when calling `AEGP_SetInSpecDimensions` in `AEGP_IOInSuite`. And during an export, you'll use `AEIO_OutSpecH` when calling `AEGP_GetOutSpecDimensions` in `AEGP_IOOutSuite`. So use these handles to exchange information with After Effects about the details of the input or output.

CALLING SEQUENCE

As with all AEGPs, the entry point function exported in the plug-in's PiPL is called during launch. During this function, the AEIO must provide function pointers to required functions and describe their capabilities, then pass the appropriate structures to [`AEGP_RegisterIO\(\)`](#).

IMPORT

When users select a file in the file import dialog which is of a type handled by your AEIO, its [`AEIO_VerifyFileImportable\(\)`](#) function will be called; it's called again for each such file the user imports. [`AEIO_InitInSpecFromFile\(\)`](#) will be called for each file; parse the file, and use the various set functions to describe it to After Effects. Also, construct any options data associated with the file, and save that data using [`AEGP_SetInSpecOptionsHandle\(\)`](#). After Effects then calls the plug-in's [`AEIO_GetInSpecInfo\(\)`](#) function, to get descriptive text about the file for display in the project window. As noted in the description of this function, it may be called for folders as well; we recommend that, if there is no valid options data for the file, you do nothing and return no error (that's what our AEIOs do).

[`AEIO_CountUserData\(\)`](#) is then sent; if the AEIO indicates that there is user data present, [`AEIO_GetUserData\(\)`](#) will follow. After Effects will then request that the plug-in draw a frame of video (for the project window thumbnail) by sending [`AEIO_DrawSparseFrame\(\)`](#).

Once the supported file is added to a composition, user interaction will generate calls to [`AEIO_DrawSparseFrame\(\)`](#) and [`AEIO_GetSound\(\)`](#).

When the project is saved, and if there is options data associated with the `AEIO_InSpec`, After Effects will send [`AEIO_FlattenOptions\(\)`](#) during which the AEIO parses the options data, and creates a representation of it that contains no references to external memory. Likewise, the presence of any `AEIO_OutSpec` options data will result in [`AEIO_GetFlatOutputOptions\(\)`](#) being sent.

EXPORT

If the user adds an item to the render queue and chooses the AEIO's supported output format, [AEIO_InitOutputSpec\(\)](#) will be sent. Use the various get functions to obtain information about the output settings, and store any pertinent information using [AEIO_SetOutputSpecOptionsHandle\(\)](#), followed by [AEIO_GetFlatOutputOptions\(\)](#). [AEIO_GetDepths\(\)](#) is sent so After Effects can determine what output pixel bit depths the AEIO supports.

[AEIO_GetOutputInfo\(\)](#) is sent so that file name, type and subtype information can be displayed in the output module details.

When the user clicks on the Format Options button, in the render queue, [AEIO_UserOptionsDialog\(\)](#) is called.

When the user actually clicks on the "Render" button, [AEIO_SetOutputFile\(\)](#) will be called, followed by [AEIO_GetSizes\(\)](#) (your AEIO is responsible for determining whether the destination has sufficient disk space available).

Before the video frames are sent, [AEIO_StartAdding\(\)](#) is sent for the AEIO to open the file handle and write out the file header. If the AEIO supports a video or audio format, [AEIO_AddSoundChunk\(\)](#) is sent for each audio chunk, and an [AEIO_AddFrame\(\)](#) for each video frame. If the AEIO supports sequences of still images, [AEIO_OutputFrame\(\)](#) is called repeatedly. After Effects sends a `PF_EffectWorld` representation of the frame to be output. [AEIO_WriteLabels\(\)](#) is called (for each frame) to give the plug-in a chance to write out field and alpha interpretation information. [AEIO_EndAdding\(\)](#) is sent when there are no more frames (or audio) to be output. Close the output file.

AEIO_MODULEINFO

This is the structure where your AEIO will define its basic properties. Notice that, in addition to describing the filetypes and extensions supported by your AEIO, you also describe your signature and behavior using the AEIO_ModuleFlags. We love flags.

TABLE 109: AEIO_MODULEINFO

Member	Purpose
sig	A long, uniquely identifying your plug-in. Many developers prefer to use a decidedly Mac-ish four character code here. Please let us know what sig you're using.
name	Descriptive name for your AEIO plug-in.
flags	Set of AEIO_ModuleFlags .
flags2	Set of AEIO_ModuleFlags2 .
max_width, max_height	The maximum dimensions supported by your format.
num_filetypes	The number of filetypes supported by your AEIO.
num_extensions	The number of file extensions supported by your AEIO.
num_clips	The number of clipboard formats supported by your AEIO.
create_kind	The Mac OS four character code for files created by your AEIO.
create_ext	The file extension for files created by your AEIO.
read_kinds	This array of 16 AEIO_FileKinds need not be entirely filled out, but the first [num_filetypes + num_extensions + num_clips] ones must be populated, in that order.
num_aux_extensions	The number of auxiliary extensions supported by your AEIO. Say, for example, that you're writing an AEIO to import information from a 3D program that saves scene information into a .123 file, and camera information into a .xyz file. The .xyz would be an auxiliary extension; it's not necessary to get the rest of the scene information, but it's associated with the .123 files.
aux_ext	The file extension of the auxiliary filetype(s) supported by your AEIO.

BEHAVIOR FLAGS

AEIOs set these flags (like effect plug-ins use global outflags) in `AEIO_ModuleInfo.flags` to indicate their behavior to After Effects. Some flags are only relevant to input, and some are only relevant to output.

TABLE 110: AEIO_MODULEFLAGS

Flag	Purpose	I or O?
<code>AEIO_MFlag_INPUT</code>	AEIO is an input module.	Input!
<code>AEIO_MFlag_OUTPUT</code>	AEIO is an output module (one plug-in can be both).	Output!
<code>AEIO_MFlag_FILE</code>	Each clip imported directly corresponds to a file, somewhere.	Both
<code>AEIO_MFlag_STILL</code>	Supports still images, not video.	Output
<code>AEIO_MFlag_VIDEO</code>	Supports video images, not stills.	Output
<code>AEIO_MFlag_AUDIO</code>	Supports audio.	Output
<code>AEIO_MFlag_NO_TIME</code>	Time information isn't part of the file format. This would be the case with numbered stills, with individual frames imported based on the composition's time settings.	Input
<code>AEIO_MFlag_INTERACTIVE_GET</code>	A new input sequence necessitates user interaction. This would be the case for a non-file-based input module.	Input
<code>AEIO_MFlag_INTERACTIVE_PUT</code>	A new output sequence necessitates user interaction. This would be the case for a non-file-based output module.	Output
<code>AEIO_MFlag_CANT_CLIP</code>	The AEIO's drawing functions cannot accept dimensions smaller than the requested dimensions.	Input
<code>AEIO_MFlag_MUST_INTERACT_PUT</code>	The AEIO must display a dialog box, even if a valid options data handle is available.	Output
<code>AEIO_MFlag_CANT_SOUND_INTERLEAVE</code>	The AEIO requires that all video data be processed, then sound data (instead of interleaving the processing the video and audio).	Output
<code>AEIO_MFlag_CAN_ADD_FRAMES_NON_LINEAR</code>	The AEIO supports adding non-sequential frames.	Output
<code>AEIO_MFlag_HOST_DEPTH_DIALOG</code>	The AEIO wants After Effects to display a bit-depth selection dialog.	Input

TABLE 110: AEIO_MODULEFLAGS

Flag	Purpose	I or O?
AEIO_MFlag_HOST_FRAME_START_DIALOG	The AEIO wants After Effects to display a dialog requesting that the user specify a starting frame.	Input
AEIO_MFlag_NO_OPTIONS	The AEIO does not accept output options.	Output
AEIO_MFlag_NO_PIXELS	The AEIO's file format doesn't actually store pixels. Currently unused as of CS6.	(unused)
AEIO_MFlag_SEQUENCE_OPTIONS_OK	The AEIO will adopt the sequence options of its parent if a folder is selected.	Input
AEIO_MFlag_INPUT_OPTIONS	The AEIO has user options associated with each input sequence. NOTE: the options information must be flat (not referring to any data contained in external pointers or handles).	Input
AEIO_MFlag_HSF_AWARE	The AEIO will provide horizontal scaling factor (pixel aspect ratio) information for each new sequence. This prevents After Effects from guessing.	Input
AEIO_MFlag_HAS_LAYERS	The AEIO supports multiple layers in a single document.	Input
AEIO_MFlag_SCRAP	The AEIO has a clipboard parsing component.	Input
AEIO_MFlag_NO_UI	After Effects should display no UI for this module (do not combine this flag with AEIO_MFlag_HOST_DEPTH_DIALOG or AEIO_MFlag_HOST_FRAME_START_DIALOG)	Input
AEIO_MFlag_SEQ_OPTIONS_DLG	The AEIO has sequence options accessible from the More Options button in the Interpret Footage dialog.	Input
AEIO_MFlag_HAS_AUX_DATA	The file format supported by the AEIO has depth information, normals, or some other non-color information related to each pixel.	Input
AEIO_MFlag_HAS_META_DATA	The file format supported by the AEIO supports user-definable metadata. If this flag is set, the embed pop-up in the output module dialog will be enabled.	Output
AEIO_MFlag_CAN_DO_MARKERS	The file format support by the AEIO supports markers, url flips, and/or chapters.	Output

TABLE 110: AEIO_MODULEFLAGS

Flag	Purpose	I or O?
AEIO_MFlag_CAN_DRAW_DEEP	The AEIO can draw into 16bpc (“deep”) PF_EffectWorlds.	Input
AEIO_MFlag_RESERVED4	Special super-secret flag. Doesn’t do anything...or does it? <i>(No, it doesn’t.)</i>	???

AEIO_MODULEFLAGS2

Gotta have dem flags...

TABLE 111: AEIO_MODULEFLAGS2

Flag	Purpose	I or O?
AEIO_MFlag2_AUDIO_OPTIONS	The AEIO has an audio options dialog.	Output
AEIO_MFlag2_SEND_ADDMARKER_BEFORE_ADDFRAME	The AEIO wants to receive marker data before outputting video or audio (useful for MPEG streams).	Output
AEIO_MFlag2_CAN_DO_MARKERS_2	The AEIO supports combined markers; URL flips, chapters, and comments.	Output
AEIO_MFlag2_CAN_DRAW_FLOAT	The AEIO can draw into float (32-bpc) worlds.	Input
AEIO_MFlag2_CAN_DO_AUDIO_32	Supports 32-bit audio output.	Output
AEIO_MFlag2_SUPPORTS_ICC_PROFILES	Supports ICC profiles.	Both
AEIO_MFlag2_CAN_DO_MARKERS_3	The AEIO supports combined markers; URL flips, chapters, comments, and cue points.	Output
AEIO_MFlag2_SEND_ADDMARKER_BEFORE_STARTADDING	The AEIO wants to process markers before video during export.	Output
AEIO_MFlag2_USES_QUICKTIME	On MacOS, prior to the host calling AEIO_AddFrame or AEIO_OutputFrame , it will lock the global QuickTime mutex.	Output

NEW KIDS ON THE FUNCTION BLOCK

During its main entry point function, each AEIO plug-in must fill in an `AEIO_FunctionBlock`, providing pointers to the functions After Effects will call for different file-related tasks.

The table below shows which functions are needed for input, and which ones are needed for output. For a bare-bones implementation, start with the functions that are noted as “Required” in the right column. You can often invoke “best-case” behavior by having After Effects handle the call for you (by returning `AEIO_Err_USE_DFLT_CALLBACK`).

For a barebones AEIO for video input only, implement the following functions: `AEIO_InitInSpecFromFile` or `AEIO_InitInSpecInteractive` (depending on whether the source is a file or interactively generated), `AEIO_DisposeInSpec`, `AEIO_GetInSpecInfo`, `AEIO_DrawSparseFrame`, `AEIO_CloseSourceFiles`, and `AEIO_InqNextFrameTime` (using `AEIO_Err_USE_DFLT_CALLBACK` is fine).

Starting from the IO sample, it is best to leave the other functions defined too, and fill them in further as needed.

TABLE 112: AEIO_FUNCTIONBLOCK4

Function	Response	I or O?	Required?
<code>AEIO_InitInSpecFromFile</code>	<p>Given a file path, describe its contents to After Effects in the provided <code>AEIO_InSpecH</code>. Use all appropriate “set” calls from the AEIO_AEGPIOInSuite to do so; if there is image data, set its depth, dimensions, and alpha interpretation. If there is audio, describe its channels and sample rate.</p> <p>The file path is a NULL-terminated UTF-16 string with platform separators.</p> <pre>AEIO_InitInSpecFromFile(AEIO_BasicData *basic_dataP, const A_UTF16Char *file_pathZ, AEIO_InSpecH inH);</pre>	Input	Yes, for file-based media
<code>AEIO_InitInSpecInteractive</code>	<p>Using some form of user interaction (and not a file path provided by After Effects), describe the audio and video your generated <code>AEIO_InSpecH</code> contains.</p> <pre>AEIO_InitInSpecInteractive(AEIO_BasicData *basic_dataP, AEIO_InSpecH inH);</pre>	Input	Yes, for interactively generated media

TABLE 112: AEIO_FUNCTIONBLOCK4

Function	Response	I or O?	Required?
AEIO_Dispose-InSpec	Free an AEIO_InSpecH. <pre>AEIO_DisposeInSpec(AEIO_BasicData *basic_dataP, AEIO_InSpecH inH);</pre>	Input	Yes
AEIO_Flatten-Options	For the given AEIO_InSpecH, return a flattened version of the data contained in its options handle. Obtain the unflattened options handle using AEGP_GetInSpecOptionsHandle . <pre>AEIO_FlattenOptions(AEIO_BasicData *basic_dataP, AEIO_InSpecH inH, AEIO_Handle *flat_optionsPH);</pre>	Input	No
AEIO_Inflate-Options	For the given AEIO_InSpecH, create (using AEGP_SetInSpecOptionsHandle) an unflattened version of its flattened option data. <pre>AEIO_InflateOptions(AEIO_BasicData *basic_dataP, AEIO_InSpecH inH, AEIO_Handle flat_optionsH);</pre>	Input	No
AEIO_SynchInSpec	AEIO_Err_USE_DFLT_CALLBACK allowed. Inspect the AEIO_InSpecH, update its options if necessary), and indicate whether or not you made changes. <pre>AEIO_SynchInSpec(AEIO_BasicData *basic_dataP, AEIO_InSpecH inH, A_Boolean *changed0);</pre>	Input	No
AEIO_Get-ActiveExtent	AEIO_Err_USE_DFLT_CALLBACK allowed. Populate the provided A_LRect with the active extent of the file's pixels at the given time. <pre>AEIO_GetActiveExtent(AEIO_BasicData *basic_dataP, AEIO_InSpecH inH, const A_Time *tr, A_LRect *extent);</pre>	Input	Yes

TABLE 112: AEIO_FUNCTIONBLOCK4

Function	Response	I or O?	Required?
AEIO_Get- InSpecInfo	<p>Provide a few strings in AEIO_Verbiage to describe the file, which will appear in the Project panel. This includes the strings used to describe the file type and subtype (the codec).</p> <pre>AEIO_GetInSpecInfo(AEIO_BasicData *basic_dataP, AEIO_InSpecH inH, AEIO_Verbiage *verbiageP);</pre> <p>This function gets called OFTEN; every time we refresh the project panel. Keep allocations to a minimum. In the AEIOs that ship with After Effects, we check for a valid optionsH (using AEGP_GetInSpecOptionsHandle); if we find one, we use the information from within it. If not, we do nothing. This is important; if your AEIO handles still images, this function <i>will</i> get called for the folder containing the stills. Hopefully, there won't be an optionsH associated with it (unless you're writing a truly bizarre AEIO).</p>	Input	Yes
AEIO_Draw- SparseFrame	<p>Draw a frame from the AEIO_InSpecH. The PF_EffectWorld* contains the width and height to use, but make sure you take the required_region0 into account, if it's not NULL.</p> <pre>AEIO_DrawSparseFrame(AEIO_BasicData *basic_dataP, AEIO_InSpecH inH, AEIO_Quality qual, const AEIO_RationalScale *rs0, const A_Time *tr, const A_Time *duration0, const A_Rect *required_region0, PF_EffectWorld *wP, A_long* originx, A_long* originy, AEIO_DrawingFlags *draw_flagsP);</pre> <p>NOTE: return data as linear light (1.0), and After Effects will perform any necessary transformations to bring the footage into the working colorspace.</p>	Input	Yes

TABLE 112: AEIO_FUNCTIONBLOCK4

Function	Response	I or O?	Required?
AEIO_Get- Dimensions	<p>AEIO_Err_USE_DFLT_CALLBACK allowed. Provide the dimensions (and, if necessary, scaling factor) of the video in the AEIO_InSpecH.</p> <pre> AEIO_GetDimensions(AEIO_BasicData *basic_dataP, AEIO_InSpecH inH, const AEIO_RationalScale *rs0, A_long *width0, A_long *height0); </pre>	Input	No
AEIO_GetDuration	<p>AEIO_Err_USE_DFLT_CALLBACK allowed. Provide the duration of an AEIO_InSpecH, in seconds.</p> <pre> AEIO_GetDuration(AEIO_BasicData *basic_dataP, AEIO_InSpecH inH, A_Time *trP); </pre>	Input	No
AEIO_GetTime	<p>AEIO_Err_USE_DFLT_CALLBACK allowed. Provide the timebase of an AEIO_InSpecH.</p> <pre> AEIO_GetTime(AEIO_BasicData *basic_dataP, AEIO_InSpecH inH, A_Time *tr); </pre> <p>Here are the values we use internally for common timebases: 29.97 fps: scale = 100; value = 2997; 59.94 fps: scale = 50; value = 2997; 23.976 fps: scale = 125; value = 2997; 30 fps: scale = 1; value = 30; 25 fps: scale = 1; value = 25;</p>	Input	No

TABLE 112: AEIO_FUNCTIONBLOCK4

Function	Response	I or O?	Required?
AEIO_GetSound	<p>AEIO_Err_USE_DFLT_CALLBACK allowed. Provide sound from an AEIO_InSpecH, at the quality described.</p> <pre> AEIO_GetSound(AEIO_BasicData *basic_dataP, AEIO_InSpecH inH, AEIO_SndQuality quality, const AEIO_InterruptFuncs *interrupt_funcsP0, const A_Time *startPT, const A_Time *durPT, A_u_long start_sampLu, A_u_long num_samplesLu, void *dataPV); </pre> <p>AEIO_SndQuality may be: AEIO_SndQuality_APPROX, (this quality is used to draw the audio waveform) AEIO_SndQuality_LO, AEIO_SndQuality_HI</p>	Input	No
AEIO_Inq-NextFrameTime	<p>AEIO_Err_USE_DFLT_CALLBACK allowed. Provide the time of the next frame (in the source footage's timebase) within the AEIO_InSpecH.</p> <pre> AEIO_InqNextFrameTime(AEIO_BasicData *basic_dataP, AEIO_InSpecH inH, const A_Time *base_time_tr, AEIO_TimeDir time_dir, A_Boolean *found0, A_Time *key_time_tr0); </pre>	Input	Yes
AEIO_Init-OutputSpec	<p>AEIO_Err_USE_DFLT_CALLBACK allowed. Perform any initialization necessary for a new AEIO_OutSpecH, and indicate whether you made changes.</p> <pre> AEIO_InitOutputSpec(AEIO_BasicData *basic_dataP, AEIO_OutSpecH outh, A_Boolean *user_interacted); </pre> <p>NOTE: The first time your AEIO is used, After Effects caches the last-known-good optionsH in its preferences. When testing this function, delete your preferences often.</p>	Output	Yes

TABLE 112: AEIO_FUNCTIONBLOCK4

Function	Response	I or O?	Required?
AEIO_Get-FlatOutputOptions	Describe (in an AEIO_Handle) the output options for an AEIO_OutSpecH, in a disk-safe flat data structure (one that does not reference external memory). Note that your output options must be cross-platform, so pay attention to byte ordering issues. <pre>AEIO_GetFlatOutputOptions(AEIO_BasicData *basic_dataP, AEIO_OutSpecH outH, AEIO_Handle *optionsH);</pre>	Output	Yes
AEIO_Dispose-OutputOptions	AEIO_Err_USE_DFLT_CALLBACK allowed. Free the memory for the output options passed in. <pre>AEIO_DisposeOutputOptions(AEIO_BasicData *basic_dataP, void *optionsPV);</pre>	Output	No
AEIO_UserOptions-Dialog	Display an output settings dialog (select TIFF output within After Effects to see when this dialog will occur). Store this information in an options handle using AEGP_SetInSpecOptionsHandle . <pre>AEIO_UserOptionsDialog(AEIO_BasicData *basic_dataP, AEIO_OutSpecH outH, PF_EffectWorld *sample0, A_Boolean *interacted0);</pre>	Output	No
AEIO_Get-OutputInfo	Describe (in text) the output options in an AEIO_OutSpecH. <pre>AEIO_GetOutputInfo(AEIO_BasicData *basic_dataP, AEIO_OutSpecH outH, AEIO_Verbiage *verbiage);</pre>	Output	Yes
AEIO_OutputInfo-Changed	Update the AEIO_OutSpecH based on the current settings (using the various Get functions to obtain them). <pre>AEIO_OutputInfoChanged(AEIO_BasicData *basic_dataP, AEIO_OutSpecH outH);</pre>	Output	No

TABLE 112: AEIO_FUNCTIONBLOCK4

Function	Response	I or O?	Required?
AEIO_Set- OutputFile	<p>AEIO_Err_USE_DFLT_CALLBACK allowed. Set the file path for output of an AEIO_OutSpecH. Return AEIO_Err_USE_DEFAULT_CALLBACK unless you've changed the path.</p> <p>The file path is a NULL-terminated UTF-16 string with platform separators.</p> <pre>AEIO_SetOutputFile(AEIO_BasicData *basic_dataP, AEIO_OutSpecH outH, A_UTF16Char *file_pathZ);</pre>	Output	Yes
AEIO_StartAdding	<p>Prepare to add frames to the output file. This is a good time to create the output file(s) on disk, and to write any header information to such files. This is also your first opportunity to allocate pixel buffers based on valid output spec values.</p> <pre>AEIO_StartAdding(AEIO_BasicData *basic_dataP, AEIO_OutSpecH outH, A_long flags);</pre>	Output	Yes, for writing formats that support multiple frames
AEIO_AddFrame	<p>Add frame(s) to output file. You may pass a pointer to a function you want called if the user interrupts the render.</p> <pre>AEIO_AddFrame(AEIO_BasicData *basic_dataP, AEIO_OutSpecH outH, A_long frame_index, A_long frames, PF_EffectWorld *wP, const A_LPoint *origin0, A_Boolean was_compressedB, AEIO_InterruptFuncs *inter0);</pre>	Output	Yes, for writing formats that support multiple frames
AEIO_EndAdding	<p>Perform any clean-up associated with adding frames.</p> <pre>AEIO_EndAdding(AEIO_BasicData *basic_dataP, AEIO_OutSpecH outH, A_long flags);</pre>	Output	Yes, for writing formats that support multiple frames

TABLE 112: AEIO_FUNCTIONBLOCK4

Function	Response	I or O?	Required?
AEIO_OutputFrame	Output a single frame. <pre>AEIO_OutputFrame(AEIO_BasicData *basic_dataP, AEIO_OutSpecH outH, PF_EffectWorld *wP);</pre>	Output	Yes, for writing formats that support a single frame
AEIO_WriteLabels	AEIO_Err_USE_DFLT_CALLBACK allowed. Set alpha interpretation and field usage information for the AEIO_OutSpecH. Indicate in AEIO_LabelFlags which flags you wrote. <pre>AEIO_WriteLabels(AEIO_BasicData *basic_dataP, AEIO_OutSpecH outH, AEIO_LabelFlags *written);</pre>	Output	Yes
AEIO_GetSizes	AEIO_Err_USE_DFLT_CALLBACK allowed. Provide information about file size and remaining free space on output volume. <pre>AEIO_GetSizes(AEIO_BasicData *basic_dataP, AEIO_OutSpecH outH, A_u_longlong *free_space, A_u_longlong *file_size);</pre>	Output	Yes
AEIO_Flush	Destroy any options or user data associated with the OutSpecH. <pre>AEIO_Flush(AEIO_BasicData *basic_dataP, AEIO_OutSpecH outH);</pre>	Output	Yes
AEIO_Add-SoundChunk	Add the given sound to the output file. <pre>AEIO_AddSoundChunk(AEIO_BasicData *basic_dataP, AEIO_OutSpecH outH, const A_Time *start, AEIO_SndWorldH swH);</pre>	Output	Yes, for writing formats with audio
AEIO_Idle	Optional. Do something with idle time. AEIO_Err_USE_DFLT_CALLBACK is not supported. <pre>AEIO_Idle(AEIO_BasicData *basic_dataP, AEIO_ModuleSignature sig, AEIO_IdleFlags *idle_flags0);</pre>	Output	No

TABLE 112: AEIO_FUNCTIONBLOCK4

Function	Response	I or O?	Required?
AEIO_GetDepths	<p>Set AEIO_OptionsFlags to indicate which pixel and color depths are valid for your output format. See the discussion on Export Bit-Depth.</p> <pre>AEIO_GetDepths(AEIO_BasicData *basic_dataP, AEIO_OutSpecH outH, AEIO_OptionsFlags *which);</pre>	Output	Yes
AEIO_Get-OutputSuffix	<p>AEIO_Err_USE_DFLT_CALLBACK allowed. Describe the three character extension for the output file.</p> <pre>AEIO_GetOutputSuffix(AEIO_BasicData *basic_dataP, AEIO_OutSpecH outH, A_char *suffix);</pre>	Output	Yes
AEIO_SeqOptions-Dlg	<p>Display a footage options dialog, and indicate whether the user made any changes.</p> <pre>AEIO_SeqOptionsDlg(AEIO_BasicData *basic_dataP, AEIO_InSpecH inH, A_Boolean *interactedPB);</pre>	Input	No
AEIO_GetNum-AuxChannels	<p>Enumerate the auxiliary (beyond red, green, blue and alpha) channels of data contained in an AEIO_InSpecH.</p> <pre>AEIO_GetNumAuxChannels(AEIO_BasicData *basic_dataP, AEIO_InSpecH inH, A_long *num_channelsPL);</pre>	Input	No
AEIO_Get-AuxChannelDesc	<p>Describe the data type, name, channel, and dimensionality of an auxiliary data channel.</p> <pre>AEIO_GetAuxChannelDesc(AEIO_BasicData *basic_dataP, AEIO_InSpecH inH, long chan_indexL, PF_ChannelDesc *descP);</pre>	Input	No

TABLE 112: AEIO_FUNCTIONBLOCK4

Function	Response	I or O?	Required?
AEIO_Draw-AuxChannel	<p>Draw the auxiliary channel(s) from an AEIO_InSpecH.</p> <pre> AEIO_DrawAuxChannel(AEIO_BasicData *basic_dataP, AEIO_InSpecH inH, A_long chan_indexL, const AEIO_DrawFramePB *pbP, PF_ChannelChunk *chunkP); </pre>	Input	No
AEIO_Free-AuxChannel	<p>Free data associated with an auxiliary channel.</p> <pre> AEIO_FreeAuxChannel(AEIO_BasicData *basic_dataP, AEIO_InSpecH inH, PF_ChannelChunk *chunkP); </pre>	Input	No
AEIO_NumAuxFiles	<p>Enumerate the files needed to render the given AEIO_InSpecH. This function and AEIO_GetNthAuxFileSpec will be called when the user chooses File > Dependencies > Collect Files... Here your AEIO tells AE what the associated files are.</p> <pre> AEIO_NumAuxFiles(AEIO_BasicData *basic_dataP, AEIO_InSpecH seqH, A_long *files_per_framePL); </pre>	Input	No
AEIO_GetNth-AuxFileSpec	<p>Retrieve data from the nth auxiliary file, for the specified frame. The path is a handle to a NULL-terminated A_UTF16Char string, and must be disposed with AEGP_FreeMemHandle.</p> <pre> AEIO_GetNthAuxFileSpec(AEIO_BasicData *basic_dataP, AEIO_InSpecH seqH, A_long frame_numL, A_long n, AEGP_MemHandle *pathPH); </pre>	Input	No, if no aux files
AEIO_Close-SourceFiles	<p>Close (or open, depending upon closeB) the source files for an AEIO_InSpecH. When the user Collects Files, the AEIO will first be asked to close its source files, then re-open them.</p> <pre> AEIO_CloseSourceFiles(AEIO_BasicData *basic_dataP, AEIO_InSpecH seqH, A_Boolean closeB); </pre> <p>TRUE for close, FALSE for open.</p>	Input	Yes

TABLE 112: AEIO_FUNCTIONBLOCK4

Function	Response	I or O?	Required?
AEIO_Count-UserData	<p>Enumerate the units of user data associated with the AEIO_InSpecH.</p> <pre>AEIO_CountUserData(AEIO_BasicData *basic_dataP, AEIO_InSpecH inH, A_u_long typeLu, A_u_long max_sizeLu, A_u_long *num_of_typePLu);</pre>	Input	No
AEIO_SetUserData	<p>Set user data (of the given index and type) for the given AEIO_OutSpecH.</p> <pre>AEIO_SetUserData(AEIO_BasicData *basic_dataP, AEIO_OutSpecH outH, A_u_long typeLu, A_u_long indexLu, const AEIO_Handle dataH);</pre>	Output	No
AEIO_GetUserData	<p>Describe the user data (at the index and of the type given) associated with the AEIO_InSpecH.</p> <pre>AEIO_GetUserData(AEIO_BasicData *basic_dataP, AEIO_InSpecH inH, A_u_long typeLu, A_u_long indexLu, A_u_long max_sizeLu, AEIO_Handle *dataPH);</pre>	Input	No
AEIO_AddMarker	<p>Associate a marker of the specified type, at the specified frame, with the AEIO_OutSpecH. You may provide an interrupt function to handle user cancellation of this action.</p> <pre>AEIO_AddMarker(AEIO_BasicData *basic_dataP, AEIO_OutSpecH outH, A_long frame_index, AEIO_MarkerType marker_type, void *marker_dataPV, AEIO_InterruptFuncs *inter0);</pre>	Output	No

TABLE 112: AEIO_FUNCTIONBLOCK4

Function	Response	I or O?	Required?
AEIO_Verify-FileImportable	<p>Indicate (by setting <code>importablePB</code>) whether or not the plug-in can import the file. Note that After Effects has already done basic extension checking; you may wish to open the file and determine whether or not it's valid. This can be a time-consuming process; most AEIOs that ship with After Effects simply return <code>TRUE</code>, and deal with bad files during AEIO_InitInSpecFromFile.</p> <p>The file path is a NULL-terminated UTF-16 string with platform separators.</p> <pre>AEIO_VerifyFileImportable(AEIO_BasicData *basic_dataP, AEIO_ModuleSignature sig, const A_UTF16Char *file_pathZ, A_Boolean *importablePB);</pre>	Input	No
AEIO_UserAudio-OptionsDialog	<p>Display an audio options dialog.</p> <pre>AEIO_UserAudioOptionsDialog(AEIO_BasicData *basic_dataP, AEIO_OutSpecH outH, A_Boolean *interacted0);</pre>	Output	No
AEIO_AddMarker3	<p>Add a marker, with a flag specifying whether or not this is a composition marker.</p> <pre>AEIO_AddMarker3(AEIO_BasicData *basic_dataP, AEIO_OutSpecH outH, A_long frame_index, AEGP_ConstMarkerValP marker_valP, AEIO_RenderMarkerFlag marker_flag, AEIO_InterruptFuncs *inter0);</pre>	Output	No
AEIO_GetMimeType	<p>Describe the output mime type. This is used for XMP support.</p> <pre>AEIO_GetMimeType(AEIO_BasicData *basic_dataP, AEIO_OutSpecH outH, A_long mime_type_sizeL, char *mime_typeZ);</pre>	Output	No

WHAT GOES IN

These functions manage an input specification, After Effects' internal representation of data gathered from any source. Any image or audio data in After Effects (except solids) is obtained from an input specification handle, or AEIO_InSpecH

TABLE 113: AEGP_IOINSUITE5

Function	Purpose
AEGP_GetInSpecOptionsHandle	Retrieves the options data (created by your AEIO) for the given AEIO_InSpecH. <pre>AEGP_GetInSpecOptionsHandle(AEIO_InSpecH inH, void **optionsPPV);</pre>
AEGP_SetInSpecOptionsHandle	Sets the options data for the given AEIO_InSpecH. Must be allocated using the MemorySuite . <pre>AEGP_SetInSpecOptionsHandle(AEIO_InSpecH inH, void *optionsPV, void **old_optionsPPV);</pre>
AEGP_GetInSpecFilePath	Retrieves the file path for the AEIO_InSpecH. The file path is a handle to a NULL-terminated A_UTF16Char string, and must be disposed with AEGP_FreeMemHandle. <pre>AEGP_GetInSpecFilePath(AEIO_InSpecH inH, AEGP_MemHandle *file_nameZ);</pre>
AEGP_GetInSpecNativeFPS	Retrieves the frame rate of the AEIO_InSpecH. <pre>AEGP_GetInSpecNativeFPS(AEIO_InSpecH inH, A_Fixed *native_fpsP);</pre>
AEGP_SetInSpecNativeFPS	Sets the frame rate of the AEIO_InSpecH. <pre>AEGP_SetInSpecNativeFPS(AEIO_InSpecH inH, A_Fixed native_fpsP);</pre>
AEGP_GetInSpecDepth	Retrieves the bit depth of the image data in the AEIO_InSpecH. <pre>AEGP_GetInSpecDepth(AEIO_InSpecH inH, A_short *depthPS);</pre>

TABLE 113: AEGP_IOINSUITE5

Function	Purpose
<code>AEGP_SetInSpecDepth</code>	<p>Indicates to After Effects the bit depth of the image data in the <code>AEIO_InSpecH</code>.</p> <pre>AEGP_SetInSpecDepth(AEIO_InSpecH inH, A_short depthS);</pre>
<code>AEGP_GetInSpecSize</code>	<p>Retrieves the size (in bytes) of the data referenced by the <code>AEIO_InSpecH</code>.</p> <pre>AEGP_GetInSpecSize(AEIO_InSpecH inH, AEIO_FileSize *sizePLLu);</pre>
<code>AEGP_SetInSpecSize</code>	<p>Indicates to After Effects the size (in bytes) of the data referenced by the <code>AEIO_InSpecH</code>.</p> <pre>AEGP_SetInSpecSize(AEIO_InSpecH inH, AEIO_FileSize sizeL);</pre>
<code>AEGP_GetInSpecInterlaceLabel</code>	<p>Retrieves field information for the <code>AEIO_InSpecH</code>.</p> <pre>AEGP_GetInSpecInterlaceLabel(AEIO_InSpecH inH, FIEL_Label *interlaceP);</pre>
<code>AEGP_SetInSpecInterlaceLabel</code>	<p>Specifies field information for the <code>AEIO_InSpecH</code>.</p> <pre>AEGP_SetInSpecInterlaceLabel(AEIO_InSpecH inH, const FIEL_Label *interlaceP);</pre>
<code>AEGP_GetInSpecAlphaLabel</code>	<p>Retrieves alpha channel interpretation information for the <code>AEIO_InSpecH</code>.</p> <pre>AEGP_GetInSpecAlphaLabel(AEIO_InSpecH inH, AEIO_AlphaLabel *alphaP);</pre>
<code>AEGP_SetInSpecAlphaLabel</code>	<p>Sets alpha channel interpretation information for the <code>AEIO_InSpecH</code>.</p> <pre>AEGP_SetInSpecAlphaLabel(AEIO_InSpecH inH, const AEIO_AlphaLabel *alphaP);</pre>
<code>AEGP_GetInSpecDuration</code>	<p>Retrieves the duration of the <code>AEIO_InSpecH</code>.</p> <pre>AEGP_GetInSpecDuration(AEIO_InSpecH inH, A_Time *durationP);</pre>

TABLE 113: AEGP_IOINSUITE5

Function	Purpose
<code>AEGP_SetInSpecDuration</code>	<p>Sets the duration of the <code>AEIO_InSpecH</code>. NOTE: As of 5.5, this must be called, even for frame-based file formats. If you don't set the <code>A_Time.scale</code> to something other than zero, your file(s) will not import. This will be fixed in future versions.</p> <pre>AEGP_SetInSpecDuration(AEIO_InSpecH inH, const A_Time *durationP);</pre>
<code>AEGP_GetInSpecDimensions</code>	<p>Retrieves the width and height of the image data in the <code>AEIO_InSpecH</code>.</p> <pre>AEGP_GetInSpecDimensions(AEIO_InSpecH inH, A_long *widthPL0, A_long *heightPL0);</pre>
<code>AEGP_SetInSpecDimensions</code>	<p>Indicates to After Effects the width and height of the image data in the <code>AEIO_InSpecH</code>.</p> <pre>AEGP_SetInSpecDimensions(AEIO_InSpecH inH, A_long widthL, A_long heightL);</pre>
<code>AEGP_InSpecGetRationalDimensions</code>	<p>Retrieves the width, height, bounding rect, and scaling factor applied to an <code>AEIO_InSpecH</code>.</p> <pre>AEGP_InSpecGetRationalDimensions(AEIO_InSpecH inH, const AEIO_RationalScale *rs0, A_long *width0, A_long *height0, A_Rect *r0);</pre>
<code>AEGP_GetInSpecHSF</code>	<p>Retrieves the horizontal scaling factor applied to an <code>AEIO_InSpecH</code>.</p> <pre>AEGP_GetInSpecHSF(AEIO_InSpecH inH, A_Ratio *hsf);</pre>
<code>AEGP_SetInSpecHSF</code>	<p>Sets the horizontal scaling factor of an <code>AEIO_InSpecH</code>.</p> <pre>AEGP_SetInSpecHSF(AEIO_InSpecH inH, const A_Ratio *hsf);</pre>

TABLE 113: AEGP_IOINSUITE5

Function	Purpose
<code>AEGP_GetInSpecSoundRate</code>	Obtains the sampling rate (in samples per second) for the audio data referenced by the <code>AEIO_InSpecH</code> . <pre>AEGP_GetInSpecSoundRate(AEIO_InSpecH inH, A_FpLong *ratePF);</pre>
<code>AEGP_SetInSpecSoundRate</code>	Sets the sampling rate (in samples per second) for the audio data referenced by the <code>AEIO_InSpecH</code> . <pre>AEGP_SetInSpecSoundRate(AEIO_InSpecH inH, A_FpLong rateF);</pre>
<code>AEGP_GetInSpecSoundEncoding</code>	Obtains the encoding method (signed PCM, unsigned PCM, or floating point) from an <code>AEIO_InSpecH</code> . <pre>AEGP_GetInSpecSoundEncoding(AEIO_InSpecH inH, AEIO_SndEncoding *encodingP);</pre>
<code>AEGP_SetInSpecSoundEncoding</code>	Sets the encoding method of an <code>AEIO_InSpecH</code> . <pre>AEGP_SetInSpecSoundEncoding(AEIO_InSpecH inH, AEIO_SndEncoding encoding);</pre>
<code>AEGP_GetInSpecSoundSampleSize</code>	Retrieves the bytes-per-sample (1,2, or 4) from an <code>AEIO_InSpecH</code> . <pre>AEGP_GetInSpecSoundSampleSize(AEIO_InSpecH inH, AEIO_SndSampleSize *bytes_per_smpP);</pre>
<code>AEGP_SetInSpecSoundSampleSize</code>	Set the bytes per sample of an <code>AEIO_InSpecH</code> . <pre>AEGP_SetInSpecSoundSampleSize(AEIO_InSpecH inH, AEIO_SndSampleSize bytes_per_sample);</pre>
<code>AEGP_GetInSpecSoundChannels</code>	Determines whether the audio in the <code>AEIO_SndChannels</code> is mono or stereo. <pre>AEGP_GetInSpecSoundChannels(AEIO_InSpecH inH, AEIO_SndChannels *num_channelsP);</pre>
<code>AEGP_SetInSpecSoundChannels</code>	Sets the audio in an <code>AEIO_SndChannels</code> to mono or stereo. <pre>AEGP_SetInSpecSoundChannels(AEIO_InSpecH inH, AEIO_SndChannels num_channels);</pre>

TABLE 113: AEGP_IOINSUITE5

Function	Purpose
<code>AEGP_AddAuxExtMap</code>	<p>If your file format has auxiliary files which you want to prevent users from opening directly, pass it's extension, file type and creator to this function to keep it from appearing in input dialogs.</p> <pre> AEGP_AddAuxExtMap(const A_char *extension, A_long file_type, A_long creator); </pre>
<code>AEGP_SetInSpecEmbeddedColorProfile</code>	<p>In case of RGB data, if there is an embedded icc profile, build an <code>AEGP_ColorProfile</code> out of this icc profile using AEGP_GetNewColorProfileFromICCPProfile and set the profile description set to NULL.</p> <p>In case of non-RGB data, if there is an embedded non-RGB icc profile or you know the color space the data is in, set the color profile set to NULL, and provide the description as a NULL-terminated unicode string. Doing this disables color management UI that allows user to affect profile choice in the application UI.</p> <p>If you are unpacking non-RGB data directly into working space (to get working space use AEGP_GetNewWorkingSpaceColorProfile), you are done.</p> <p>If you are unpacking non-RGB data into specific RGB color space, you must pass the profile describing this space to <code>AEGP_SetInSpecAssignedColorProfile</code>. below. Otherwise, your RGB data will be incorrectly interpreted as being in working space.</p> <p>Either color profile or profile description should be NULL in this function. You cannot use both.</p> <pre> AEGP_SetInSpecEmbeddedColorProfile(AEIO_InSpecH inH, AEGP_ConstColorProfileP color_profileP0, const A_UTF16Char *profile_descP0); </pre>
<code>AEGP_SetInSpecAssignedColorProfile</code>	<p>Assign a valid RGB color profile to the footage.</p> <pre> AEGP_SetInSpecAssignedColorProfile(AEIO_InSpecH inH, AEGP_ConstColorProfileP color_profileP); </pre>

TABLE 113: AEGP_IOINSUITE5

Function	Purpose
<code>AEGP_GetInSpecNativeStartTime</code>	New in CC. Retrieves the native start time of the footage. <pre>AEGP_GetInSpecNativeStartTime(AEIO_InSpecH inH, A_Time *startTimeP);</pre>
<code>AEGP_SetInSpecNativeStartTime</code>	New in CC. Assign a native start time to the footage. <pre>AEGP_SetInSpecNativeStartTime(AEIO_InSpecH inH, const A_Time *startTimeP);</pre>
<code>AEGP_ClearInSpecNativeStartTime</code>	New in CC. Clear the native start time of the footage. Setting the native start time to 0 using <code>AEGP_SetInSpecNativeStartTime</code> doesn't do this. It still means there is a special native start time provided. <pre>AEGP_ClearInSpecNativeStartTime(AEIO_InSpecH inH);</pre>
<code>AEGP_GetInSpecNativeDisplayDropFrame</code>	New in CC. Retrieve the drop-frame setting of the footage. <pre>AEGP_GetInSpecNativeDisplayDropFrame(AEIO_InSpecH inH, A_Boolean *displayDropFrameBP);</pre>
<code>AEGP_SetInSpecNativeDisplayDropFrame</code>	New in CC. Assign the drop-frame setting of the footage. <pre>AEGP_SetInSpecNativeDisplayDropFrame(AEIO_InSpecH inH, A_Boolean displayDropFrameB);</pre>

WHAT GOES OUT

These functions manage all interactions with an output specification in After Effects' render queue.

TABLE 114: AEGPIOOUTSUITE4

Function	Purpose
<code>AEGP_GetOutSpecOptionsHandle</code>	Retrieves the Options for the <code>AEIO_OutSpecH</code> . <code>AEGP_GetOutSpecOptionsHandle(AEIO_OutSpecH outh, void **optionsPPV);</code>
<code>AEGP_SetOutSpecOptionsHandle</code>	Sets the Options for the <code>AEIO_OutSpecH</code> . <code>AEGP_SetOutSpecOptionsHandle(AEIO_OutSpecH outh, void *optionsPV, void **old_optionsPPV);</code>
<code>AEGP_GetOutSpecFilePath</code>	Obtains the path for the <code>AEIO_OutSpecH</code> . The file path is a handle to a NULL-terminated <code>A_UTF16Char</code> string, and must be disposed with <code>AEGP_FreeMemHandle</code> . If <code>file_rsrvdPB</code> returns <code>TRUE</code> , the plug-in should not overwrite it (After Effects has already created an empty file); doing so can cause network renders to fail. <code>AEGP_GetOutSpecFilePath(AEIO_OutSpecH outh, AEGP_MemHandle *unicode_pathPH, A_Boolean *file_rsrvdPB);</code>
<code>AEGP_GetOutSpecFPS</code>	Obtains the frames per second of the <code>AEIO_OutSpecH</code> . <code>AEGP_GetOutSpecFPS(AEIO_OutSpecH outh, A_Fixed *native_fpsP);</code>
<code>AEGP_SetOutSpecNativeFPS</code>	Sets the frames per second of the <code>AEIO_OutSpecH</code> . <code>AEGP_SetOutSpecNativeFPS(AEIO_OutSpecH outh, A_Fixed native_fpsP);</code>
<code>AEGP_GetOutSpecDepth</code>	Obtains the pixel bit depth of the <code>AEIO_OutSpecH</code> . <code>AEGP_GetOutSpecDepth(AEIO_OutSpecH outh, A_short *depthPS);</code>

TABLE 114: AEGPIOOUTSUITE4

Function	Purpose
AEGP_SetOutSpecDepth	Sets the pixel bit depth of the AEIO_OutSpecH. <pre>AEGP_SetOutSpecDepth(AEIO_OutSpecH outH, A_short depthPS);</pre>
AEGP_GetOutSpecInterlaceLabel	Obtains field information for the AEIO_OutSpecH. <pre>AEGP_GetOutSpecInterlaceLabel(AEIO_OutSpecH outH, FIEL_Label *interlaceP);</pre>
AEGP_SetOutSpecInterlaceLabel	Set the field information for the AEIO_OutSpecH. <pre>AEGP_SetOutSpecInterlaceLabel(AEIO_OutSpecH outH, const FIEL_Label *interlaceP);</pre>
AEGP_GetOutSpecAlphaLabel	Obtains alpha interpretation information for the AEIO_OutSpecH. <pre>AEGP_GetOutSpecAlphaLabel(AEIO_OutSpecH outH, AEIO_AlphaLabel *alphaP);</pre>
AEGP_SetOutSpecAlphaLabel	Sets the alpha interpretation for the AEIO_OutSpecH. <pre>AEGP_SetOutSpecAlphaLabel(AEIO_OutSpecH outH, const AEIO_AlphaLabel *alphaP);</pre>
AEGP_GetOutSpecDuration	Obtains the duration of the AEIO_OutSpecH. <pre>AEGP_GetOutSpecDuration(AEIO_OutSpecH outH, A_Time *durationP);</pre>
AEGP_SetOutSpecDuration	Sets the duration of the AEIO_OutSpecH. <pre>AEGP_SetOutSpecDuration(AEIO_OutSpecH outH, const A_Time *durationP);</pre>
AEGP_GetOutSpecDimensions	Obtains the dimensions of the AEIO_OutSpecH. <pre>AEGP_GetOutSpecDimensions(AEIO_OutSpecH outH, A_long *widthPL0, A_long *heightPL0);</pre>

TABLE 114: AEGPIOOUTSUITE4

Function	Purpose
AEGP_GetOutSpecHSF	Obtains the horizontal scaling factor of the AEIO_OutSpecH. <pre>AEGP_GetOutSpecHSF(AEIO_OutSpecH outh, A_Ratio *hsf);</pre>
AEGP_SetOutSpecHSF	Sets the horizontal scaling factor of the AEIO_OutSpecH. <pre>AEGP_SetOutSpecHSF(AEIO_OutSpecH outh, const A_Ratio *hsf);</pre>
AEGP_GetOutSpecSoundRate	Obtains the sampling rate for the AEIO_OutSpecH. <pre>AEGP_GetOutSpecSoundRate(AEIO_OutSpecH outh, A_FpLong *ratePF);</pre>
AEGP_SetOutSpecSoundRate	Sets the sampling rate for the AEIO_OutSpecH. <pre>AEGP_SetOutSpecSoundRate(AEIO_OutSpecH outh, A_FpLong rateF);</pre>
AEGP_GetOutSpecSoundEncoding	Obtains the sound encoding format of the AEIO_OutSpecH. <pre>AEGP_GetOutSpecSoundEncoding(AEIO_OutSpecH outh, AEIO_SndEncoding *encodingP);</pre>
AEGP_SetOutSpecSoundEncoding	Sets the sound encoding format of the AEIO_OutSpecH. <pre>AEGP_SetOutSpecSoundEncoding(AEIO_OutSpecH outh, AEIO_SndEncoding encoding);</pre>
AEGP_GetOutSpecSoundSampleSize	Obtains the bytes-per-sample of the AEIO_OutSpecH. <pre>AEGP_GetOutSpecSoundSampleSize(AEIO_OutSpecH outh, AEIO_SndSampleSize *bpsP);</pre>
AEGP_SetOutSpecSoundSampleSize	Sets the bytes-per-sample of the AEIO_OutSpecH. <pre>AEGP_SetOutSpecSoundSampleSize(AEIO_OutSpecH outh, AEIO_SndSampleSize bpsP);</pre>

TABLE 114: AEGPIOOUTSUITE4

Function	Purpose
AEGP_GetOutSpecSoundChannels	Obtains the number of sounds channels in the AEIO_OutSpecH. <pre>AEGP_GetOutSpecSoundChannels(AEIO_OutSpecH outH, AEIO_SndChannels *channelsP);</pre>
AEGP_SetOutSpecSoundChannels	Sets the number of sounds channels in the AEIO_OutSpecH. <pre>AEGP_SetOutSpecSoundChannels(AEIO_OutSpecH outH, AEIO_SndChannels channels);</pre>
AEGP_GetOutSpecIsStill	Determines whether the AEIO_OutSpecH is a still. <pre>AEGP_GetOutSpecIsStill(AEIO_OutSpecH outH, A_Boolean *is_stillPB);</pre>
AEGP_GetOutSpecPosterTime	Obtains the time of the AEIO_OutSpecH's poster frame. <pre>AEGP_GetOutSpecPosterTime(AEIO_OutSpecH outH, A_Time *poster_timeP);</pre>
AEGP_GetOutSpecStartFrame	Obtains the time of the first frame in the AEIO_OutSpecH. <pre>AEGP_GetOutSpecStartFrame(AEIO_OutSpecH outH, A_long *start_frameP);</pre>
AEGP_GetOutSpecPullDown	Obtains the pulldown phase of the AEIO_OutSpecH. <pre>AEGP_GetOutSpecPullDown(AEIO_OutSpecH outH, AEIO_Pulldown *pulldownP);</pre>
AEGP_GetOutSpecIsMissing	Passes back TRUE if there is no AEIO_OutSpecH. <pre>AEGP_GetOutSpecIsMissing(AEIO_OutSpecH outH, A_Boolean *missingPB);</pre>
AEGP_GetOutSpecShouldEmbedICC Profile	Returns TRUE if the AEIO should embed a color profile in the output. <pre>AEGP_GetOutSpecShouldEmbedICCProfile(AEIO_OutSpecH outH, A_Boolean *embedPB);</pre>

TABLE 114: AEGPIOOUTSUITE4

Function	Purpose
AEGP_GetNewOutSpecColorProfile	Returns an (opaque) ICC color profile for embedding in the AEIO's output. Must be disposed with AEGP_DisposeColorProfile. <pre> AEGP_GetNewOutSpecColorProfile(AEGP_PluginID aegp_plugin_id, AEIO_OutSpecH outH, AEGP_ColorProfileP *color_profilePP); </pre>
AEGP_GetOutSpecOutputModule	Returns the AEGP_RQItemRefH and AEGP_OutputModuleRefH associated with the given AEIO_OutSpecH. Fails if the render queue item is not found, or if AEIO_OutSpecH is not a confirmed outH and is a copy, i.e. if the Output Module settings dialog is open and the user hasn't hit OK. <pre> AEGP_GetOutSpecOutputModule(AEIO_OutSpecH outH, AEGP_RQItemRefH *rq_itemP, AEGP_OutputModuleRefH *om_refP); </pre>

IMPLEMENTATION DETAILS

EXPORT BIT-DEPTH

In the Output Module Settings, the user can choose a Depth based on the options the AEIO declares support for in [AEIO_GetDepths\(\)](#). If a plug-in supports higher bit-depth exports, it should be able to handle these higher bit-depth PF_EffectWorlds passed in [AEIO_AddFrame\(\)](#) or [AEIO_OutputFrame\(\)](#), even when the export setting is not set to the same depth. The frame delivered to the AEIO, and the final output will not necessarily be the same depth. You may get frames passed in the project bit-depth instead of the final output if After Effects thinks that will be higher quality.

USER DATA VS. OPTIONS

It's possible to use either user data allocations or options handles to store metadata about a file. We use user data for information that's to be embedded in the file (presuming the file format supports such information); marker data, field labels, etc. We use option handles for information about the file; output settings, dimensions, details of compression settings used.

10 : PREMIERE PRO & OTHER HOSTS

Adobe Premiere Pro and Adobe Premiere Elements both support the After Effects effect API as described in chapters 2, 3, and 5. They offer a thorough host implementation, some the key omissions being 3D-related calls (auxiliary channel information, cameras and lights), 16-bit and SmartFX support, and other utility functions provided by After Effects' AEGP API.

Both Premiere Pro and Premiere Elements set `PF_InData>appl_id` to `'PrMr'`. In this chapter, we will describe the AE API support in Premiere Pro, but generally the same support exists in corresponding versions of Premiere Elements. If you need to distinguish between Premiere Pro and Premiere Elements, you may use the Premiere-specific App Info Suite, available from the [Premiere Pro SDK](#) headers.

Application Versions	PF_InData> version.major	PF_InData> version.minor
Premiere Pro CC and Premiere Pro CC 2014	13	4
Premiere Pro CS6	13	2
Premiere Pro CS5.5	13	1
Premiere Pro CS5, Premiere Elements 9	13	0
Premiere Pro CS4, Premiere Elements 8	12	5
Premiere Pro CS3, Premiere Elements 4 and 7	12	4
Premiere Pro 2.0, Premiere Elements 3	12	3
Premiere Pro 1.5, Premiere Elements 2	12	2
Premiere Pro 1.0, Premiere Elements 1	12	1

Note that the versioning used by Premiere Pro and Premiere Elements does not mean that they support the same API features After Effects did at the same version. It is simply meant to distinguish from one version to the next.

PLUG-IN INSTALLATION

Use the common plug-in folder as described [here](#). If you try to install an effect plug-in only to the Premiere Pro plug-ins directory, you will be surprised to find that your effect is not rendered when you export to disk through Adobe Media Encoder, an entirely separate application. Oh, and you'll also miss out on project interchange and copy / paste between Premiere Pro and After Effects.

PLUG-INS... RELOADED

On it's first launch, Premiere Pro loads all the plug-ins, reads the PiPL, and sends `PF_Cmd_GLOBAL_SETUP` to determine the plug-ins' capabilities. To save time on future application launches, it saves some of these capabilities in what we call the plug-in cache (the registry on Windows, a Property List file on Mac OS). The next time the application is launched, the cached information is used wherever possible, rather than loading the plug-ins.

When debugging, you can always force a reload of all the plug-ins by holding down the Shift key when launching Premiere Pro.

If your effect needs to be reloaded each time, there is a way to disable this caching. The plug-in can use the PF Cache On Load Suite in `AE_CacheOnLoadSuite.h` (from the [Premiere Pro SDK](#) headers) to call `PF_SetNoCacheOnLoad()` during `PF_Cmd_GLOBAL_SETUP`. For the second parameter of that function, pass a non-zero value if you want your effect to show up in the UI. Pass zero if loading failed, but you still want Premiere Pro to attempt to load it again on the next relaunch.

BASIC HOST DIFFERENCES

We've tried to provide robust compatibility for After Effects effect plug-ins in Premiere Pro. There are underlying differences in the render pipeline that lead to differences, and we realize the API implementation may not be perfect. If you run into anomalous or just plain confusing behavior, please [let us know](#). Below is an overview of some differences you will notice the first time you install your AE effect into PPro and apply it to a clip.

TIME

Premiere Pro uses slightly different time values in `PF_InData`. For example in CS4:

Rendering in NTSC, `time_scale` is 60000, `time_step` is 1001, `field` gives field order (in After Effects, for field rendering, scale is 2997, step is 50, or for progressive rendering, scale is 2997, step is 100).

Rendering in PAL, `time_scale` is 50, `time_step` is 1, `field` gives field order (in After Effects, for field rendering, scale is 3200, step is 64, or for progressive rendering, scale is 3200, step is 128).

It's the ratio of time-related values that produces the time value, not specifically the `time_scale` value. It's possible Premiere Pro will use different `time_scales` in the future, so please don't hard code. Just be aware that it does not necessarily use the exact same values as After Effects.

FRAME DIMENSIONS

Differences between source footage and the project/composition are handled differently. For example, in CS4, when importing an NTSC clip in a PAL sequence, `PF_InData`>`width,height` are (598,480) and `PF_InData`->`pixel_aspect_ratio` is (768,702). In AE, `width,height` are (720,480) and `pixel_aspect_ratio` is (10,11).

PF_INDATA

Premiere Pro handles field rendering differently than After Effects. While field rendering, `PF_InData`>`field` gives the current field being rendered, ignoring whether or not `PF_OutFlag_PIX_INDEPENDENT` flag was set.

In Premiere Pro, effects receive the quality setting of the monitor window in [`PF_InData`>`quality`](#). This differs from After Effects, where the source layer's quality setting is provided here.

PARAMETER UI

Premiere Pro does not honor the [`PF_ParamFlag_START_COLLAPSED`](#) flag. Parameters are always initialized with their twirlies collapsed, and cannot be automatically twirled open by parameter supervision.

MISSING SUITES

Many suites supported by After Effects are not implemented in the Premiere Pro host. In several cases, even if a suite is missing in Premiere Pro, an equivalent macro function is available. Here are a few examples:

After Effects suite call	Premiere Pro equivalent function
WorldTransformSuite1()->copy()	PF_COPY()
WorldTransformSuite1()->convolve()	in_data->utils->convolve()
FillMatteSuite2()->fill()	PF_FILL()
PF_PixelDataSuite1->get_pixel_data8()	PF_GET_PIXEL_DATA8()

The sample projects demonstrate alternate ways of handling a missing suite, by checking for the host application and version. The Portable sample project demonstrates both host application and version checking.

A SPECIAL SUITE FOR AE EFFECTS RUNNING IN PREMIERE PRO

No AEGP calls are supported by Premiere Pro. However, there are some interesting parallels in the header PrSDKAESupport.h. For example, you can use the Utility Suite in that header to get the frame rate or field type of the source footage, or to get the speed applied to the clip.

Note that other suites from the Premiere Pro SDK cannot be used in AE effects.

MULTITHREADING

Premiere Pro was built to provide real-time playback of footage with effects wherever possible. The render scheduling is much more aggressive and multithreaded rendering is a basic requirement. This is quite different than After Effects, where users are building layers upon layers of effects and more willing to wait for a RAM preview.

Multithreaded rendering in Premiere is extended to AE effects. When rendering an AE effect, the messaging from Premiere passes through a critical section which is used for all commands, except those relating to arbitrary data. The critical section prevents two threads from calling the same instance of the effect at the same time. However, Premiere creates multiple instances of the effect, which can be called concurrently from separate threads.

Therefore, an effect should not expect to receive render requests in order of increasing time. Also, effects should not depend on static, non-constant variables.

A flag has been added to the AE API,

`PF_OutFlag2_PPRO_DO_NOT_CLONE_SEQUENCE_DATA_FOR_RENDER`, to allow a plug-in to opt out of Premiere Pro's multithreaded rendering of AE effects. **We advise against setting this flag, as it has been found to cause parameter UI problems.**

When the flag is set, we don't clone the sequence data across all the threads and we only call into the plug-in on one thread at a time. Premiere Pro will still render using multiple threads, but the effect will only render on one thread at a time, and the same sequence data will be used. This flag is useful for plug-ins that provide their own internal multithreading, or plug-ins that render frames based on previous frames, such as image stabilizers.

BIGGER DIFFERENCES

As long as an effect only supports the basic `ARGB_8u` pixel format supported by After Effects, Premiere Pro will try to imitate the After Effects hosting behavior and hide various differences because of the different render pipeline architecture. But if an effect wants to support additional pixel formats, such as 32-bit RGB, be prepared to handle further divergent behavior.

When rendering native pixel formats, Premiere will send `PF_Cmd_RENDER` once for each field, rather than for each frame. The `PF_InData->field` will indicate which field is being rendered, the `PF_LayerDef->height` will be half of the frame height, and the `PF_LayerDef->rowbytes` will be double the normal value.

PIXEL FORMATS

Premiere Pro provides function suites for declaring support for pixel formats other than the 8-bit RGB format used by After Effects - `ARGB_8u`. These pixel formats include the Premiere Pro native 8-bit RGB format - `BGRA_8u`, as well as YUV, 32-bit formats, and more. For a more detailed discussion of the various pixel formats, see the [Premiere Pro SDK Guide](#), chapter 3, in the section "Pixel Formats and Colorspaces".

Use the `PF Pixel Format Suite` (defined in `PrAESDKSupport.h`) to register for [PF_EffectWorlds](#) in other pixel formats. Use the `Premiere Pixel Format Suite` (defined in the aptly-named `PrSDKPixelFormatSuite.h`) to get black and white values in those pixel formats.

After Effects functions such as `PF_BLEND()` have not been enhanced to work with pixel formats beyond 8-bit RGB.

32-BIT FLOAT SUPPORT

Premiere Pro does not support After Effects 16-bit rendering or SmartFX. For 32-bit rendering in Premiere Pro, you'll need to declare support for one of the 32-bit pixel formats (see previous section), and then implement 32-bit rendering for `PF_Cmd_RENDER`. You can support multiple render depths this way. See the SDK Noise sample project for an example.

Depending on the clip(s) to which an effect is applied, 32-bit processing is not always necessary to preserve the quality of the source input. But there are settings to force 32-bit rendering, to give effects processing finer granularity and more headroom, if desired. Go to `Settings>Sequence Settings> Video Previews>Maximum Bit Depth`, to control previewing from the timeline. For export to file, use `Export Settings>Video>Basic Settings>Render at Maximum Depth`.

PF_CHECKOUT_PARAM AND PIXEL FORMATS

Before CS6, `PF_CHECKOUT_PARAM()` only returned 8-bit ARGB buffers, regardless of the pixel format currently being used for rendering. Starting in CS6, an effect can opt in to get frames in the same format as the render request, whether it is 32-bit float, YUV, etc.

Plug-ins may request this behavior, but existing plug-ins will continue working receiving 8-bit ARGB frames. The call is `EffectWantsCheckedOutFramesToMatchRenderPixelFormat()`, in the PF Utility Suite, defined in `PrSDKAESupport.h`. The call should be made on `PF_Cmd_GLOBAL_SETUP`, the same selector where an effect would already advertise support beyond 8-bit RGB using `AddSupportedPixelFormat()`.

EFFECTS PRESETS

Premiere Pro uses a different preset scheme than After Effects. From the Premiere Pro SDK Guide:

Effect presets appear in the Presets bin in the Effects panel, and can be applied just like Effects with specific parameter settings and keyframes. Effect presets can be created as follows:

- 1) Apply a filter to a clip
- 2) Set the parameters of the filter, adding keyframes if desired
- 3) Right-click on the filter name in the Effect Controls panel, and select "Save Preset..."
- 4) Create preset bins if desired by right-clicking in the Effects panel and choosing "New Presets Bin"
- 5) Organize the presets in the preset folders
- 6) Select the bins and/or presets you wish to export, right-click, and choose "Export Preset"

Presets should be installed in the Plug-ins directory. Once they are installed in that directory, they will be read-only, and the user will not be able to move them to a different folder or change their names. User-created presets will be modifiable. On Windows Vista, these are in the user's hidden AppData folder (e.g. C:\Users\[user name]\AppData\Roaming\Adobe\Premiere Pro\[version]\Effect Presets and Custom Items.prfpset). On Mac OS, they are in the user folder, at ~/Library/Application Support/Adobe/Premiere Pro/[version]/Effect Presets and Custom Items.prfpset.

CUSTOM ECW UI OVER A STANDARD DATA TYPE

While this is logged as bug #1235407, there is a simple workaround: Create two separate parameters, and have the custom UI control the slider param using parameter supervision.

PREMIERE ELEMENTS

Premiere Elements (but not Premiere Pro) displays visual icons for each effect. You will need to provide icons for your effects, or else an empty black icon will be shown for your effects, or even worse behavior in Premiere Elements 8. The icons are 60x45 PNG files, and are placed here:

```
[Program Files]\Adobe\Adobe Premiere Elements [version]\Plug-ins\Common\EffectPreviews\
```

The filename should be the match name of the effect, which you specify in the [PiPL](#), prefixed with "AE." So if the match name was "MatchName", then the filename should be "AE.MatchName.png"

UNSUPPORTED FEATURES

Premiere Pro is currently known to not support the following features of the After Effects API:

(If you would like a feature with a "-" bullet, please email [Premiere Pro API Engineering](#) with the feature request. Numbers preceded by an 'F' are feature request numbers, and the others are bug numbers)

F7233 - extent_hint support

F7835 - Multiple PiPLs in a single plug-in

F7836 - AEGP support

F7517 - Audio support - if a plug-in sets PF_OutFlag_I_USE_AUDIO in

PF_Cmd_GLOBAL_SETUP, it will not be loaded at all
F9355 - Support PF_ParamFlag_COLLAPSE_TWIRLY
3689851 - PF_OutFlag_I_AM_OBSOLETE unsupported
- PF World Transform Suite
- PF AE Channel Suite
- AE's implementation of high bit color depth support
- SmartFX
- 3D support
- PF_SUBPIXEL_SAMPLE(), PF_GET_PIXEL_DATA16()

BUT...WHY'D YOU LOAD IT, IF YOU CAN'T RUN IT?!

Premiere Pro attempts to load AEGP plug-ins. To detect this and avoid any problem behavior, your command hook function can access a suite which is only provided by After Effects; [AEGP_CanvasSuite](#) is a fine candidate. If the suite isn't present, return an error. The plug-in will be placed on Premiere Pro's "don't load these" list.

OTHER HOSTS?

For third-party hosts, the Adobe policy remains:

"Adobe neither supports nor recommends the creation of Adobe-compatible third-party hosts. While it may be possible to create a partially functional host by reverse engineering from the plug-in API specification, we do not recommend it and will not support you in doing so."

REALITY SANDWICH

We realize that, for developers like you, one good way to grow your market is to ensure that your plug-ins work in as many hosts as possible. Our SmartFX API has created quite a bit of distance between the After Effects API and the implementations available in the rest of the plug-in hosting world. We will do what we can to help the other hosts support newer features. If you encounter problems in third party hosts, please refer them to us if they need assistance.

Version History	2
Coding conventions	5
Sample Project Descriptions.....	38
API Versions	42
Entry Point Function Parameters	48
Command Selectors	50
PF_InData.....	56
PF_OutData.....	61
PF_OutFlags.....	62
PF_OutFlags2.....	66
Parameter Types.....	70
PF_ParamDef.....	74
Parameter UI Flags	75
Parameter Flags	77
PF_EffectWorld structure	79
PF_PixelPtr accessor macros	81
Error Codes.....	82
PF_HandleSuite1	86
PF_WorldSuite2	87
PF_Iterate8Suite1, PF_Iterate16Suite1, PF_IterateFloatSuite1	88
PF_WorldTransformSuite1	91
Kernel Flags.....	94
PF_FillMatteSuite2.....	95
PF_SamplingSuite Functions (multiple suites).....	96
PF_BatchSamplingSuite1.....	97
PF_ANSICallbacksSuite1	98
Interaction Callbacks	100
PF_ColorParamSuite1	108
PF_PointParamSuite1	108
PF_AngleParamSuite1	108
PF_ParamUtilsSuite3	110
Arbitrary data selectors	116
PF_EffectUISuite.....	119
PF_AppSuite5	120
AE_AdvAppSuite2	122
PF_AdvTimeSuite2.....	124
PF_AdvItemSuite1	126
PF_ChannelSuite1.....	127
PF_PathVertex.....	130
PF_PathDataSuite1.....	130
PF_PathQuerySuite	133
Pixel Types for different color spaces	135
color space conversion callbacks.....	135
PF_PreRenderExtra	145

PF_PreRenderOutput.....	148
PF_SmartRenderExtra.....	150
Events.....	153
PF_EventExtra.....	154
PF_Context.....	156
PF_EffectWindowInfo.....	156
PF_DoClickEventInfo.....	157
PF_DrawEventInfo.....	157
PF_KeyDownEvent.....	158
PF_AdjustCursorEventInfo.....	159
PF_ArbParamsExtra.....	159
PF_EffectCustomUISuite1.....	161
DRAWBOT_DrawbotSuite1.....	162
DRAWBOT_SupplierSuite1.....	162
DRAWBOT_SurfaceSuite1.....	164
DRAWBOT_PathSuite1.....	167
PF_EffectCustomUIOverlayThemeSuite1.....	168
UI Callbacks.....	170
Audio data structures.....	174
AEGP API Data Types.....	179
Data types requiring disposal.....	181
AEGP Suites.....	184
AEGP_MemorySuite1.....	187
AEGP_CommandSuite1.....	188
AEGP_RegisterSuite5.....	191
AEGP_ProjSuite6.....	193
AEGP_TimeDisplay2.....	195
AEGP_ItemSuite8.....	196
AEGP_CollectionSuite2.....	202
AEGP_CompSuite10.....	203
AEGP_FootageSuite5.....	210
AEGP_FootageInterp structure.....	217
AEGP_LayerSuite8.....	218
AEGP_EffectSuite4.....	228
AEGP_StreamSuite4.....	235
AEGP_DynamicStreamSuite4.....	242
AEGP_KeyframeSuite3.....	250
AEGP_MarkerSuite2.....	255
AEGP_MaskSuite6.....	258
AEGP_MaskOutlineSuite3.....	261
AEGP_TextDocumentSuite1.....	264
AEGP_TextLayerSuite1.....	265
AEGP_UtilitySuite6.....	266
AEGP_PersistentDataSuite4.....	271
AEGP_ColorSettingsSuite2.....	275

AEGP_RenderOptionsSuite4.....	277
AEGP_LayerRenderOptionsSuite1 (New in 13.0).....	281
AEGP_RenderSuite4.....	284
AEGP_WorldSuite3.....	288
AEGP_CompositeSuite2.....	291
AEGP_SoundDataSuite1.....	293
AEGP_RenderQueueSuite1.....	294
AEGP_RQItemSuite3.....	295
AEGP_RenderQueueMonitorSuite1.....	297
AEGP_OutputModuleSuite4.....	302
AEGP_PFInterfaceSuite1.....	307
AEGP_IterateSuite1.....	308
AEGP_FIMSuite3.....	309
Data types used in the Artisan API.....	312
Artisan Entry Points.....	314
AEGP_CanvasSuite8.....	317
AEGP_ArtisanUtilSuite1.....	326
AEGP_CameraSuite2.....	327
AEGP_LightSuite2.....	329
AEGP_QueryXformSuite2.....	330
PR_InteractiveDrawProcs.....	333
AEIO_ModuleInfo.....	338
AEIO_ModuleFlags.....	339
AEIO_ModuleFlags2.....	341
AEIO_FunctionBlock4.....	342
AEGP_IOInSuite5.....	354
AEGPIOOutSuite4.....	360

A

AEFX_CLR_STRUCT	70
AEGP_StreamSuite1	235
area	156
Audio-specific Float Slider Variables	175

C

cbs	155
cmd	48
continue_refcon	157
current_frame	156

D

data	79
Debugging	176
depth	157
Draw Event	157

E

effect_win	155
evt_in_flags	155
evt_out_flags	155
extent_hint	79

F

flat_sdata_size	61
frame_data	61

G

GET_LAYER2COMP_XFORM	172
global_data	61
Graphics Utility Callbacks	98

H

height	61, 79
HLS pixel	135

horiz_offset156

I

in_data48

index156

K

Key Down Event158

L

last_time157

luminance136

M

modifiers157

my_version61

N

name61

num_clicks157

num_params61

O

origin61

out_data49

out_flags61

P

param_title_frame156

Parameter supervision108

Parameters61

PF_ABORT100

PF_ADD_PARAM69

PF_Arbitrary_FLAT_SIZE_FUNC116

PF_Arbitrary_INTERP_FUNC117

PF_Arbitrary_PRINT_SIZE_FUNC117

PF_CHECKIN_LAYER_AUDIO103

PF_CHECKIN_PARAM102

PF_CHECKOUT_LAYER_AUDIO	102
PF_CHECKOUT_PARAM	101, 142
PF_Cmd_ABOUT	48
PF_Cmd_GLOBAL_SETUP	63
PF_Cmd_PARAMS_SETUP	69
PF_DrawEventInfo	157
PF_EA_CONTROL	156
PF_EA_PARAM_TITLE	156
PF_Event_ACTIVATE	153
PF_Event_ADJUST_CURSOR	154
PF_Event_CLOSE_CONTEXT	154
PF_Event_DEACTIVATE	154
PF_Event_DO_CLICK	153
PF_Event_DRAG	154
PF_Event_DRAW	154
PF_Event_IDLE	154
PF_Event_KEYDOWN	154
PF_Event_NEW_CONTEXT	153
PF_ExtDependenciesExtra	54
PF_GET_AUDIO_DATA	103
PF_HLS_PIXEL	135
PF_InData	100
PF_InData Structure	56
PF_OutData structure	61
PF_Param_ANGLE	71
PF_Param_ARBITRARY	72
PF_Param_BUTTON	73
PF_Param_CHECKBOX	71
PF_Param_COLOR	71
PF_Param_FLOAT_SLIDER	70
PF_Param_GROUP_END	72
PF_Param_GROUP_START	72
PF_Param_LAYER	70
PF_Param_PATH	72
PF_Param_POINT_3D	73
PF_Param_POPUP	71
PF_Param_SLIDER	70
PF_ParamDef	101, 102
PF_Pixel	135
PF_PlatData_RES_FILE_PATH	172
PF_PROGRESS	101
PF_REGISTER_UI	102
PF_YIO_PIXEL	135
platform_ref	80

R

return_msg	61, 63
rowbytes	79

S

screen_point	157
send_drag	157

U

update_rect	157
-------------------	-----

W

when	157
width	61, 79
world_flags	79