

Flagship Content Integration Strategy

Working draft · v5 · 16 July 2026 Content Integration Strategy · Part Three

Status · InnerSeed Developers · Confidential

Scope: extending an existing Enschede breathwork practice to the people who'd benefit from it, in Edinburgh and Enschede, through the app. This document is the machine that does the marketing, the content, and — as Ruairaidh trains as a coach — the delivery too: what each instrument takes in, what it hands back, how the five of them pass work between each other, and, from this version on, what the backbone of the whole thing actually looks like end to end.

Starting point

Ideation layer

Claude

Higgsfield

Postiz

MailerLite

Website + Plausible

The backbone

What Claude needs

Entry points

Failsafe

Automation depth

Discard log

STARTING POINT

Zero app awareness, two cities, one Stack

This document treats the app's content system as starting from nothing — no content development system in place, no audience awareness of the app itself — regardless of any personal or social following either founder already has elsewhere. That following is real, but it is not app awareness, and this plan doesn't lean on it.

- **NL · ENSCHEDE** **Jeroen** — building app awareness in his home city, extending the breathwork practice already running there.
- **UK · EDINBURGH** **Ruairaidh** — building app awareness in Edinburgh from zero, training as a breathwork coach alongside the marketing work, so this

route grows into actual local delivery, not just promotion.

Two local, B2C-first motions, run in parallel on one shared Stack, the goal in both places the same: reach people who'd genuinely benefit from this, make them aware the app exists, and move them toward it — directly for Breathers, and as the visible proof that makes the B2B2C and App-Shell conversations credible later.

IDEATION LAYER

Where ongoing content ideas come from

The Message Bank carries the brand's core voice — the throughline every piece should still sound like. It was never going to survive as the only source of what to post this week. The system needs a separate, renewable ideation layer feeding the Insight hat every cycle.

App feature stories

D-43 (Spotify import) is the first.
Every feature that ships from here is another, ready-made and true.

Founder and coach practice, behind the scenes

Jeroen's own ongoing practice;
Ruaraidh's own coach training and his learning curve building this from zero in Edinburgh. Genuine because neither is performed.

Local taster sessions

Small in-person sessions either founder runs to seed real word of mouth — content and community-building in one act.

Category & seasonal hooks

The recurring wellness-calendar moments the category leans on — a scaffold, never the whole plan.

Early user stories

Empty today by definition, but the first real Breather stories become a

Message bank threads

The core voice running through several of the above, not a seventh

source the moment they exist.

source competing with them.

Claude

OPERATING INTELLIGENCE

IN PLACE

SUITABILITY PROFILE

The only seat touching every stage of the loop, and the only thing standing between "two markets, one brand" and "two markets, two half-related brands." Mechanically, it runs as an agent loop: Claude reasons about what's needed, calls the relevant tool, receives the result, and continues — the same pattern whether that tool is a Higgsfield generation, a Postiz post, or a MailerLite trigger.

TECHNICAL INPUT

Raw material filed in Drive, tagged to its city; standing project context; direct uploads at session start; the ideation sources above.

TECHNICAL OUTPUT

Per pass: insight notes; a strategy plan (audience, route, format, channel, city); finished copy plus a structured visual brief object; a quality-checked draft with a pass/hold note.

INTERACTIONS — THE BRIEF OBJECT PASSED TO HIGGSFIELD

```
{
  "city": "edinburgh", // or "enschede"
  "route": "b2c", // b2c | b2b2c | app_shell
  "stage": "awareness",
  "format": "short_video_9x16",
  "channel": "instagram",
  "copy": "...",
  "visual_brief": { "subject": "...", "mood": "...", "reference_asset": "...", "quality_status": "pending" }
}
```

Insight and Strategy run per city, never blended. Production and Quality check the object above before it moves. Approved objects route to Higgsfield, then Postiz or MailerLite, each still carrying `city` and `route`.

UK · EDINBURGH

CONTEXTUAL EXAMPLE

Input: Ruairaidh films a phone clip after a session from his own coach training.

Insight: flags it as a build-from-zero, learning-in-public story — Enschede has no equivalent left to draw on at this stage.

Strategy: B2C awareness, short video, Instagram + a local Edinburgh wellness group, English.

Production: copy in Ruairaidh's own voice, no overstated reach or credentials.

Quality: checks the honesty of the zero-start framing holds.

Higgsfield

VISUAL & VIDEO PRODUCTION

IN PLACE

SUITABILITY PROFILE

Hosted, multi-model, no local setup — concrete for two founders in two countries with no shared studio. Developer access runs through `cloud.higgsfield.ai` : REST endpoints plus an official SDK.

TECHNICAL INPUT

The `visual_brief` object from Claude, plus any real reference asset it points to.

TECHNICAL OUTPUT

Generated video/image assets, light-mode native, sized for the destination channel.

INTERACTIONS — GENERATION IS ASYNCHRONOUS

1. Claude submits the brief as a generation request and receives a job reference back immediately, not a finished asset.
2. Claude (or the orchestration script, if this ever runs outside a chat session) polls the job's status on an interval until it reports complete.
3. The completed asset's URL returns to Claude's Quality hat before either founder sees it. Nothing publishes straight from Higgsfield.

Open technical note: unlike Postiz, no native MCP server is confirmed for Higgsfield — this handoff is a scripted API call today, not a chat-native tool call, until that changes.

CONTEXTUAL EXAMPLE — EITHER CITY

A real ten-second screen recording of the Spotify import (D-43) as the reference asset, paired with a brief calling for "the import treated as a small ceremony, not a settings toggle." Output: a 15-second vertical clip, on-brand regardless of which city's operator requested it.

Postiz

SOCIAL SCHEDULING & DISTRIBUTION

SELF-HOSTING PENDING JEROEN'S CONFIRMATION

SUITABILITY PROFILE

Open-source, self-hostable, continuing the owned-over-rented pattern Plausible set. Ships its own CLI and MCP server built specifically so tools like Claude can draft and schedule directly — the single biggest lever for closing "Claude wrote something" to "it went out."

TECHNICAL INPUT

Approved copy, approved asset, target integration ID, city tag, scheduling time — only post-approval.

TECHNICAL OUTPUT

Scheduled/published posts; a post ID per post; engagement numbers, readable per city.

INTERACTIONS — ACTUAL CALL SHAPE

```
POST /public/v1/posts
{
  "integration_id": "ig_innerseed_main",
  "type": "schedule",
  "content": "{{copy}}",
  "media": [{"higgsfield_asset_url"}],
```

```
"scheduled_at": "2026-07-21T09:00:00+02:00",  
"tag": "city:edinburgh,route:b2c"  
}
```

Rate limit: 90 create-post calls/hour, self-hosted, configurable — schedule in weekly batches rather than under a deadline.

CONTEXTUAL EXAMPLE — BOTH CITIES, ONE INSTANCE

An Edinburgh clip and an Enschede clip schedule separately through the same instance, each tagged, so next week's Insight pass reads two honest, separate answers.

MailerLite

EMAIL & OWNED AUDIENCE

SETUP PENDING

SUITABILITY PROFILE

The non-negotiable seat — no algorithm between brand and audience. Full API on the free tier, real automation depth. One audience, segmented by city and language.

TECHNICAL INPUT

Approved copy per route/city; the segment; the trigger — new subscriber, inactivity, manual send.

TECHNICAL OUTPUT

Sent sequences/automations; opens, clicks, list growth, per segment.

INTERACTIONS — CALL SHAPE

```
POST /api/automations/{id}/trigger  
{  
  "subscriber": "{{email}}",  
  "segment": "edinburgh_breather",  
  "language": "en"  
}
```

UK · EDINBURGH

CONTEXTUAL EXAMPLE

A first Edinburgh sign-up lands in the `edinburgh_breather` segment and receives an English welcome in Ruairaidh's own voice — no assumed prior relationship to the app.

Website + Plausible

OWNED PUBLISHING & MEASUREMENT

IN PLACE

PLAUSIBLE ACTIVATION PENDING

SUITABILITY PROFILE

The app's own codebase — no third-party publishing tool needed. Plausible answers Control the way the rest of the Stack answers Action: privacy-first, aggregate only, segmentable by locale.

TECHNICAL INPUT

Long-form content from Claude, Dutch or English by market; continuous site traffic.

TECHNICAL OUTPUT

Published pages; pageviews, referrers, goal completions, segmentable by locale.

CONTEXTUAL EXAMPLE

An English article targeting Edinburgh search intent; a Dutch equivalent for Enschede. Plausible reports each apart — which one converts a visit into a session started.

THE BACKBONE

The whole system, end to end

Everything above in one map: where content enters, what happens to it, where it branches, where each tool sits, where it exits, and where measurement closes the loop.

WHAT EACH PART MEANS

Inputs	The raw material coming from people or a database.
Content integration system	The central logic that decides what becomes what.
Message bank	The shared source of truth for voice, offer, proof, and story.
Outputs	The actual content products.
Channels	Where the content is published and used.
Learning loop	Performance data that improves the next round of content.

☐ Input ☐ Content integration system ☐ Message bank ☐ Output ☐ Channel ☐ Learning loop


01 · INPUTS

Source material



02 · CONTENT INTEGRATION SYSTEM

Claude





03 · OUTPUTS

Content products




04 · CHANNELS

Distribution tools



Where content lives



Optimisation

Plausible

Analytics and measurement

Learning loop

Optimisation based on results

↻ returns to the message bank — every round improves the next

WHAT CLAUDE NEEDS TO MAKE THIS RUN

Operating requirements, not caveats

1 · Standing context, kept current, for both cities

The project space stays the working memory for Enschede and Edinburgh alike.

2 · Direct tool connections where they genuinely exist

Postiz's MCP server is the priority. Higgsfield's handoff stays a scripted API call until an MCP path is confirmed.

3 · A written quality standard

Brand-voice fit, local-flavour fit, factual accuracy against the live app, fidelity to the message bank, and the standing rule that nothing reads as AI-authored — applied every time.

4 · Real material, continuously fed, from both places

Footage, screenshots, transcripts, voice notes — the difference between content that sounds like the brand and content that sounds like anyone's.

5 · A human-gate protocol, agreed in advance

Work queues and waits if neither founder is available — nothing publishes on a timer alone.

OPENINGS

Where raw material enters, and why there

SOURCE	WHAT ENTERS	WHY HERE	WHEN
Google Drive	Everything, tagged NL or UK on filing	What isn't filed doesn't exist to the system	Continuous
Direct session upload	Footage, screenshots, transcripts	Insight needs fresh, city- tagged material before a cycle starts	Start of each session
Voice notes	Message and strategy material	Some material is better spoken than written first	Whenever it happens
Plausible & channel analytics	Usage/engagement signal, per city	Insight needs separable numbers	Weekly
App / local feedback	Direct comment from either city	Reveals a messaging gap faster than any dashboard	Ad hoc

Planned taster sessions & filming

New founder or coach footage, either city

Both need a growing library of real material

Scheduled per city

FAILSAFE

Where this could break, and what stops it

A TOOL DISAPPEARS OR CHANGES TERMS

Every seat is a role, not a loyalty — reviewed as the business grows.

RATE LIMITS UNDER PRESSURE

Postiz's 90/hour cap: batch ahead, don't post under deadline.

QUALITY DRIFTS AS VOLUME GROWS

The Quality hat checks the standard every time.

TWO PEOPLE, TWO CITIES, CAN'T KEEP PACE

The system queues rather than forces speed, in either city.

IDEATION QUIETLY NARROWS TO ONE SOURCE

Six sources named on purpose so the message bank doesn't become the only well.

AUTOMATION OUTFRONS OVERSIGHT

Publish stays human regardless of how much upstream is automated — see below.

AUTOMATION DEPTH

How much of this actually runs itself

This isn't a vague choice any more — it has a concrete technical shape, whichever level gets built.

The mechanism, regardless of how far this goes: Claude runs as an agent loop — it reasons about what's needed, calls a tool (Higgsfield, Postiz, MailerLite), receives the result, and continues, the same pattern at every stage.

The publish gate is an interrupt: execution actually pauses before distribution, the pending state is saved, and nothing resumes until a real approval comes back — not a polite suggestion to wait, an actual halt.

Level 1 — Claude in a session, tools connected (lowest build cost).

Ruaraidh or Jeroen opens a session; Postiz is reachable directly via its MCP server; Higgsfield via a scripted call. This is close to what's already running.

Level 2 — a lightweight script. A plain Python loop holding the message history, calling each tool's API directly, with the interrupt pattern implemented as a simple pending-approval flag in a database. Full control, but retries, auth, and error logging are all manual.

Level 3 — a structured workflow tool (n8n or LangGraph). Built-in state persistence and a native interrupt/resume mechanism, at the cost of a steeper setup and, for n8n, a visual workflow to maintain instead of code.

Which level, and who builds and maintains it, is Jeroen's call — it's his infrastructure to run day to day. What this document commits to regardless: the human gate is a real pause, not an assumption, at every level.

DISCARD LOG

Considered, not adopted

ComfyUI — a second, heavier visual pipeline

Self-hosted GPU compute and hand-built node graphs, on top of Higgsfield rather than instead of it. Real capability for later — style transfer, upscaling — but adding it before Higgsfield's own handoff is even fully wired up is exactly the complexity the failsafe section warns against. Parked, not rejected.

Sentry with autonomous error-triage

A genuinely clever pattern — Claude reads its own stack trace and retries or rewrites automatically — but it's solving a reliability problem for infrastructure that

doesn't exist yet, and it quietly assumes Slack, which isn't part of the Stack anywhere else. Revisit once there's a real pipeline running long enough to need it.

WHERE THIS LIVES

Part of the Night Garden ePortfolio

This document is filed as Part Three — the flagship — of the Content Integration Strategy on [The Night Garden — Ruairaidh's ePortfolio](#), alongside the other four Trellis parts, the five weekly Manifestos, the Seed Vault, the Garden Lab Proposal, and Field Notes. Read the rest of the portfolio there, or download this document directly wherever it's been shared with you.

Flagship Content Integration Strategy · InnerSeed Garden · Content Integration Strategy · Part Three
Root · Rise · Return · [innerseed.garden](#) · Confidential