DTGroup

bt1@localhost Data Dictionary

11/2/2021





Table of contents

ot1@localho	ost	6
1. web		7
1.1. Tabl	les	8
1.1.1.	Table: add_products	8
1.1.2.	Table: admin	9
1.1.3.	Table: bidding	10
1.1.4.	Table: user_registration	11




Legend

- **?** Primary key
- Primary key disabled
- **1** User-defined primary key
- **?** Unique key
- Unique key disabled
- **%** User-defined unique key
- Active trigger
- Disabled trigger
- → Many to one relation
- → User-defined many to one relation
- → One to many relation
- → Many to many relation
- ₩ User-defined many to many relation
- One to one relation
- User-defined one to one relation
- Input
- Output
- Input/Output
- Uses dependency
- User-defined uses dependency
- Used by dependency
- ☐ User-defined used by dependency





1. web



1.1. Tables

1.1.1. Table: add_products

Columns

		Name	Data type	Description / Attributes
■	1	p_id	int(10, 0)	Identity / Auto increment
■		p_name	varchar(30)	
■		category	varchar(30)	
■		price	varchar(30)	
▤		date_start	date	
■		image	varchar(50)	
■		desp	varchar(255)	
■		user_id	int(10, 0)	References: user_registration
▤		date_end	date	

Links to

Table	Join	Title / Name / Description
→ user_registration	<pre>add_productsuser_id = user_registrationuser_id</pre>	fk_user_registration_add_products

Linked from

	Table	Join	Title / Name / Description
← i	bidding	<pre>add_productsp_id = biddingproduct_name</pre>	fk_add_products_bidding

Unique keys

Columns		Name / Description
p_id	PRIMARY	

1.1.2. Table: admin

Columns

	Name	Data type	Description / Attributes
	admin	varchar(20)	
	pwd	varchar(100)	



1.1.3. Table: bidding

Columns

		Name	Data type	Description / Attributes
■	1	bid_id	int(10, 0)	Identity / Auto increment
■		date	date	
■		product_name	varchar(30)	References: add_products
■		category	varchar(30)	
■		price	varchar(20)	
■		bid_price	varchar(20)	
■		name	varchar(30)	
■		email	varchar(30)	
■		add	varchar(100)	
■		ph	varchar(12)	_

Links to

Table	Join	Title / Name / Description
→ add_products	bidding product_name = add_productsp_id	fk_add_products_bidding

Unique keys

	Columns		Name / Description
Ŷ	bid_id	PRIMARY	

1.1.4. Table: user_registration

Columns

		Name	Data type	Description / Attributes
■	1	user_id	int(10, 0)	Identity / Auto increment
■		f_name	varchar(30)	
■		I_name	varchar(30)	
■		email	varchar(30)	
■		pass	varchar(150)	
■		dob	varchar(30)	
■		gender	varchar(30)	
■		address	varchar(30)	
■		phone	varchar(12)	
■		code	varchar(100)	
▤		status	tinyint(3, 0)	

Linked from

	Table	Join	Title / Name / Description
← i	add_products	<pre>user_registrationuser_id = add_productsuser_id</pre>	fk_user_registration_add_products

Unique keys

Columns	Name / Description
💡 user_id	PRIMARY

