

# Assignment 11

Rubeena Aafreen

**Abstract—This assignment deals with linear functional on a vector space.**

Download all solutions from

<https://github.com/rubeenaafreen20/EE5609/tree/master/Assignment11>

## 1 PROBLEM

Let  $\mathbf{V}$  be the vector space of  $n \times n$  matrices over the field  $\mathbb{F}$ . If  $\mathbf{B}$  is a fixed  $n \times n$  matrix, define a function  $f_B$  on  $\mathbf{V}$  by  $f_B(\mathbf{A}) = \text{Tr}(\mathbf{B}^T \mathbf{A})$ . Show that every linear functional on  $\mathbf{V}$  is of the form  $f_B$  for some  $\mathbf{B}$ .

## 2 SOLUTION

For  $\mathbf{A} = (a_{ij}) \in \mathbf{V}$ , a linear functional  $f_B : \mathbf{V} \rightarrow \mathbb{F}$  is defined as:

$$f_B(\mathbf{A}) = \mathbf{A}^T \mathbf{c} \quad (2.0.1)$$

equation (2.0.1) can be written as,

$$f_B(\mathbf{A}) = \sum_{i=1}^n \sum_{j=1}^n c_{ij} a_{ij} \quad (2.0.2)$$

Now,

$$\text{Tr}(\mathbf{B}^T \mathbf{A}) = \sum_{i=1}^n (\mathbf{B}^T \mathbf{A})_{ii} \quad (2.0.3)$$

$$= \sum_{j=1}^n \sum_{i=1}^n (b_{ji})^T a_{ij} \quad (2.0.4)$$

$$= \sum_{j=1}^n \sum_{i=1}^n b_{ij} a_{ij} \quad (2.0.5)$$

Let  $c_{ij} = b_{ij}$ , from equation (2.0.2) and equation (2.0.5),

$$\text{Tr}(\mathbf{B}^T \mathbf{A}) = f_B(\mathbf{A}) \quad (2.0.6)$$

Hence, Proved.