



Práctica 2.5 Evidencias



The screenshot shows the OpenWeather API keys management interface. At the top, there's a navigation bar with links like Guide, API, Dashboard, Marketplace, Pricing, Maps, Our Initiatives, Partners, Blog, For Business, Rub..., and Support. Below this, a sub-navigation bar includes links like New Products, Services, API keys (highlighted), Billing plans, Payments, Block logs, My orders, My profile, and Ask a question. A message states: "You can generate as many API keys as needed for your subscription. We accumulate the total load from all of them."

Key	Name	Status	Actions
964b3b9e4ebd3e28d20795fa5a557829	Default	Active	
9a3d1b3efff849c861d358b6b62a66046	Practica2.5	Active	


On the right, there's a "Create key" section with a text input for "API key name" and a "Generate" button. At the bottom, there are sections for "Product Collections" (Current and Forecast APIs), "Subscription" (How to start), and "Company" (OpenWeather is a team of IT experts and data scientists that has been).



The screenshot shows an IDE interface with a file explorer on the left, a central editor, and a right-hand sidebar. The file explorer shows a project named "CLIMA_APP" with various files and folders. The central editor displays the contents of the ".env" file:

```
1 OPENWEATHER_API_KEY=964b3b9e4ebd3e28d20795fa5a557829
2 OPENWEATHER_BASE_URL=https://api.openweathermap.org/data/2.5/weather
3
```

The right-hand sidebar shows a "SESSIONS" list with items like "Build Flutter climate ap..." and "Implement BLE integrat...". At the bottom, there's a "TIPS" section with a message: "Tip: Try the Plan agent to research and plan before implementing changes."



The screenshot shows the Visual Studio Code editor interface. The Explorer panel on the left displays the project structure for 'CLIMA_APP', including folders like 'android', 'ios', 'lib', and 'services', and files like 'ble_service.dart' and 'weather_service.dart'. The main editor area is open to the '.gitignore' file, which contains the following content:

```

1 # Miscellaneous
2 *.class
3 *.log
4 *.pyc
5 *.swp
6 .DS_Store
7 .atom/
8 .build/
9 .buildlog/
10 .history
11 .svn/
12 .swiftm/
13 migrate_working_dir/
14
15 # IntelliJ related
16 *.iml
17
18 # The .vscode folder contains launch configuration and tasks you configure in
19 # VS Code which you may wish to be included in version control, so this line
20 # is commented out by default.
21 #.vscode/
22
23 # Flutter/Dart/Pub related
24 **/doc/api/
25 **/ios/Flutter/.last_build_id
26 .dart_tool/
27 .flutter-plugins-dependencies
28 .pub-cache/
29 .pub/
30 /build/
31 /coverage/
32
33 # Symbolication related
34 *.app.*.symbols
35

```

The bottom status bar shows the 'Tasks' panel, which is currently empty. The right sidebar displays a 'SESSION...' panel with a list of recent sessions and a 'Tip: Try the Plan agent to research and plan before implementing changes.'



